(19) World Intellectual Property Organization International Bureau



(43) International Publication Date 4 January 2001 (04.01.2001)

PCT

(10) International Publication Number WO 01/00805 A2

(51)	International Patent Classificati	on ⁷ : C12N 15/00	199 41 379.7	31 August 1999 (31.08.1999)	DE
			199 41 395.9	31 August 1999 (31.08.1999)	DE
(21)	International Application Number:	er: PCT/IB00/00926	199 42 077.7	3 September 1999 (03.09.1999)	DE
	International Expension France		199 42 078.5	3 September 1999 (03.09.1999)	DE
(22)	International Filing Date: 23 June	T 0000 (00 0 (0000)	199 42 079.3	3 September 1999 (03.09.1999)	DE
		June 2000 (23.06.2000)	199 42 088.2	3 September 1999 (03.09.1999)	DE

(25) Filing Language: English

English (26) Publication Language:

(30) Priority Data:		
60/141,031	25 June 1999 (25.06.1999)	US
199 31 454.3	8 July 1999 (08.07.1999)	DE
199 31 478.0	8 July 1999 (08.07.1999)	DE
199 31 563.9	8 July 1999 (08.07.1999)	DE
199 32 122.1	9 July 1999 (09.07.1999)	DE
199 32 124.8	9 July 1999 (09.07.1999)	DE
199 32 125.6	9 July 1999 (09.07.1999)	DE
199 32 128.0	9 July 1999 (09.07.1999)	DE
199 32 180.9	9 July 1999 (09.07.1999)	DE
199 32 182.5	9 July 1999 (09.07.1999)	DE
199 32 190.6	9 July 1999 (09.07.1999)	DE
199 32 191.4	9 July 1999 (09.07.1999)	DE
199 32 209.0	9 July 1999 (09.07.1999)	DE
199 32 212.0	9 July 1999 (09.07.1999)	DE
199 32 227.9	9 July 1999 (09.07.1999)	DE
199 32 228.7	9 July 1999 (09.07.1999)	DE
199 32 229.5	9 July 1999 (09.07.1999)	DE
199 32 230.9	9 July 1999 (09.07.1999)	DE
199 32 927.3	14 July 1999 (14.07.1999)	DE
199 33 005.0	14 July 1999 (14.07.1999)	DE
199 33 006.9	. 14 July 1999 (14.07.1999)	DE
199 40 764.9	27 August 1999 (27.08.1999)	DE
199 40 765.7	27 August 1999 (27.08.1999)	DE
199 40 766.5	27 August 1999 (27.08.1999)	DE
199 40 830.0	27 August 1999 (27.08.1999)	DE
199 40 831.9	27 August 1999 (27.08.1999)	DE
199 40 832.7	27 August 1999 (27.08.1999)	DE
199 40 833.5	27 August 1999 (27.08.1999)	DE
199 41 378.9	31 August 1999 (31.08.1999)	DE

- (71) Applicant: BASE **AKTIENGESELLSCHAFT** [DE/DE]; D-67056 Ludwigshafen (DE).
- (72) Inventors: POMPEJUS, Markus; Wenjenstrasse 21, D-67251 Freinsheim (DE). KRÖGER, Burkhard; Im Waldhof 1, D-67117 Limburgerhof (DE). SCHRÖDER, Hartwig; Goethestrasse 5, D-69226 Nussloch (DE). ZELDER, Oskar; Rossmarktstrasse 27, D-67346 Speyer (DE). HABERHAUER, Gregor; Moselstrasse 42, D-67117 Limburgerhof (DE).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM,TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:

Without international search report and to be republished upon receipt of that report.

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: CORYNEBACTERIUM GLUTAMICUM GENES ENCODING PROTEINS INVOLVED IN MEMBRANE SYNTHESIS AND MEMBRANE TRANSPORT

(57) Abstract: Isolated nucleic acid molecules, designated MCT nucleic acid molecules, which encode novel MCT proteins from Corynebacterium glutamicum are described. The invention also provides antisense nucleic acid molecules, recombinant expression vectors containing MCT nucleic acid molecules, and host cells into which the expression vectors have been introduced. The invention still further provides isolated MCT proteins, mutated MCT proteins, fusion proteins, antigenic peptides and methods for the improvement of production of a desired compound from C. glutamicum based on genetic engineering of MCT genes in this organism.



CORYNEBACTERIUM GLUTAMICUM GENES ENCODING PROTEINS INVOLVED IN MEMBRANE SYNTHESIS AND MEMBRANE TRANSPORT

5 Related Applications

This application claims priority to prior filed U.S. Provisional Patent Application Serial No. 60/141031, filed June 25, 1999. This application also claims priority to German Patent Application No. 19931454.3, filed July 8, 1999, German Patent Application No. 19931478.0, filed July 8, 1999, German Patent Application No. 10 19931563.9, filed July 8, 1999, German Patent Application No. 19932122.1, filed July 9, 1999, German Patent Application No. 19932124.8, filed 99709, German Patent Application No. 19932125.6, filed July 9, 1999, German Patent Application No. 19932128.0, filed July 9, 1999, German Patent Application No. 19932180.9, filed July 9, 1999, German Patent Application No. 19932182.5, filed July 9, 1999, German Patent 15 Application No. 19932190.6, filed July 9, 1999, German Patent Application No. 19932191.4, filed July 9, 1999, German Patent Application No. 19932209.0, filed July 9, 1999, German Patent Application No. 19932212.0, filed July 9, 1999, German Patent Application No. 19932227.9, filed July 9, 1999, German Patent Application No. 19932228.7, filed July 9, 1999, German Patent Application No. 19932229.5, filed 20 99070, German Patent Application No. 19932230.9, filed July 9, 1999, German Patent Application No. 19932927.3, filed July 14, 1999, German Patent Application No. 19933005.0, filed July 14, 1999, German Patent Application No. 19933006.9, filed July 14, 1999, German Patent Application No. 19940764.9, filed August 27, 1999, German Patent Application No. 19940765.7, filed August 27, 1999, German Patent Application 25 No. 19940766.5, filed August 27, 1999, German Patent Application No. 19940830.0, filed August 27, 1999, German Patent Application No. 19940831.9, filed August 27, 1999, German Patent Application No. 19940832.7, filed August 27, 1999, German Patent Application No. 19940833.5, filed August 27, 1999, German Patent Application No. 19941378.9 filed August 31, 1999, German Patent Application No. 19941379.7, filed August 31, 1999, German Patent Application No. 19941395.9, filed August 31, 30 1999, German Patent Application No. 19942077.7, filed September 3, 1999, German Patent Application No. 19942078.5, filed September 3, 1999, German Patent

Application No. 19942079.3, filed September 3, 1999, and German Patent Application No. 19942088.2, filed September 3, 1999. The entire contents of all of the above referenced applications are hereby expressly incorporated herein by this reference.

5 Background of the Invention

WO 01/00805

10

15

Certain products and by-products of naturally-occurring metabolic processes in cells have utility in a wide array of industries, including the food, feed, cosmetics, and pharmaceutical industries. These molecules, collectively termed 'fine chemicals', include organic acids, both proteinogenic and non-proteinogenic amino acids, nucleotides and nucleosides, lipids and fatty acids, diols, carbohydrates, aromatic compounds, vitamins and cofactors, and enzymes. Their production is most conveniently performed through the large-scale culture of bacteria developed to produce and secrete large quantities of one or more desired molecules. One particularly useful organism for this purpose is *Corynebacterium glutamicum*, a gram positive, nonpathogenic bacterium. Through strain selection, a number of mutant strains have been developed which produce an array of desirable compounds. However, selection of strains improved for the production of a particular molecule is a time-consuming and difficult process.

20 Summary of the Invention

The invention provides novel bacterial nucleic acid molecules which have a variety of uses. These uses include the identification of microorganisms which can be used to produce fine chemicals, the modulation of fine chemical production in C. glutamicum or related bacteria, the typing or identification of C. glutamicum or related bacteria, as reference points for mapping the C. glutamicum genome, and as markers for transformation. These novel nucleic acid molecules encode proteins, referred to herein as membrane construction and membrane transport (MCT) proteins.

C. glutamicum is a gram positive, aerobic bacterium which is commonly used in industry for the large-scale production of a variety of fine chemicals, and also for the degradation of hydrocarbons (such as in petroleum spills) and for the oxidation of terpenoids. The MCT nucleic acid molecules of the invention, therefore, can be used to identify microorganisms which can be used to produce fine chemicals, e.g., by

10

15

20

25

30

fermentation processes. Modulation of the expression of the MCT nucleic acids of the invention, or modification of the sequence of the MCT nucleic acid molecules of the invention, can be used to modulate the production of one or more fine chemicals from a microorganism (e.g., to improve the yield or production of one or more fine chemicals from a Corynebacterium or Brevibacterium species).

The MCT nucleic acids of the invention may also be used to identify an organism as being Corynebacterium glutamicum or a close relative thereof, or to identify the presence of C. glutamicum or a relative thereof in a mixed population of microorganisms. The invention provides the nucleic acid sequences of a number of C. glutamicum genes; by probing the extracted genomic DNA of a culture of a unique or mixed population of microorganisms under stringent conditions with a probe spanning a region of a C. glutamicum gene which is unique to this organism, one can ascertain whether this organism is present. Although Corynebacterium glutamicum itself is nonpathogenic, it is related to species pathogenic in humans, such as Corynebacterium diphtheriae (the causative agent of diphtheria); the detection of such organisms is of significant clinical relevance.

The MCT nucleic acid molecules of the invention may also serve as reference points for mapping of the *C. glutamicum* genome, or of genomes of related organisms. Similarly, these molecules, or variants or portions thereof, may serve as markers for genetically engineered Corynebacterium or Brevibacterium species.

The MCT proteins encoded by the novel nucleic acid molecules of the invention are capable of, for example, performing a function involved in the metabolism (e.g., the biosynthesis or degradation) of compounds necessary for membrane biosynthesis, or of assisting in the transmembrane transport of one or more compounds either into or out of the cell. Given the availability of cloning vectors for use in Corynebacterium glutamicum, such as those disclosed in Sinskey et al., U.S. Patent No. 4,649,119, and techniques for genetic manipulation of C. glutamicum and the related Brevibacterium species (e.g., lactofermentum) (Yoshihama et al., J. Bacteriol. 162: 591-597 (1985); Katsumata et al., J. Bacteriol. 159: 306-311 (1984); and Santamaria et al., J. Gen. Microbiol. 130: 2237-2246 (1984)), the nucleic acid molecules of the invention may be utilized in the genetic engineering of this organism to make it a better or more efficient producer of one or more fine chemicals. This improved production or efficiency of

10

15

20

production of a fine chemical may be due to a direct effect of manipulation of a gene of the invention, or it may be due to an indirect effect of such manipulation.

There are a number of mechanisms by which the alteration of an MCT protein of the invention may directly affect the yield, production, and/or efficiency of production of a fine chemical from a C. glutamicum strain incorporating such an altered protein. Those MCT proteins involved in the export of fine chemical molecules from the cell may be increased in number or activity such that greater quantities of these compounds are secreted to the extracellular medium, from which they are more readily recovered. Similarly, those MCT proteins involved in the import of nutrients necessary for the biosynthesis of one or more fine chemicals (e.g., phosphate, sulfate, nitrogen compounds, etc.) may be increased in number or activity such that these precursors, cofactors, or intermediate compounds are increased in concentration within the cell. Further, fatty acids and lipids themselves are desirable fine chemicals; by optimizing the activity or increasing the number of one or more MCT proteins of the invention which participate in the biosynthesis of these compounds, or by impairing the activity of one or more MCT proteins which are involved in the degradation of these compounds, it may be possible to increase the yield, production, and/or efficiency of production of fatty acid and lipid molecules from C. glutamicum.

The mutagenesis of one or more MCT genes of the invention may also result in MCT proteins having altered activities which indirectly impact the production of one or more desired fine chemicals from *C. glutamicum*. For example, MCT proteins of the invention involved in the export of waste products may be increased in number or activity such that the normal metabolic wastes of the cell (possibly increased in quantity due to the overproduction of the desired fine chemical) are efficiently exported before they are able to damage nucleotides and proteins within the cell (which would decrease the viability of the cell) or to interfere with fine chemical biosynthetic pathways (which would decrease the yield, production, or efficiency of production of the desired fine chemical). Further, the relatively large intracellular quantities of the desired fine chemical may in itself be toxic to the cell, so by increasing the activity or number of transporters able to export this compound from the cell, one may increase the viability of the cell in culture, in turn leading to a greater number of cells in the culture producing the desired fine chemical. The MCT proteins of the invention may also be manipulated

10

15

20

25

30

such that the relative amounts of different lipid and fatty acid molecules are produced. This may have a profound effect on the lipid composition of the membrane of the cell. Since each type of lipid has different physical properties, an alteration in the lipid composition of a membrane may significantly alter membrane fluidity. Changes in membrane fluidity can impact the transport of molecules across the membrane, as well as the integrity of the cell, both of which have a profound effect on the production of fine chemicals from *C. glutamicum* in large-scale fermentative culture.

The invention provides novel nucleic acid molecules which encode proteins, referred to herein as MCT proteins, which are capable of, for example, participating in the metabolism of compounds necessary for the construction of cellular membranes in *C. glutamicum*, or in the transport of molecules across these membranes. Nucleic acid molecules encoding an MCT protein are referred to herein as MCT nucleic acid molecules. In a preferred embodiment, the MCT protein participates in the metabolism of compounds necessary for the construction of cellular membranes in *C. glutamicum*, or in the transport of molecules across these membranes. Examples of such proteins include those encoded by the genes set forth in Table 1.

Accordingly, one aspect of the invention pertains to isolated nucleic acid molecules (e.g., cDNAs, DNAs, or RNAs) comprising a nucleotide sequence encoding an MCT protein or biologically active portions thereof, as well as nucleic acid fragments suitable as primers or hybridization probes for the detection or amplification of MCTencoding nucleic acid (e.g., DNA or mRNA). In particularly preferred embodiments, the isolated nucleic acid molecule comprises one of the nucleotide sequences set forth as the odd-numbered SEQ ID NOs in the Sequence Listing (e.g., SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, SEQ ID NO:7....), forth as the odd-numbered SEQ ID NOs in the Sequence Listing (e.g., SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, SEQ ID NO:7...), or the coding region or a complement thereof of one of these nucleotide sequences. In other particularly preferred embodiments, the isolated nucleic acid molecule of the invention comprises a nucleotide sequence which hybridizes to or is at least about 50%. preferably at least about 60%, more preferably at least about 70%, 80% or 90%, and even more preferably at least about 95%, 96%, 97%, 98%, 99% or more homologous to a nucleotide sequence set forth as an odd-numbered SEQ ID NO in the Sequence Listing (e.g., SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, SEQ ID NO:7...), or a portion

-6-

thereof. In other preferred embodiments, the isolated nucleic acid molecule encodes one of the amino acid sequences set forth as an even-numbered SEQ ID NO in the Sequence Listing (e.g., SEQ ID NO:2, SEQ ID NO:4, SEQ ID NO:6, SEQ ID NO:8...). The preferred MCT proteins of the present invention also preferably possess at least one of the MCT activities described herein.

In another embodiment, the isolated nucleic acid molecule encodes a protein or portion thereof wherein the protein or portion thereof includes an amino acid sequence which is sufficiently homologous to an amino acid sequence of the invention (e.g., a sequence having an even-numbered SEQ ID NO: in the Sequence Listing), e.g., sufficiently homologous to an amino acid sequence of the invention such that the protein or portion thereof maintains an MCT activity. Preferably, the protein or portion thereof encoded by the nucleic acid molecule maintains the ability to participate in the metabolism of compounds necessary for the construction of cellular membranes in C. glutamicum, or in the transport of molecules across these membranes. In one embodiment, the protein encoded by the nucleic acid molecule is at least about 50%, preferably at least about 60%, and more preferably at least about 70%, 80%, or 90% and most preferably at least about 95%, 96%, 97%, 98%, or 99% or more homologous to an amino acid sequence of the invention (e.g., an entire amino acid sequence selected from those having an even-numbered SEQ ID NO in the Sequence Listing). In another preferred embodiment, the protein is a full length C. glutamicum protein which is substantially homologous to an entire amino acid sequence of the invention (encoded by an open reading frame shown in the corresponding odd-numbered SEQ ID NOs in the Sequence Listing (e.g., SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, SEQ ID NO:7...).

10

15

25

30

In another preferred embodiment, the isolated nucleic acid molecule is derived from *C. glutamicum* and encodes a protein (*e.g.*, an MCT fusion protein) which includes a biologically active domain which is at least about 50% or more homologous to one of the amino acid sequences of the invention (*e.g.*, a sequence of one of the even-numbered SEQ ID NOs in the Sequence Listing) and is able to participate in the metabolism of compounds necessary for the construction of cellular membranes in *C. glutamicum*, or in the transport of molecules across these membranes, or has one or more of the activities set forth in Table 1, and which also includes heterologous nucleic acid sequences encoding a heterologous polypeptide or regulatory regions.

5

10

15

20

25

- 7 -

In another embodiment, the isolated nucleic acid molecule is at least 15 nucleotides in length and hybridizes under stringent conditions to a nucleic acid molecule comprising a nucleotide sequence of the invention (e.g., a sequence of an odd-numbered SEQ ID NO in the Sequence Listing). Preferably, the isolated nucleic acid molecule corresponds to a naturally-occurring nucleic acid molecule. More preferably, the isolated nucleic acid encodes a naturally-occurring C. glutamicum MCT protein, or a biologically active portion thereof.

Another aspect of the invention pertains to vectors, e.g., recombinant expression vectors, containing the nucleic acid molecules of the invention, and host cells into which such vectors have been introduced. In one embodiment, such a host cell is used to produce an MCT protein by culturing the host cell in a suitable medium. The MCT protein can be then isolated from the medium or the host cell.

Yet another aspect of the invention pertains to a genetically altered microorganism in which an MCT gene has been introduced or altered. In one embodiment, the genome of the microorganism has been altered by introduction of a nucleic acid molecule of the invention encoding wild-type or mutated MCT sequence as a transgene. In another embodiment, an endogenous MCT gene within the genome of the microorganism has been altered, e.g., functionally disrupted, by homologous recombination with an altered MCT gene. In another embodiment, an endogenous or introduced MCT gene in a microorganism has been altered by one or more point mutations, deletions, or inversions, but still encodes a functional MCT protein. In still another embodiment, one or more of the regulatory regions (e.g., a promoter, repressor, or inducer) of an MCT gene in a microorganism has been altered (e.g., by deletion, truncation, inversion, or point mutation) such that the expression of the MCT gene is modulated. In a preferred embodiment, the microorganism belongs to the genus Corynebacterium or Brevibacterium, with Corynebacterium glutamicum being particularly preferred. In a preferred embodiment, the microorganism is also utilized for the production of a desired compound, such as an amino acid, with lysine being particularly preferred.

In another aspect, the invention provides a method of identifying the presence or activity of *Cornyebacterium diphtheriae* in a subject. This method includes detection of one or more of the nucleic acid or amino acid sequences of the invention (e.g., the

sequences set forth in the Sequence Listing as SEQ ID NOs 1 through 676) in a subject, thereby detecting the presence or activity of *Corynebacterium diphtheriae* in the subject.

Still another aspect of the invention pertains to an isolated MCT protein or a portion, e.g., a biologically active portion, thereof. In a preferred embodiment, the isolated MCT protein or portion thereof can participate in the metabolism of compounds necessary for the construction of cellular membranes in C. glutamicum, or in the transport of molecules across these membranes. In another preferred embodiment, the isolated MCT protein or portion thereof is sufficiently homologous to an amino acid sequence of the invention (e.g., a sequence of an even-numbered SEQ ID NO: in the Sequence Listing) such that the protein or portion thereof maintains the ability to participate in the metabolism of compounds necessary for the construction of cellular membranes in C. glutamicum, or in the transport of molecules across these membranes.

The invention also provides an isolated preparation of an MCT protein. In preferred embodiments, the MCT protein comprises an amino acid sequence of the invention (e.g., a sequence of an even-numbered SEQ ID NO: of the Sequence Listing). In another preferred embodiment, the invention pertains to an isolated full length protein which is substantially homologous to an entire amino acid sequence of the invention (e.g., a sequence of an even-numbered SEQ ID NO: of the Sequence Listing) (encoded by an open reading frame set forth in a corresponding odd-numbered SEQ ID NO: of the Sequence Listing A). In yet another embodiment, the protein is at least about 50%, preferably at least about 60%, and more preferably at least about 70%, 80%, or 90%, and most preferably at least about 95%, 96%, 97%, 98%, or 99% or more homologous to an entire amino acid sequence of the invention (e.g., a sequence of an even-numbered SEQ ID NO: of the Sequence Listing). In other embodiments, the isolated MCT protein comprises an amino acid sequence which is at least about 50% or more homologous to one of the amino acid sequences of the invention (e.g., a sequence of an even-numbered SEQ ID NO: of the Sequence Listing) and is able to participate in the metabolism of compounds necessary for the construction of cellular membranes in C. glutamicum, or in the transport of molecules across these membranes, or has one or more of the activities set forth in Table 1.

15

20

30

Alternatively, the isolated MCT protein can comprise an amino acid sequence which is encoded by a nucleotide sequence which hybridizes, e.g., hybridizes under

stringent conditions, or is at least about 50%, preferably at least about 60%, more preferably at least about 70%, 80%, or 90%, and even more preferably at least about 95%, 96%, 97%, 98,%, or 99% or more homologous, to a nucleotide sequence of one of the even-numbered SEQ ID NOs set forth in the Sequence Listing. It is also preferred that the preferred forms of MCT proteins also have one or more of the MCT bioactivities described herein.

The MCT polypeptide, or a biologically active portion thereof, can be operatively linked to a non-MCT polypeptide to form a fusion protein. In preferred embodiments, this fusion protein has an activity which differs from that of the MCT protein alone. In other preferred embodiments, this fusion protein participate in the metabolism of compounds necessary for the construction of cellular membranes in *C. glutamicum*, or in the transport of molecules across these membranes. In particularly preferred embodiments, integration of this fusion protein into a host cell modulates production of a desired compound from the cell.

10

15

20

25

30

In another aspect, the invention provides methods for screening molecules which modulate the activity of an MCT protein, either by interacting with the protein itself or a substrate or binding partner of the MCT protein, or by modulating the transcription or translation of an MCT nucleic acid molecule of the invention.

Another aspect of the invention pertains to a method for producing a fine chemical. This method involves the culturing of a cell containing a vector directing the expression of an MCT nucleic acid molecule of the invention, such that a fine chemical is produced. In a preferred embodiment, this method further includes the step of obtaining a cell containing such a vector, in which a cell is transfected with a vector directing the expression of an MCT nucleic acid. In another preferred embodiment, this method further includes the step of recovering the fine chemical from the culture. In a particularly preferred embodiment, the cell is from the genus *Corynebacterium* or *Brevibacterium*, or is selected from those strains set forth in Table 3.

Another aspect of the invention pertains to methods for modulating production of a molecule from a microorganism. Such methods include contacting the cell with an agent which modulates MCT protein activity or MCT nucleic acid expression such that a cell associated activity is altered relative to this same activity in the absence of the agent. In a preferred embodiment, the cell is modulated for one or more *C. glutamicum*

metabolic pathways for cell membrane components or is modulated for the transport of compounds across such membranes, such that the yields or rate of production of a desired fine chemical by this microorganism is improved. The agent which modulates MCT protein activity can be an agent which stimulates MCT protein activity or MCT nucleic acid expression. Examples of agents which stimulate MCT protein activity or MCT nucleic acid expression include small molecules, active MCT proteins, and nucleic acids encoding MCT proteins that have been introduced into the cell. Examples of agents which inhibit MCT activity or expression include small molecules and antisense MCT nucleic acid molecules.

Another aspect of the invention pertains to methods for modulating yields of a desired compound from a cell, involving the introduction of a wild-type or mutant MCT gene into a cell, either maintained on a separate plasmid or integrated into the genome of the host cell. If integrated into the genome, such integration can be random, or it can take place by homologous recombination such that the native gene is replaced by the introduced copy, causing the production of the desired compound from the cell to be modulated. In a preferred embodiment, said yields are increased. In another preferred embodiment, said chemical is a fine chemical. In a particularly preferred embodiment, said fine chemical is an amino acid. In especially preferred embodiments, said amino acid is L-lysine.

20

25

30

15

10

Detailed Description of the Invention

The present invention provides MCT nucleic acid and protein molecules which are involved in the metabolism of cellular membrane components in C. glutamicum or in the transport of compounds across such membranes. The molecules of the invention may be utilized in the modulation of production of fine chemicals from microorganisms, such as C. glutamicum, either directly (e.g., where overexpression or optimization of a fatty acid biosynthesis protein has a direct impact on the yield, production, and/or efficiency of production of the fatty acid from modified C. glutamicum), or may have an indirect impact which nonetheless results in an increase of yield, production, and/or efficiency of production of the desired compound (e.g., where modulation of the metabolism of cell membrane components results in alterations in the yield, production,

and/or efficiency of production or the composition of the cell membrane, which in turn may impact the production of one or more fine chemicals). Aspects of the invention are further explicated below.

5 I. Fine Chemicals

The term 'fine chemical' is art-recognized and includes molecules produced by an organism which have applications in various industries, such as, but not limited to, the pharmaceutical, agriculture, and cosmetics industries. Such compounds include organic acids, such as tartaric acid, itaconic acid, and diaminopimelic acid, both 10 proteinogenic and non-proteinogenic amino acids, purine and pyrimidine bases, nucleosides, and nucleotides (as described e.g. in Kuninaka, A. (1996) Nucleotides and related compounds, p. 561-612, in Biotechnology vol. 6, Rehm et al., eds. VCH: Weinheim, and references contained therein), lipids, both saturated and unsaturated fatty acids (e.g., arachidonic acid), diols (e.g., propane diol, and butane diol), carbohydrates (e.g., hyaluronic acid and trehalose), aromatic compounds (e.g., aromatic amines, 15 vanillin, and indigo), vitamins and cofactors (as described in Ullmann's Encyclopedia of Industrial Chemistry, vol. A27, "Vitamins", p. 443-613 (1996) VCH: Weinheim and references therein; and Ong, A.S., Niki, E. & Packer, L. (1995) "Nutrition, Lipids, Health, and Disease" Proceedings of the UNESCO/Confederation of Scientific and Technological Associations in Malaysia, and the Society for Free Radical Research – 20 Asia, held Sept. 1-3, 1994 at Penang, Malaysia, AOCS Press, (1995)), enzymes, polyketides (Cane et al. (1998) Science 282: 63-68), and all other chemicals described in Gutcho (1983) Chemicals by Fermentation, Noyes Data Corporation, ISBN: 0818805086 and references therein. The metabolism and uses of certain of these fine 25 chemicals are further explicated below.

A. Amino Acid Metabolism and Uses

30

Amino acids comprise the basic structural units of all proteins, and as such are essential for normal cellular functioning in all organisms. The term "amino acid" is art-recognized. The proteinogenic amino acids, of which there are 20 species, serve as structural units for proteins, in which they are linked by peptide bonds, while the nonproteinogenic amino acids (hundreds of which are known) are not normally found in

10

15

20

30

proteins (see Ulmann's Encyclopedia of Industrial Chemistry, vol. A2, p. 57-97 VCH: Weinheim (1985)). Amino acids may be in the D- or L- optical configuration, though L-amino acids are generally the only type found in naturally-occurring proteins. Biosynthetic and degradative pathways of each of the 20 proteinogenic amino acids have been well characterized in both prokaryotic and eukaryotic cells (see, for example, Stryer, L. Biochemistry, 3rd edition, pages 578-590 (1988)). The 'essential' amino acids (histidine, isoleucine, leucine, lysine, methionine, phenylalanine, threonine, tryptophan, and valine), so named because they are generally a nutritional requirement due to the complexity of their biosyntheses, are readily converted by simple biosynthetic pathways to the remaining 11 'nonessential' amino acids (alanine, arginine, asparagine, aspartate, cysteine, glutamate, glutamine, glycine, proline, serine, and tyrosine). Higher animals do retain the ability to synthesize some of these amino acids, but the essential amino acids must be supplied from the diet in order for normal protein synthesis to occur.

Aside from their function in protein biosynthesis, these amino acids are interesting chemicals in their own right, and many have been found to have various applications in the food, feed, chemical, cosmetics, agriculture, and pharmaceutical industries. Lysine is an important amino acid in the nutrition not only of humans, but also of monogastric animals such as poultry and swine. Glutamate is most commonly used as a flavor additive (mono-sodium glutamate, MSG) and is widely used throughout the food industry, as are aspartate, phenylalanine, glycine, and cysteine. Glycine, Lmethionine and tryptophan are all utilized in the pharmaceutical industry. Glutamine, valine, leucine, isoleucine, histidine, arginine, proline, serine and alanine are of use in both the pharmaceutical and cosmetics industries. Threonine, tryptophan, and D/Lmethionine are common feed additives. (Leuchtenberger, W. (1996) Amino aids technical production and use, p. 466-502 in Rehm et al. (eds.) Biotechnology vol. 6, chapter 14a, VCH: Weinheim). Additionally, these amino acids have been found to be useful as precursors for the synthesis of synthetic amino acids and proteins, such as Nacetylcysteine, S-carboxymethyl-L-cysteine, (S)-5-hydroxytryptophan, and others described in Ulmann's Encyclopedia of Industrial Chemistry, vol. A2, p. 57-97, VCH: Weinheim, 1985.

The biosynthesis of these natural amino acids in organisms capable of producing them, such as bacteria, has been well characterized (for review of bacterial

- 13 -

amino acid biosynthesis and regulation thereof, see Umbarger, H.E.(1978) Ann. Rev. *Biochem.* 47: 533-606). Glutamate is synthesized by the reductive amination of α ketoglutarate, an intermediate in the citric acid cycle. Glutamine, proline, and arginine are each subsequently produced from glutamate. The biosynthesis of serine is a threestep process beginning with 3-phosphoglycerate (an intermediate in glycolysis), and 5 resulting in this amino acid after oxidation, transamination, and hydrolysis steps. Both cysteine and glycine are produced from serine; the former by the condensation of homocysteine with serine, and the latter by the transferal of the side-chain β -carbon atom to tetrahydrofolate, in a reaction catalyzed by serine transhydroxymethylase. 10 Phenylalanine, and tyrosine are synthesized from the glycolytic and pentose phosphate pathway precursors erythrose 4-phosphate and phosphoenolpyruvate in a 9-step biosynthetic pathway that differ only at the final two steps after synthesis of prephenate. Tryptophan is also produced from these two initial molecules, but its synthesis is an 11step pathway. Tyrosine may also be synthesized from phenylalanine, in a reaction 15 catalyzed by phenylalanine hydroxylase. Alanine, valine, and leucine are all biosynthetic products of pyruvate, the final product of glycolysis. Aspartate is formed from oxaloacetate, an intermediate of the citric acid cycle. Asparagine, methionine, threonine, and lysine are each produced by the conversion of aspartate. Isoleucine is formed from threonine. A complex 9-step pathway results in the production of histidine 20 from 5-phosphoribosyl-1-pyrophosphate, an activated sugar.

Amino acids in excess of the protein synthesis needs of the cell cannot be stored, and are instead degraded to provide intermediates for the major metabolic pathways of the cell (for review see Stryer, L. Biochemistry 3rd ed. Ch. 21 "Amino Acid Degradation and the Urea Cycle" p. 495-516 (1988)). Although the cell is able to convert unwanted amino acids into useful metabolic intermediates, amino acid production is costly in terms of energy, precursor molecules, and the enzymes necessary to synthesize them. Thus it is not surprising that amino acid biosynthesis is regulated by feedback inhibition, in which the presence of a particular amino acid serves to slow or entirely stop its own production (for overview of feedback mechanisms in amino acid biosynthetic pathways, see Stryer, L. Biochemistry, 3rd ed. Ch. 24: "Biosynthesis of Amino Acids and Heme" p. 575-600 (1988)). Thus, the output of any particular amino acid is limited by the amount of that amino acid present in the cell.

25

30

20

25

30

B. Vitamin, Cofactor, and Nutraceutical Metabolism and Uses

Vitamins, cofactors, and nutraceuticals comprise another group of molecules which the higher animals have lost the ability to synthesize and so must ingest, although they are readily synthesized by other organisms such as bacteria. These molecules are either bioactive substances themselves, or are precursors of biologically active substances which may serve as electron carriers or intermediates in a variety of metabolic pathways. Aside from their nutritive value, these compounds also have significant industrial value as coloring agents, antioxidants, and catalysts or other processing aids. (For an overview of the structure, activity, and industrial applications of these compounds, see, for example, Ullman's Encyclopedia of Industrial Chemistry, "Vitamins" vol. A27, p. 443-613, VCH: Weinheim, 1996.) The term "vitamin" is artrecognized, and includes nutrients which are required by an organism for normal functioning, but which that organism cannot synthesize by itself. The group of vitamins may encompass cofactors and nutraceutical compounds. The language "cofactor" includes nonproteinaceous compounds required for a normal enzymatic activity to occur. Such compounds may be organic or inorganic; the cofactor molecules of the invention are preferably organic. The term "nutraceutical" includes dietary supplements having health benefits in plants and animals, particularly humans. Examples of such molecules are vitamins, antioxidants, and also certain lipids (e.g., polyunsaturated fatty acids).

The biosynthesis of these molecules in organisms capable of producing them, such as bacteria, has been largely characterized (Ullman's Encyclopedia of Industrial Chemistry, "Vitamins" vol. A27, p. 443-613, VCH: Weinheim, 1996; Michal, G. (1999) Biochemical Pathways: An Atlas of Biochemistry and Molecular Biology, John Wiley & Sons; Ong, A.S., Niki, E. & Packer, L. (1995) "Nutrition, Lipids, Health, and Disease" Proceedings of the UNESCO/Confederation of Scientific and Technological Associations in Malaysia, and the Society for Free Radical Research – Asia, held Sept. 1-3, 1994 at Penang, Malaysia, AOCS Press: Champaign, IL X, 374 S).

Thiamin (vitamin B₁) is produced by the chemical coupling of pyrimidine and thiazole moieties. Riboflavin (vitamin B₂) is synthesized from guanosine-5'-triphosphate (GTP) and ribose-5'-phosphate. Riboflavin, in turn, is utilized for the synthesis of flavin mononucleotide (FMN) and flavin adenine dinucleotide (FAD). The family of

compounds collectively termed 'vitamin B_6 ' (e.g., pyridoxine, pyridoxamine, pyridoxa-5'-phosphate, and the commercially used pyridoxin hydrochloride) are all derivatives of the common structural unit, 5-hydroxy-6-methylpyridine. Pantothenate (pantothenic acid, (R)-(+)-N-(2,4-dihydroxy-3,3-dimethyl-1-oxobutyl)- β -alanine) can be produced either by chemical synthesis or by fermentation. The final steps in pantothenate biosynthesis consist of the ATP-driven condensation of β -alanine and pantoic acid. The enzymes responsible for the biosynthesis steps for the conversion to pantoic acid, to β -alanine and for the condensation to panthotenic acid are known. The metabolically active form of pantothenate is Coenzyme A, for which the biosynthesis proceeds in 5 enzymatic steps. Pantothenate, pyridoxal-5'-phosphate, cysteine and ATP are the precursors of Coenzyme A. These enzymes not only catalyze the formation of panthothante, but also the production of (R)-pantoic acid, (R)-pantolacton, (R)-panthenol (provitamin B_5), pantetheine (and its derivatives) and coenzyme A.

10

15

20

25

30

Biotin biosynthesis from the precursor molecule pimeloyl-CoA in microorganisms has been studied in detail and several of the genes involved have been identified. Many of the corresponding proteins have been found to also be involved in Fe-cluster synthesis and are members of the nifS class of proteins. Lipoic acid is derived from octanoic acid, and serves as a coenzyme in energy metabolism, where it becomes part of the pyruvate dehydrogenase complex and the α-ketoglutarate dehydrogenase complex. The folates are a group of substances which are all derivatives of folic acid, which is turn is derived from L-glutamic acid, p-amino-benzoic acid and 6-methylpterin. The biosynthesis of folic acid and its derivatives, starting from the metabolism intermediates guanosine-5'-triphosphate (GTP), L-glutamic acid and p-amino-benzoic acid has been studied in detail in certain microorganisms.

Corrinoids (such as the cobalamines and particularly vitamin B₁₂) and porphyrines belong to a group of chemicals characterized by a tetrapyrole ring system. The biosynthesis of vitamin B₁₂ is sufficiently complex that it has not yet been completely characterized, but many of the enzymes and substrates involved are now known. Nicotinic acid (nicotinate), and nicotinamide are pyridine derivatives which are also termed 'niacin'. Niacin is the precursor of the important coenzymes NAD (nicotinamide adenine dinucleotide) and NADP (nicotinamide adenine dinucleotide phosphate) and their reduced forms.

25

30

The large-scale production of these compounds has largely relied on cell-free chemical syntheses, though some of these chemicals have also been produced by large-scale culture of microorganisms, such as riboflavin, Vitamin B₆, pantothenate, and biotin. Only Vitamin B₁₂ is produced solely by fermentation, due to the complexity of its synthesis. *In vitro* methodologies require significant inputs of materials and time, often at great cost.

C. Purine, Pyrimidine, Nucleoside and Nucleotide Metabolism and Uses

Purine and pyrimidine metabolism genes and their corresponding proteins are 10 important targets for the therapy of tumor diseases and viral infections. The language "purine" or "pyrimidine" includes the nitrogenous bases which are constituents of nucleic acids, co-enzymes, and nucleotides. The term "nucleotide" includes the basic structural units of nucleic acid molecules, which are comprised of a nitrogenous base, a pentose sugar (in the case of RNA, the sugar is ribose; in the case of DNA, the sugar is D-deoxyribose), and phosphoric acid. The language "nucleoside" includes molecules 15 which serve as precursors to nucleotides, but which are lacking the phosphoric acid moiety that nucleotides possess. By inhibiting the biosynthesis of these molecules, or their mobilization to form nucleic acid molecules, it is possible to inhibit RNA and DNA synthesis; by inhibiting this activity in a fashion targeted to cancerous cells, the ability of tumor cells to divide and replicate may be inhibited. Additionally, there are 20 nucleotides which do not form nucleic acid molecules, but rather serve as energy stores (i.e., AMP) or as coenzymes (i.e., FAD and NAD).

Several publications have described the use of these chemicals for these medical indications, by influencing purine and/or pyrimidine metabolism (e.g. Christopherson, R.I. and Lyons, S.D. (1990) "Potent inhibitors of de novo pyrimidine and purine biosynthesis as chemotherapeutic agents." Med. Res. Reviews 10: 505-548). Studies of enzymes involved in purine and pyrimidine metabolism have been focused on the development of new drugs which can be used, for example, as immunosuppressants or anti-proliferants (Smith, J.L., (1995) "Enzymes in nucleotide synthesis." Curr. Opin. Struct. Biol. 5: 752-757; (1995) Biochem Soc. Transact. 23: 877-902). However, purine and pyrimidine bases, nucleosides and nucleotides have other utilities: as intermediates in the biosynthesis of several fine chemicals (e.g., thiamine, S-adenosyl-methionine,

10

15

20

25

30

folates, or riboflavin), as energy carriers for the cell (e.g., ATP or GTP), and for chemicals themselves, commonly used as flavor enhancers (e.g., IMP or GMP) or for several medicinal applications (see, for example, Kuninaka, A. (1996) Nucleotides and Related Compounds in Biotechnology vol. 6, Rehm et al., eds. VCH: Weinheim, p. 561-612). Also, enzymes involved in purine, pyrimidine, nucleoside, or nucleotide metabolism are increasingly serving as targets against which chemicals for crop protection, including fungicides, herbicides and insecticides, are developed.

The metabolism of these compounds in bacteria has been characterized (for reviews see, for example, Zalkin, H. and Dixon, J.E. (1992) "de novo purine nucleotide biosynthesis", in: Progress in Nucleic Acid Research and Molecular Biology, vol. 42, Academic Press:, p. 259-287; and Michal, G. (1999) "Nucleotides and Nucleosides", Chapter 8 in: Biochemical Pathways: An Atlas of Biochemistry and Molecular Biology, Wiley: New York). Purine metabolism has been the subject of intensive research, and is essential to the normal functioning of the cell. Impaired purine metabolism in higher animals can cause severe disease, such as gout. Purine nucleotides are synthesized from ribose-5-phosphate, in a series of steps through the intermediate compound inosine-5'phosphate (IMP), resulting in the production of guanosine-5'-monophosphate (GMP) or adenosine-5'-monophosphate (AMP), from which the triphosphate forms utilized as nucleotides are readily formed. These compounds are also utilized as energy stores, so their degradation provides energy for many different biochemical processes in the cell. Pyrimidine biosynthesis proceeds by the formation of uridine-5'-monophosphate (UMP) from ribose-5-phosphate. UMP, in turn, is converted to cytidine-5'-triphosphate (CTP). The deoxy- forms of all of these nucleotides are produced in a one step reduction reaction from the diphosphate ribose form of the nucleotide to the diphosphate deoxyribose form of the nucleotide. Upon phosphorylation, these molecules are able to participate in DNA synthesis.

D. Trehalose Metabolism and Uses

Trehalose consists of two glucose molecules, bound in α , α -1,1 linkage. It is commonly used in the food industry as a sweetener, an additive for dried or frozen foods, and in beverages. However, it also has applications in the pharmaceutical, cosmetics and biotechnology industries (see, for example, Nishimoto *et al.*, (1998) U.S.

10

15

20

Patent No. 5,759,610; Singer, M.A. and Lindquist, S. (1998) *Trends Biotech*. 16: 460-467; Paiva, C.L.A. and Panek, A.D. (1996) *Biotech. Ann. Rev.* 2: 293-314; and Shiosaka, M. (1997) J. Japan 172: 97-102). Trehalose is produced by enzymes from many microorganisms and is naturally released into the surrounding medium, from which it can be collected using methods known in the art.

II. Membrane Biosynthesis and Transmembrane Transport

Cellular membranes serve a variety of functions in a cell. First and foremost, a membrane differentiates the contents of a cell from the surrounding environment, thus giving integrity to the cell. Membranes may also serve as barriers to the influx of hazardous or unwanted compounds, and also to the efflux of desired compounds. Cellular membranes are by nature impervious to the unfacilitated diffusion of hydrophilic compounds such as proteins, water molecules and ions due to their structure: a bilayer of lipid molecules in which the polar head groups face outwards (towards the exterior and interior of the cell, respectively) and the nonpolar tails face inwards at the center of the bilayer, forming a hydrophobic core (for a general review of membrane structure and function, see Gennis, R.B. (1989) Biomembranes, Molecular Structure and Function, Springer: Heidelberg). This barrier enables cells to maintain a relatively higher concentration of desired compounds and a relatively lower concentration of undesired compounds than are contained within the surrounding medium, since the diffusion of these compounds is effectively blocked by the membrane. However, the membrane also presents an effective barrier to the import of desired compounds and the export of waste molecules. To overcome this difficulty, cellular membranes incorporate many kinds of transporter proteins which are able to facilitate the transmembrane transport of different kinds of compounds. There are two general classes of these transport proteins: pores or channels and transporters. The former are integral membrane proteins, sometimes complexes of proteins, which form a regulated hole through the membrane. This regulation, or 'gating' is generally specific to the molecules to be transported by the pore or channel, rendering these transmembrane constructs selectively permeable to a specific class of substrates; for example, a potassium channel is constructed such that only ions having a like charge and size to that of potassium may pass through. Channel and pore proteins tend to have discrete

hydrophobic and hydrophilic domains, such that the hydrophobic face of the protein may associate with the interior of the membrane while the hydrophilic face lines the interior of the channel, thus providing a sheltered hydrophilic environment through which the selected hydrophilic molecule may pass. Many such pores/channels are known in the art, including those for potassium, calcium, sodium, and chloride ions.

5

10

15

This pore and channel-mediated system of facilitated diffusion is limited to very small molecules, such as ions, because pores or channels large enough to permit the passage of whole proteins by facilitated diffusion would be unable to prevent the passage of smaller hydrophilic molecules as well. Transport of molecules by this process is sometimes termed 'facilitated diffusion' since the driving force of a concentration gradient is required for the transport to occur. Permeases also permit facilitated diffusion of larger molecules, such as glucose or other sugars, into the cell when the concentration of these molecules on one side of the membrane is greater than that on the other (also called 'uniport'). In contrast to pores or channels, these integral membrane proteins (often having between 6-14 membrane-spanning α -helices) do not form open channels through the membrane, but rather bind to the target molecule at the surface of the membrane and then undergo a conformational shift such that the target molecule is released on the opposite side of the membrane.

However, cells frequently require the import or export of molecules against the 20 existing concentration gradient ('active transport'), a situation in which facilitated diffusion cannot occur. There are two general mechanisms used by cells for such membrane transport: symport or antiport, and energy-coupled transport such as that mediated by the ABC transporters. Symport and antiport systems couple the movement of two different molecules across the membrane (via permeases having two separate 25 binding sites for the two different molecules); in symport, both molecules are transported in the same direction, while in antiport, one molecule is imported while the other is exported. This is possible energetically because one of the two molecules moves in accordance with a concentration gradient, and this energetically favorable event is permitted only upon concomitant movement of a desired compound against the 30 prevailing concentration gradient. Single molecules may be transported across the membrane against the concentration gradient in an energy-driven process, such as that utilized by the ABC transporters. In this system, the transport protein located in the

membrane has an ATP-binding cassette; upon binding of the target molecule, the ATP is converted to ADP + Pi, and the resulting release of energy is used to drive the movement of the target molecule to the opposite face of the membrane, facilitated by the transporter. For more detailed descriptions of all of these transport systems, see:

transporter. For more detailed descriptions of all of these transport systems, see:

Bamberg, E. et al., (1993) "Charge transport of ion pumps on lipid bilayer membranes",

Q. Rev. Biophys. 26: 1-25; Findlay, J.B.C. (1991) "Structure and function in membrane transport systems", Curr. Opin. Struct. Biol. 1:804-810; Higgins, C.F. (1992) "ABC transporters from microorganisms to man", Ann. Rev. Cell Biol. 8: 67-113; Gennis, R.B. (1989) "Pores, Channels and Transporters", in: Biomembranes, Molecular Structure and Function, Springer: Heidelberg, p. 270-322; and Nikaido, H. and Saier, H. (1992) "Transport proteins in bacteria: common themes in their design", Science 258: 936-942, and references contained within each of these references.

The synthesis of membranes is a well-characterized process involving a number of components, the most important of which are lipid molecules. Lipid synthesis may 15 be divided into two parts: the synthesis of fatty acids and their attachment to snglycerol-3-phosphate, and the addition or modification of a polar head group. Typical lipids utilized in bacterial membranes include phospholipids, glycolipids, sphingolipids, and phosphoglycerides. Fatty acid synthesis begins with the conversion of acetyl CoA either to malonyl CoA by acetyl CoA carboxylase, or to acetyl-ACP by 20 acetyltransacylase. Following a condensation reaction, these two product molecules together form acetoacetyl-ACP, which is converted by a series of condensation, reduction and dehydration reactions to yield a saturated fatty acid molecule having a desired chain length. The production of unsaturated fatty acids from such molecules is catalyzed by specific desaturases either aerobically, with the help of molecular oxygen, or anaerobically (for reference on fatty acid synthesis, see F.C. Neidhardt et al. (1996) E. coli and Salmonella. ASM Press: Washington, D.C., p. 612-636 and references contained therein; Lengeler et al. (eds) (1999) Biology of Procaryotes. Thieme: Stuttgart, New York, and references contained therein; and Magnuson, K. et al., (1993) Microbiological Reviews 57: 522-542, and references contained therein). The 30 cyclopropane fatty acids (CFA) are synthesized by a specific CFA-synthase using SAM as a cosubstrate. Branched chain fatty acids are synthesized from branched chain amino acids that are deaminated to yield branched chain 2-oxo-acids (see Lengeler et al., eds.

10

15

20

25

(1999) Biology of Procaryotes. Thieme: Stuttgart, New York, and references contained therein). Another essential step in lipid synthesis is the transfer of fatty acids onto the polar head groups by, for example, glycerol-phosphate-acyltransferases. The combination of various precursor molecules and biosynthetic enzymes results in the production of different fatty acid molecules, which has a profound effect on the composition of the membrane.

III. Elements and Methods of the Invention

The present invention is based, at least in part, on the discovery of novel molecules, referred to herein as MCT nucleic acid and protein molecules, which control the production of cellular membranes in *C. glutamicum* and govern the movement of molecules across such membranes. In one embodiment, the MCT molecules participate in the metabolism of compounds necessary for the construction of cellular membranes in *C. glutamicum*, or in the transport of molecules across these membranes. In a preferred embodiment, the activity of the MCT molecules of the present invention to regulate membrane component production and membrane transport has an impact on the production of a desired fine chemical by this organism. In a particularly preferred embodiment, the MCT molecules of the invention are modulated in activity, such that the *C. glutamicum* metabolic pathways which the MCT proteins of the invention regulate are modulated in yield, production, and/or efficiency of production and the transport of compounds through the membranes is altered in efficiency, which either directly or indirectly modulates the yield, production, and/or efficiency of production of a desired fine chemical by *C. glutamicum*.

The language, "MCT protein" or "MCT polypeptide" includes proteins which participate in the metabolism of compounds necessary for the construction of cellular membranes in *C. glutamicum*, or in the transport of molecules across these membranes. Examples of MCT proteins include those encoded by the MCT genes set forth in Table 1 and by the odd-numbered SEQ ID NOs. The terms "MCT gene" or "MCT nucleic acid sequence" include nucleic acid sequences encoding an MCT protein, which consist of a coding region and also corresponding untranslated 5' and 3' sequence regions. Examples of MCT genes include those set forth in Table 1. The terms "production" or "productivity" are art-recognized and include the concentration of the fermentation

- 22 -

product (for example, the desired fine chemical) formed within a given time and a given fermentation volume (e.g., kg product per hour per liter). The term "efficiency of production" includes the time required for a particular level of production to be achieved (for example, how long it takes for the cell to attain a particular rate of output of a fine chemical). The term "yield" or "product/carbon yield" is art-recognized and includes the efficiency of the conversion of the carbon source into the product (i.e., fine chemical). This is generally written as, for example, kg product per kg carbon source. By increasing the yield or production of the compound, the quantity of recovered molecules, or of useful recovered molecules of that compound in a given amount of culture over a given amount of time is increased. The terms "biosynthesis" or a "biosynthetic pathway" are art-recognized and include the synthesis of a compound, preferably an organic compound, by a cell from intermediate compounds in what may be a multistep and highly regulated process. The terms "degradation" or a "degradation pathway" are art-recognized and include the breakdown of a compound, preferably an organic compound, by a cell to degradation products (generally speaking, smaller or less complex molecules) in what may be a multistep and highly regulated process. The language "metabolism" is art-recognized and includes the totality of the biochemical reactions that take place in an organism. The metabolism of a particular compound, then, (e.g., the metabolism of an amino acid such as glycine) comprises the overall biosynthetic, modification, and degradation pathways in the cell related to this compound.

10

15

20

25

In another embodiment, the MCT molecules of the invention are capable of modulating the production of a desired molecule, such as a fine chemical, in a microorganism such as *C. glutamicum*. There are a number of mechanisms by which the alteration of an MCT protein of the invention may directly affect the yield, production, and/or efficiency of production of a fine chemical from a *C. glutamicum* strain incorporating such an altered protein. Those MCT proteins involved in the export of fine chemical molecules from the cell may be increased in number or activity such that greater quantities of these compounds are secreted to the extracellular medium, from which they are more readily recovered. Similarly, those MCT proteins involved in the import of nutrients necessary for the biosynthesis of one or more fine chemicals (e.g., phosphate, sulfate, nitrogen compounds, etc.) may be increased in number or

15

20

25

30

activity such that these precursor, cofactor, or intermediate compounds are increased in concentration within the cell. Further, fatty acids and lipids themselves are desirable fine chemicals; by optimizing the activity or increasing the number of one or more MCT proteins of the invention which participate in the biosynthesis of these compounds, or by impairing the activity of one or more MCT proteins which are involved in the degradation of these compounds, it may be possible to increase the yield, production, and/or efficiency of production of fatty acid and lipid molecules from *C. glutamicum*.

The mutagenesis of one or more MCT genes of the invention may also result in MCT proteins having altered activities which indirectly impact the production of one or more desired fine chemicals from C. glutamicum. For example, MCT proteins of the invention involved in the export of waste products may be increased in number or activity such that the normal metabolic wastes of the cell (possibly increased in quantity due to the overproduction of the desired fine chemical) are efficiently exported before they are able to damage nucleotides and proteins within the cell (which would decrease the viability of the cell) or to interfere with fine chemical biosynthetic pathways (which would decrease the yield, production, or efficiency of production of the desired fine chemical). Further, the relatively large intracellular quantities of the desired fine chemical may in itself be toxic to the cell, so by increasing the activity or number of transporters able to export this compound from the cell, one may increase the viability of the cell in culture, in turn leading to a greater number of cells in the culture producing the desired fine chemical. The MCT proteins of the invention may also be manipulated such that the relative amounts of different lipid and fatty acid molecules are produced. This may have a profound effect on the lipid composition of the membrane of the cell. Since each type of lipid has different physical properties, an alteration in the lipid composition of a membrane may significantly alter membrane fluidity. Changes in membrane fluidity can impact the transport of molecules across the membrane, as well as the integrity of the cell, both of which have a profound effect on the production of fine chemicals from C. glutamicum in large-scale fermentative culture.

The isolated nucleic acid sequences of the invention are contained within the genome of a *Corynebacterium glutamicum* strain available through the American Type Culture Collection, given designation ATCC 13032. The nucleotide sequence of the isolated *C. glutamicum* MCT DNAs and the predicted amino acid sequences of the *C.*

15

20

25

30

glutamicum MCT proteins are shown in the Sequence Listing as odd-numbered SEQ ID NOs and even-numbered SEQ ID NOs, respectively. Computational analyses were performed which classified and/or identified these nucleotide sequences as sequences which encode proteins involved in the metabolism of cellular membrane components or proteins involved in the transport of compounds across such membranes.

The present invention also pertains to proteins which have an amino acid sequence which is substantially homologous to an amino acid sequence of the invention (e.g., the sequence of an even-numbered SEQ ID NO of the Sequence Listing).. As used herein, a protein which has an amino acid sequence which is substantially homologous to a selected amino acid sequence is least about 50% homologous to the selected amino acid sequence, e.g., the entire selected amino acid sequence. A protein which has an amino acid sequence which is substantially homologous to a selected amino acid sequence can also be least about 50-60%, preferably at least about 60-70%, and more preferably at least about 70-80%, 80-90%, or 90-95%, and most preferably at least about 96%, 97%, 98%, 99% or more homologous to the selected amino acid sequence.

The MCT protein or a biologically active portion or fragment thereof of the invention can participate in the metabolism of compounds necessary for the construction of cellular membranes in *C. glutamicum*, or in the transport of molecules across these membranes, or have one or more of the activities set forth in Table 1.

Various aspects of the invention are described in further detail in the following subsections:

A. Isolated Nucleic Acid Molecules

One aspect of the invention pertains to isolated nucleic acid molecules that encode MCT polypeptides or biologically active portions thereof, as well as nucleic acid fragments sufficient for use as hybridization probes or primers for the identification or amplification of MCT-encoding nucleic acid (e.g., MCT DNA). As used herein, the term "nucleic acid molecule" is intended to include DNA molecules (e.g., cDNA or genomic DNA) and RNA molecules (e.g., mRNA) and analogs of the DNA or RNA generated using nucleotide analogs. This term also encompasses untranslated sequence located at both the 3' and 5' ends of the coding region of the gene: at least about 100 nucleotides of sequence upstream from the 5' end of the coding region and at least about

20 nucleotides of sequence downstream from the 3'end of the coding region of the gene. The nucleic acid molecule can be single-stranded or double-stranded, but preferably is double-stranded DNA. An "isolated" nucleic acid molecule is one which is separated from other nucleic acid molecules which are present in the natural source of the nucleic acid. Preferably, an "isolated" nucleic acid is free of sequences which naturally flank the nucleic acid (*i.e.*, sequences located at the 5' and 3' ends of the nucleic acid) in the genomic DNA of the organism from which the nucleic acid is derived. For example, in various embodiments, the isolated MCT nucleic acid molecule can contain less than about 5 kb, 4kb, 3kb, 2kb, 1 kb, 0.5 kb or 0.1 kb of nucleotide sequences which naturally flank the nucleic acid molecule in genomic DNA of the cell from which the nucleic acid is derived (e.g, a *C. glutamicum* cell). Moreover, an "isolated" nucleic acid molecule, such as a DNA molecule, can be substantially free of other cellular material, or culture medium when produced by recombinant techniques, or chemical precursors or other chemicals when chemically synthesized.

10

15

20

25

30

A nucleic acid molecule of the present invention, e.g., a nucleic acid molecule having a nucleotide sequence of an odd-numbered SEQ ID NO of the Sequence Listing, or a portion thereof, can be isolated using standard molecular biology techniques and the sequence information provided herein. For example, a C. glutamicum MCT DNA can be isolated from a C. glutamicum library using all or portion of one of the odd-numbered SEQ ID NO sequences of the Sequence Listing as a hybridization probe and standard hybridization techniques (e.g., as described in Sambrook, J., Fritsh, E. F., and Maniatis, T. Molecular Cloning: A Laboratory Manual. 2nd, ed., Cold Spring Harbor Laboratory, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY, 1989). Moreover, a nucleic acid molecule encompassing all or a portion of one of the nucleic acid sequences of the invention (e.g., an odd-numbered SEQ ID NO:) can be isolated by the polymerase chain reaction using oligonucleotide primers designed based upon this sequence (e.g., a nucleic acid molecule encompassing all or a portion of one of the nucleic acid sequences of the invention (e.g., an odd-numbered SEQ ID NO of the Sequence Listing) can be isolated by the polymerase chain reaction using oligonucleotide primers designed based upon this same sequence). For example, mRNA can be isolated from normal endothelial cells (e.g., by the guanidinium-thiocyanate extraction procedure of Chirgwin et al. (1979) Biochemistry 18: 5294-5299) and DNA

15

20

25

30

PCT/IB00/00926

can be prepared using reverse transcriptase (e.g., Moloney MLV reverse transcriptase, available from Gibco/BRL, Bethesda, MD; or AMV reverse transcriptase, available from Seikagaku America, Inc., St. Petersburg, FL). Synthetic oligonucleotide primers for polymerase chain reaction amplification can be designed based upon one of the nucleotide sequences shown in the Sequence Listing. A nucleic acid of the invention can be amplified using cDNA or, alternatively, genomic DNA, as a template and appropriate oligonucleotide primers according to standard PCR amplification techniques. The nucleic acid so amplified can be cloned into an appropriate vector and characterized by DNA sequence analysis. Furthermore, oligonucleotides corresponding to an MCT nucleotide sequence can be prepared by standard synthetic techniques, e.g., using an automated DNA synthesizer.

In a preferred embodiment, an isolated nucleic acid molecule of the invention comprises one of the nucleotide sequences shown in the Sequence Listing. The nucleic acid sequences of the invention, as set forth in the Sequence Listing correspond to the Corynebacterium glutamicum MCT DNAs of the invention. This DNA comprises sequences encoding MCT proteins (i.e., the "coding region", indicated in each odd-numbered SEQ ID NO: in the Sequence Listing), as well as 5' untranslated sequences and 3' untranslated sequences, also indicated in each odd-numbered SEQ ID NO: in the Sequence Listing. Alternatively, the nucleic acid molecule can comprise only the coding region of any of the nucleic acid sequences of the Sequence Listing.

For the purposes of this application, it will be understood that each of the nucleic acid and amino acid sequences set forth in the Sequence Listing has an identifying RXA, RXN, RXS, or RXC number having the designation "RXA", "RXN", "RXS" or "RXC" followed by 5 digits (*i.e.*, RXA02099, RXN03097, RXS00148, or RXC01748). Each of the nucleic acid sequences comprises up to three parts: a 5' upstream region, a coding region, and a downstream region. Each of these three regions is identified by the same RXA, RXN, RXS, or RXC designation to eliminate confusion. The recitation "one of the odd-numbered sequences in of the Sequence Listing", then, refers to any of the nucleic acid sequences in the Sequence Listing, which may also be distinguished by their differing RXA, RXN, RXS, or RXC designations. The coding region of each of these sequences is translated into a corresponding amino acid sequence, which is also set forth in the Sequence Listing, as an even-numbered SEQ ID NO: immediately following

15

20

25

the corresponding nucleic acid sequence. For example, the coding region for RXA03097 is set forth in SEQ ID NO:1, while the amino acid sequence which it encodes is set forth as SEQ ID NO:2. The sequences of the nucleic acid molecules of the invention are identified by the same RXA, RXN, RXS, or RXC designations as the amino acid molecules which they encode, such that they can be readily correlated. For example, the amino acid sequences designated RXA02099, RXN03097, RXS00148, and RXC01748 are translations of the coding region of the nucleotide sequences of nucleic acid molecules RXA02099, RXN03097, RXS00148, and RXC01748, respectively. The correspondence between the RXA, RXN, RXS, and RXC nucleotide and amino acid sequences of the invention and their assigned SEQ ID NOs is set forth in Table 1. For example, as set forth in Table 1, the nucleotide sequence of RXA00104 is SEQ ID NO:5, and the amino acid sequence of RXA00104 is SEQ ID NO:6.

Several of the genes of the invention are "F-designated genes". An F-designated gene includes those genes set forth in Table 1 which have an 'F' in front of the RXA, RXN, RXS, or RXC designation. For example, SEQ ID NO:11, designated, as indicated on Table 1, as "F RXA02581", is an F-designated gene, as are SEQ ID NOs: 31, 33, and 43 (designated on Table 1 as "F RXA02487", "F RXA02490", and "F RXA02809", respectively).

In one embodiment, the nucleic acid molecules of the present invention are not intended to include those compiled in Table 2. In the case of the dapD gene, a sequence for this gene was published in Wehrmann, A., et al. (1998) J. Bacteriol. 180(12): 3159-3165. However, the sequence obtained by the inventors of the present application is significantly longer than the published version. It is believed that the published version relied on an incorrect start codon, and thus represents only a fragment of the actual coding region.

In another preferred embodiment, an isolated nucleic acid molecule of the invention comprises a nucleic acid molecule which is a complement of one of the nucleotide sequences of the invention (e.g., a sequence of an odd-numbered SEQ ID NO: of the Sequence Listing), or a portion thereof. A nucleic acid molecule which is complementary to one of the nucleotide sequences shown in of the invention is one which is sufficiently complementary to one of the nucleotide sequences shown in the Sequence Listing (e.g., the sequence of an odd-numbered SEQ ID NO:) such that it can

15

hybridize to one of the nucleotide sequences of the invention, thereby forming a stable duplex.

In still another preferred embodiment, an isolated nucleic acid molecule of the invention comprises a nucleotide sequence which is at least about 50%, 51%, 52%, 53%, 54%, 55%, 56%, 57%, 58%, 59%, or 60%, preferably at least about 61%, 62%, 63%, 64%, 65%, 66%, 67%, 68%, 69%, or 70%%, more preferably at least about 71%, 72%. 73%, 74%, 75%, 76%, 77%, 78%, 79%, or 80%, 81%, 82%, 83%, 84%, 85%, 86%, 87%, 88%, 89%, or 90%, or 91%, 92%, 93%, 94%, and even more preferably at least about 95%, 96%, 97%, 98%, 99% or more homologous to a nucleotide sequence of the invention (e.g., a sequence of an odd-numbered SEQ ID NO: of the Sequence Listing), or a portion thereof. Ranges and identity values intermediate to the above-recited ranges, (e.g., 70-90% identical or 80-95% identical) are also intended to be encompassed by the present invention. For example, ranges of identity values using a combination of any of the above values recited as upper and/or lower limits are intended to be included. In an additional preferred embodiment, an isolated nucleic acid molecule of the invention comprises a nucleotide sequence which hybridizes, e.g., hybridizes under stringent conditions, to one of the nucleotide sequences of the invention, or a portion thereof.

Moreover, the nucleic acid molecule of the invention can comprise only a 20 portion of the coding region of the sequence of one of the odd-numbered SEQ ID NOs of the Sequence Listing, for example a fragment which can be used as a probe or primer or a fragment encoding a biologically active portion of an MCT protein. The nucleotide sequences determined from the cloning of the MCT genes from C. glutamicum allows for the generation of probes and primers designed for use in identifying and/or cloning 25 MCT homologues in other cell types and organisms, as well as MCT homologues from other Corynebacteria or related species. The probe/primer typically comprises substantially purified oligonucleotide. The oligonucleotide typically comprises a region of nucleotide sequence that hybridizes under stringent conditions to at least about 12, preferably about 25, more preferably about 40, 50 or 75 consecutive nucleotides of a sense strand of one of the nucleotide sequences of the invention (e.g., a sequence of one 30 of the odd-numbered SEQ ID NOs of the Sequence Listing), an anti-sense sequence of one of these sequences, or naturally occurring mutants thereof. Primers based on a

- 29 -

nucleotide sequence of the invention can be used in PCR reactions to clone MCT homologues. Probes based on the MCT nucleotide sequences can be used to detect transcripts or genomic sequences encoding the same or homologous proteins. In preferred embodiments, the probe further comprises a label group attached thereto, *e.g.* the label group can be a radioisotope, a fluorescent compound, an enzyme, or an enzyme co-factor. Such probes can be used as a part of a diagnostic test kit for identifying cells which misexpress an MCT protein, such as by measuring a level of an MCT-encoding nucleic acid in a sample of cells, *e.g.*, detecting MCT mRNA levels or determining whether a genomic MCT gene has been mutated or deleted.

10

15

20

25

30

In one embodiment, the nucleic acid molecule of the invention encodes a protein or portion thereof which includes an amino acid sequence which is sufficiently homologous to an amino acid sequence of the invention (e.g., a sequence of an evennumbered SEQ ID NO of the Sequence Listing) such that the protein or portion thereof maintains the ability to participate in the metabolism of compounds necessary for the construction of cellular membranes in C. glutamicum, or in the transport of molecules across these membranes. As used herein, the language "sufficiently homologous" refers to proteins or portions thereof which have amino acid sequences which include a minimum number of identical or equivalent (e.g., an amino acid residue which has a similar side chain as an amino acid residue in a sequence of one of the even-numbered SEQ ID NOs of the Sequence Listing) amino acid residues to an amino acid sequence of the invention such that the protein or portion thereof is able to participate in the metabolism of compounds necessary for the construction of cellular membranes in C. glutamicum, or in the transport of molecules across these membranes. Protein members of such membrane component metabolic pathways or membrane transport systems, as described herein, may play a role in the production and secretion of one or more fine chemicals. Examples of such activities are also described herein. Thus, "the function of an MCT protein" contributes either directly or indirectly to the yield, production, and/or efficiency of production of one or more fine chemicals. Examples of MCT protein activities are set forth in Table 1.

In another embodiment, the protein is at least about 50-60%, preferably at least about 60-70%, and more preferably at least about 70-80%, 80-90%, 90-95%, and most preferably at least about 96%, 97%, 98%, 99% or more homologous to an entire amino

- 30 -

acid sequence of the invention (e.g., a sequence of an even-numbered SEQ ID NO: of the Sequence Listing).

Portions of proteins encoded by the MCT nucleic acid molecules of the invention are preferably biologically active portions of one of the MCT proteins. As used herein, the term "biologically active portion of an MCT protein" is intended to include a portion, e.g., a domain/motif, of an MCT protein that participates in the metabolism of compounds necessary for the construction of cellular membranes in C. glutamicum, or in the transport of molecules across these membranes, or has an activity as set forth in Table 1. To determine whether an MCT protein or a biologically active portion thereof can participate in the metabolism of compounds necessary for the construction of cellular membranes in C. glutamicum, or in the transport of molecules across these membranes, an assay of enzymatic activity may be performed. Such assay methods are well known to those of ordinary skill in the art, as detailed in Example 8 of the Exemplification.

10

15

20

30

Additional nucleic acid fragments encoding biologically active portions of an MCT protein can be prepared by isolating a portion of one of the amino acid sequences of the invention (e.g., a sequence of an even-numbered SEQ ID NO: of the Sequence Listing), expressing the encoded portion of the MCT protein or peptide (e.g., by recombinant expression in vitro) and assessing the activity of the encoded portion of the MCT protein or peptide.

The invention further encompasses nucleic acid molecules that differ from one of the nucleotide sequences shown of the invention (e.g., a sequence of an odd-numbered SEQ ID NO: of the Sequence Listing) (and portions thereof) due to degeneracy of the genetic code and thus encode the same MCT protein as that encoded by the nucleotide sequences of the invention. In another embodiment, an isolated nucleic acid molecule of the invention has a nucleotide sequence encoding a protein having an amino acid sequence shown in the Sequence Listing (e.g., an even-numbered SEQ ID NO:). In a still further embodiment, the nucleic acid molecule of the invention encodes a full length C. glutamicum protein which is substantially homologous to an amino acid sequence of the invention (encoded by an open reading frame shown in an odd-numbered SEQ ID NO: of the Sequence Listing).

15

20

25

It will be understood by one of ordinary skill in the art that in one embodiment the sequences of the invention are not meant to include the sequences of the prior art, such as those Genbank sequences set forth in Tables 2 or 4 which were available prior to the present invention. In one embodiment, the invention includes nucleotide and amino acid sequences having a percent identity to a nucleotide or amino acid sequence of the invention which is greater than that of a sequence of the prior art (e.g., a Genbank sequence (or the protein encoded by such a sequence) set forth in Tables 2 or 4). For example, the invention includes a nucleotide sequence which is greater than and/or at least 38% identical to the nucleotide sequence designated RXA01420 (SEQ ID NO:7), a nucleotide sequence which is greater than and/or at least 43% identical to the nucleotide sequence designated RXA00104 (SEQ ID NO:5), and a nucleotide sequence which is greater than and/or at least 45% identical to the nucleotide sequence designated RXA02173 (SEO ID NO:25). One of ordinary skill in the art would be able to calculate the lower threshold of percent identity for any given sequence of the invention by examining the GAP-calculated percent identity scores set forth in Table 4 for each of the three top hits for the given sequence, and by subtracting the highest GAP-calculated percent identity from 100 percent. One of ordinary skill in the art will also appreciate that nucleic acid and amino acid sequences having percent identities greater than the lower threshold so calculated (e.g., at least 50%, 51%, 52%, 53%, 54%, 55%, 56%, 57%, 58%, 59%, or 60%, preferably at least about 61%, 62%, 63%, 64%, 65%, 66%, 67%, 68%, 69%, or 70%, more preferably at least about 71%, 72%, 73%, 74%, 75%, 76%, 77%, 78%, 79%, or 80%, 81%, 82%, 83%, 84%, 85%, 86%, 87%, 88%, 89%, or 90%, or 91%, 92%, 93%, 94%, and even more preferably at least about 95%, 96%, 97%, 98%, 99% or more identical) are also encompassed by the invention.

In addition to the *C. glutamicum* MCT nucleotide sequences set forth in the Sequence Listing as odd-numbered SEQ ID NOs, it will be appreciated by one of ordinary skill in the art that DNA sequence polymorphisms that lead to changes in the amino acid sequences of MCT proteins may exist within a population (*e.g.*, the *C. glutamicum* population). Such genetic polymorphism in the MCT gene may exist among individuals within a population due to natural variation. As used herein, the terms "gene" and "recombinant gene" refer to nucleic acid molecules comprising an open reading frame encoding an MCT protein, preferably a *C. glutamicum* MCT protein.

10

20

Such natural variations can typically result in 1-5% variance in the nucleotide sequence of the MCT gene. Any and all such nucleotide variations and resulting amino acid polymorphisms in MCT that are the result of natural variation and that do not alter the functional activity of MCT proteins are intended to be within the scope of the invention.

Nucleic acid molecules corresponding to natural variants and non-C. glutamicum homologues of the C. glutamicum MCT DNA of the invention can be isolated based on their homology to the C. glutamicum MCT nucleic acid disclosed herein using the C. glutamicum DNA, or a portion thereof, as a hybridization probe according to standard hybridization techniques under stringent hybridization conditions. Accordingly, in another embodiment, an isolated nucleic acid molecule of the invention is at least 15 nucleotides in length and hybridizes under stringent conditions to the nucleic acid molecule comprising a nucleotide sequence of an odd-numbered SEQ ID NO: of the Sequence Listing. In other embodiments, the nucleic acid is at least 30, 50, 100, 250 or more nucleotides in length. As used herein, the term "hybridizes under stringent 15 conditions" is intended to describe conditions for hybridization and washing under which nucleotide sequences at least 60% homologous to each other typically remain hybridized to each other. Preferably, the conditions are such that sequences at least about 65%, more preferably at least about 70%, and even more preferably at least about 75% or more homologous to each other typically remain hybridized to each other. Such stringent conditions are known to those of ordinary skill in the art and can be found in Current Protocols in Molecular Biology, John Wiley & Sons, N.Y. (1989), 6.3.1-6.3.6. A preferred, non-limiting example of stringent hybridization conditions are hybridization in 6X sodium chloride/sodium citrate (SSC) at about 45°C, followed by one or more washes in 0.2 X SSC, 0.1% SDS at 50-65°C. Preferably, an isolated nucleic acid molecule of the invention that hybridizes under stringent conditions to a nucleotide sequence of the invention corresponds to a naturally-occurring nucleic acid molecule. As used herein, a "naturally-occurring" nucleic acid molecule refers to an RNA or DNA molecule having a nucleotide sequence that occurs in nature (e.g., encodes a natural protein). In one embodiment, the nucleic acid encodes a natural C. glutamicum MCT protein.

In addition to naturally-occurring variants of the MCT sequence that may exist in the population, one of ordinary skill in the art will further appreciate that changes can be

introduced by mutation into a nucleotide sequence of the invention, thereby leading to changes in the amino acid sequence of the encoded MCT protein, without altering the functional ability of the MCT protein. For example, nucleotide substitutions leading to amino acid substitutions at "non-essential" amino acid residues can be made in a nucleotide sequence of the invention. A "non-essential" amino acid residue is a residue that can be altered from the wild-type sequence of one of the MCT proteins (e.g., an even-numbered SEQ ID NO: of the Sequence Listing) without altering the activity of said MCT protein, whereas an "essential" amino acid residue is required for MCT protein activity. Other amino acid residues, however, (e.g., those that are not conserved or only semi-conserved in the domain having MCT activity) may not be essential for activity and thus are likely to be amenable to alteration without altering MCT activity.

5

10

15

20

25

30

Accordingly, another aspect of the invention pertains to nucleic acid molecules encoding MCT proteins that contain changes in amino acid residues that are not essential for MCT activity. Such MCT proteins differ in amino acid sequence from a sequence of an even-numbered SEQ ID NO: of the Sequence Listing yet retain at least one of the MCT activities described herein. In one embodiment, the isolated nucleic acid molecule comprises a nucleotide sequence encoding a protein, wherein the protein comprises an amino acid sequence at least about 50% homologous to an amino acid sequence of the invention and is capable of participate in the metabolism of compounds necessary for the construction of cellular membranes in C. glutamicum, or in the transport of molecules across these membranes, or has one or more activities set forth in Table 1. Preferably, the protein encoded by the nucleic acid molecule is at least about 50-60% homologous to the amino acid sequence of one of the odd-numbered SEQ ID NOs of the Sequence Listing, more preferably at least about 60-70% homologous to one of these sequences, even more preferably at least about 70-80%, 80-90%, 90-95% homologous to one of these sequences, and most preferably at least about 96%, 97%, 98%, or 99% homologous to one of the amino acid sequences of the invention...

To determine the percent homology of two amino acid sequences (e.g., one of the amino acid sequences of the invention and a mutant form thereof) or of two nucleic acids, the sequences are aligned for optimal comparison purposes (e.g., gaps can be introduced in the sequence of one protein or nucleic acid for optimal alignment with the other protein or nucleic acid). The amino acid residues or nucleotides at corresponding

15

20

25

amino acid positions or nucleotide positions are then compared. When a position in one sequence (e.g., one of the amino acid sequences of the invention) is occupied by the same amino acid residue or nucleotide as the corresponding position in the other sequence (e.g., a mutant form of the amino acid sequence), then the molecules are homologous at that position (i.e., as used herein amino acid or nucleic acid "homology" is equivalent to amino acid or nucleic acid "identity"). The percent homology between the two sequences is a function of the number of identical positions shared by the sequences (i.e., % homology = # of identical positions/total # of positions x 100).

An isolated nucleic acid molecule encoding an MCT protein homologous to a protein sequence of the invention (e.g., a sequence of an even-numbered SEQ ID NO: of the Sequence Listing) can be created by introducing one or more nucleotide substitutions, additions or deletions into a nucleotide sequence of the invention such that one or more amino acid substitutions, additions or deletions are introduced into the encoded protein. Mutations can be introduced into one of the nucleotide sequences of the invention by standard techniques, such as site-directed mutagenesis and PCRmediated mutagenesis. Preferably, conservative amino acid substitutions are made at one or more predicted non-essential amino acid residues. A "conservative amino acid substitution" is one in which the amino acid residue is replaced with an amino acid residue having a similar side chain. Families of amino acid residues having similar side chains have been defined in the art. These families include amino acids with basic side chains (e.g., lysine, arginine, histidine), acidic side chains (e.g., aspartic acid, glutamic acid), uncharged polar side chains (e.g., glycine, asparagine, glutamine, serine, threonine, tyrosine, cysteine), nonpolar side chains (e.g., alanine, valine, leucine, isoleucine, proline, phenylalanine, methionine, tryptophan), beta-branched side chains (e.g., threonine, valine, isoleucine) and aromatic side chains (e.g., tyrosine, phenylalanine, tryptophan, histidine). Thus, a predicted nonessential amino acid residue in an MCT protein is preferably replaced with another amino acid residue from the same side chain family. Alternatively, in another embodiment, mutations can be introduced randomly along all or part of an MCT coding sequence, such as by saturation mutagenesis, and the resultant mutants can be screened for an MCT activity described herein to identify mutants that retain MCT activity. Following mutagenesis of the nucleotide sequence of one of the odd-numbered SEQ ID NOs of the Sequence Listing,

5

15

20

25

30

- 35 -

the encoded protein can be expressed recombinantly and the activity of the protein can be determined using, for example, assays described herein (see Example 8 of the Exemplification).

In addition to the nucleic acid molecules encoding MCT proteins described above, another aspect of the invention pertains to isolated nucleic acid molecules which are antisense thereto. An "antisense" nucleic acid comprises a nucleotide sequence which is complementary to a "sense" nucleic acid encoding a protein, e.g., complementary to the coding strand of a double-stranded cDNA molecule or complementary to an mRNA sequence. Accordingly, an antisense nucleic acid can hydrogen bond to a sense nucleic acid. The antisense nucleic acid can be complementary to an entire MCT coding strand, or to only a portion thereof. In one embodiment, an antisense nucleic acid molecule is antisense to a "coding region" of the coding strand of a nucleotide sequence encoding an MCT protein. The term "coding region" refers to the region of the nucleotide sequence comprising codons which are translated into amino acid residues (e.g., the entire coding region of SEQ ID NO:5 (RXA00104) comprises nucleotides 1 to 756). In another embodiment, the antisense nucleic acid molecule is antisense to a "noncoding region" of the coding strand of a nucleotide sequence encoding MCT. The term "noncoding region" refers to 5' and 3' sequences which flank the coding region that are not translated into amino acids (i.e., also referred to as 5' and 3' untranslated regions).

Given the coding strand sequences encoding MCT disclosed herein (e.g., the sequences set forth as odd-numbered SEQ ID NOs in the Sequence Listing), antisense nucleic acids of the invention can be designed according to the rules of Watson and Crick base pairing. The antisense nucleic acid molecule can be complementary to the entire coding region of MCT mRNA, but more preferably is an oligonucleotide which is antisense to only a portion of the coding or noncoding region of MCT mRNA. For example, the antisense oligonucleotide can be complementary to the region surrounding the translation start site of MCT mRNA. An antisense oligonucleotide can be, for example, about 5, 10, 15, 20, 25, 30, 35, 40, 45 or 50 nucleotides in length. An antisense nucleic acid of the invention can be constructed using chemical synthesis and enzymatic ligation reactions using procedures known in the art. For example, an antisense nucleic acid (e.g., an antisense oligonucleotide) can be chemically synthesized

10

15

20

25

30

using naturally occurring nucleotides or variously modified nucleotides designed to increase the biological stability of the molecules or to increase the physical stability of the duplex formed between the antisense and sense nucleic acids, e.g., phosphorothioate derivatives and acridine substituted nucleotides can be used. Examples of modified nucleotides which can be used to generate the antisense nucleic acid include 5fluorouracil, 5-bromouracil, 5-chlorouracil, 5-iodouracil, hypoxanthine, xanthine, 4acetylcytosine, 5-(carboxyhydroxylmethyl) uracil, 5-carboxymethylaminomethyl-2thiouridine, 5-carboxymethylaminomethyluracil, dihydrouracil, beta-Dgalactosylqueosine, inosine, N6-isopentenyladenine, 1-methylguanine, 1-methylinosine, 2,2-dimethylguanine, 2-methyladenine, 2-methylguanine, 3-methylcytosine, 5methylcytosine, N6-adenine, 7-methylguanine, 5-methylaminomethyluracil, 5methoxyaminomethyl-2-thiouracil, beta-D-mannosylqueosine, 5'methoxycarboxymethyluracil, 5-methoxyuracil, 2-methylthio-N6-isopentenyladenine, uracil-5-oxyacetic acid (v), wybutoxosine, pseudouracil, queosine, 2-thiocytosine, 5methyl-2-thiouracil, 2-thiouracil, 4-thiouracil, 5-methyluracil, uracil-5- oxyacetic acid methylester, uracil-5-oxyacetic acid (v), 5-methyl-2-thiouracil, 3-(3-amino-3-N-2carboxypropyl) uracil, (acp3)w, and 2,6-diaminopurine. Alternatively, the antisense nucleic acid can be produced biologically using an expression vector into which a nucleic acid has been subcloned in an antisense orientation (i.e., RNA transcribed from the inserted nucleic acid will be of an antisense orientation to a target nucleic acid of

The antisense nucleic acid molecules of the invention are typically administered to a cell or generated *in situ* such that they hybridize with or bind to cellular mRNA and/or genomic DNA encoding an MCT protein to thereby inhibit expression of the protein, *e.g.*, by inhibiting transcription and/or translation. The hybridization can be by conventional nucleotide complementarity to form a stable duplex, or, for example, in the case of an antisense nucleic acid molecule which binds to DNA duplexes, through specific interactions in the major groove of the double helix. The antisense molecule can be modified such that it specifically binds to a receptor or an antigen expressed on a selected cell surface, *e.g.*, by linking the antisense nucleic acid molecule to a peptide or an antibody which binds to a cell surface receptor or antigen. The antisense nucleic acid molecule can also be delivered to cells using the vectors described herein. To achieve

interest, described further in the following subsection).

5

10

15

20

25

30

- 37 -

sufficient intracellular concentrations of the antisense molecules, vector constructs in which the antisense nucleic acid molecule is placed under the control of a strong prokaryotic, viral, or eukaryotic promoter are preferred.

In yet another embodiment, the antisense nucleic acid molecule of the invention is an α-anomeric nucleic acid molecule. An α-anomeric nucleic acid molecule forms specific double-stranded hybrids with complementary RNA in which, contrary to the usual β-units, the strands run parallel to each other (Gaultier *et al.* (1987) *Nucleic Acids. Res.* 15:6625-6641). The antisense nucleic acid molecule can also comprise a 2'-o-methylribonucleotide (Inoue *et al.* (1987) *Nucleic Acids Res.* 15:6131-6148) or a chimeric RNA-DNA analogue (Inoue *et al.* (1987) *FEBS Lett.* 215:327-330).

In still another embodiment, an antisense nucleic acid of the invention is a ribozyme. Ribozymes are catalytic RNA molecules with ribonuclease activity which are capable of cleaving a single-stranded nucleic acid, such as an mRNA, to which they have a complementary region. Thus, ribozymes (e.g., hammerhead ribozymes (described in Haselhoff and Gerlach (1988) Nature 334:585-591)) can be used to catalytically cleave MCT mRNA transcripts to thereby inhibit translation of MCT mRNA. A ribozyme having specificity for an MCT-encoding nucleic acid can be designed based upon the nucleotide sequence of an MCT DNA disclosed herein (i.e., SEQ ID NO. 5 (RXA00104). For example, a derivative of a Tetrahymena L-19 IVS RNA can be constructed in which the nucleotide sequence of the active site is complementary to the nucleotide sequence to be cleaved in an MCT-encoding mRNA. See, e.g., Cech et al. U.S. Patent No. 4,987,071 and Cech et al. U.S. Patent No. 5,116,742. Alternatively, MCT mRNA can be used to select a catalytic RNA having a specific ribonuclease activity from a pool of RNA molecules. See, e.g., Bartel, D. and Szostak, J.W. (1993) Science 261:1411-1418.

Alternatively, MCT gene expression can be inhibited by targeting nucleotide sequences complementary to the regulatory region of an MCT nucleotide sequence (e.g., an MCT promoter and/or enhancers) to form triple helical structures that prevent transcription of an MCT gene in target cells. See generally, Helene, C. (1991)

Anticancer Drug Des. 6(6):569-84; Helene, C. et al. (1992) Ann. N.Y. Acad. Sci. 660:27-36; and Maher, L.J. (1992) Bioassays 14(12):807-15.

20

25

30

B. Recombinant Expression Vectors and Host Cells

Another aspect of the invention pertains to vectors, preferably expression vectors, containing a nucleic acid encoding an MCT protein (or a portion thereof). As used herein, the term "vector" refers to a nucleic acid molecule capable of transporting another nucleic acid to which it has been linked. One type of vector is a "plasmid", which refers to a circular double stranded DNA loop into which additional DNA segments can be ligated. Another type of vector is a viral vector, wherein additional DNA segments can be ligated into the viral genome. Certain vectors are capable of autonomous replication in a host cell into which they are introduced (e.g., bacterial vectors having a bacterial origin of replication and episomal mammalian vectors). Other vectors (e.g., non-episomal mammalian vectors) are integrated into the genome of a host cell upon introduction into the host cell, and thereby are replicated along with the host genome. Moreover, certain vectors are capable of directing the expression of genes to which they are operatively linked. Such vectors are referred to herein as "expression vectors". In general, expression vectors of utility in recombinant DNA techniques are often in the form of plasmids. In the present specification, "plasmid" and "vector" can be used interchangeably as the plasmid is the most commonly used form of vector. However, the invention is intended to include such other forms of expression vectors, such as viral vectors (e.g., replication defective retroviruses, adenoviruses and adenoassociated viruses), which serve equivalent functions.

The recombinant expression vectors of the invention comprise a nucleic acid of the invention in a form suitable for expression of the nucleic acid in a host cell, which means that the recombinant expression vectors include one or more regulatory sequences, selected on the basis of the host cells to be used for expression, which is operatively linked to the nucleic acid sequence to be expressed. Within a recombinant expression vector, "operably linked" is intended to mean that the nucleotide sequence of interest is linked to the regulatory sequence(s) in a manner which allows for expression of the nucleotide sequence (e.g., in an in vitro transcription/translation system or in a host cell when the vector is introduced into the host cell). The term "regulatory sequence" is intended to include promoters, enhancers and other expression control elements (e.g., polyadenylation signals). Such regulatory sequences are described, for example, in Goeddel; Gene Expression Technology: Methods in Enzymology 185,

Academic Press, San Diego, CA (1990). Regulatory sequences include those which direct constitutive expression of a nucleotide sequence in many types of host cell and those which direct expression of the nucleotide sequence only in certain host cells. Preferred regulatory sequences are, for example, promoters such as cos-, tac-, trp-, tet-, trp-tet-, lpp-, lac-, lpp-lac-, lacI^q-, T7-, T5-, T3-, gal-, trc-, ara-, SP6-, arny, SPO2, λ-P_R- or λ P_L, which are used preferably in bacteria. Additional regulatory sequences are, for example, promoters from yeasts and fungi, such as ADC1, MFα, AC, P-60, CYC1, GAPDH, TEF, rp28, ADH, promoters from plants such as CaMV/35S, SSU, OCS, lib4, usp, STLS1, B33, nos or ubiquitin- or phaseolin-promoters. It is also possible to use artificial promoters. It will be appreciated by one of ordinary skill in the art that the design of the expression vector can depend on such factors as the choice of the host cell to be transformed, the level of expression of protein desired, etc. The expression vectors of the invention can be introduced into host cells to thereby produce proteins or peptides, including fusion proteins or peptides, encoded by nucleic acids as described herein (*e.g.*, MCT proteins, mutant forms of MCT proteins, fusion proteins, etc.).

The recombinant expression vectors of the invention can be designed for expression of MCT proteins in prokaryotic or eukaryotic cells. For example, MCT genes can be expressed in bacterial cells such as C. glutamicum, insect cells (using baculovirus expression vectors), yeast and other fungal cells (see Romanos, M.A. et al. (1992) "Foreign gene expression in yeast: a review", Yeast 8: 423-488; van den Hondel, C.A.M.J.J. et al. (1991) "Heterologous gene expression in filamentous fungi" in: More Gene Manipulations in Fungi, J.W. Bennet & L.L. Lasure, eds., p. 396-428: Academic Press: San Diego; and van den Hondel, C.A.M.J.J. & Punt, P.J. (1991) "Gene transfer systems and vector development for filamentous fungi, in: Applied Molecular Genetics of Fungi, Peberdy, J.F. et al., eds., p. 1-28, Cambridge University Press: Cambridge), algae and multicellular plant cells (see Schmidt, R. and Willmitzer, L. (1988) High efficiency Agrobacterium tumefaciens - mediated transformation of Arabidopsis thaliana leaf and cotyledon explants" Plant Cell Rep.: 583-586), or mammalian cells. Suitable host cells are discussed further in Goeddel, Gene Expression Technology: Methods in Enzymology 185, Academic Press, San Diego, CA (1990). Alternatively, the recombinant expression vector can be transcribed and translated in vitro, for example using T7 promoter regulatory sequences and T7 polymerase.

15

20

25

30

Expression of proteins in prokaryotes is most often carried out with vectors containing constitutive or inducible promoters directing the expression of either fusion or non-fusion proteins. Fusion vectors add a number of amino acids to a protein encoded therein, usually to the amino terminus of the recombinant protein but also to the C-terminus or fused within suitable regions in the proteins. Such fusion vectors typically serve three purposes: 1) to increase expression of recombinant protein; 2) to increase the solubility of the recombinant protein; and 3) to aid in the purification of the recombinant protein by acting as a ligand in affinity purification. Often, in fusion expression vectors, a proteolytic cleavage site is introduced at the junction of the fusion moiety and the recombinant protein to enable separation of the recombinant protein from the fusion moiety subsequent to purification of the fusion protein. Such enzymes, and their cognate recognition sequences, include Factor Xa, thrombin and enterokinase.

Typical fusion expression vectors include pGEX (Pharmacia Biotech Inc; Smith, D.B. and Johnson, K.S. (1988) *Gene* 67:31-40), pMAL (New England Biolabs, Beverly, MA) and pRIT5 (Pharmacia, Piscataway, NJ) which fuse glutathione S-transferase (GST), maltose E binding protein, or protein A, respectively, to the target recombinant protein. In one embodiment, the coding sequence of the MCT protein is cloned into a pGEX expression vector to create a vector encoding a fusion protein comprising, from the N-terminus to the C-terminus, GST-thrombin cleavage site-X protein. The fusion protein can be purified by affinity chromatography using glutathione-agarose resin. Recombinant MCT protein unfused to GST can be recovered by cleavage of the fusion protein with thrombin.

Examples of suitable inducible non-fusion *E. coli* expression vectors include pTrc (Amann *et al.*, (1988) *Gene* 69:301-315) pLG338, pACYC184, pBR322, pUC18, pUC19, pKC30, pRep4, pHS1, pHS2, pPLc236, pMBL24, pLG200, pUR290, pIN-III113-B1, λgt11, pBdCl, and pET 11d (Studier *et al.*, *Gene Expression Technology: Methods in Enzymology* 185, Academic Press, San Diego, California (1990) 60-89; and Pouwels *et al.*, eds. (1985) Cloning Vectors. Elsevier: New York IBSN 0 444 904018). Target gene expression from the pTrc vector relies on host RNA polymerase transcription from a hybrid trp-lac fusion promoter. Target gene expression from the pET 11d vector relies on transcription from a T7 gn10-lac fusion promoter mediated by a coexpressed viral RNA polymerase (T7 gn1). This viral polymerase is supplied by

10

15

30

host strains BL21(DE3) or HMS174(DE3) from a resident λ prophage harboring a T7 gn1 gene under the transcriptional control of the lacUV 5 promoter. For transformation of other varieties of bacteria, appropriate vectors may be selected. For example, the plasmids pIJ101, pIJ364, pIJ702 and pIJ361 are known to be useful in transforming Streptomyces, while plasmids pUB110, pC194, or pBD214 are suited for transformation of Bacillus species. Several plasmids of use in the transfer of genetic information into Corynebacterium include pHM1519, pBL1, pSA77, or pAJ667 (Pouwels *et al.*, eds. (1985) Cloning Vectors. Elsevier: New York IBSN 0 444 904018).

One strategy to maximize recombinant protein expression is to express the protein in a host bacteria with an impaired capacity to proteolytically cleave the recombinant protein (Gottesman, S., Gene Expression Technology: Methods in Enzymology 185, Academic Press, San Diego, California (1990) 119-128). Another strategy is to alter the nucleic acid sequence of the nucleic acid to be inserted into an expression vector so that the individual codons for each amino acid are those preferentially utilized in the bacterium chosen for expression, such as C. glutamicum (Wada et al. (1992) Nucleic Acids Res. 20:2111-2118). Such alteration of nucleic acid sequences of the invention can be carried out by standard DNA synthesis techniques.

In another embodiment, the MCT protein expression vector is a yeast expression vector. Examples of vectors for expression in yeast *S. cerevisiae* include pYepSec1 (Baldari, *et al.*, (1987) *Embo J.* 6:229-234), 2 μ, pAG-1, Yep6, Yep13, pEMBLYe23, pMFa (Kurjan and Herskowitz, (1982) *Cell* 30:933-943), pJRY88 (Schultz *et al.*, (1987) *Gene* 54:113-123), and pYES2 (Invitrogen Corporation, San Diego, CA). Vectors and methods for the construction of vectors appropriate for use in other fungi, such as the filamentous fungi, include those detailed in: van den Hondel, C.A.M.J.J. & Punt, P.J. (1991) "Gene transfer systems and vector development for filamentous fungi, in: Applied Molecular Genetics of Fungi, J.F. Peberdy, *et al.*, eds., p. 1-28, Cambridge

Alternatively, the MCT proteins of the invention can be expressed in insect cells using baculovirus expression vectors. Baculovirus vectors available for expression of proteins in cultured insect cells (e.g., Sf 9 cells) include the pAc series (Smith et al.

New York (IBSN 0 444 904018).

University Press: Cambridge, and Pouwels et al., eds. (1985) Cloning Vectors. Elsevier:

5

10

15

20

25

30

(1983) Mol. Cell Biol. 3:2156-2165) and the pVL series (Lucklow and Summers (1989) Virology 170:31-39).

In another embodiment, the MCT proteins of the invention may be expressed in unicellular plant cells (such as algae) or in plant cells from higher plants (e.g., the spermatophytes, such as crop plants). Examples of plant expression vectors include those detailed in: Becker, D., Kemper, E., Schell, J. and Masterson, R. (1992) "New plant binary vectors with selectable markers located proximal to the left border", *Plant Mol. Biol.* 20: 1195-1197; and Bevan, M.W. (1984) "Binary *Agrobacterium* vectors for plant transformation", *Nucl. Acid. Res.* 12: 8711-8721, and include pLGV23, pGHlac+, pBIN19, pAK2004, and pDH51 (Pouwels et al., eds. (1985) Cloning Vectors. Elsevier: New York IBSN 0 444 904018).

In yet another embodiment, a nucleic acid of the invention is expressed in mammalian cells using a mammalian expression vector. Examples of mammalian expression vectors include pCDM8 (Seed, B. (1987) *Nature* 329:840) and pMT2PC (Kaufman *et al.* (1987) *EMBO J.* 6:187-195). When used in mammalian cells, the expression vector's control functions are often provided by viral regulatory elements. For example, commonly used promoters are derived from polyoma, Adenovirus 2, cytomegalovirus and Simian Virus 40. For other suitable expression systems for both prokaryotic and eukaryotic cells see chapters 16 and 17 of Sambrook, J., Fritsh, E. F., and Maniatis, T. *Molecular Cloning: A Laboratory Manual. 2nd, ed., Cold Spring Harbor Laboratory*, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY, 1989.

In another embodiment, the recombinant mammalian expression vector is capable of directing expression of the nucleic acid preferentially in a particular cell type (e.g., tissue-specific regulatory elements are used to express the nucleic acid). Tissue-specific regulatory elements are known in the art. Non-limiting examples of suitable tissue-specific promoters include the albumin promoter (liver-specific; Pinkert et al. (1987) Genes Dev. 1:268-277), lymphoid-specific promoters (Calame and Eaton (1988) Adv. Immunol. 43:235-275), in particular promoters of T cell receptors (Winoto and Baltimore (1989) EMBO J. 8:729-733) and immunoglobulins (Banerji et al. (1983) Cell 33:729-740; Queen and Baltimore (1983) Cell 33:741-748), neuron-specific promoters (e.g., the neurofilament promoter; Byrne and Ruddle (1989) PNAS 86:5473-5477),

15

20

25

pancreas-specific promoters (Edlund *et al.* (1985) *Science* 230:912-916), and mammary gland-specific promoters (*e.g.*, milk whey promoter; U.S. Patent No. 4,873,316 and European Application Publication No. 264,166). Developmentally-regulated promoters are also encompassed, for example the murine hox promoters (Kessel and Gruss (1990) *Science* 249:374-379) and the α -fetoprotein promoter (Campes and Tilghman (1989) *Genes Dev.* 3:537-546).

The invention further provides a recombinant expression vector comprising a DNA molecule of the invention cloned into the expression vector in an antisense orientation. That is, the DNA molecule is operatively linked to a regulatory sequence in a manner which allows for expression (by transcription of the DNA molecule) of an RNA molecule which is antisense to MCT mRNA. Regulatory sequences operatively linked to a nucleic acid cloned in the antisense orientation can be chosen which direct the continuous expression of the antisense RNA molecule in a variety of cell types, for instance viral promoters and/or enhancers, or regulatory sequences can be chosen which direct constitutive, tissue specific or cell type specific expression of antisense RNA. The antisense expression vector can be in the form of a recombinant plasmid, phagemid or attenuated virus in which antisense nucleic acids are produced under the control of a high efficiency regulatory region, the activity of which can be determined by the cell type into which the vector is introduced. For a discussion of the regulation of gene expression using antisense genes see Weintraub, H. et al., Antisense RNA as a molecular tool for genetic analysis, Reviews - Trends in Genetics, Vol. 1(1) 1986.

Another aspect of the invention pertains to host cells into which a recombinant expression vector of the invention has been introduced. The terms "host cell" and "recombinant host cell" are used interchangeably herein. It is understood that such terms refer not only to the particular subject cell but to the progeny or potential progeny of such a cell. Because certain modifications may occur in succeeding generations due to either mutation or environmental influences, such progeny may not, in fact, be identical to the parent cell, but are still included within the scope of the term as used herein.

A host cell can be any prokaryotic or eukaryotic cell. For example, an MCT protein can be expressed in bacterial cells such as *C. glutamicum*, insect cells, yeast or mammalian cells (such as Chinese hamster ovary cells (CHO) or COS cells). Other

- 44 -

suitable host cells are known to one of ordinary skill in the art. Microorganisms related to *Corynebacterium glutamicum* which may be conveniently used as host cells for the nucleic acid and protein molecules of the invention are set forth in Table 3.

Vector DNA can be introduced into prokaryotic or eukaryotic cells via conventional transformation or transfection techniques. As used herein, the terms "transformation" and "transfection", "conjugation" and "transduction" are intended to refer to a variety of art-recognized techniques for introducing foreign nucleic acid (e.g., linear DNA or RNA (e.g., a linearized vector or a gene construct alone without a vector) or nucleic acid in the form of a vector (e.g., a plasmid, phage, phasmid, phagemid, transposon or other DNA) into a host cell, including calcium phosphate or calcium chloride co-precipitation, DEAE-dextran-mediated transfection, lipofection, natural competence, chemical-mediated transfer, or electroporation. Suitable methods for transforming or transfecting host cells can be found in Sambrook, et al. (Molecular Cloning: A Laboratory Manual. 2nd, ed., Cold Spring Harbor Laboratory, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY, 1989), and other laboratory manuals.

10

15

20

25

For stable transfection of mammalian cells, it is known that, depending upon the expression vector and transfection technique used, only a small fraction of cells may integrate the foreign DNA into their genome. In order to identify and select these integrants, a gene that encodes a selectable marker (e.g., resistance to antibiotics) is generally introduced into the host cells along with the gene of interest. Preferred selectable markers include those which confer resistance to drugs, such as G418, hygromycin and methotrexate. Nucleic acid encoding a selectable marker can be introduced into a host cell on the same vector as that encoding an MCT protein or can be introduced on a separate vector. Cells stably transfected with the introduced nucleic acid can be identified by, for example, drug selection (e.g., cells that have incorporated the selectable marker gene will survive, while the other cells die).

To create a homologous recombinant microorganism, a vector is prepared which contains at least a portion of an MCT gene into which a deletion, addition or substitution has been introduced to thereby alter, e.g., functionally disrupt, the MCT gene.

Preferably, this MCT gene is a *Corynebacterium glutamicum* MCT gene, but it can be a homologue from a related bacterium or even from a mammalian, yeast, or insect source. In a preferred embodiment, the vector is designed such that, upon homologous

10

15

20

25

recombination, the endogenous MCT gene is functionally disrupted (i.e., no longer encodes a functional protein; also referred to as a "knock out" vector). Alternatively, the vector can be designed such that, upon homologous recombination, the endogenous MCT gene is mutated or otherwise altered but still encodes functional protein (e.g., the upstream regulatory region can be altered to thereby alter the expression of the endogenous MCT protein). In the homologous recombination vector, the altered portion of the MCT gene is flanked at its 5' and 3' ends by additional nucleic acid of the MCT gene to allow for homologous recombination to occur between the exogenous MCT gene carried by the vector and an endogenous MCT gene in a microorganism. The additional flanking MCT nucleic acid is of sufficient length for successful homologous recombination with the endogenous gene. Typically, several kilobases of flanking DNA (both at the 5' and 3' ends) are included in the vector (see e.g., Thomas, K.R., and Capecchi, M.R. (1987) Cell 51: 503 for a description of homologous recombination vectors). The vector is introduced into a microorganism (e.g., by electroporation) and cells in which the introduced MCT gene has homologously recombined with the endogenous MCT gene are selected, using art-known techniques.

In another embodiment, recombinant microorganisms can be produced which contain selected systems which allow for regulated expression of the introduced gene. For example, inclusion of an MCT gene on a vector placing it under control of the lac operon permits expression of the MCT gene only in the presence of IPTG. Such regulatory systems are well known in the art.

In another embodiment, an endogenous MCT gene in a host cell is disrupted (e.g., by homologous recombination or other genetic means known in the art) such that expression of its protein product does not occur. In another embodiment, an endogenous or introduced MCT gene in a host cell has been altered by one or more point mutations, deletions, or inversions, but still encodes a functional MCT protein. In still another embodiment, one or more of the regulatory regions (e.g., a promoter, repressor, or inducer) of an MCT gene in a microorganism has been altered (e.g., by deletion, truncation, inversion, or point mutation) such that the expression of the MCT gene is modulated. One of ordinary skill in the art will appreciate that host cells containing more than one of the described MCT gene and protein modifications may be readily

15

20

produced using the methods of the invention, and are meant to be included in the present invention.

A host cell of the invention, such as a prokaryotic or eukaryotic host cell in culture, can be used to produce (*i.e.*, express) an MCT protein. Accordingly, the invention further provides methods for producing MCT proteins using the host cells of the invention. In one embodiment, the method comprises culturing the host cell of invention (into which a recombinant expression vector encoding an MCT protein has been introduced, or into which genome has been introduced a gene encoding a wild-type or altered MCT protein) in a suitable medium until MCT protein is produced. In another embodiment, the method further comprises isolating MCT proteins from the medium or the host cell.

C. Isolated MCT Proteins

Another aspect of the invention pertains to isolated MCT proteins, and biologically active portions thereof. An "isolated" or "purified" protein or biologically active portion thereof is substantially free of cellular material when produced by recombinant DNA techniques, or chemical precursors or other chemicals when chemically synthesized. The language "substantially free of cellular material" includes preparations of MCT protein in which the protein is separated from cellular components of the cells in which it is naturally or recombinantly produced. In one embodiment, the language "substantially free of cellular material" includes preparations of MCT protein having less than about 30% (by dry weight) of non-MCT protein (also referred to herein as a "contaminating protein"), more preferably less than about 20% of non-MCT protein, still more preferably less than about 10% of non-MCT protein, and most preferably less than about 5% non-MCT protein. When the MCT protein or biologically active portion thereof is recombinantly produced, it is also preferably substantially free of culture medium, i.e., culture medium represents less than about 20%, more preferably less than about 10%, and most preferably less than about 5% of the volume of the protein preparation. The language "substantially free of chemical precursors or other chemicals" includes preparations of MCT protein in which the protein is separated from chemical precursors or other chemicals which are involved in the synthesis of the protein. In one embodiment, the language "substantially free of chemical precursors or

10

15

20

25

30

other chemicals" includes preparations of MCT protein having less than about 30% (by dry weight) of chemical precursors or non-MCT chemicals, more preferably less than about 20% chemical precursors or non-MCT chemicals, still more preferably less than about 10% chemical precursors or non-MCT chemicals, and most preferably less than about 5% chemical precursors or non-MCT chemicals. In preferred embodiments, isolated proteins or biologically active portions thereof lack contaminating proteins from the same organism from which the MCT protein is derived. Typically, such proteins are produced by recombinant expression of, for example, a *C. glutamicum* MCT protein in a microorganism such as *C. glutamicum*.

An isolated MCT protein or a portion thereof of the invention can participate in the metabolism of compounds necessary for the construction of cellular membranes in C. glutamicum, or in the transport of molecules across these membranes, or has one or more of the activities set forth in Table 1. In preferred embodiments, the protein or portion thereof comprises an amino acid sequence which is sufficiently homologous to an amino acid sequence of the invention (e.g., a sequence of an even-numbered SEO ID NO: of the Sequence Listing) such that the protein or portion thereof maintains the ability participate in the metabolism of compounds necessary for the construction of cellular membranes in C. glutamicum, or in the transport of molecules across these membranes. The portion of the protein is preferably a biologically active portion as described herein. In another preferred embodiment, an MCT protein of the invention has an amino acid sequence set forth as an even-numbered SEQ ID NO: of the Sequence Listing.. In yet another preferred embodiment, the MCT protein has an amino acid sequence which is encoded by a nucleotide sequence which hybridizes, e.g., hybridizes under stringent conditions, to a nucleotide sequence of the invention (e.g., a sequence of an odd-numbered SEQ ID NO: of the Sequence Listing). In still another preferred embodiment, the MCT protein has an amino acid sequence which is encoded by a nucleotide sequence that is at least about 50%, 51%, 52%, 53%, 54%, 55%, 56%, 57%, 58%, 59%, or 60%, preferably at least about 61%, 62%, 63%, 64%, 65%, 66%, 67%, 68%, 69%, or 70%, more preferably at least about 71%, 72%, 73%, 74%, 75%, 76%, 77%, 78%, 79%, or 80%, 81%, 82%, 83%, 84%, 85%, 86%, 87%, 88%, 89%, or 90%, or 91%, 92%, 93%, 94%, and even more preferably at least about 95%, 96%, 97%, 98%, 99% or more homologous to one of the nucleic acid sequences of the invention, or a

15

20

25

30

portion thereof. Ranges and identity values intermediate to the above-recited values, (e.g., 70-90% identical or 80-95% identical) are also intended to be encompassed by the present invention. For example, ranges of identity values using a combination of any of the above values recited as upper and/or lower limits are intended to be included. The preferred MCT proteins of the present invention also preferably possess at least one of the MCT activities described herein. For example, a preferred MCT protein of the present invention includes an amino acid sequence encoded by a nucleotide sequence which hybridizes, e.g., hybridizes under stringent conditions, to a nucleotide sequence of the invention, and which can participate in the metabolism of compounds necessary for the construction of cellular membranes in C. glutamicum, or in the transport of molecules across these membranes, or which has one or more of the activities set forth in Table 1.

In other embodiments, the MCT protein is substantially homologous to an amino acid sequence of the invention (e.g., a sequence of an even-numbered SEO ID NO; of the Sequence Listing) and retains the functional activity of the protein of one of the amino acid sequences of the invention yet differs in amino acid sequence due to natural variation or mutagenesis, as described in detail in subsection I above. Accordingly, in another embodiment, the MCT protein is a protein which comprises an amino acid sequence which is at least about 50%, 51%, 52%, 53%, 54%, 55%, 56%, 57%, 58%, 59%, or 60%, preferably at least about 61%, 62%, 63%, 64%, 65%, 66%, 67%, 68%, 69%, or 70%, more preferably at least about 71%, 72%, 73%, 74%, 75%, 76%, 77%, 78%, 79%, or 80%, 81%, 82%, 83%, 84%, 85%, 86%, 87%, 88%, 89%, or 90%, or 91%, 92%, 93%, 94%, and even more preferably at least about 95%, 96%, 97%, 98%, 99% or more homologous to an entire amino acid sequence of the invention and which has at least one of the MCT activities described herein. Ranges and identity values intermediate to the above-recited values, (e.g., 70-90% identical or 80-95% identical) are also intended to be encompassed by the present invention. For example, ranges of identity values using a combination of any of the above values recited as upper and/or lower limits are intended to be included. In another embodiment, the invention pertains to a full length C. glutamicum protein which is substantially homologous to an entire amino acid sequence of the invention.

15

20

25

Biologically active portions of an MCT protein include peptides comprising amino acid sequences derived from the amino acid sequence of an MCT protein, e.g., the an amino acid sequence of an even-numbered SEQ ID NO: of the Sequence Listing or the amino acid sequence of a protein homologous to an MCT protein, which include fewer amino acids than a full length MCT protein or the full length protein which is homologous to an MCT protein, and exhibit at least one activity of an MCT protein. Typically, biologically active portions (peptides, e.g., peptides which are, for example, 5, 10, 15, 20, 30, 35, 36, 37, 38, 39, 40, 50, 100 or more amino acids in length) comprise a domain or motif with at least one activity of an MCT protein. Moreover, other biologically active portions, in which other regions of the protein are deleted, can be prepared by recombinant techniques and evaluated for one or more of the activities described herein. Preferably, the biologically active portions of an MCT protein include one or more selected domains/motifs or portions thereof having biological activity.

MCT proteins are preferably produced by recombinant DNA techniques. For example, a nucleic acid molecule encoding the protein is cloned into an expression vector (as described above), the expression vector is introduced into a host cell (as described above) and the MCT protein is expressed in the host cell. The MCT protein can then be isolated from the cells by an appropriate purification scheme using standard protein purification techniques. Alternative to recombinant expression, an MCT protein, polypeptide, or peptide can be synthesized chemically using standard peptide synthesis techniques. Moreover, native MCT protein can be isolated from cells (e.g., endothelial cells), for example using an anti-MCT antibody, which can be produced by standard techniques utilizing an MCT protein or fragment thereof of this invention.

The invention also provides MCT chimeric or fusion proteins. As used herein, an MCT "chimeric protein" or "fusion protein" comprises an MCT polypeptide operatively linked to a non-MCT polypeptide. An "MCT polypeptide" refers to a polypeptide having an amino acid sequence corresponding to an MCT protein, whereas a "non-MCT polypeptide" refers to a polypeptide having an amino acid sequence corresponding to a protein which is not substantially homologous to the MCT protein, e.g., a protein which is different from the MCT protein and which is derived from the same or a different organism. Within the fusion protein, the term "operatively linked" is intended to indicate that the MCT polypeptide and the non-MCT polypeptide are fused

15

20

25

30

in-frame to each other. The non-MCT polypeptide can be fused to the N-terminus or C-terminus of the MCT polypeptide. For example, in one embodiment the fusion protein is a GST-MCT fusion protein in which the MCT sequences are fused to the C-terminus of the GST sequences. Such fusion proteins can facilitate the purification of recombinant MCT proteins. In another embodiment, the fusion protein is an MCT protein containing a heterologous signal sequence at its N-terminus. In certain host cells (e.g., mammalian host cells), expression and/or secretion of an MCT protein can be increased through use of a heterologous signal sequence.

Preferably, an MCT chimeric or fusion protein of the invention is produced by standard recombinant DNA techniques. For example, DNA fragments coding for the different polypeptide sequences are ligated together in-frame in accordance with conventional techniques, for example by employing blunt-ended or stagger-ended termini for ligation, restriction enzyme digestion to provide for appropriate termini, filling-in of cohesive ends as appropriate, alkaline phosphatase treatment to avoid undesirable joining, and enzymatic ligation. In another embodiment, the fusion gene can be synthesized by conventional techniques including automated DNA synthesizers. Alternatively, PCR amplification of gene fragments can be carried out using anchor primers which give rise to complementary overhangs between two consecutive gene fragments which can subsequently be annealed and reamplified to generate a chimeric gene sequence (see, for example, Current Protocols in Molecular Biology, eds. Ausubel et al. John Wiley & Sons: 1992). Moreover, many expression vectors are commercially available that already encode a fusion moiety (e.g., a GST polypeptide). An MCTencoding nucleic acid can be cloned into such an expression vector such that the fusion moiety is linked in-frame to the MCT protein.

Homologues of the MCT protein can be generated by mutagenesis, e.g., discrete point mutation or truncation of the MCT protein. As used herein, the term "homologue" refers to a variant form of the MCT protein which acts as an agonist or antagonist of the activity of the MCT protein. An agonist of the MCT protein can retain substantially the same, or a subset, of the biological activities of the MCT protein. An antagonist of the MCT protein can inhibit one or more of the activities of the naturally occurring form of the MCT protein, by, for example, competitively binding to a downstream or upstream member of the cell membrane component metabolic cascade which includes the MCT

15

20

25

protein, or by binding to an MCT protein which mediates transport of compounds across such membranes, thereby preventing translocation from taking place.

In an alternative embodiment, homologues of the MCT protein can be identified by screening combinatorial libraries of mutants, e.g., truncation mutants, of the MCT protein for MCT protein agonist or antagonist activity. In one embodiment, a variegated library of MCT variants is generated by combinatorial mutagenesis at the nucleic acid level and is encoded by a variegated gene library. A variegated library of MCT variants can be produced by, for example, enzymatically ligating a mixture of synthetic oligonucleotides into gene sequences such that a degenerate set of potential MCT sequences is expressible as individual polypeptides, or alternatively, as a set of larger fusion proteins (e.g., for phage display) containing the set of MCT sequences therein. There are a variety of methods which can be used to produce libraries of potential MCT homologues from a degenerate oligonucleotide sequence. Chemical synthesis of a degenerate gene sequence can be performed in an automatic DNA synthesizer, and the synthetic gene then ligated into an appropriate expression vector. Use of a degenerate set of genes allows for the provision, in one mixture, of all of the sequences encoding the desired set of potential MCT sequences. Methods for synthesizing degenerate oligonucleotides are known in the art (see, e.g., Narang, S.A. (1983) Tetrahedron 39:3; Itakura et al. (1984) Annu. Rev. Biochem. 53:323; Itakura et al. (1984) Science 198:1056; Ike et al. (1983) Nucleic Acid Res. 11:477.

In addition, libraries of fragments of the MCT protein coding can be used to generate a variegated population of MCT fragments for screening and subsequent selection of homologues of an MCT protein. In one embodiment, a library of coding sequence fragments can be generated by treating a double stranded PCR fragment of an MCT coding sequence with a nuclease under conditions wherein nicking occurs only about once per molecule, denaturing the double stranded DNA, renaturing the DNA to form double stranded DNA which can include sense/antisense pairs from different nicked products, removing single stranded portions from reformed duplexes by treatment with S1 nuclease, and ligating the resulting fragment library into an expression vector. By this method, an expression library can be derived which encodes N-terminal, C-terminal and internal fragments of various sizes of the MCT protein.

Several techniques are known in the art for screening gene products of combinatorial libraries made by point mutations or truncation, and for screening cDNA libraries for gene products having a selected property. Such techniques are adaptable for rapid screening of the gene libraries generated by the combinatorial mutagenesis of MCT homologues. The most widely used techniques, which are amenable to high through-put analysis, for screening large gene libraries typically include cloning the gene library into replicable expression vectors, transforming appropriate cells with the resulting library of vectors, and expressing the combinatorial genes under conditions in which detection of a desired activity facilitates isolation of the vector encoding the gene whose product was detected. Recursive ensemble mutagenesis (REM), a new technique which enhances the frequency of functional mutants in the libraries, can be used in combination with the screening assays to identify MCT homologues (Arkin and Yourvan (1992) *PNAS* 89:7811-7815; Delgrave *et al.* (1993) *Protein Engineering* 6(3):327-331).

In another embodiment, cell based assays can be exploited to analyze a variegated MCT library, using methods well known in the art.

D. Uses and Methods of the Invention

10

15

30

The nucleic acid molecules, proteins, protein homologues, fusion proteins,

20 primers, vectors, and host cells described herein can be used in one or more of the
following methods: identification of *C. glutamicum* and related organisms; mapping of
genomes of organisms related to *C. glutamicum*; identification and localization of *C.*glutamicum sequences of interest; evolutionary studies; determination of MCT protein
regions required for function; modulation of an MCT protein activity; modulation of the

25 metabolism of one or more cell membrane components; modulation of the
transmembrane transport of one or more compounds; and modulation of cellular
production of a desired compound, such as a fine chemical.

The MCT nucleic acid molecules of the invention have a variety of uses. First, they may be used to identify an organism as being *Corynebacterium glutamicum* or a close relative thereof. Also, they may be used to identify the presence of *C. glutamicum* or a relative thereof in a mixed population of microorganisms. The invention provides the nucleic acid sequences of a number of *C. glutamicum* genes; by probing the

5

10

15

20

25

30

- 53 -

extracted genomic DNA of a culture of a unique or mixed population of microorganisms under stringent conditions with a probe spanning a region of a C. glutamicum gene which is unique to this organism, one can ascertain whether this organism is present.

Although Corynebacterium glutamicum itself is nonpathogenic, it is related to pathogenic species, such as Corynebacterium diphtheriae. Corynebacterium diphtheriae is the causative agent of diphtheria, a rapidly developing, acute, febrile infection which involves both local and systemic pathology. In this disease, a local lesion develops in the upper respiratory tract and involves necrotic injury to epithelial cells; the bacilli secrete toxin which is disseminated through this lesion to distal susceptible tissues of the body. Degenerative changes brought about by the inhibition of protein synthesis in these tissues, which include heart, muscle, peripheral nerves, adrenals, kidneys, liver and spleen, result in the systemic pathology of the disease. Diphtheria continues to have high incidence in many parts of the world, including Africa, Asia, Eastern Europe and the independent states of the former Soviet Union. An ongoing epidemic of diphtheria in the latter two regions has resulted in at least 5,000 deaths since 1990.

In one embodiment, the invention provides a method of identifying the presence or activity of *Cornyebacterium diphtheriae* in a subject. This method includes detection of one or more of the nucleic acid or amino acid sequences of the invention (e.g., the sequences set forth as odd-numbered or even-numbered SEQ ID NOs, respectively, in the Sequence Listing) in a subject, thereby detecting the presence or activity of *Corynebacterium diphtheriae* in the subject. *C. glutamicum* and *C. diphtheriae* are related bacteria, and many of the nucleic acid and protein molecules in *C. glutamicum* are homologous to *C. diphtheriae* nucleic acid and protein molecules, and can therefore be used to detect *C. diphtheriae* in a subject.

The nucleic acid and protein molecules of the invention may also serve as markers for specific regions of the genome. This has utility not only in the mapping of the genome, but also for functional studies of *C. glutamicum* proteins. For example, to identify the region of the genome to which a particular *C. glutamicum* DNA-binding protein binds, the *C. glutamicum* genome could be digested, and the fragments incubated with the DNA-binding protein. Those which bind the protein may be additionally probed with the nucleic acid molecules of the invention, preferably with readily detectable labels; binding of such a nucleic acid molecule to the genome fragment enables the

5

10

15

20

25

30

localization of the fragment to the genome map of *C. glutamicum*, and, when performed multiple times with different enzymes, facilitates a rapid determination of the nucleic acid sequence to which the protein binds. Further, the nucleic acid molecules of the invention may be sufficiently homologous to the sequences of related species such that these nucleic acid molecules may serve as markers for the construction of a genomic map in related bacteria, such as *Brevibacterium lactofermentum*.

The MCT nucleic acid molecules of the invention are also useful for evolutionary and protein structural studies. The metabolic and transport processes in which the molecules of the invention participate are utilized by a wide variety of prokaryotic and eukaryotic cells; by comparing the sequences of the nucleic acid molecules of the present invention to those encoding similar enzymes from other organisms, the evolutionary relatedness of the organisms can be assessed. Similarly, such a comparison permits an assessment of which regions of the sequence are conserved and which are not, which may aid in determining those regions of the protein which are essential for the functioning of the enzyme. This type of determination is of value for protein engineering studies and may give an indication of what the protein can tolerate in terms of mutagenesis without losing function.

Manipulation of the MCT nucleic acid molecules of the invention may result in the production of MCT proteins having functional differences from the wild-type MCT proteins. These proteins may be improved in efficiency or activity, may be present in greater numbers in the cell than is usual, or may be decreased in efficiency or activity.

The invention provides methods for screening molecules which modulate the activity of an MCT protein, either by interacting with the protein itself or a substrate or binding partner of the MCT protein, or by modulating the transcription or translation of an MCT nucleic acid molecule of the invention. In such methods, a microorganism expressing one or more MCT proteins of the invention is contacted with one or more test compounds, and the effect of each test compound on the activity or level of expression of the MCT protein is assessed.

There are a number of mechanisms by which the alteration of an MCT protein of the invention may directly affect the yield, production, and/or efficiency of production of a fine chemical from a *C. glutamicum* strain incorporating such an altered protein.

Recovery of fine chemical compounds from large-scale cultures of *C. glutamicum* is

- 55 -

significantly improved if C. glutamicum secretes the desired compounds, since such compounds may be readily purified from the culture medium (as opposed to extracted from the mass of C. glutamicum cells). By either increasing the number or the activity of transporter molecules which export fine chemicals from the cell, it may be possible to increase the amount of the produced fine chemical which is present in the extracellular medium, thus permitting greater ease of harvesting and purification. Conversely, in order to efficiently overproduce one or more fine chemicals, increased amounts of the cofactors, precursor molecules, and intermediate compounds for the appropriate biosynthetic pathways are required. Therefore, by increasing the number and/or activity of transporter proteins involved in the import of nutrients, such as carbon sources (i.e., sugars), nitrogen sources (i.e., amino acids, ammonium salts), phosphate, and sulfur, it may be possible to improve the production of a fine chemical, due to the removal of any nutrient supply limitations on the biosynthetic process. Further, fatty acids and lipids are themselves desirable fine chemicals, so by optimizing the activity or increasing the number of one or more MCT proteins of the invention which participate in the biosynthesis of these compounds, or by impairing the activity of one or more MCT proteins which are involved in the degradation of these compounds, it may be possible to increase the yield, production, and/or efficiency of production of fatty acid and lipid molecules from C. glutamicum.

10

15

20

The engineering of one or more MCT genes of the invention may also result in MCT proteins having altered activities which indirectly impact the production of one or more desired fine chemicals from *C. glutamicum*. For example, the normal biochemical processes of metabolism result in the production of a variety of waste products (*e.g.*, hydrogen peroxide and other reactive oxygen species) which may actively interfere with these same metabolic processes (for example, peroxynitrite is known to nitrate tyrosine side chains, thereby inactivating some enzymes having tyrosine in the active site (Groves, J.T. (1999) *Curr. Opin. Chem. Biol.* 3(2): 226-235). While these waste products are typically excreted, the *C. glutamicum* strains utilized for large-scale fermentative production are optimized for the overproduction of one or more fine chemicals, and thus may produce more waste products than is typical for a wild-type *C. glutamicum*. By optimizing the activity of one or more MCT proteins of the invention which are involved in the export of waste molecules, it may be possible to improve the

10

15

20

25

30

viability of the cell and to maintain efficient metabolic activity. Also, the presence of high intracellular levels of the desired fine chemical may actually be toxic to the cell, so by increasing the ability of the cell to secrete these compounds, one may improve the viability of the cell.

Further, the MCT proteins of the invention may be manipulated such that the relative amounts of various lipid and fatty acid molecules produced are altered. This may have a profound effect on the lipid composition of the membrane of the cell. Since each type of lipid has different physical properties, an alteration in the lipid composition of a membrane may significantly alter membrane fluidity. Changes in membrane fluidity can impact the transport of molecules across the membrane, which, as previously explicated, may modify the export of waste products or the produced fine chemical or the import of necessary nutrients. Such membrane fluidity changes may also profoundly affect the integrity of the cell; cells with relatively weaker membranes are more vulnerable in the large-scale fermentor environment to mechanical stresses which may damage or kill the cell. By manipulating MCT proteins involved in the production of fatty acids and lipids for membrane construction such that the resulting membrane has a membrane composition more amenable to the environmental conditions extant in the cultures utilized to produce fine chemicals, a greater proportion of the C. glutamicum cells should survive and multiply. Greater numbers of C. glutamicum cells in a culture should translate into greater yields, production, or efficiency of production of the fine chemical from the culture.

The aforementioned mutagenesis strategies for MCT proteins to result in increased yields of a fine chemical from *C. glutamicum* are not meant to be limiting; variations on these strategies will be readily apparent to one of ordinary skill in the art. Using such strategies, and incorporating the mechanisms disclosed herein, the nucleic acid and protein molecules of the invention may be utilized to generate *C. glutamicum* or related strains of bacteria expressing mutated MCT nucleic acid and protein molecules such that the yield, production, and/or efficiency of production of a desired compound is improved. This desired compound may be any natural product of *C. glutamicum*, which includes the final products of biosynthesis pathways and intermediates of naturally-occurring metabolic pathways, as well as molecules which do

not naturally occur in the metabolism of C. glutamicum, but which are produced by a C. glutamicum strain of the invention.

This invention is further illustrated by the following examples which should not be construed as limiting. The contents of all references, patent applications, patents, published patent applications, Tables, and the sequence listing cited throughout this application are hereby incorporated by reference.

TABLE 1: GENES IN THE APPLICATION

Function	AMMONIUM TRANSPORT SYSTEM AMMONIUM TRANSPORT SYSTEM CYSQ PROTEIN, ammonium transport protein		Function 4"-MYCAROSYL ISOVALERYL-COA TRANSFERASE (EC 2) POLYKETIDE SYNTHASE POLYKETIDE SYNTHASE PROBABLE POLYKETIDE SYNTHASE ACTINORHODIN POLYKETIDE DIMERASE (EC) POLYKETIDE CYCLASE FRNA
NT Stop	557 6470 16650		NT Stop 17 28623 1527 6719 2072 838 866 28265
NT Start	3 6198 15895		NT Start 775 30482 1 1890 1656 1470 2572 27531
Contig.	VV0062 GR00630 GR00014		Contig. GR00416 VV0098 GR00741 GR00741 GR00573 VV0021
Identification Code	RXA02099 RXA02099 RXA00104	Sis	Identification Code RXA01420 RXN02581 F RXA02581 RXA02582 RXA0138 RXA01980 RXN01007 RXN00784
Amino Acid	6	e Synthe	Amino Acid SEQ ID NO 8 10 12 14 16 16 20 22
Nucleic Acid	2 2 2	Polyketide Synthe	Nucleic Acid SEQ ID NO 7 9 11 13 15 17 19

Fatty acid and lipid synthesis

Function	BIOTIN CARBOXYLASE (EC 6.3.4.14)	ACETYL-COENZYME A CARBOXYLASE CARBOXYL TRANSFERASE SUBUNIT	BETA (EC 6.4.1.2)	3-OXOACYL-IACYL-CARRIER PROTEINI REDIICTASE (EC 1 1 1 100)	LONG-CHAIN-FATTY-ACID-COA LIGASE (FC 6.2.1.1.00)	LONG-CHAIN-FATTY-ACID-COA LIGASE (FC 6.2.1.3)	LONG-CHAIN-FATTY-ACID-COA 1 19ASE (FC 6.2.1.3)	ACYL CARRIER PROTEIN	Acyl carrier protein phosphodiesterase	Acyt Carrier protein phosphodiesterase	Acvi carrier protein phosphodiesterase	Acyl carrier protein phosphodiesterase	FATTY ACID SYNTHASE (EC 2.3.1.85) (INCLUDES: EC 2.3.1.38: EC 2.3.1.39: EC	2.3.1.41;	FATTY-ACID SYNTHASE (FC 2.3.1.85)
NT Stop	2322	8924		3110	4664	4650	2	1210	. 40	1159	9	, ro	5724		3295
NT Start	550	7473		2178	6367	4937	817	920	202	617	380	277	103		7
Contig.	GR00672	GR00641		GR00500	VV0007	GR00718	GR00720	GR00422	GR00212	GR00544	VV0342	GR00790	W0129		GR00017
Identification Code	RXA02335	RXA02173		RXA01764	RXN02487	F RXA02487	F RXA02490	RXA01467	RXA00796	RXA01897	RXN02809	F RXA02809	RXN00113		F RXA00113
Amino Acid SEQ ID NO	24	26		28	3	32	34	36	38	40	42	4	46		48
Nucleic Acid SEQ ID NO	23	25		27	59	31	33	35	37	39	4	43	45		47

(tinued)	TURCUON	FATTY ACID SYNTHASE (EC 2.3.1.85) [INCLUDES: EC 2.3.1.38; EC 2.3.1.39; EC 2.3.44; EC 4.44, 100; EC 4.3.44; EC 4.3.44; EC 4.3.44;	E.S. 1.41, E.C. 1.11, 100, E.C. 4.2.1.01, E.C. 1.3.1.10, E.C. 3.1.2.14] FATTY ACID SYNTHASE (EC 2.3.1.85)	FATTY ACID SYNTHASE (EC 2.3.1.85)	PROBABLE POLYKETIDE SYNTHASE CY338.20	FATTY ACYL RESPONSIVE REGULATOR	LONG-CHAIN-FATTY-ACIDCOA LIGASE (EC 6.2.1.3)	OMEGA-3 FATTY ACID DESATURASE (EC 1.14.99)	MEDIUM-CHAIN-FATTY-ACIDCOA LIGASE (EC 6.2.1)	MEDIUM-CHAIN-FATTY-ACIDCOA LIGASE (EC 6.2.1)	CYCLOPROPANE-FATTY-ACYL-PHOSPHOLIPID SYNTHASE (EC 2.1.1.79)	CTOLOTROPAINE-TATTE-TAGE (FO 2.1.1.79)	LIPID A BIOSYNTHESIS LAUROYL ACYLTRANSFERASE (EC 2.3.1)	LIPID A BIOSYNTHESIS LAUROYL ACYLTRANSFERASE (EC 2.3.1)	CARDIOLIPIN SYNTHETASE (EC 2.7.8)	ACYL-COA DEHYDROGENASE (EC 1.3.99)	ACYL-COA DEHYDROGENASE (EC 1.3.99)	ACYL-COA DEHYDROGENASE (EC 1.3.99)	LONG-CHAIN-FATTY-ACIDCOA LIGASE (EC 6.2.1.3)	LONG-CHAIN-FATTY-ACIDCOA LIGASE (EC 6.2.1.3)	3-OXOACYL-(ACYL-CARRIER PROTEIN) REDUCTASE (EC 1.1.1.100)	3-OXOACYL-(ACYL-CARRIER PROTEIN) REDUCTASE (EC 1.1.1.100)	3-OXOACYL-[ACYL-CARK]ER PROTEIN] REDUCTASE (EC 1.1.1.100)	G-RELOMORI-COM THIOLOGNE (EC. 2.3.1.19)	PHOSPHATIDATE CYTIDYLYLTRANSFERASE (EC 2.7.7.41)	PHOSPHATIDYLGLYCEROPHOSPHATASE B (EC 3.1.3.27)	1-ACYL-SN-GLYCEROL-3-PHOSPHATE ACYLTRANSFERASE (EC 2.3.1.51)	1-ACYL-SN-GLYCEROL-3-PHOSPHATE ACYLTRANSFERASE (EC 2.3.1.51)	CDP-DIACYLGLYCEROLGLYCEROL-3-PHOSPHATE 3- BUCCBUATION TRANSEEDAGE (FC 2 2 8 6)	FILOSTI MATOLICITATION FILOSOC (EO 2.1.5.3) CODE, DIACKI GI VOEROL II GI VOEROL 13-DHOSPHATE 3.	PHOSPHATIDYLTRANSFERASE (EC 2.7.8.5)	KETOACYL REDUCTASE HETN (EC 1.3.1)	KETOACYL REDUCTASE HETN (EC 1.3.1)	PUTATIVE ACYLTRANSFERASE	1-ACYL-SN-GLYCEROL-3-PHOSPHATE ACYLTRANSFERASE (EC 2.3.1.51)	POLY(3-HYDROXYALKANOATE) POLYMERASE (EC 2.3.1)	POLY-BETA-HYDROXYBUTYRATE POLYMERASE (EC 2.3.1)	HYDROXYACYLGLUTATHIONE HYDROLASE (EC 3.1.2.6)	HYDROXYACYLGLU!AIMIONE HYDROLASE (EC 3.1.2.6)					
Table 1 (continued)		2	4	3832		14541					8577								83		2662			10341			~		1256	7277		33372	4 11	3541	19658	2249	2683	17929				2	260	0106
Tat	N Otar	6040	2088	7	1890	15347	6213	9266	2938	5746	9854	3306	16147	3303	1599	18127	18	4081	15318	1272	3405	3803	ر د	8118 8	1622	3179	54531	œ	720	2621	707	32818	106 2	2438	18858	1869	1688	16568	1027	3138	1469	12056	1666	1926
4	j S	W0084	GR00024	GR00155	GR00741	GR00754	GR00242	GR00296	VV0036	GR00488	GR00456	010000	W0171	GR00721	GR00245	VV0054	GR00221	GR00500	W0054	GR00500	GR00179	GR00214	GR00639	VV0182	GR00542	GR00742	8600//	GR00749	GR00232	C-D00721	70000	VV0102	GR00827	GR00740	GR00639	GR00160	GR00698	VV0083	GR00171	GR00214	GR00221	W0143	GR00517	GK00525
	Identingation Code	RXN03111	F RXA00158	F RXA00572	RXA02582	RXA02691	RXA00880	RXA01060	RXN01722	F RXA01722	EXA01644	EXAUZUZS DY A01801	RXN02512	F RXA02512	RXA00899	RXN00819	F RXA00819	F RXA01766	RXN01762	F RXA01762	RXA00681	RXA00802	RXA02133	E DX A04114	RXA01894	RXA02599	RXN02638	F RXA02638	RXA00856	DVA02611	11070400	RXN02836	F RXA02836	RXA02578	RXA02150	RXA00607	RXA02397	RXN03110	F RXA00660	RXA00801	RXA00821	RXN02966	F RXA01833	RXA01853
•	SEQ ID NO	20	25	25	99	28	9	62	2	99	68	2 5	2 7	76	78	8	82	84	98	88	80	92	94	900	100	102	\$	106	108		2	112	114	116	118	120	122	124	126	128	130	132	134 134	136
	SEQ ID NO	49	. 51	53	55	22	26	. 19	63	65	67	2 5	: E	75	11	79	81	83	82	87	88	91	63	2 2	à G	101	103	105	107	6	2	111	113	115	117	119	121	123	125	127	129	131	133	135

Table 1 (continued)	Contig. NT St	W0116 10570 11169	24 GR00706 808 428	W0112 1024 266	GR00095 3	1 GR00096 565 723	VV0088 3301 2564	VV0321 11407 10328	VV0038 6237 6629	VV0127 39053 39472	VV0188 1607 1170	W0171 15181 14099	VV0321 10328	VV0171 13011 12166	1 GR00253 4959 4114	VV0122 16024 15638 /	VV0078 3460 4266	W0038 1 2739)2168 VV0100 2894 81 FATTY ACID SYNTHASE (EC 2.3.1.85) (INCLUDES: EC 2.3.1.38; EC 2.3.1.39; EC		VV0155 6483 5686	VV0222 3159 1990	VV0300 16561 17703	VV0098 11098 9935 L	VV0167 9849 12059 I	VV0167 7995 9842	VV0123 22649 21594 I	VV0185 934 1686 L	VV0185 1826 2869 L	VV0185 3001 3780 p	VV0135 33604 32792	VV0185 3953 5569
	Identification Code	RXN02424	F RXA02424	RXN00419	F RXA00419	F RXA00421	RXN02923	RXN02922	RXN03065	RXN03132	RXN03157	RXN00934	RXN00792	RXN00931	F RXA00931	RXN01421	RXN02342	RXN00563		KXN02168	00000	NANOTUBO DEUTUBO	KXN02062	KXN02148	RXN02595	RXS00148	RXS00149	RXS02106	RXS01746	RXS01747	RXC01748	RXC00354	RXC01749
	Amino Acid SEQ ID NO	138	140	142	144	146	148	150	152	1 54	156	158	160	162	<u>2</u>	166	168	170	4	7/1	7.77	÷ (9/1	8/1	180	182	\$	186	188	190	192	194	196
	Nucleic Acid	137	139	141	143	145	147	149	151	153	155	157	66.	<u>اور</u>	163	165	167	169	171	5	173	2 1	5 5	<u> </u>	6/1	181	183	185	187	189	191	193	185

Fatty acid degradation

Function	LIPASE (EC 3.1.1.3) LIPASE (EC 3.1.1.3) LYSOPHOSPHOLIPASE L2 (EC 3.1.1.5) LIPASE (EC 3.1.1.3) PROPIONYL-COA CARBOXYLASE BETA CHAIN (EC 6.4.1)	
NT Stop	3081 4065 7197 3053 6 6 6 6	
NT Start	2182 3094 8219 3559 1319 524 3291	
Contig.	GR00655 GR00449 GR00573 VV0078 GR00667 GR00851	
Identification Code	RXA02268 RXA02269 RXA01614 RXA01983 RXN02947 F RXA02320 F RXA02851	
Amino Acid SEQ ID NO	198 200 200 204 206 210 212	
	197 199 203 205 207 209	

l able 1 (continued)	Function	PROPIONYL-COA CARBOXYLASE BETA CHAIN (EC 6.4.1.3)	METHYLMALONATE-SEMIALDEHYDE DEHYDROGENASE (ACYLATING) (EC	1.2.1.27) 2-Methyl-3-oxopropanoate:NAD+ oxidoreductase (CoA-propanoylating)	LIPOAMIDE DEHYDROGENASE COMPONENT (E3) OF BRANCHED-CHAIN	ALPHA-KETO ACID DEHYDROGENASE COMPLEX (EC 1.8.1.4)	LIPOAMIDE DEHYDROGENASE COMPONENT (E3) OF BRANCHED-CHAIN	ALPHA-KETO ACID DEHYDROGENASE COMPLEX (EC 1.8.1.4)	ISOVALERYL-COA DEHYDROGENASE (EC 1.3.99.10)	PROTEIN VDLD	PROTEIN VDLD	Glycerophosphoryl diester phosphodiesterase	GLYCEROPHOSPHORYL DIESTER PHOSPHODIESTERASE (EC 3 1.4.46)	EXTRACELLULAR LIPASE PRECURSOR (EC 3.1.1.3)			
ole 1 (C	NT Stop	937	1816	493	8290	2320		1200		2437		1116	6552	9	9	3877	16838
<u>a</u>	NT Start	1380	1403	7	6743	809		2381		2607		685	7568	218	707	3119	18142
	Contig.	GR00667	GR00675	GR00850	GR00741	GR00239		GR00367		GR00367		GR00318	W0103	GR00149	GR00440	GR00754	W0117
	Identification Code	F RXA02321	F RXA02343	F RXA02850	RXA02583	RXA00870		RXA01260		RXA01261		RXA01136	RXN00559	F RXA00559	RXA01580	RXA02677	RXS01166
	Amino Acid SEQ ID NO	214	216	218	220	222		224		226		228	230	232	234	236	238
	Nucleic Acid SEQ ID NO	213	215	217	219	221		223		225		227	229	231	233	235	237

Ø
-
(I)
a
ř
=
Ξ
=
-
- 70
w
0
•=
Ω
73
.Ξ
0
~
a
Õ
=
୍ଦ
\vdash

Function	ISOPENTENYL-DIPHOSPHATE DELTA-ISOMERASE (EC 5.3.3.2) PHYTOENE DEHYDROGENASE (EC 1.3)	PHYTOENE DEHYDROGENASE (EC 1.3)	GERANYLGERANYL HYDROGENASE	GERANYLGERANYL PYROPHOSPHATE SYNTHASE (EC 2.5.1.1)	undecaprenyl-diphosphate synthase (EC 2.5.1.31)	UNDECAPRENYL-PHOSPHATE GALACTOSEPHOSPHOTRANSFERASE (EC	2.7.8.6)	PUTATIVE UNDECAPRENYL-PHOSPHATE ALPHA-N-	ACETYLGLUCOSAMINYLTRANSFERASE (EC 2.4.1)	DOLICHYL-PHOSPHATE BETA-GLUCOSYLTRANSFERASE (EC 2.4.1.117)	OCTAPRENYL-DIPHOSPHATE SYNTHASE (EC 2.5.1)	OCTAPRENYL-DIPHOSPHATE SYNTHASE (EC 2.5.1)	PHYTOENE DEHYDROGENASE (EC 1.3)	PHYTOENE DEHYDROGENASE (EC 1.3)	PHYTOENE SYNTHASE (EC 2.5.1)	PHYTOENE SYNTHASE (EC 2.5.1)	FARNESYL DIPHOSPHATE SYNTHASE (EC 2.5.1.1) (EC 2.5.1.10)	isopentenyl-phosphate kinase (EC 2.7.4)	P450 cytochrome, isopentenyltransf, ferridox	12-oxophytodienoate reductase (EC 1.3.1.42)	TRNA DELTA(2)-ISOPENTENYLPYROPHOSPHATE TRANSFERASE (EC 2.5.1.8)	Metal-Dependent Hydrolase involved in metabolism of terpenoids	membrane protein involved in metabolism of terpenoids
NT Stop	1857	2696	2394	19585	2181	19894		533		8811	29542	4	37262	11544	13190	1277	16329	573	4001	5384	2778	3715	32783
NT Start	2423	2370	1132	18539	1453	20334		က		8053	28493	978	38905	13187	14020	345	17444	1505	3234	4266	1876	4545	31257
Contig.	GR00241 GR00373	GR00373	GR00665	GR00758	GR00298	GR00367		GR00346		GR00438	VV0025	GR00665	W0086	GR00119	GR00119	GR00373	GR00119	W0105	W0160	W0107	W0068	W0105	VV0017
Identification Code	RXA00875 RXA01292	RXA01293	RXA02310	RXA02718	RXA01067	RXA01269		RXA01205		RXA01576	RXN02309	F RXA02309	RXN00477	F RXA00477	RXA00478	RXA01291	RXA00480	RXS01879	RXS02023	RXS00948	RXS02228	RXC01971	RXC02697
Amino Acid	240	244	246	248	250	252		254		256	258	260	262	264	566	268	270	272	274	276	278	280	282
Nucleic Acid	239	243	245	247	249	251		253		255	257	529	261	263	265	267	569	271	273	275	277	279	281

Table 1 (continued)

ABC-Transporter

	P-Binding Protein	AL021184) ABC transporter ATP binding protein [Mycobacterium tuberculosis]	P-Binding Protein	C transporters	3 transporters	C transporters	C transporters	BINDING PROTEIN GLNQ	3 transporters	C transporters	3 transporters	C transporters	transporters	C transporters	C transporters	transporters	MALTOSE/MALTODEXTRIN TRANSPORT ATP-BINDING PROTFIN MAI K	transporters	OTEN CYDD	transporters	transporters	transporters	Transporters	P-Binding Protein	ATPase components of ABC transporters with duplicated ATPase domains	P-Binding Protein	P-Binding Protein	P-Binding Protein	P-Binding Protein	P-Binding Protein	P-Binding Protein	P-Binding Protein	P-Binding Protein	P-Binding Protein	P-Binding Protein	P-Binding Protein	P-Binding Protein	P-Binding Protein	mease Protein	mease Protein	nsporter ATP-Binding Protein	nsporter Permease Drotein	DING PROTEIN TALIB	IC PROTEIN PRECURSOR
Function	Hypothetical ABC Transporter ATP-Binding Protein	(AL021184) ABC transporter ATF	Hypothetical ABC Transporter ATP-Binding Protein	, P, G, R ATPase subunits of ABC transporters	, P. G. R ATPase subunits of ABC transporters	, P, G, R ATPase subunits of ABC transporters	, P, G, R ATPase subunits of ABC transporters	È	٥	, P, G, R ATPase subunits of ABC transporters	٥	, P, G, R ATPase subunits of ABC transporters	, P, G, R ATPase subunits of ABC transporters	σ	, P, G, R ATPase subunits of ABC transporters	, P. G, R ATPase subunits of ABC transporters	MALTOSE/MALTODEXTRIN TR	. P. G. R ATPase subunits of ABC transporters	TRANSPORT ATP-BINDING PROTEIN CYDD	. P. G. R ATPase subunits of ABC transporters	P. G. R ATPase subunits of ABC transporters	P. G. R. ATPase subunits of AB(P. G. R ATPase subunits of ABC transporters	Hypothetical ABC Transporter ATP-Binding Protein	ATPase components of ABC tran	Hypothetical ABC Transporter ATP-Binding Profesion	Hypothetical ABC Transporter ATP-Binding Protein	Hypothetical ABC Transporter Permease Protein	Hypothetical ABC Transporter Permease Protein	Hypothetical Amino Acid ABC Transporter ATP-Binding Protein	Hypothetical Amino Acid ABC Transporter Demease Protein	TAURINE TRANSPORT ATP-RINDING PROTEIN TAIR	TAURINE-BINDING PERIPLASMIC PROTEIN PRECURSOR											
NT Stop	1276	575	8 8	4	27899	4	6268	51323	164	8156	2	245	7470	607	25588	19932	13359	2497	11153	4176	15474	2275	21406	92	3532	6 64	2531	4	181	1871	12067	165	4207	813	5028	475	2638	1717	27566	22135	52844	52170	5236	4267
NT Start	2	1849	1782	79/1	28915	930	8469	51988	829	6780	316	1231	8117	2	27726	22055	12331	1469	12775	5798	14071	3156	20480	529	3092	1353	1647	411	849	3733	10478	1571	3284	_	4153	2271	1109	962	26304	20444	53923	52844	5964	5223
Contig.	W0228	GR00559	W0232	GR00023	75007	GK0003/	GK00039	VV0086	GR00092	9,000	GR00114	GR00115	W0137	GR00448	W0057	GR00726	V0101	GR00736	VV0318	GR00628	GR00629	GR00652	GR00654	VV0105	GR00537	GR00136	W0132	GR00197	GR00198	GR00242	W0169	GR00341	W0169	GR00350	GR00764	GR00652	W0229	VV0087	VV0079	W0126	VV0086	W0086	W0313	W0313
Identification Code	RXN01946	F RXA01946	E DV A00164	- AAGG164	FXN00243	F FXA00243	KA00239	KANOUA10	F KXA00410	KXN00456	F RXA00456	F RXA00459	RXN01604	F KXA01504	RXN02547	F RXA02547	RXN02571	F RXA02571	RXN02074	F RXA02074	RXA02095	RXA02225	RXA02253	RXN01881	F RXA01881	RXA00526	RXN00733	F RXA00733	RXA00735	RXA00878	RXN01191	F RXA01191	RXN01212	F RXA01212	RXA02749	RXA02224	RXN01602	RXN02515	RXN00525	RXN02096	RXN00412	RXN00411	RXN02614	RXN02613
Amino Acid	284	286	288 280	200	767	467	987	987	200	305	ž Š	9	308	010	312	314	316	318	320	322	324	326	328	330	332	334	336	338	340	342	344	346	348	350	352	354	356	358	360	362	364	366	368	370
Nucleic Acid	283	285	287	200	203	205	202	/67	667	5	303	202	300	800	311	313	315	317	319	321	323	325	327	329	331	333	335	337	339	¥ ;	343	345	74	349	351	353	355	357	329	361	363	365	367	369

able 1 (continued)	op Function	SPERMIDINE/PUTRESCINE TRANSPORT ATP-BINDING PROTEIN POTA	SPERMIDINE/PUTRESCINE TRANSPORT ATP-BINDING PROTEIN POTA	SPERMIDINE/PUTRESCINE TRANSPORT ATP-BINDING PROTEIN POTA	FERRIC ENTEROBACTIN TRANSPORT ATP-BINDING PROTEIN FEPC	FERRIC ENTEROBACTIN TRANSPORT PROTEIN FEPG	NITRATE TRANSPORT ATP-BINDING PROTEIN NRTD	NITRATE TRANSPORT PROTEIN NRTA	PHOSPHONATES TRANSPORT ATP-BINDING PROTEIN PHNC	PHOSPHONATES TRANSPORT SYSTEM PERMEASE PROTEIN PHNE	PHOSPHONATES-BINDING PERIPLASMIC PROTEIN PRECURSOR	FERRIC ENTEROBACTIN TRANSPORT ATP-BINDING PROTEIN FEPC	FERRIENTEROBACTIN-BINDING PERIPLASMIC PROTEIN PRECURSOR	FERRIENTEROBACTIN-BINDING PERIPLASMIC PROTEIN PRECURSOR	
ole 1 (NT Stop	726	579	803	1055	338	6302	5468	8055	6407	8895	2449	2934	3451	
<u> </u>	NT Start	2300	-	9	1780	1363	5805	4644	8858	7252	9944	1670	2476	3131	
	Contig.	VV0226	GR00076	GR00077	VV0215	V0194	7,0077	7,0077	W0106	W0106	W0106	VV0045	W0045	VV0045	
	Identification Code	RXN00368	F RXA00368	F RXA00370	RXN01285	RXN00523	RXN01142	RXN01141	RXN01002	RXN01000	RXN01732	RXN03080	RXN03081	RXN03082	
	Amino Acid	372	374	376	378	380	382	384	386	388	390	392	394	396	
	Nucleic Acid SEO ID NO											391			

Other transporters

Function	AMMONIUM TRANSPORT SYSTEM	AROMATIC AMINO ACID TRANSPORT PROTEIN AROP	BACITRACIN TRANSPORT ATP-BINDING PROTEIN BCRA	BENZOATE MEMBRANE TRANSPORT PROTEIN	BRANCHED CHAIN AMINO ACID TRANSPORT SYSTEM II CARRIER PROTEIN	BRANCHED CHAIN AMINO ACID TRANSPORT SYSTEM II CARRIER PROTEIN	BRANCHED CHAIN AMINO ACID TRANSPORT SYSTEM II CARRIER PROTEIN	BRANCHED-CHAIN AMINO ACID TRANSPORT SYSTEM CARRIER PROTEIN	C4-DICARBOXYLATE TRANSPORT PROTEIN	CHROMATE TRANSPORT PROTEIN	COBALT TRANSPORT ATP-BINDING PROTEIN CBIO	COBALT TRANSPORT PROTEIN CBIQ	COBALT TRANSPORT PROTEIN CBIQ	COBALT TRANSPORT PROTEIN CBIQ	D-XYLOSE-PROTON SYMPORT	D-XYLOSE PROTON-SYMPORTER	GLUTAMINE TRANSPORT ATP-BINDING PROTEIN GLNQ										
NT Stop	32291	2	5404	4	498	42	1186	299	260	1198	6230	564	5429	194	7862	265	2448	68	267	1840		630	26844	204	5376	2351	2128
NT Start	30936	1015	4721	855	-	1298	7	7	177	7	5043	178	5040	1471	6525	55	3137	1213	1319	2448		346	27509	-	6227	1914	2979
Contig.	GR00654	GR00613	GR00043	W0147	GR00153	W0173	GR00154	GR00268	GR00792	GR00635	W0178	GR00157	GR00427	GR00489	GR00163	GR00441	GR00231	GR00181	GR00223	GR00231		GR00768	W0129	GR00014	VV0030	GR00745	GR10040
Identification Code	RXA02261	RXA02020	RXA00281	RXN00570	F RXA00570	RXN00571	F RXA00571	RXA00962	RXA02811	RXA02115	RXN00590	F RXA00590	F RXA01538	RXA01727	RXA00623	RXA01584	RXA00852	RXA00690	RXA00827	RXA00851	RXS03220	F RXA02762	RXN00092	F RXA00092	RXN03060	F RXA02618	F RXA02900
Amino Acid	398	400	402	404	406	408	410	412	414	416	418	420	422	424	426	428	430	432	434	436	438	440	442	444	446	448	450
Nucleic Acid	397	399	401	403	405	407	409	411	413	415	417	419	421	423	425	427	429	431	433	435	437	439	441	443	445	447	449

						DING	,	DING	.	\SE	Ш	n D								0		۵	Δ	۵	_	۵														~	ď						
Table 1 (continued)	Function	GLYCINE BETAINE TRANSPORTER BETP	GLYCINE BETAINE TRANSPORTER BETP	HIGH AFFINITY RIBOSE TRANSPORT PROTEIN RBSD	HIGH AFFINITY RIBOSE TRANSPORT PROTEIN RBSD	HIGH-AFFINITY BRANCHED-CHAIN AMINO ACID TRANSPORT ATP-BINDING	PROTEIN BRAG	HIGH-AFFINITY BRANCHED-CHAIN AMINO ACID TRANSPORT ATP-BINDING		HIGH-AFFINITY BRANCHED-CHAIN AMINO ACID TRANSPORT PERMEASE PROTEIN LIVH	HIGH-AFFINITY BRANCHED CHAIN AMINO ACID TRANCBORT BERNEACE	PROTEIN LIVM	IRON(III) DICITRATE TRANSPORT ATP-BINDING PROTEIN FECE			IRON(III) DICITRATE TRANSPORT SYSTEM PERMEASE PROTEIN FECD	IRON(III) DICITRATE TRANSPORT SYSTEM PERMEASE PROTEIN FECT	IRON(III) DICITRATE TRANSPORT SYSTEM PERMEASE PROTEIN FECT	PROLINE TRANSPORT SYSTEM	PROLINE/BETAINE TRANSPORTER	PROLINE/BETAINE TRANSPORTER	PROLINE/BETAINE TRANSPORTER	SHORT-CHAIN FATTY ACIDS TRANSPORTER	SHORT-CHAIN FATTY ACIDS TRANSPORTER	SODIUM/GLUTAMATE SYMPORT CARRIER PROTEIN	SODIUM/PROLINE SYMPORTER	SODIUM-DEPENDENT PHOSPHATE TRANSPORT PROTEIN	sodium-dependent phosphate transport protein	Sodium-Dicarboxylate Symport Protein	Sodium-Dicarboxylate Symport Protein	Sodium-Dicarboxylate Symport Protein	SPERMIDINE/PUTRESCINE TRANSPORT ATP-BINDING PROTEIN POTA	SPERMIDINE/PUTRESCINE TRANSPORT ATP-BINDING PROTEIN POTA	TRANSPORT ATP-BINDING PROTEIN CYDC	TRANSPORT ATP-BINDING PROTEIN CYDD	TYROSINE-SPECIFIC TRANSPORT PROTEIN	2-OXOGLUTARATE/MALATE TRANSLOCATOR PRECURSOR	HIGH-AFFINITY CHOLINE TRANSPORT PROTEIN	Ectoine/Proline/Glycine betaine carrier ectP								
ole 1 (cc	NT Stop		947	9	9	2833	!	3542		7032	2108	3	8514	28642	1743	1111	1367	1814	7829	37874	194	9552	1151	9552	1660	2816	2383	1581	1965	1687	12988	13447	1908	4919	5875	683	32572	1036	ഹ	1038	1299	2647	1119	7164	6847	42072	6303
Tat	NT Start		ო	197	191	2108	. ;	2844	į	เร	1032	<u> </u>	7762	29232	1054	779	591	1032	8581	36837	1165	10625	888	10172	644	3832	3954	229	3476	3072	12242	13097	703	6571	4643	1999	30992	2040	352	1826	583	4176	-	8408	5519	40228	4459
	Contig.		GR00446	9600/	GR00032	GK00354		GK00354	* 10000	GRUUSSA	GR00354		GR00013	GR00032	GR00064	GR00135	GR00516	GR00770	GR00777	0600/\	GR00358	W0134	GR00415	GR00777	VV0045	GR10007	GR00028	GR00158	GR00453	GR00618	GR00028	GR00028	GR00464	GR00641	GR00245	GR00257	W0112	GR00109	GR00498	GR00041	GR00076	GR00628	GR00409	GR00389	GR00725	W0176	GR00048
	Identification Code	RXS03212	F RXA01591	RXN00201	F RXA00201	KXA01221		KXA01222	0.0000	KANIZIS	RXA01220		RXA00091	RXA00228	RXA00346	RXA00524	RXA01823	RXA02767	RXA02792	RXN02929	F RXA01235	RXN02794	F RXA01419	F RXA02794	RXN03079	F RXA02865	RXA00181	RXA00591	RXA01629	RXA02030	RXA00186	RXA00187	RXA01667	RXA02171	RXA00902	KXA00941	RXN00449	F RXA00449	F RXA01755	RXA00269	RXA00369	RXA02073	RXA01399	RXA01339	RXA02527	RXN00298	F RXA00298
	SEO ID NO	452	454	456	80 4 80 6	004	60,	407	757	†	466		468	470	472 -	474	476	478	480	482	484	486	488	490	492	494	496	498	200	502	504	206	208	510	512	514	516	518	220	522	524	526	528	530	532	534	536
	Nucleic Acid	451	453	455	45/	y 4	764	ō o	463	ç F	465		467	469	471	473	475	477	479	481	483	485	487	489	491	493	495	497	499	501	503	505	507	506	513	513	515	517	519	521	523	525	527	529	531	533	535

																٠																										
Table 1 (continued)	Function	potassium efflux system protein phaE	C4-DICARBOXYLATE-BINDING PERIPLASMIC PROTEIN PRECURSOR, transport	protein Sulkimate teaniseoptee	PROTON/SODIUM-GLUTAMATE SYMPORT PROTEIN	GALACTOSE-PROTON SYMPORT	GLYCINE BETAINE TRANSPORTER BETP	KUP SYSTEM POTASSIUM UPTAKE PROTEIN	Hypothetical Malonate Transporter	GLUTAMATE-BINDING PROTEIN PRECURSOR	GLUTAMINE-BINDING PROTEIN	Hypothetical Trehalose Transport Protein	CADMIUM EFFLUX SYSTEM ACCESSORY PROTEIN HOMOLOG	CHROMATE TRANSPORT PROTEIN	DICARBOXYLATE TRANSPORTER	HEMIN TRANSPORT SYSTEM PERMEASE PROTEIN HMUU	MERCURIC TRANSPORT PROTEIN PERIPLASMIC COMPONENT PRECURSOR	MERCURIC TRANSPORT PROTEIN PERIPLASMIC COMPONENT PRECURSOR	TRON(III) DICTERATE-BINDING PERIPLASMIC PROTEIN PRECORGOR	CATION FIELDS OVERTEM DECITION OF THE CONTRIBUTION OF THE CONTRIBU	Cation transport ATDases	CATION-TRANSPORTING ATPASE PACS (EC 3.6.1)	CATION-TRANSPORTING P-TYPE ATPASE B (EC 3.6.1)	CYANATE TRANSPORT PROTEIN CYNX	DIPEPTIDE TRANSPORT SYSTEM PERMEASE PROTEIN DPPC	zinc transport system membrane protein	zinc-binding periplasmic protein precursor	BRANCHED CHAIN AMINO ACID I KANSPORT SYSTEM II CARRIER PROTEIN		CALCIONITY OF ON THE CALLEY Ferrichtome transport profeins	MACROLIDE-EFFLUX PROTEIN	PUTATIVE 3-(3-HYDROXYPHENYL) PROPIONATE TRANSPORT PROTEIN	PNUC PROTEIN			Function		NUCLEOSIDE PERMEASE NUPG	NOCLEOSIDE PERMEASE NOTO NUCLEOSIDE PERMEASE NUPG	PROLINE-SPECIFIC PERMEASE PROY	SULFATE PERMEASE	SULTATE PERMEASE
ole 1 (co	N Stop	787	215	02720	105	13203	14858	7910	39541	1087	65	36653	4424	5617	9187	9	2383	294	781	417	-023 5418	1903	4428	17704	1724	6818	777	7487	2003	4102 64266	41387	3476	9029			NT Stop		13031	345	7173	4141	4600
Tal	NI Start	335	841	26046	1139	14297	16747	6027	38630	845	736	35187	4056	5150	9998	629	2150	527	006	ا ع <i>ترد</i>	27.72	2005/	2635	18876	1461	5970	6818	8686	3208	63271	40116	2139	9718			NT Start		11823	782	5770	2687	2306
:	Contig	GR00159	GR00686	0300701	VV0075	W0107	W0176	W0078	W0176	0/00/	VV0071	W0135	W0057	W0189	W0176	VV0082	W0149	W0234	VV0048	VV03/2	10077	VV0223	W0149	W0129	W0315	W0217	W0217	W0138	GR00228	WOO 86	W0127	W0182	W0142			Contig.	!	W0154	GR00733	GR00008	GR00334	GR0063/
:	Identification Code	RXA00596	RXA02364	OVENOTA 44	RXN00960	RXN02447	RXN02395	RXN02348	RXN00297	RXN03103	RXN02993	RXN00349	RXN03095	RXN03160	RXN02955	RXN03109	RXN02979	RXN02987	KXN03084	KXN03183	EXNOT 139	RXN01338	RXN00980	RXN00099	RXN02662	RXN02442	RXN02443	EXN00842	F KXAUU842	RXN00832 BXN00466	RXN01936	RXN01995	RXN00661			Identification Code		RXN02566	F RXA02561 F RXA02566	RXA00051	RXA01172	RXA02128
	Amino Acid	538	540	270	547 544	546	548	550	552	554	556	558	260	562	564	999	568	570	5/2	574	2/0	580	582	584	586	588	290	592	594	5.50 5.00 5.00 5.00 5.00 5.00 5.00 5.00	900	602	6 04	0	3	Amino Acid	SEO ID NO	909	610 610	612	614	616
:	Nucleic Acid	537	539	274	543 - 543	545	547	549	551	553	555	557	559	561	563	565	267	269	5/1	573	0,0	574	58.5	583	585	287	589	591	593	595 597	590	601	603	Permeases		Nucleic Acid	SEQ ID NO	605	>09 209	611	613	615

Table 1 (continued)	Function	SULFATE PERMEASE	URACIL PERMEASE	URACIL PERMEASE	XANTHINE PERMEASE	XANTHINE PERMEASE	XANTHINE PERMEASE	GLUCONATE PERMEASE	NA(+)-LINKED D-ALANINE GLYCINE PERMEASE	NA(+)-LINKED D-ALANINE GLYCINE PERMEASE	NA(+)-LINKED D-ALANINE GLYCINE PERMEASE	OLIGOPEPTIDE-BINDING PROTEIN APPA PRECURSOR (permease)	OLIGOPEPTIDE-BINDING PROTEIN OPPA PRECURSOR	OLIGOPEPTIDE-BINDING PROTEIN OPPA PRECURSOR (permease)	OLIGOPEPTIDE-BINDING PROTEIN OPPA PRECURSOR (permease)	DIPEPTIDE TRANSPORT SYSTEM PERMEASE PROTEIN DPPC	GLUTAMINE TRANSPORT SYSTEM PERMEASE PROTEIN GLNP	GLUTAMINE TRANSPORT SYSTEM PERMEASE PROTEIN GLNP	HIGH-AFFINITY BRANCHED-CHAIN AMINO ACID TRANSPORT PERMEASE	PROTEIN LIVH	TEICHOIC ACID TRANSLOCATION PERMEASE PROTEIN TAGG	MOLYBDATE-BINDING PERIPLASMIC PROTEIN PRECURSOR	MOLYBDENUM TRANSPORT SYSTEM PERMEASE PROTEIN MODB	POTENTIAL STARCH DEGRADATION PRODUCTS TRANSPORT SYSTEM	PERMEASE PROTEIN AMYD	POTENTIAL STARCH DEGRADATION PRODUCTS TRANSPORT SYSTEM	PERMEASE PROTEIN AMYD
ole 1 (cc	NT Stop	7655	8142	8067	11197	260	4526	1309	13267	891	969	381	9761	9	313	29233	4	621	2648		9001	20769	19949	594		1142	
Tat	NT Start	6045	6856	6856	9311	9	3336	2697	14751	-	45	1829	8670	1067	2	30042	618	842	1980		9894	21572	20785	-		2071	
	Contig.	GR00748	W0068	GR00653	W0213	GR00688	GR00689	GR00754	W0112	GR00100	GR00101	GR00230	W0119	GR00405	GR00753	W0176	VV0072	VV0072	W0069		W0112	W0112	W0112	VV0371		W0116	
	Identification Code	RXA02634	RXN02233	F RXA02233	RXN02372	F RXA02372	F RXA02377	RXA02676	RXN00432	F RXA00432	F RXA00436	RXA00847	RXN01382	F RXA01382	RXA02659	RXN02933	RXN02991	RXN02992	RXN02996		RXN03126	RXN00443	RXN00444	RXN00193		RXN01298	
	Amino Acid SEQ ID NO	ω	620	622	624	929	628	630	632	634	636	638	640	642	6 4 4	646	648	650	652		654	656	658	099		299	
	Nucleic Acid SEQ ID NO	617	619	621	623	625	627	629	631	633	635	637	639	641	643	645	647	649	651		653	655	252	629		661	

hannel Protein

Function	POTASSIUM CHANNEL PROTEIN	KUP SYSTEM POTASSIUM UPTAKE PROTEIN	PROBABLE NA(+)/H(+) ANTIPORTER	POTASSIUM CHANNEL BETA SUBUNIT	POTASSIUM CHANNEL BETA SUBUNIT
NT Stop	3971	7910	633	2455	63275
NT Start	2913	6027	2165	1586	64219
Contig.	GR00493	VV0078	GR00707	VV0277	VV0127
Identification Code	RXA01737	RXN02348	RXA02426	RXN03164	RXN00024
Amino Acid	664	999	899	0/9	672
Nucleic Acid	663	999	299	699	671

Lipoprotein and Lipopolysaccharide synthesis

NT Start NT Stop Function	DOLICHOL-PHOSPHATE MANNOSYLTRANSFERASE (EC 2.4.1.83)	APULIPOPRO I EIN NACYL I KANSFERASE (EC 2.3.1) DOLICHOL-PHOSPHATE MANNOSYLTRANSFERASE (EC 2.4.1.83)	APOLIPOPROTEIN N-ACYLTRANSFERASE (EC 2.3.1)
NT Stop	14260	13415	
NT Start	15894 14260	14224 13415	
Contig.	W0117	W0117	
Identification Code Contig.	RXN01164	RXN01168	
Amino Acid	674	929	
Nucleic Acid	673	675	

		TABLE 2 – Excluded Genes	ded Genes
GenBank TM Accession No.	Gene Name	Gene Function	Reference
A09073	ррв	Phosphoenol pyruvate carboxylase	Bachmann, B. et al. "DNA fragment coding for phosphoenolpyruvat corboxylase, recombinant DNA carrying said fragment, strains carrying the recombinant DNA and method for producing L-aminino acids using said strains," Patent: EP 0358940-A 3 03/21/90
A45579, A45581, A45583, A45585		Threonine dehydratase	Moeckel, B. et al. "Production of L-isoleucine by means of recombinant micro-organisms with deregulated threonine dehydratase," Patent: WO 9519442-A 5 07/20/95
A45587			
AB003132	murC; ftsQ; ftsZ		Kobayashi, M. et al. "Cloning, sequencing, and characterization of the ftsZ gene from coryneform bacteria," <i>Biochem. Biophys. Res. Commun.</i> , 236(2):383-388 (1997)
AB015023	murC; ftsQ		Wachi, M. et al. "A murC gene from Coryneform bacteria," Appl. Microbiol. Biotechnol., 51(2):223-228 (1999)
AB018530	dtsR		Kimura, E. et al. "Molecular cloning of a novel gene, dtsR, which rescues the detergent sensitivity of a mutant derived from <i>Brevibacterium</i> lactofermentum," Biosci. Biotechnol. Biochem., 60(10):1565-1570 (1996)
AB018531	dtsR1; dtsR2		
AB020624	murl	D-glutamate racemase	
AB023377	tkt	transketolase	
AB024708	gltB; gltD	Glutamine 2-oxoglutarate aminotransferase large and small subunits	
AB025424	acn	aconitase	
AB027714	rep	Replication protein	
AB027715	rep; aad	Replication protein; aminoglycoside adenyltransferase	
AF005242	argC	N-acety/glutamate-5-semialdehyde dehydrogenase	
AF005635	glnA	Glutamine synthetase	
AF030405	hisF	cyclase	
AF030520	argG	Argininosuccinate synthetase	
AF031518	argF	Omithine carbamolytransferase	
AF036932	aroD	3-dehydroquinate dehydratase	
AF038548	pyc	Pyruvate carboxylase	

		Table 2 (continued)	nued)
AF038651	dciAE; apt; rel	Dipeptide-binding protein; adenine phosphoribosyltransferase; GTP pyrophosphokinase	Wehmeier, L. et al. "The role of the Corynebacterium glutamicum rel gene in (p)ppGpp metabolism," <i>Microbiology</i> , 144:1853-1862 (1998)
AF041436	argR	Arginine repressor	
AF045998	impA	Inositol monophosphate phosphatase	
AF048764	argH	Argininosuccinate lyase	
AF049897	argC; argJ; argB;	N-acetylglutamylphosphate reductase;	
	argD; argF; argR;	omithine acetyltransferase; N-	
	argo; argH	acetylglutamate kinase; acetylomithine	
		carbamovitransferase arginine repressor.	
		argininosuccinate synthase;	
		argininosuccinate lyase	
AF050109	inhA	Enoyl-acyl carrier protein reductase	
AF050166	hisG	ATP phosphoribosyltransferase	
AF051846	hisA	Phosphoribosylformimino-5-amino-1-	
		phosphoribosyl-4-imidazolecarboxamide	
A E052652	Mot A		27
707070	Call	nomoserine O-acetyittansierase	Park, S. et al. "Isolation and analysis of metA, a methionine biosynthetic gene encoding homoserine acetyltransferase in Corynebacterium glutamicum," Mol. Cells., 8(3):286-294 (1998)
AF053071	aroB	Dehydroquinate synthetase	
AF060558	hisH	Glutamine amidotransferase	
AF086704	hisE	Phosphoribosyl-ATP- pyrophosphohydrolase	
AF114233	aroA	5-enolpyruvylshikimate 3-phosphate synthase	
AF116184	panD	L-aspartate-alpha-decarboxylase precursor	Dusch, N. et al. "Expression of the Corynebacterium glutamicum panD gene encoding L-aspartate-alpha-decarboxylase leads to pantothenate overproduction in Escherichia coli," <i>Appl. Environ. Microbiol.</i> , 65(4)1530-1539 (1999)
AF124518	aroD; aroE	3-dehydroquinase; shikimate dehydrogenase	
AF124600	aroC; aroK; aroB; pepQ	Chorismate synthase; shikimate kinase; 3-dehydroquinate synthase; putative cytoplasmic peptidase	
AF145897	inhA		
AF145898	inhA		

		Table 2 (continued)	nited)
AJ001436	ectP	Transport of ectoine, glycine betaine, proline	Peter, H. et al. "Corynebacterium glutamicum is equipped with four secondary carriers for compatible solutes: Identification, sequencing, and characterization of the proline/ectoine uptake system, ProP, and the ectoine/proline/glycine betaine carrier. EctP." J. Bacteriol. 180(22):6005-6012 (1998)
AJ004934	дарД	Tetrahydrodipicolinate succinylase (incomplete)	Wehrmann, A. et al. "Different modes of diaminopimelate synthesis and their role in cell wall integrity: A study with Corynebacterium glutamicum," J. Bacteriol., 180(12):3159-3165 (1998)
AJ007732	ppc; secG; amt; ocd; soxA	Phosphoenolpyruvate-carboxylase; ?; high affinity ammonium uptake protein; putative ornithine-cyclodecarboxylase; sarcosine oxidase	
AJ010319	ftsY, glnB, glnD; srp; amtP	Involved in cell division; PII protein; uridylyltransferase (uridylyl-removing enzmye); signal recognition particle; low affinity ammonium uptake protein	Jakoby, M. et al. "Nitrogen regulation in Corynebacterium glutamicum; Isolation of genes involved in biochemical characterization of corresponding proteins," FEMS Microbiol., 173(2):303-310 (1999)
AJ132968	cat	Chloramphenicol aceteyl transferase	
AJ224946	obu	L-malate: quinone oxidoreductase	Molenaar, D. et al. "Biochemical and genetic characterization of the membrane-associated malate dehydrogenase (acceptor) from Corynebacterium glutamicum," Eur. J. Biochem., 254(2):395-403 (1998)
AJ238250	lpu	NADH dehydrogenase	
AJ238703	porA	Porin	Lichtinger, T. et al. "Biochemical and biophysical characterization of the cell wall porin of Corynebacterium glutamicum: The channel is formed by a low molecular mass polypeptide," <i>Biochemistry</i> , 37(43):15024-15032 (1998)
D17429		Transposable element 1S31831	Vertes et al. "Isolation and characterization of IS31831, a transposable element from Corynebacterium glutamicum," Mol. Microbiol., 11(4):739-746 (1994)
D84102	odhA	2-oxoglutarate dehydrogenase	Usuda, Y. et al. "Molecular cloning of the Corynebacterium glutamicum (Brevibacterium lactofermentum AJ12036) odhA gene encoding a novel type of 2-oxoglutarate dehydrogenase," <i>Microbiology</i> , 142:3347-3354 (1996)
E01358	hdh; hk	Homoserine dehydrogenase; homoserine kinase	Katsumata, R. et al. "Production of L-thereonine and L-isoleucine," Patent: JP 1987232392-A 1 10/12/87
E01359		Upstream of the start codon of homoserine kinase gene	Katsumata, R. et al. "Production of L-thereonine and L-isoleucine," Patent: JP 1987232392-A 2 10/12/87
E01375		Tryptophan operon	
E01376	tpL; tpE	Leader peptide; anthranilate synthase	Matsui, K. et al. "Tryptophan operon, peptide and protein coded thereby, utilization of tryptophan operon gene expression and production of tryptophan," Patent: JP 1987244382-A 1 10/24/87

	tand Coldon	
100		nuea)
E01377	Promoter and operator regions of tryptophan operon	Matsui, K. et al. "Tryptophan operon, peptide and protein coded thereby, utilization of tryptophan operon gene expression and production of tryptophan," Patent: JP 1987244382-A 1 10/24/87
E03937	Biotin-synthase	Hatakeyama, K. et al. "DNA fragment containing gene capable of coding biotin synthetase and its utilization," Patent: JP 1992278088-A 1 10/02/92
E04040	Diamino pelargonic acid aminotransferase	Kohama, K. et al. "Gene coding diaminopelargonic acid aminotransferase and desthiobiotin synthetase and its utilization," Patent: JP 1992330284-A 1 11/18/92
E04041	Desthiobiotinsynthetase	Kohama, K. et al. "Gene coding diaminopelargonic acid aminotransferase and desthiobiotin synthetase and its utilization," Patent: JP 1992330284-A 1 11/18/92
E04307	Flavum aspartase	Kurusu, Y. et al. "Gene DNA coding aspartase and utilization thereof," Patent: JP 1993030977-A 1 02/09/93
E04376		Katsumata, R. et al. "Gene manifestation controlling DNA," Patent: JP 1993056782-A 3 03/09/93
E04377	Isocitric acid Iyase N-terminal fragment	Katsumata, R. et al. "Gene manifestation controlling DNA," Patent: JP 1993056782-A 3 03/09/93
E04484	Prephenate dehydratase	Sotouchi, N. et al. "Production of L-phenylalanine by fermentation," Patent: JP 1993076352-A 2 03/30/93
E05108	Aspartokinase	Fugono, N. et al. "Gene DNA coding Aspartokinase and its use," Patent: JP 1993184366-A 1 07/27/93
E05112	Dihydro-dipichorinate synthetase	Hatakeyama, K. et al. "Gene DNA coding dihydrodipicolinic acid synthetase and its use," Patent: JP 1993184371-A 1 07/27/93
E05776	Diaminopimelic acid dehydrogenase	Kobayashi, M. et al. "Gene DNA coding Diaminopimelic acid dehydrogenase and its use," Patent: JP 1993284970-A 1 11/02/93
E05779	Threonine synthase	Kohama, K. et al. "Gene DNA coding threonine synthase and its use," Patent: JP 1993284972-A 1 11/02/93
E06110	Prephenate dehydratase	Kikuchi, T. et al. "Production of L-phenylalanine by fermentation method," Patent: JP 1993344881-A 1 12/27/93
E06111	Mutated Prephenate dehydratase	Kikuchi, T. et al. "Production of L-phenylalanine by fermentation method," Patent: JP 1993344881-A 1 12/27/93
E06146	Acetohydroxy acid synthetase	Inui, M. et al. "Gene capable of coding Acetohydroxy acid synthetase and its use," Patent: JP 1993344893-A 1 12/27/93
E06825	Aspartokinase	Sugimoto, M. et al. "Mutant aspartokinase gene," patent: JP 1994062866-A 1 03/08/94
E06826	Mutated aspartokinase alpha subunit	Sugimoto, M. et al. "Mutant aspartokinase gene," patent: JP 1994062866-A 1 03/08/94

		Table 2 (continued)	nued)
E06827		Mutated aspartokinase alpha subunit	Sugimoto, M. et al. "Mutant aspartokinase gene," patent: JP 1994062866-A 1 03/08/94
E07701	secY		Honno, N. et al. "Gene DNA participating in integration of membraneous protein to membrane," Patent: JP 1994169780-A I 06/21/94
E08177		Aspartokinase	Sato, Y. et al. "Genetic DNA capable of coding Aspartokinase released from feedback inhibition and its utilization," Patent: JP 1994261766-A 1 09/20/94
E08178, E08179, E08180, E08181, E08182		Feedback inhibition-released Aspartokinase	Sato, Y. et al. "Genetic DNA capable of coding Aspartokinase released from feedback inhibition and its utilization," Patent: JP 1994261766-A 1 09/20/94
E08232		Acetohydroxy-acid isomeroreductase	Inui, M. et al. "Gene DNA coding acetohydroxy acid isomeroreductase," Patent: JP 1994277067-A 1 10/04/94
E08234	goss		Asai, Y. et al. "Gene DNA coding for translocation machinery of protein," Patent: JP 1994277073-A 1 10/04/94
E08643		FT aminotransferase and desthiobiotin synthetase promoter region	Hatakeyama, K. et al. "DNA fragment having promoter function in coryneform bacterium," Patent: JP 1995031476-A 1 02/03/95
E08646		Biotin synthetase	Hatakeyama, K. et al. "DNA fragment having promoter function in coryneform bacterium," Patent: JP 1995031476-A 1 02/03/95
E08649	•	Aspartase	Kohama, K. et al "DNA fragment having promoter function in coryneform bacterium," Patent: JP 1995031478-A 1 02/03/95
E08900		Dihydrodipicolinate reductase	Madori, M. et al. "DNA fragment containing gene coding Dihydrodipicolinate acid reductase and utilization thereof," Patent: JP 1995075578-A 1 03/20/95
E08901		Diaminopimelic acid decarboxylase	Madori, M. et al. "DNA fragment containing gene coding Diaminopimelic acid decarboxylase and utilization thereof," Patent: JP 1995075579-A 1 03/20/95
E12594		Serine hydroxymethyltransferase	Hatakeyama, K. et al. "Production of L-trypophan," Patent: JP 1997028391-A 1 02/04/97
E12760, E12759, E12758		transposase	Moriya, M. et al. "Amplification of gene using artificial transposon," Patent: JP 1997070291-A 03/18/97
E12764		Arginyl-tRNA synthetase; diaminopimelic acid decarboxylase	Moriya, M. et al. "Amplification of gene using artificial transposon," Patent: JP 1997070291-A 03/18/97
E12767		Dihydrodipicolinic acid synthetase	Moriya, M. et al. "Amplification of gene using artificial transposon," Patent: JP 1997070291-A 03/18/97
E12770		aspartokinase	Moriya, M. et al. "Amplification of gene using artificial transposon," Patent: JP 1997070291-A 03/18/97
E12773		Dihydrodipicolinic acid reductase	Moriya, M. et al. "Amplification of gene using artificial transposon," Patent: JP 1997070291-A 03/18/97

		Table 2 (continued)	nned)
E13655		Glucose-6-phosphate dehydrogenase	Hatakeyama, K. et al. "Glucose-6-phosphate dehydrogenase and DNA capable of coding the same," Patent: JP 1997224661-A 1 09/02/97
L01508	IIvA	Threonine dehydratase	Moeckel, B. et al. "Functional and structural analysis of the threonine dehydratase of Corynebacterium glutamicum," J. Bacteriol., 174:8065-8072 (1992)
L07603	EC 4.2.1.15	3-deoxy-D-arabinoheptulosonate-7- phosphate synthase	Chen, C. et al. "The cloning and nucleotide sequence of Corynebacterium glutamicum 3-deoxy-D-arabinoheptulosonate-7-phosphate synthase gene," FEMS Microbiol. Lett., 107:223-230 (1993)
L09232	IIvB; iIvN; iIvC	Acetohydroxy acid synthase large subunit; Acetohydroxy acid synthase small subunit; Acetohydroxy acid isomeroreductase	Keilhauer, C. et al. "Isoleucine synthesis in Corynebacterium glutamicum: molecular analysis of the ilvB-ilvN-ilvC operon," J. Bacteriol., 175(17):5595-5603 (1993)
L18874	PtsM	Phosphoenolpyruvate sugar phosphotransferase	Fouet, A et al. "Bacillus subtilis sucrose-specific enzyme II of the phosphotransferase system: expression in Escherichia coli and homology to enzymes II from enteric bacteria," PNAS USA, 84(24):8773-8777 (1987); Lee, J.K. et al. "Nucleotide sequence of the gene encoding the Corynebacterium glutamicum mannose enzyme II and analyses of the deduced protein sequence," FEMS Microbiol. Lett., 119(1-2):137-145 (1994)
L27123	aceB	Malate synthase	encoding malate
L27126		Pyruvate kinase	Jetten, M. S. et al. "Structural and functional analysis of pyruvate kinase from Corynebacterium glutamicum," <i>Appl. Environ. Microbiol.</i> , 60(7):2501-2507 (1994)
L28760	aceA	Isocitrate lyase	
L35906	dtxr	Diphtheria toxin repressor	Oguiza, J.A. et al. "Molecular cloning, DNA sequence analysis, and characterization of the Corynebacterium diphtheriae dtxR from Brevibacterium lactofermentum," J. Bacteriol., 177(2):465-467 (1995)
M13774		Prephenate dehydratase	Follettie, M.T. et al. "Molecular cloning and nucleotide sequence of the Corynebacterium glutamicum pheA gene." J. Bacteriol., 167:695-702 (1986)
M16175	5S rRNA		Park, Y-H. et al. "Phylogenetic analysis of the coryneform bacteria by 56 rRNA sequences," J. Bacteriol., 169:1801-1806 (1987)
M16663	трЕ	Anthranilate synthase, 5' end	Sano, K. et al. "Structure and function of the trp operon control regions of Brevibacterium lactofermentum, a glutamic-acid-producing bacterium," <i>Gene</i> , 52:191-200 (1987)
M16664	trp.A	Tryptophan synthase, 3'end	Sano, K. et al. "Structure and function of the trp operon control regions of Brevibacterium lactofermentum, a glutamic-acid-producing bacterium," Gene, 52:191-200 (1987)

		Table 2 (continued)	Ponu
M25819		ynvate carbox	O'Regan, M. et al. "Cloning and nucleotide sequence of the Phosphoenolpyruvate carboxylase-coding gene of Corynebacterium glutamicum ATCC13032," Gene, 77(2):237-251 (1989)
M85106		23S rRNA gene insertion sequence	Roller, C. et al. "Gram-positive bacteria with a high DNA G+C content are characterized by a common insertion within their 23S rRNA genes," J. Gen. Microbiol., 138:1167-1175 (1992)
M85107, M85108		23S rRNA gene insertion sequence	Roller, C. et al. "Gram-positive bacteria with a high DNA G+C content are characterized by a common insertion within their 23S rRNA genes," J. Gen. Microbiol., 138:1167-1175 (1992)
M89931	aecD; brnQ; yhbw	Beta C-S Iyase; branched-chain amino acid uptake carrier; hypothetical protein yhbw	Rossol, I. et al. "The Corynebacterium glutamicum aecD gene encodes a C-S lyase with alpha, beta-elimination activity that degrades aminoethylcysteine," <i>J. Bacteriol.</i> , 174(9):2968-2977 (1992); Tauch, A. et al. "Isoleucine uptake in Corynebacterium glutamicum ATCC 13032 is directed by the bmQ gene product," <i>Arch. Microbiol.</i> , 169(4):303-312 (1998)
S59299	<u>Ct</u>	Leader gene (promoter)	Herry, D.M. et al. "Cloning of the trp gene cluster from a tryptophanhyperproducing strain of Corynebacterium glutamicum: identification of a mutation in the trp leader sequence," Appl. Environ. Microbiol., 59(3):791-799 (1993)
U11545	трD	Anthranilate phosphoribosyltransferase	O'Gara, J.P. and Dunican, L.K. (1994) Complete nucleotide sequence of the Corynebacterium glutamicum ATCC 21850 tpD gene." Thesis, Microbiology Department, University College Galway, Ireland.
U13922	cgliM; cgliR; clgliR	Putative type II 5-cytosoine methyltransferase; putative type II restriction endonuclease; putative type I or type III restriction endonuclease	Schafer, A. et al. "Cloning and characterization of a DNA region encoding a stress-sensitive restriction system from Corynebacterium glutamicum ATCC 13032 and analysis of its role in intergeneric conjugation with Escherichia coli," J. Bacteriol., 176(23):7309-7319 (1994); Schafer, A. et al. "The Corynebacterium glutamicum cgllM gene encoding a 5-cytosine in an McrBC-deficient Escherichia coli strain," Gene, 203(2):95-101 (1997)
U14965 U31224	recA ppx		Ankri, S. et al. "Mutations in the Corynebacterium glutamicumproline biosynthetic pathway: A natural bypass of the proA step," J. Bacteriol., 178(15):4412-4419 (1996)
U31225	proC	L-proline: NADP+ 5-oxidoreductase	Ankri, S. et al. "Mutations in the Corynebacterium glutamicumproline biosynthetic pathway: A natural bypass of the proA step," J. Bacteriol., 178(15):4412-4419 (1996)
U31230	obg; proB; unkdh	?;gamma glutamyl kinase;similar to D- isomer specific 2-hydroxyacid dehydrogenases	Ankri, S. et al. "Mutations in the Corynebacterium glutamicumproline biosynthetic pathway: A natural bypass of the proA step," J. Bacteriol., 178(15):4412-4419 (1996)

		Table 2 (continued)	nued)
U31281	bioB	Biotin synthase	Serebriiskii, I.G., "Two new members of the bio B superfamily: Cloning, sequencing and expression of bio B genes of Methylobacillus flagellatum and Corynebacterium glutamicum," <i>Gene</i> , 175:15-22 (1996)
U35023	thtR; accBC	Thiosulfate sulfurtransferase; acyl CoA carboxylase	Jager, W. et al. "A Corynebacterium glutamicum gene encoding a two-domain protein similar to biotin carboxylases and biotin-carboxyl-carrier proteins," <i>Arch. Microbiol.</i> , 166(2);76-82 (1996)
U43535	ст	Multidrug resistance protein	Jager, W. et al. "A Corynebacterium glutamicum gene conferring multidrug resistance in the heterologous host Escherichia coli," J. Bacteriol., 179(7):2449-2451 (1997)
U43536	clpB	Heat shock ATP-binding protein	
U53587	aphA-3	3'5"-aminoglycoside phosphotransferase	
U89648		Corynebacterium glutamicum unidentified sequence involved in histidine biosynthesis, partial sequence	
X04960	tpA; tpB; tpC; tpD; tpE; tpG; tpL	Tryptophan operon	Matsui, K. et al. "Complete nucleotide and deduced amino acid sequences of the Brevibacterium lactofermentum tryptophan operon," Nucleic Acids Res., 14(24):10113-10114 (1986)
X07563	lys A	DAP decarboxylase (meso-diaminopimelate decarboxylase, EC 4.1.1.20)	n," Mol.
X14234	EC 4.1.1.31	Phosphoenolpyruvate carboxylase	Eikmanns, B.J. et al. "The Phosphoenolpyruvate carboxylase gene of Corynebacterium glutamicum: Molecular cloning, nucleotide sequence, and expression," <i>Mol. Gen. Genet.</i> , 218(2):330-339 (1989); Lepiniec, L. et al. "Sorghum Phosphoenolpyruvate carboxylase gene family: structure, function and molecular evolution," <i>Plant. Mol. Biol.</i> , 21 (3):487-502 (1993)
X17313	fda	Fructose-bisphosphate aldolase	Von der Osten, C.H. et al. "Molecular cloning, nucleotide sequence and fine- structural analysis of the Corynebacterium glutamicum fda gene: structural comparison of C. glutamicum fructose-1, 6-biphosphate aldolase to class I and class II aldolases," Mol. Microbiol.
X53993	dapA	L-2, 3-dihydrodipicolinate synthetase (EC 4.2.1.52)	Bonnassie, S. et al. "Nucleic sequence of the dapA gene from Corynebacterium glutamicum," <i>Nucleic Acids Res.</i> , 18(21):6421 (1990)
X54223		AttB-related site	Cianciotto, N. et al. "DNA sequence homology between att B-related sites of Corynebacterium diphtheriae, Corynebacterium ulcerans, Corynebacterium glutamicum, and the attP site of lambdacorynephage," FEMS. Microbiol, Lett., 66:299-302 (1990)
X54740	argS; lysA	Arginyl-tRNA synthetase; Diaminopimelate decarboxylase	Marcel, T. et al. "Nucleotide sequence and organization of the upstream region of the Corynebacterium glutamicum lysA gene," Mol. Microbiol, 4(11):1819-1830 (1990)

		Table 2 (continued)	nued)
X55994	trpL; trpE	Putative leader peptide; anthranilate synthase component 1	Heery, D.M. et al. "Nucleotide sequence of the Corynebacterium glutamicum trpE gene," Nucleic Acids Res., 18(23):7138 (1990)
X56037	thrC	Threonine synthase	Han, K.S. et al. "The molecular structure of the Corynebacterium glutamicum threonine synthase gene," Mol. Microbiol., 4(10):1693-1702 (1990)
X56075	attB-related site	Attachment site	Cianciotto, N. et al. "DNA sequence homology between att B-related sites of Corynebacterium diphtheriae, Corynebacterium ulcerans, Corynebacterium glutamicum, and the att site of lambdacorynephage," FEMS. Microbiol, Lett., 66:299-302 (1990)
X57226	lysC-alpha; lysC-beta; asd	Aspartokinase-alpha subunit; Aspartokinase-beta subunit; aspartate beta semialdehyde dehydrogenase	Kalinowski, J. et al. "Genetic and biochemical analysis of the Aspartokinase from Corynebacterium glutamicum," <i>Mol. Microbiol.</i> , 5(5):1197-1204 (1991); Kalinowski, J. et al. "Aspartokinase genes lysC alpha and lysC beta overlap and are adjacent to the aspertate beta-semialdehyde dehydrogenase gene asd in Corynebacterium glutamicum," <i>Mol. Gen. Genet.</i> , 224(3):317-324 (1990)
X59403	gap;pgk; tpi	Glyceraldehyde-3-phosphate; phosphoglycerate kinase; triosephosphate isomerase	Eikmanns, B.J. "Identification, sequence analysis, and expression of a Corynebacterium glutamicum gene cluster encoding the three glycolytic enzymes glyceraldehyde-3-phosphate dehydrogenase, 3-phosphoglycerate kinase, and triosephosphate isomeras," J. Bacteriol., 174(19):6076-6086 (1992)
X59404	gdh	Glutamate dehydrogenase	Bormann, E.R. et al. "Molecular analysis of the Corynebacterium glutamicum gdh gene encoding glutamate dehydrogenase," Mol. Microbiol., 6(3):317-326 (1992)
X60312	lysI	L-lysine permease	Seep-Feldhaus, A.H. et al. "Molecular analysis of the Corynebacterium glutamicum lysl gene involved in lysine uptake," <i>Mol. Microbiol.</i> , 5(12):2995-3005 (1991)
8/2099X	copl	Ps1 protein	Joliff, G. et al. "Cloning and nucleotide sequence of the csp1 gene encoding PS1, one of the two major secreted proteins of Corynebacterium glutamicum: The deduced N-terminal region of PS1 is similar to the Mycobacterium antigen 85 complex," Mol. Microbiol., 6(16):2349-2362 (1992)
X66112	glt	Citrate synthase	Eikmanns, B.J. et al. "Cloning sequence, expression and transcriptional analysis of the Corynebacterium glutamicum gltA gene encoding citrate synthase," <i>Microbiol.</i> , 140:1817-1828 (1994)
X67137 X69103	dapB csp2	Dihydrodipicolinate reductase Surface layer protein PS2	Peyret, J.L. et al. "Characterization of the cspB gene encoding PS2, an ordered surface-layer protein in Corynebacterium glutamicum," Mol. Microbiol., 9(1):97-109 (1993)
X69104		IS3 related insertion element	Bonamy, C. et al. "Identification of IS1206, a Corynebacterium glutamicum IS3-related insertion sequence and phylogenetic analysis," Mol. Microbiol., 14(3):571-581 (1994)

	•	Table 2 (continued)	nued)
X70959	leuA	Isopropylmalate synthase	Patek, M. et al. "Leucine synthesis in Corynebacterium glutamicum: enzyme activities, structure of leuA, and effect of leuA inactivation on lysine synthesis," Appl. Environ. Microbiol., 60(1):133-140 (1994)
X71489	poi	Isocitrate dehydrogenase (NADP+)	Eikmanns, B.J. et al. "Cloning sequence analysis, expression, and inactivation of the Corynebacterium glutamicum icd gene encoding isocitrate dehydrogenase and biochemical characterization of the enzyme," J. Bacteriol., 177(3):774-782 (1995)
X72855	GDHA	Glutamate dehydrogenase (NADP+)	
X75083, X70584	mtrA	5-methyltryptophan resistance	Heery, D.M. et al. "A sequence from a tryptophan-hyperproducing strain of Corynebacterium glutamicum encoding resistance to 5-methyltryptophan," <i>Biochem. Biophys. Res. Commun.</i> 201(3):1255-1262 (1994)
X75085	recA		Fitzpatrick, R. et al. "Construction and characterization of recA mutant strains of Corynebacterium glutamicum and Brevibacterium lactofermentum," Appl. Microbiol. Biotechnol. 42(4):575-580 (1994)
X75504	aceA; thiX	Partial Isocitrate lyase; ?	Reinscheid, D.J. et al. "Characterization of the isocitrate lyase gene from Corynebacterium glutamicum and biochemical analysis of the enzyme," J. Bacteriol. 176(12):3474-3483 (1994)
X76875		ATPase beta-subunit	Ludwig, W. et al. "Phylogenetic relationships of bacteria based on comparative sequence analysis of elongation factor Tu and ATP-synthase beta-subunit genes," Antonie Van Leeuwenhoek, 64:285-305 (1993)
X77034	tuf	Elongation factor Tu	Ludwig, W. et al. "Phylogenetic relationships of bacteria based on comparative sequence analysis of elongation factor Tu and ATP-synthase beta-subunit genes," Antonie Van Leeuwenhoek, 64:285-305 (1993)
X77384	recA		Billman-Jacobe, H. "Nucleotide sequence of a recA gene from Corynebacterium glutamicum," DNA Seq., 4(6):403-404 (1994)
X78491	aceB	Malate synthase	Reinscheid, D.J. et al. "Malate synthase from Corynebacterium glutamicum pta-ack operon encoding phosphotransacetylase: sequence analysis," <i>Microbiology</i> , 140:3099-3108 (1994)
X80629	16S rDNA	16S ribosomal RNA	Rainey, F.A. et al. "Phylogenetic analysis of the genera Rhodococcus and Norcardia and evidence for the evolutionary origin of the genus Norcardia from within the radiation of Rhodococcus species," <i>Microbiol.</i> , 141:523-528 (1995)
X81191	gluA; gluB; gluC; gluD	Glutamate uptake system	Kronemeyer, W. et al. "Structure of the gluABCD cluster encoding the glutamate uptake system of Corynebacterium glutamicum," J. Bacteriol., 177(5):1152-1158 (1995)
X81379	dapE	Succinyldiaminopimelate desuccinylase	Wehrmann, A. et al. "Analysis of different DNA fragments of Corynebacterium glutamicum complementing dapE of Escherichia coli," <i>Microbiology</i> , 40:3349-56 (1994)

		Table 2 (continued)	nued)
X82061	16S rDNA	16S ribosomal RNA	Ruimy, R. et al. "Phylogeny of the genus Corynebacterium deduced from analyses of small-subunit ribosomal DNA sequences," Int. J. Syst. Bacteriol., 45(4):740-746 (1995)
X82928	asd; lysC	Aspartate-semialdehyde dehydrogenase; ?	Serebrijski, I. et al. "Multicopy suppression by asd gene and osmotic stress-dependent complementation by heterologous proA in proA mutants," J. Bacteriol., 177(24):7255-7260 (1995)
X82929	proA	Gamma-glutamyl phosphate reductase	Serebrijski, I. et al. "Multicopy suppression by asd gene and osmotic stress-dependent complementation by heterologous proA in proA mutants," J. Bacteriol., 177(24):7255-7260 (1995)
X84257	16S rDNA	16S ribosomal RNA	Pascual, C. et al. "Phylogenetic analysis of the genus Corynebacterium based on 16S rRNA gene sequences," Int. J. Syst. Bacteriol., 45(4):724-728 (1995)
X85965	aroP; dapE	Aromatic amino acid permease; ?	Wehrmann et al. "Functional analysis of sequences adjacent to dapE of C. glutamicum proline reveals the presence of aroP, which encodes the aromatic amino acid transporter," J. Bacteriol., 177(20):5991-5993 (1995)
X86157	argB; argC; argD; argF; argJ	Acetylglutamate kinase; N-acetyl-gamma- glutamyl-phosphate reductase; acetylornithine aminotransferase; ornithine carbamoyltransferase; glutamate N- acetyltransferase	Sakanyan, V. et al. "Genes and enzymes of the acetyl cycle of arginine biosynthesis in Corynebacterium glutamicum: enzyme evolution in the early steps of the arginine pathway," <i>Microbiology</i> , 142:99-108 (1996)
X89084	pta; ackA	Phosphate acetyltransferase; acetate kinase	Reinscheid, D.J. et al. "Cloning, sequence analysis, expression and inactivation of the Corynebacterium glutamicum pta-ack operon encoding phosphotransacetylase and acetate kinase," <i>Microbiology</i> , 145:503-513 (1999)
X89850	attB	Attachment site	Le Marrec, C. et al. "Genetic characterization of site-specific integration functions of phi AAU2 infecting "Arthrobacter aureus C70," J. Bacteriol., 178(7):1996-2004 (1996)
X90356		Promoter fragment F1	Patek, M. et al. "Promoters from Corynebacterium glutamicum: cloning, molecular analysis and search for a consensus motif," <i>Microbiology</i> , 142:1297-1309 (1996)
X90357		Promoter fragment F2	Patek, M. et al. "Promoters from Corynebacterium glutamicum: cloning, molecular analysis and search for a consensus motif," <i>Microbiology</i> , 142:1297-1309 (1996)
X90358		Promoter fragment F10	Patek, M. et al. "Promoters from Corynebacterium glutamicum: cloning, molecular analysis and search for a consensus motif," <i>Microbiology</i> , 142:1297-1309 (1996)
X90359		Promoter fragment F13	Patek, M. et al. "Promoters from Corynebacterium glutamicum: cloning, molecular analysis and search for a consensus motif," <i>Microbiology</i> , 142:1297-1309 (1996)

		Table 2 (continued)	nued)
X90360		Promoter fragment F22	Patek, M. et al. "Promoters from Corynebacterium glutamicum: cloning, molecular analysis and search for a consensus motif," <i>Microbiology</i> , 142:1297-1309 (1996)
X90361		Promoter fragment F34	Patek, M. et al. "Promoters from Corynebacterium glutamicum: cloning, molecular analysis and search for a consensus motif," <i>Microbiology</i> , 142:1297-1309 (1996)
X90362		Promoter fragment F37	Patek, M. et al. "Promoters from C. glutamicum: cloning, molecular analysis and search for a consensus motif," Microbiology, 142:1297-1309 (1996)
X90363		Promoter fragment F45	Patek, M. et al. "Promoters from Corynebacterium glutamicum: cloning, molecular analysis and search for a consensus motif," <i>Microbiology</i> , 142:1297-1309 (1996)
X90364		Promoter fragment F64	Patek, M. et al. "Promoters from Corynebacterium glutamicum: cloning, molecular analysis and search for a consensus motif," <i>Microbiology</i> , 142:1297-1309 (1996)
X90365		Promoter fragment F75	Patek, M. et al. "Promoters from Corynebacterium glutamicum: cloning, molecular analysis and search for a consensus motif," <i>Microbiology</i> , 142:1297-1309 (1996)
X90366		Promoter fragment PF101	Patek, M. et al. "Promoters from Corynebacterium glutamicum: cloning, molecular analysis and search for a consensus motif," <i>Microbiology</i> , 142:1297-1309 (1996)
X90367		Promoter fragment PF104	Patek, M. et al. "Promoters from Corynebacterium glutamicum: cloning, molecular analysis and search for a consensus motif," <i>Microbiology</i> , 142:1297-1309 (1996)
X90368		Promoter fragment PF109	Patek, M. et al. "Promoters from Corynebacterium glutamicum: cloning, molecular analysis and search for a consensus motif," <i>Microbiology</i> , 142:1297-1309 (1996)
X93513	amt	Ammonium transport system	Siewe, R.M. et al. "Functional and genetic characterization of the (methyl) ammonium uptake carrier of Corynebacterium glutamicum," <i>J. Biol. Chem.</i> , 271(10):5398-5403 (1996)
X93514	betP	Glycine betaine transport system	Peter, H. et al. "Isolation, characterization, and expression of the Corynebacterium glutamicum betP gene, encoding the transport system for the compatible solute glycine betaine," J. Bacteriol., 178(17):5229-5234 (1996)
X95649	orf4		Patek, M. et al. "Identification and transcriptional analysis of the dapB-ORF2-dapA-ORF4 operon of Corynebacterium glutamicum, encoding two enzymes involved in L-lysine synthesis," <i>Biotechnol. Lett.</i> , 19:1113-1117 (1997)
X96471	lysE; lysG	Lysine exporter protein; Lysine export regulator protein	Vrljic, M. et al. "A new type of transporter with a new type of cellular function: L-lysine export from Corynebacterium glutamicum," Mol. Microbiol, 22(5):815-826 (1996)

		Table 2 (continued)	nued)
X96580	panB; panC; xylB	3-methyl-2-oxobutanoate hydroxymethyltransferase; pantoate-beta- alanine ligase; xylulokinase	Sahm, H. et al. "D-pantothenate synthesis in Corynebacterium glutamicum and use of panBC and genes encoding L-valine synthesis for D-pantothenate overproduction," <i>Appl. Environ. Microbiol.</i> , 65(5):1973-1979 (1999)
X96962		Insertion sequence IS1207 and transposase	
X99289		Elongation factor P	Ramos, A. et al. "Cloning, sequencing and expression of the gene encoding elongation factor P in the amino-acid producer Brevibacterium lactofermentum (Corynebacterium glutamicum ATCC 13869)," Gene, 198:217-222 (1997)
Y00140	thrB	Homoserine kinase	Mateos, L.M. et al. "Nucleotide sequence of the homoserine kinase (thrB) gene of the Brevibacterium lactofermentum," Nucleic Acids Res., 15(9):3922 (1987)
Y00151	qpp	Meso-diaminopimelate D-dehydrogenase (EC 1.4.1.16)	Ishino, S. et al. "Nucleotide sequence of the meso-diaminopimelate D-dehydrogenase gene from Corynebacterium glutamicum," <i>Nucleic Acids Res.</i> , 15(9):3917 (1987)
Y00476	thrA	Homoserine dehydrogenase	Mateos, L.M. et al. "Nucleotide sequence of the homoserine dehydrogenase (thrA) gene of the Brevibacterium lactofermentum," <i>Nucleic Acids Res.</i> , 15(24):10598 (1987)
Y00546	hom; thrB	Homoserine dehydrogenase; homoserine kinase	Peoples, O.P. et al. "Nucleotide sequence and fine structural analysis of the Corynebacterium glutamicum hom-thrB operon," <i>Mol. Microbiol.</i> , 2(1):63-72 (1988)
Y08964	murC; ftsQ/divD; ftsZ	UPD-N-acetylmuramate-alanine ligase; division initiation protein or cell division protein; cell division protein	Honrubia, M.P. et al. "Identification, characterization, and chromosomal organization of the fisZ gene from Brevibacterium lactofermentum," Mol. Gen. Genet., 259(1):97-104 (1998)
Y09163	putP	High affinity proline transport system	Peter, H. et al. "Isolation of the putP gene of Corynebacterium glutamicumproline and characterization of a low-affinity uptake system for compatible solutes," <i>Arch. Microbiol.</i> , 168(2):143-151 (1997)
Y09548	pyc	Pyruvate carboxylase	Peters-Wendisch, P.G. et al. "Pyruvate carboxylase from Corynebacterium glutamicum: characterization, expression and inactivation of the pyc gene," <i>Microbiology</i> , 144:915-927 (1998)
Y09578	leuB	3-isopropylmalate dehydrogenase	Patek, M. et al. "Analysis of the leuB gene from Corynebacterium glutamicum," Appl. Microbiol. Biotechnol., 50(1):42-47 (1998)
Y12472		Attachment site bacteriophage Phi-16	Moreau, S. et al. "Site-specific integration of corynephage Phi-16: The construction of an integration vector," <i>Microbiol.</i> , 145:539-548 (1999)
Y12537	proP	Proline/ectoine uptake system protein	Peter, H. et al. "Corynebacterium glutamicum is equipped with four secondary carriers for compatible solutes: Identification, sequencing, and characterization of the proline/ectoine uptake system, ProP, and the ectoine/proline/glycine betaine carrier, EctP," J. Bacteriol., 180(22):6005-6012 (1998)

		Table 2 (continued)	nued)
Y13221	glnA	Glutamine synthetase I	Jakoby, M. et al. "Isolation of Corynebacterium glutamicum glnA gene encoding glutamine synthetase 1," FEMS Microbiol. Lett. 154(1):81-88 (1997)
Y16642	pdi	Dihydrolipoamide dehydrogenase	
Y18059		Attachment site Corynephage 304L	Moreau, S. et al. "Analysis of the integration functions of φ304L: An integrase module among corynephages," Virology, 255(1):150-159 (1999)
Z21501	argS; lysA	Arginyl-tRNA synthetase; diaminopimelate decarboxylase (partial)	Oguiza, J.A. et al. "A gene encoding arginyl-tRNA synthetase is located in the upstream region of the lysA gene in Brevibacterium lactofermentum: Regulation of argS-lysA cluster expression by arginine," J. Bacteriol., 175(22):7356-7362 (1993)
Z 21502	dapA; dapB	Dihydrodipicolinate synthase; dihydrodipicolinate reductase	Pisabarro, A. et al. "A cluster of three genes (dapA, orf2, and dapB) of Brevibacterium lactofermentum encodes dihydrodipicolinate reductase, and a third polypeptide of unknown function," J. Bacteriol., 175(9):2743-2749 (1993)
	thrC	Threonine synthase	Malumbres, M. et al. "Analysis and expression of the thrC gene of the encoded threonine synthase," <i>Appl. Environ. Microbiol.</i> , 60(7)2209-2219 (1994)
Z46753	16S rDNA	Gene for 16S ribosomal RNA	
249822	sigA	SigA sigma factor	Oguiza, J.A. et al "Multiple sigma factor genes in Brevibacterium lactofermentum: Characterization of sigA and sigB," J. Bacteriol., 178(2):550-553 (1996)
Z49823	galE; dtxR	Catalytic activity UDP-galactose 4- epimerase; diphtheria toxin regulatory protein	Oguiza, J.A. et al "The galE gene encoding the UDP-galactose 4-epimerase of Brevibacterium lactofermentum is coupled transcriptionally to the dmdR gene," <i>Gene</i> , 177:103-107 (1996)
249824	orfl; sigB	?; SigB sigma factor	Oguiza, J.A. et al "Multiple sigma factor genes in Brevibacterium lactofermentum: Characterization of sigA and sigB," J. Bacteriol., 178(2):550-553 (1996)
266534		Transposase	Correia, A. et al. "Cloning and characterization of an IS-like element present in the genome of Brevibacterium lactofermentum ATCC 13869," <i>Gene</i> , 170(1):91-94 (1996)
' A sequence for the published ver	' A sequence for this gene was published in the indicated rel the published version. It is believed that the published versi	the indicated reference. However, the sequence published version relied on an incorrect start or	ference. However, the sequence obtained by the inventors of the present application is significantly longer than on relied on an incorrect start codon, and thus represents only a fragment of the actual coding region.

TABLE 3: Corynebacterium and Brevibacterium Strains Which May be Used in the Practice of the Invention

Genus -	species #	ATCC	EERM	NRRL	CECT	NCIMB.	'CBS	NCTC	DSMZ
Brevibacterium	ammoniagenes	21054	- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	ATT TOOK TARE		- 1 1 2 - 1 - 2 1		₩7 ₹ -₹	7 7 AX3
Brevibacterium	ammoniagenes	19350			 -				
Brevibacterium	ammoniagenes	19351	ļ	l					
Brevibacterium	ammoniagenes	19352							-
Brevibacterium	ammoniagenes	19353							
Brevibacterium	ammoniagenes	19354							
Brevibacterium	ammoniagenes	19355							
Brevibacterium	ammoniagenes	19356							
Brevibacterium	ammoniagenes	21055							
Brevibacterium	ammoniagenes	21077							
Brevibacterium	ammoniagenes	21553							
Brevibacterium	ammoniagenes	21580							
Brevibacterium	ammoniagenes	39101							
Brevibacterium	butanicum	21196							
Brevibacterium	divaricatum	21792	P928						
Brevibacterium	flavum	21474							
Brevibacterium	flavum	21129							
Brevibacterium	flavum	21518							
Brevibacterium	flavum			B11474					
Brevibacterium	flavum			B11472			-		
Brevibacterium	flavum	21127							
Brevibacterium	flavum	21128							
Brevibacterium	flavum	21427							
Brevibacterium	flavum	21475							
Brevibacterium	flavum	21517							
Brevibacterium	flavum	21528							
Brevibacterium	flavum	21529							
Brevibacterium	flavum			B11477					
Brevibacterium	flavum			B11478					
Brevibacterium	flavum	21127							
Brevibacterium	flavum			B11474					
Brevibacterium	healii	15527							
Brevibacterium	ketoglutamicum	21004							
Brevibacterium	ketoglutamicum	21089	-					-	
Brevibacterium	ketosoreductum	21914							
Brevibacterium	lactofermentum				70				
Brevibacterium	lactofermentum				74				
Brevibacterium	lactofermentum				77				
Brevibacterium	lactofermentum	21798							· · · · · · · ·
Brevibacterium	lactofermentum	21799				-			
Brevibacterium	lactofermentum	21800							
Brevibacterium	lactofermentum	21801		<u> </u>				_	
Brevibacterium	lactofermentum			B11470					
Brevibacterium	lactofermentum			B11471					

Genus 2	species	ATCC	FERM	NRRL.	CECT	NGIMB	CBS	NGTC	DSMZ
Brevibacterium	lactofermentum	21086	LATERAGE ALIEN			P. Pales . Townselling Big St.	The state of the s		Sect States
Brevibacterium	lactofermentum	21420	<u> </u>		 		<u> </u>	 	-
Brevibacterium	lactofermentum	21086	<u> </u>		 			 	
Brevibacterium	lactofermentum	31269					<u> </u>	 	
Brevibacterium	linens	9174				<u> </u>			<u> </u>
Brevibacterium	linens	19391						<u> </u>	
Brevibacterium	linens	8377				l			†
Brevibacterium	paraffinolyticum					11160			
Brevibacterium	spec.				<u> </u>		717.73		
Brevibacterium	spec.						717.73		· · ·
Brevibacterium	spec.	14604							
Brevibacterium	spec.	21860						<u> </u>	
Brevibacterium	spec.	21864							 -
Brevibacterium	spec.	21865							
Brevibacterium	spec.	21866							
Brevibacterium	spec.	19240							
Corynebacterium	acetoacidophilum	21476							
Corynebacterium	acetoacidophilum	13870							
Corynebacterium	acetoglutamicum			B11473					
Corynebacterium	acetoglutamicum			B11475					
Corynebacterium	acetoglutamicum	15806						_	
Corynebacterium	acetoglutamicum	21491				-			
Corynebacterium	acetoglutamicum	31270							
Corynebacterium	acetophilum			B3671					
Corynebacterium	ammoniagenes	6872						2399	
Corynebacterium	ammoniagenes	15511				-			
Corynebacterium	fujiokense	21496							
Corynebacterium	glutamicum	14067							
Corynebacterium	glutamicum	39137							
Corynebacterium	glutamicum	21254							
Corynebacterium	glutamicum	21255							
Corynebacterium	glutamicum	31830							
Corynebacterium	glutamicum	13032						i	
Corynebacterium	glutamicum	14305							
Corynebacterium	glutamicum	15455							
Corynebacterium	glutamicum	13058	1						
Corynebacterium	glutamicum	13059							
Corynebacterium	glutamicum	13060		· · · · · · · · ·					
Corynebacterium	glutamicum	21492							
Corynebacterium	glutamicum	21513					t		
Corynebacterium	glutamicum	21526							
Corynebacterium	glutamicum	21543			1				
Corynebacterium	glutamicum	13287				· · · · · · · · · · · · · · · · · · ·			
Corynebacterium	glutamicum	21851							
Corynebacterium	glutamicum	21253							
Corynebacterium	glutamicum	21514					·		
Corynebacterium	glutamicum	21516							
Corynebacterium	glutamicum	21299							

Genus	species	ATCC	FERM	NRRL	CECT	NCIMB	CBS	NCTC	DSMZ
Corynebacterium	glutamicum	21300	, , , , , , , , , , , , , , , , , , ,				(*	*
Corynebacterium	glutamicum	39684	<u> </u>						-
Corynebacterium	glutamicum	21488						<u> </u>	· · · · · ·
Corynebacterium	glutamicum	21649							
Corynebacterium	glutamicum	21650							
Corynebacterium	glutamicum	19223							
Corynebacterium	glutamicum	13869	·		<u> </u>				
Corynebacterium	glutamicum	21157		_ -					
Corynebacterium	glutamicum	21158							
Corynebacterium	glutamicum	21159							
Corynebacterium	glutamicum	21355							·
Corynebacterium	glutamicum	31808						· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·
Corynebacterium	glutamicum	21674	İ		l			<u> </u>	-
Corynebacterium	glutamicum	21562							
Corynebacterium	glutamicum	21563							
Corynebacterium	glutamicum	21564							
Corynebacterium	glutamicum	21565							
Corynebacterium	glutamicum	21566							
Corynebacterium	glutamicum	21567							
Corynebacterium	glutamicum	21568							
Corynebacterium	glutamicum	21569							
Corynebacterium	glutamicum	21570							
Corynebacterium	glutamicum	21571							
Corynebacterium	glutamicum	21572							
Corynebacterium	glutamicum	21573							
Corynebacterium	glutamicum	21579							
Corynebacterium	glutamicum	19049	1						
Corynebacterium	glutamicum	19050							
Corynebacterium	glutamicum	19051	· · · · · · · · · · · · · · · · · · ·						
Corynebacterium	glutamicum	19052		<u> </u>					
Corynebacterium	glutamicum	19053							
Corynebacterium	glutamicum	19054							
Corynebacterium	glutamicum	19055							
Corynebacterium	glutamicum	19056							
Corynebacterium	glutamicum	19057							
Corynebacterium	glutamicum	19058							
Corynebacterium	glutamicum	19059							
Corynebacterium	glutamicum	19060							
Corynebacterium	glutamicum	19185							
Corynebacterium	glutamicum	13286							
Corynebacterium	glutamicum	21515	1			T			[
Corynebacterium	glutamicum	21527	1						
Corynebacterium	glutamicum	21544							Ĺ
Corynebacterium	glutamicum	21492			7				
Corynebacterium	glutamicum		1	B8183		T			l
Corynebacterium	glutamicum		1	B8182					
Corynebacterium	glutamicum			B12416	Ī				
Corynebacterium	glutamicum			B12417	T				

Genus	species 👙 👯	ATCC	FERM	NRRL	CEGT	NCIMB	CBS	NCTC	DSMZ
Corynebacterium	glutamicum			B12418	1				3 10 10 10 10 10 10 10 10 10 10 10 10 10
Corynebacterium	glutamicum		1	B11476	<u> </u>				
Corynebacterium	glutamicum	21608	†						
Corynebacterium	lilium		P973				**		
Corynebacterium	nitrilophilus	21419				11594			-
Corynebacterium	spec.		P4445						
Corynebacterium	spec.		P4446						
Corynebacterium	spec.	31088							
Corynebacterium	spec.	31089							
Corynebacterium	spec.	31090							
Corynebacterium	spec.	31090							
Corynebacterium	spec.	31090	 		-				
Corynebacterium	spec.	15954		-					20145
Corynebacterium	spec.	21857							
Corynebacterium	spec.	21862							
Corynebacterium	spec.	21863							

ATCC: American Type Culture Collection, Rockville, MD, USA

FERM: Fermentation Research Institute, Chiba, Japan

NRRL: ARS Culture Collection, Northern Regional Research Laboratory, Peoria, IL, USA

CECT: Coleccion Espanola de Cultivos Tipo, Valencia, Spain

NCIMB: National Collection of Industrial and Marine Bacteria Ltd., Aberdeen, UK

CBS: Centraalbureau voor Schimmelcultures, Baarn, NL NCTC: National Collection of Type Cultures, London, UK

DSMZ: Deutsche Sammlung von Mikroorganismen und Zellkulturen, Braunschweig, Germany

For reference see Sugawara, H. et al. (1993) World directory of collections of cultures of microorganisms: Bacteria, fungi and yeasts (4th edn), World federation for culture collections world data center on microorganisms, Saimata, Japen.

;					ומחום ל. אולוווופוו אפסחום			
<u>*</u>	length (NT)	Genbank Hit	Length		Accession Name of Genbank Hit	Source of Genbank Hit	% homology Date of (GAP)	L Date of Deposit
rxa00051	1527	GB_HTG3:AC009685	210031	AC009685		Homo sapiens	34,247	29-Sep-99
		GB_HTG3:AC009685	210031	AC009685	PROGRESS ***, 27 unordered pieces. Homo sapiens chromosome 15 clone 91 E 13 map 15. *** SEQUENCING IN	Homo saniens	34 247	00 400 00
					PROGRESS ***, 27 unordered pieces.		14.65	ra-deb-aa
		GB_H1G/:AC009511	2/1896	AC009511	Homo sapiens clone RP11-860B13, *** SEQUENCING IN PROGRESS ***, 59 unordered pieces.	Homo sapiens	35,033	09-DEC-199
rxa00091	876	GB_BA1:D50453	146191	D50453	Bacillus subtilis DNA for 25-36 degree region containing the amyE-srfA region, complete cds.	Bacillus subtilis	54,452	10-Feb-99
		GB_BA1:SCI51	40745	AL109848	Streptomyces coelicolor cosmid 151.	Streptomyces coelicolor A3(2)	36,806	16-Aug-99
		GB_BA1:ECOUW93	338534	U14003	Escherichia coli K-12 chromosomal region from 92.8 to 00.1 minutes	Escherichia coli	38 643	47 000 06
rxa00092	789	GB_BA1:SCH35	45396	AL078610	Streptomyces coelicolor cosmid H35.	Streptomyces coeliculor	49 934	4-11p-90
		GB_HTG3:AC011498_ 0	312343	AC011498		-	37,117	13-Dec-99
		GB_HTG3:AC011498	312343	AC011498		Homo canions	27 447	72
		1 0				signic septems	21,15	66-99 13-Dec-99
rxa00104	879	GB_BA1:MTCY270	37586	Z95388	Mycobacterium tuberculosis H37Rv complete genome; segment 96/162.	Mycobacterium tuberculosis	36,732	10-Feb-99
		GB_PL2:T24M8	68251	AF077409		Arabidopsis thaliana	37,150	3-Aug-98
		GB_BA1:MTCY270	37586	Z 95388	Mycobacterium tuberculosis H37Rv complete genome; segment 96/162.	Mycobacterium	42,874	10-Feb-99
rxa00113	5745	GB BA1:MAFASGEN	10520	X87822	B ammoniagenes EAS gene	Constitution	700	10000
		•				corynebacterium ammoniagenes	98,381	03-OCI-198
		GB_BA1:BAFASAA	10549	X64795	B.ammoniagenes FAS gene.	Corvnebacterium	57 259	14-OCT-199
						ammoniagenes		
		GB_BA1:MTCY159	33818	Z83863	Mycobacterium tuberculosis H37Rv complete genome; segment 111/162.	Mycobacterium Inharculosis	39,870	17-Jun-98
rxa00164	1812	GB HTG2:HSJ1153D9 118360	118360	AL 109806	Homo sapiens chromosome 20 clone RP5-1153D9 *** SEOLIENCING IN	5	26 74 4	
					PROGRESS ***, in unordered pieces.	nono saprens	35,714	03-DEC-199
		GB_HTG2:HSJ1153D9	118360	AL 109806	Homo sapiens chromosome 20 clone RP5-1153D9, *** SEQUENCING IN PROGRESS ***, in unordered pieces.	Homo sapiens	35,714	03-DEC-1999
		GB_HTG2:HSJ1153D9	118360	AL109806	o sapiens chromosome 20 clone RP5-1153D9, *** SEQUENCING IN	Homo sapiens	35,334	03-DEC-199
0			į		PROGRESS, in unordered pieces.			
rxa00181	CROL	GB_BAT:CGPUIP	3791	Y09163	C.glutamicum putP gene.	Corynebacterium	100,000	8-Sep-97
		GB_BA2:U32814	10393	U32814	Haemophilus influenzae Rd section 129 of 163 of the complete genome.	emophilus influenzae	36,347	29-MAY-199(
		GR RA1-CGDLITE	3701	V00163				
				50.60	C.grukanıcun pur gene.	Corynebacterium olutamicum	37,454	8-Sep-97
rxa00186	870	GB_PR3:AC004843	136655	AC004843	AC004843 Homo sapiens PAC clone DJ0612F12 from 7p12-p14, complete sequence.	Sui	37,315	5-Nov-98

. ***	O 01/	00000							00									r	C 1/	IDA	U/U	ひタム	.0	
03-DEC-1999	03-DEC-1999	1-Nov-98	3-Jun-99	1-Nov-98	23-Nov-99	6-Jan-96	1-Jul-99	0661-21010-00	06-MAR-1998	3000	29-3ep-99 06-00T-1999		06-OCT-1999	6-Sep-99	6-Sep-99	05-MAR-1998		29-OCT-1999	29-OCT-1999	14-Anr-99	11-MAR-1999	14-Sep-96	14-OCT-1999	
38,129	38,129	37,297	34,120	39,655	34,520	38,163	30,009	ה ה	38,816	27 004	38,040	!	38,040	36,776	36,776	39,260		37,358	37,358	44 622	36,328	39,089	38.658	
Homo sapiens	Homo sapiens	Homo sapiens	Drosophila melanogaster 34,120 c	Homo sapiens	Homo sapiens		Mus musculus Homo caniene		Homo sapiens	Homos cand			', Homo sapiens	Caenorhabditis elegans	Caenorhabditis elegans	Saccharomyces	cerevisiae	Homo sapiens	Homo sapiens	Bacillus haiodurans	Streptomyces coelicolor	Streptomyces coelicolor	Homo sapiens	
Table 4 (continued) Homo sapiens chromosome 1 clone RP4-745114 map q23.1-24.3, ***	SEQUENCING IN PROGRESS ***, in unordered pieces. Homo sapiens chromosome 1 clone RP4-745/14 map q23.1-24.3, ***	SEQUENCING IN PROGRESS ***, in unordered pieces. HS_3216_A1_G08_T7 CIT Approved Human Genomic Sperm Library D Homo sabiens genomic clone Plate=3216 Col=15 Row=M menomic curvey sequences.	Drosophila melanogaster genome survey sequence T7 end of BAC # BACR18L01 of RPCI-98 library from Drosophila melanogaster (fruit fly), genomic		Human DNA sequence from clone 824F16 on chromosome 20, complete	sequence. R.capsulatus DNA for secA gene. AV122904 Mire mineculus CR781 /6 110 day embaya Mine mineculus apata aleas.	2610529H07, mRNA sequence. ab40c08.r1 Stratagene HeLa cell s3 937216 Homo sapiens cDNA clone	IMAGE:843278 5', mRNA sequence.	abducus.rt Stratagene HeLa cell s3 93/216 Homo sapiens cDNA clone IMAGE:843278 5', mRNA sequence.	BAC sequence from the SPG4 candidate region at 2021-2022 complete			nomo sapiens cione CI19/85KB_65D22, *** SEQUENCING IN PROGRESS ***, Homo sapiens 10 unordered pieces.	Caenorhabditis elegans chromosome IV clone Y62E10, *** SEQUENCING IN PROGRESS ***, in unordered pieces.	Caenorhabditis elegans chromosome IV clone Y62E10, *** SEQUENCING IN PROGRESS ***, in unordered bieces.	Saccharomyces cerevisiae chromosome I centromere and right arm sequence.		Homo sapiens chromosome unknown clone NH0459I19, WORKING DRAFT SEQUENCE, in unordered pieces.	Homo sapiens chromosome unknown clone NH0459119, WORKING DRAFT	SCOCENCE, in uniqueted pleces. Bacillus halodurans C-125 genomic DNA, 32 kb fragment, complete cds.	Streptomyces coelicolor cosmid E8.	Streptomyces coelicolor histidine kinase homolog (absA1) and response	reguiator nomolog (absA2) genes, complete cds. Homo sapiens chromosome 8 clone 23_D_19 map 8, *** SEQUENCING IN	PROGRESS *** 27 ordered pieces.
AL033532	AL033532	AQ184082	AL052951	AQ184082	AL050325	X89411 AV122904	AA486042	4 4 4 6 5 4 2	AA486042	AL121655	AC011408	007,75004	AC011408	AL031580	AL031580	L22015		AC009974	AC009974	AB017508	AL035654	U51332	AC011122	
133309	133309	206	1101	909	139330	2724	515	7,4	0	101584	79332	000	7666/	254217	254217	41988		219565	219565	32050	24700	3216	187123	
GB_HTG2:HS745114	GB_HTG2:HS745114	GB_GSS10:AQ184082	GB_GSS1:CNS008ZZ	GB_GSS10:AQ184082	GB_PR3:HSJ824F16	GB_BA1:RCSECA GB_EST34:AV122904	GB_EST15:AA486042	CB ECT15:00486042	GB_E3113.754660042	GB PR2:CNS01DS5	GB_HTG3:AC011408	UTC2:40041400	60-11-05-ACO 11400	GB_HTG1:CEY62E10	GB_HTG1:CEY62E10	GB_PL2:YSCCHROMI		GB_H1G4:AC009974	GB_HTG4:AC009974	GB_BA1:AB017508	GB_BA1:SCE8	GB_BA1:SCU51332	GB_HTG4:AC011122	
		474			292		714			1140				2325			2	216			99/			
		rxa00187			rxa00201		xa00228			rxa00243 1140				rxa00259				xa00269			rxa00281			

86

PCT/IB00/00926

PCT/IB00/00926

WO 01	/00805											88	}									1	PC	T/]	B	00/	009	926			
2-Aug-99	2-Aug-99	27-Apr-93	25-Jun-98	3-Aug-99	11 MAY 1000		09-DEC-1997	24- Ion-06	27-5an-99		3-Aug-99	3-A10-99		3-Aug-99	23-Nov-99	23-Nov-99		01-DEC-1998	16-Aug-99		20-OCT-1999		13-Jul-99	/6-A0N-97	36-jnC-L	/-reb-99	-Jan-90	2-Apr-98	•	15-DEC-1997	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
38,392	. 38,392	40.678	47,407	38,406	36.051	200	41,791	38 182	35.417		38,769	38.769		767'00	38,138	38,138		38,712	40.284	<u>.</u>	55,634		40,793	4,0,40	450,45	1,481	700,66	39,267		38,338	1,11
Drosophila melanogaster 38,392	Drosophila melanogaster 38,392	Rattus sp.	Fugu rubripes	Homo sapiens	Homo caning		Homo sapiens	Homo saniens	Homo sapiens		Homo sapiens	Homo sapiens		noille sapiens	Homo sapiens	Homo sapiens		Mus musculus	Streptomyces coelicolor	A3(2)	Yersinia enterocolitica		Burknolderia sp.	Dacillus sublins	Gacillus subtilis	Escherichia con	ammoniagenes	r Rattus sp.		Archaeoglobus fulgidus	
Table 4 (continued) 9 Drosophila melanogaster chromosome 3 clone BACR01K08 (D756) RPCI-98 01.K.8 map 94D-94D strain y; cn bw sp, *** SEQUENCING IN PROGRESS ***, 83 unordered bieces.			Fugu rubripe		sapiens genomic clone Plate=3086 Col=9 Row=P, genomic survey sequence. S HS 5198 B1 B03 SP6E RPCI-11 Human Male BAC Library Homo saniens.			Human H3.3 gene exon 4.	tt10g11.x1 NCI_CGAP_GC6 Homo sapiens cDNA clone IMAGE:2240420 3'.		3 Homo sapiens chromosome 5 clone CIT978SKB_78F1, *** SEQUENCING IN DBOGBESS *** 12 inactional pipers	Homo sapien	PROGRESS Homo sapier	PROGRESS	Homo sapien	Homo sapier	PROGRESS) Mus musculus chromosome 17 BAC citb20h22 from the MHC region, complete sequence.			 Yersinia enterocolitica ABC transporter enterochelin/enterobactin gene cluster, complete englished. 		Bacillus subtilis complete genome (continue of 21); from 1304701 to 1602000	_		Cownebacterium ammonianenes seguence unstream of the Enhashbuikosul 1. Compabaterium	pyrophosphate amidotransferase (purF) gene.	EST108261 Rat PC-12 cells, untreated Rattus sp. cDNA clone RPCCK07 similar Rattus sp.	to NADH-ubiquinone oxidoreductase complex I 23 kDa precursor (iron-sulfur	protein), mkNA sequence. Archaeoglobus fulgidus section 144 of 172 of the complete genome.	
AC008199	AC008199	M22337	AL026966	AQ786587	AQ526586		AA610489	X05857	AI637667		AC008/08	AC008708	ACOURTOR		AL096841	AL096841		AC005960	AL109848		AF082879	A 1132617	799111	AF012285	090725	U77910	ı	H34952		AE000963	
124050	124050			556	434 434		407	1015	679		83932	83932	83932		94715	94715	,	158414	40745		3434	5102	208230	46864	13796	3385		382		22014	
GB_HTG2:AC008199	GB_HTG2:AC008199	GB_RO:RATLNKP2	GB_GSS1:FR0030597	GB_GSS5:AQ786587	GB_GSS14:AQ526586		GB_EST17:AA610489	GB_PR1:HSH33G4	GB_EST30:AI637667		GB_H1G3:AC008/08	GB_HTG3:AC008708	GB HTG3:AC008708		GB_HTG1:HSJ575L21	GB_HTG1:HSJ575L21		GB_KO:ACU05960	GB_BA1:SCI51		GB_BA2:AF082879	GR BA1-BSP132617	GB_BA1:BSUB0008	GB BA2.AF012285	GB BA1:D90725	GB_BA2:CAU77910	ţ	GB_EST4:H34952		GB_BA2:AE000963	
1704			1500				1767			7	р ф				1239				433				813			1140					
rxa00449 1704			rxa00456				rxa00477			00770	1X400470				xa00480				rxa00524				rxa00526			rxa00559					

	wc	01/00	805								8	9											PC]	[/ IB 0	0/0	926	
	23-MAR-1999	11-MAR-1999	24-DEC-1997	17-Jun-98	06-OCT-1998	30-Jul-98	30-Nov-99	30-Nov-99	15-Jun-96	2-Sep-99	9-Apr-99		4-Feb-99		02-MAY-1998	02-MAY-1998	6-Feb-99	23-Jun-99		23-Jun-99	17-Jun-98	8-Aug-96	12-DEC-1997			15-Nov-99	19-OCT-1999
	38,767	37,900	42,647	38,468	36,911	36,911	37,242	36,485	39,272	34,092	36,310		36,617		34,321	35,739	40,404	40,862		38,833	60,552	51.992	51,992			35,341	37,984
	Homo sapiens	Mus musculus	Mus musculus	Mycobacterium	Homo sapiens	Homo sapiens	Homo sapiens	Homo sapiens	Mycobacterium leprae	Caenorhabditis elegans	Homo sapiens		Homo sapiens		Homo sapiens	Homo sapiens	Homo sapiens	Mycobacterium	tuberculosis	Mycobacterium tuberculosis	Mycobacterium	Rhizobium sp.	Rhizobium sp. NGR234			Drosophila melanogaster 35,341	Homo sapiens
Table 4 (continued)	RPCI-11-185C3.TV RPCI-	genomic survey sequence. vl16c01.x1 Stratagene mouse Tcell 937311 Mus musculus cDNA clone IMAGE-973384.3' similar to oh;714044 M musculus mRNA for valosin containing	protein (MOUSE); mRNA sequence. vu29f10.r1 Barstead mouse myotubes MPLRB5 Mus musculus cDNA clone IMAGE:1182091 5' similar to gb:L05093 60S RIBOSOMAL PROTEIN L18A	(HUMAN);, mRNA sequence. Mycobacterium tuberculosis H37Rv complete genome; segment 145/162.	Homo sapiens chromosome 19, cosmid R26652, complete sequence.		Homo sapiens chromosome 15 clone RP11-296E22 map 15, *** SEQUENCING IN PROGRESS ***, 36 unordered pieces.	Homo sapiens chromosome 15 clone RP11-296E22 map 15, *** SEQUENCING IN PROGRESS *** 36 unordered pieces.	Mycobacterium leprae cosmid B26 DNA sequence.	Caenorhabditis elegans cosmid K09E9, complete sequence.	Homo sapiens thyroid hormone receptor-associated protein complex component Homo sapiens	TRAP170 mRNA, complete cds.	Homo sapiens transcriptional co-activator CRSP150 (CRSP150) mRNA,	complete cds.			Human mRNA for collagen binding protein 2, complete cds.	Mycobacterium tuberculosis H37Rv complete genome; segment 119/162.		Mycobacterium tuberculosis H37Rv complete genome; segment 119/162.	Mycobacterium tuberculosis H37Rv complete genome; segment 107/162.	Rhizobium sp. plasmid NGR234a DNA.	Rhizobium sp. NGR234 plasmid pNGR234a, section 38 of 46 of the complete				93 unordered preces. Homo sapiens chromosome 11 clone 404_A_03 map 11, *** SEQUENCING IN PROGRESS ***, 27 unordered pieces.
	AQ422451	AI504741	AA712043	277165	AC005788	AC005338	AC010932	AC010932	L78816	Z79602	AF135802		AF104256		AC004659	AC004659	D83174	AL021186	;	AL021186	281451	Z68203	AE000101			AC008338	170502 AC009766
	563	268	89	33818	36224	34541	203273	203273	37040	30098	4965		4365	1	129577	129577	2047	3400		3400	26914	34010	10057			136685	170502
	GB_GSS12:AQ422451	GB_EST28:AI504741	GB_EST18:AA712043	GB_BA1:MTCY78	GB_PR3:AC005788	GB_PR3:AC005338	GB_HTG6:AC010932	GB_HTG6.AC010932	GB_BA1:MSGB26CS	GB_IN1:CEK09E9	GB_PR4:AF135802		GB_PR4:AF104256		GB_PR3:AC004659	GB_PR3:AC004659	GB_PR1:HUMCBP2	GB_BA1:MTV010	:	GB_BA1:MTV010	GB_BA1:MTCY428	GB BA1:RSPNGR234	GB_BA2:AE000101			GB_HTG5:AC008338	GB_HTG4:AC009766
	852			1280			1288			1476				i	9/6			504			1461					1269	
	rxa00570			rxa00571			rxa00590			rxa00591					rxa00596			rxa00607			rxa00623 1461			rxa00681		xa00690	

	J	GB_HTG4:AC009766	170502	AC009766	Table 4 (continued) Homo sapiens chromosome 11 clone 404_A_03 map 11, *** SEQUENCING IN	Homo sapiens	37,984	19-OCT-1999
rxa00733 1008		GB_EST30:AU054038	245	AU054038	ara) Dictyostelium	Dictyostelium discoideum 43,265	143,265	28-Apr-99
	<u> </u>	GB_EST30:AU054038	245	AU054038	discoldeum cDNA clone SLK472, mRNA sequence. AU054038 Dictyostelium discoldeum SL (H. Urushihara) Dictyostelium discoldeum cDNA clone SLK472, mRNA sequence.	Dictyostelium discoideum 43,265	143,265	28-Apr-99
rxa00735 692		GB_BA1:MTCY50	36030	Z77137	Mycobacterium tuberculosis H37Rv complete genome; segment 55/162.	Mycobacterium tuberculosis	36,819	17-Jun-98
		GB_BA1:D90904	150894	D90904		Synechocystis sp.	52,585	7-Feb-99
rxa00796 298		GB_BA1:D30904 GB_GSS14:AO579838	150894	D90904 AO579838	Synechocystis sp. PCC6803 complete genome, 6/27, 630555-781448. T135342b shotaun sub-library of BAC clone 31P06 Medicano truncatula	Synechocystis sp. Medicaco fruncatula	39,699 37 153	7-Feb-99 27-Sep-00
		GB_PR4:AC007625	174701	AC007625	œ	Homo sapiens	38.014	30-Jun-99
	J	_ GB_EST14:AA427576	580			Homo sapiens	42,731	16-OCT-1997
					TOR-1			
rxa00801 756		GB_BA1:MTV022	13025		Mycobacterium tuberculosis H37Rv complete genome; segment 100/162.	Mycobacterium tuberculosis	59,350	17-Jun-98
	_	GB_RO:AC002109	160048		Genomic sequence from Mouse 9, complete sequence.	Mus musculus	39,398	9-Sep-97
	.	GB_BA1:MTV022	13025	AL021925	Mycobacterium tuberculosis H37Rv complete genome; segment 100/162.	Mycobacterium tuberculosis	36,842	17-Jun-98
rxa00802 837		GB_GSS14:AQ563349	642	AQ563349	HS_5335_B2_A09_T7A RPCI-11 Human Male BAC Library Homo sapiens	Homo sapiens	37,649	29-MAY-1999
•	J	GB_BA1:DIHCLPBA	2441	M32229	genormic cione Plate=911 Col=15 Kow=5, genomic survey sequence. B.nodosus clpB gene encoding a regulatory subunit of ATP-dependent protease. Dichelobacter nodosus	Dichelobacter nodosus	41,140	26-Apr-93
	•	GB_GSS3:B61538	869	B61538	T17M17TR TAMU Arabidopsis thaliana genomic clone T17M17, genomic survey Arabidopsis thaliana	Arabidopsis thaliana	36,946	21-Nov-97
rxa00819 14	1452 (GB_HTG3:AC008691_ 1	110000	AC008691	sequence. Homo sapiens chromosome 5 clone CIT978SKB_63A22, *** SEQUENCING IN PROGRESS ***, 253 unordered pieces.	Homo sapiens	38,270	3-Aug-99
	J -	GB_HTG3:AC008691_ 1	110000	AC008691	apiens chromosome 5 clone CIT978SKB_63A22, *** SEQUENCING IN ESS *** 253 unordered pieces.	Homo sapiens	38,270	3-Aug-99
	9	GB_HTG3:AC009127	186591	AC009127	PCI-11_498D10, *** SEQUENCING IN	Homo sapiens	38,947	3-Aug-99
rxa00821 96	996	GB_HTG1:HS32B1	271488	AL023693	P1-32B1, *** SEQUENCING IN	Homo sapiens	36,565	23-Nov-99
	_	GB_HTG1:HS32B1	271488	AL023693	RP1-32B1, *** SEQUENCING IN	Homo sapiens	36,565	23-Nov-99
rxa00827 876		GB_PR3:AC004919 GB_EST6:W06539	75547 300	AC004919 W06539	rom UL, complete sequence. odeme WRATat1.1 Trypanosoma brucei	Homo sapiens Trypanosoma brucei	34,346 40,000	19-Sep-98 12-Aug-96
	J	GB_PR4:AC008179	181745	AC008179	modesiense cUNA 5, mKNA sequence. Homo sapiens clone NH0576F01, complete sequence.	rhodesiense Homo sapiens	35,903	28-Sep-99

90

PCT/IB00/00926

W	O ()1/	00	80	5												9	1											P	CT/I	B 0	0/00	92	6	
24-DEC-1997		23-Jul-97	23-Jul-97	23-Nov-98	30-Jul-97	21-OCT-1999	•	21-OCT-1999		80-137-5	9-\nf-6		23-Nov-99		24-Sep-99			24-Sep-99		24-Feb-99			2000	0661-1-VINI-60	01-DEC-1998	3-Apr-98	22-Apr-99	12-Nov-98	08-DEC-1995	2-Aug-99		2-Aug-99		25.Eah.00	£0-10
41 562	700':	36,321	37,284	38,163	36,044	33,742		33,742		39,833	39.833	<u>!</u>	39,833		36,855			36,855		36,768			27.42	3	38.850	38,850	54,827	51,416	51,416	36,592		36,592		36 699	200
Mus muscadus		Homo sapiens	Homo sapiens	Caenorhabditis elegans	Xenopus laevis	Homo sapiens		Homo sapiens		nomo sapiens	Homo sapiens	•	Homo sapiens		Drosophila melanogaster 36,855			Drosophila melanogaster 36,855		Caenorhabditis elegans			- decilored account of a contract of	منظمان عصوالمان	Unknown	Unknown.	Escherichia coli	Escherichia cofi	Escherichia coli	Drosophila melanogaster		Drosophila melanogaster 36,592		Caenorhabditis elegans	
Table 4 (continued) 15 vt53f08 r1 Barstead mouse irradiated colon MPI RB7 Mus musculus cDNA clone Mus musculus	IMAGE:1166		Human BAC	Caenorhabditis elegans cosmid F02D8, complete sequence.	Xenopus laevis rds/peripherin (rds38) mRNA, complete cds.				TACCARESO 10 unordered preces.		unordered preces. 64 Homo sapiens chromosome 4, *** SEQUENCING IN PROGRESS ***, 10		25 Human DNA sequence from clone 824F16 on chromosome 20, complete	sednence.	Drosophila m	22.N.13 map 96F-96F strain y; cn bw sp, *** SEQUENCING IN PROGRESS ***,		20 Drosophila melanogaster chromosome 3 clone BACR22N13 (D1061) RPCI-98 22.N.13 map 96F-96F strain v. cn bw sp. *** SEQUENCING IN PROGRESS ****	83 unordered pieces.		תוסומבובת הובכפי.		Otrantominan analizator mothiulmalania asid namialdohuda dohudananan				Escherichia c			72 Drosophila melanogaster chromosome 2 done BACR30D19 (D587) RPCI-98 30 D 19 man 49F-49F strain v. on hw sn. *** SFOLIFINGING IN PROGRESS ***	79 unordered pieces.		30.D.19 map 49E-49F strain y; on bw sp, *** SEQUENCING IN PROGRESS ***, 70 mondowd pipes	Caenorhabdit	unordered pie
AA710415		-	AC002379	Z78411	L79915	AC007920		AC007920	7907000	2000	185000 AC004064		AL050325		AC010120		,	121582 AC010120		AC006898			19550		192043	178754	AF119715	AE000372	U28375	AC007472		AC007472		207370 AC006798	
533		118595	118595	31624	1209	234529		234529	10000	00000	185000		139330		121582			121582		299308			3006	3	713	713	549	12144	52175	114003		114003		207370) ; ;
GB EST18-AA710415		GB_PR2:AC002379	GB_PR2:AC002379	GB_IN1:CEF02D8	GB_OV:XELRDS38A	GB_HTG4:AC007920		GB_H1G4:AC007920	LTCD:ACCOAGE	GB_H GZ.AC004004	GB_HTG2:AC004064	1	GB_PR3:HSJ824F16		GB_HTG3:AC010120			GB_HTG3:AC010120		GB_HTG2:AC006898			ACSTANTS: ACC		GB PAT:192043	GB_PAT:178754	GB_BA2:AF119715	GB_BA2:AE000372	GB_BA1:ECU28375	GB_HTG2:AC007472		GB_HTG2:AC007472		GB HTG2-AC006798	
		1323			1572				664	75					813								1635	2			069			1986					
		rxa00842			rxa00847 1572		•		1300051	LYACCOST					rxa00852						99800000	200000	~~00870 1636				rxa00875			rxa00878 1986					

WO 01/00805		93	PCT/IB	800/00926
26-DEC-1998 26-Feb-99 10-MAR-1997 26-Aug-98 2-Feb-99	31-MAR-1995 1-Apr-99 1-Apr-99 31-MAR-1999 1-Feb-97	6-Feb-99 23-Nov-99	7-Sep-98	21-Sep-99 20-DEC-1993 04-MAY-1999 05-MAY-1999 05-MAY-1999
50,573 42,200 39,050 38,562 33,136	40,038 37,996 36,053 62,357 37,853	53,807	39,595 57,762 32,971 35,273	39,654 54,493 44,638 42,553 43,229 38,342
Pseudomonas sp. 61-3 Streptomyces coelicolor Mus musculus Mus musculus	Xenopus laevis Homo sapiens Homo sapiens Streptomyces coelicolor Mycobacterium		Homo saptens Mycobacterium tuberculosis Arabidopsis thaliana Arabidopsis thaliana	Streptomyces coelicolor A3(2) Streptomyces lividans Streptomyces coelicolor unidentified unidentified
Pseudomonas sp. 61-3 genes for PhbR, acetoacetyl-CoA reductase, beta-ketothiolase and PHB synthase, complete cds. Streptomyces coelicolor cosmid 8D9. mx07a01.r1 Soares mouse NML Mus musculus cDNA clone IMAGE:679464 5', mRNA sequence. EST01834 Mouse 7.5 dpc embryo ectoplacental cone cDNA library Musmusculus cDNA clone C0014F02 3', mRNA sequence.	mRNA sequence. Xenopus laevis int-1 mRNA for int-1 protein. Homo sapiens Xq28 BAC RPCI11-382P7 (Roswell Park Cancer Institute Human Homo sapiens BAC Library) complete sequence. Homo sapiens Xq28 BAC RPCI11-382P7 (Roswell Park Cancer Institute Human Homo sapiens Homo sapiens Complete sequence. Streptomyces coelicolor cosmid E39. Streptomyces coelicolor cosmid E39. Mycobacterium smegmatis phage resistance (mpr) gene, complete cds. Mycobacterium	Bacillus subtilis genome, trnl-feuABC region. Human DNA sequence from clone 1191B2 on chromosome 22q13.2-13.3. Contains part of the BIK (NBK, BP4, BIP1) gene for BCL2-interacting killer (apoptosis-inducing), a 40S Ribososmal Protein S25 pseudogene and part of an alternatively spliced novel Acyl Transferase gene similar to C. elegans C50D2.7. Contains ESTs, STSs, GSSs, two putative CpG islands and genomic marker D22S1151, complete sequence.	Human DNA sequence from clone 1191B2 on chromosome 22q13.2-13.3. Contains part of the BIK (NBK, BP4, BIP1) gene for BCL2-interacting killer (apoptosis-inducing), a 40S Ribososmal Protein S25 pseudogene and part of an atternatively spliced novel Acyl Transferase gene similar to C. elegans C50D2.7. Contains ESTs, STSs, GSSs, two putative CpG islands and genomic marker D22S1151, complete sequence. Mycobacterium tuberculosis H37Rv complete genome; segment 57/162. Arabidopsis thaliana DNA, 40 kb surrounding ACS1 locus. Arabidopsis thaliana DNA chromosome 4, BAC clone T6K21 (ESSA project).	Streptomyces coelicolor cosmid D25. S. lividans tRNA-GlyU beta gene. Streptomyces coelicolor cosmid H10. Sequence 19 from Patent WO9743409. Sequence 20 from Patent WO9743409. Sequence 22 from Patent WO9743409.
AB014757 AL035569 AA244557 AA407673	X13138 AC006054 AC006054 AL049573 U50335	D84213 AL022237	AL022237 Z73419 Y12776 AL021889	AL118514 X65556 AL049754 A68024 A68025 A68025
6057 38681 379 306	1278 143738 143738 23550 5193	60828	60828 35516 38483 99643	41622 2576 39524 520 193
GB_BA1:AB014757 GB_BA1:SC8D9 GB_EST11:AA244557 GB_EST14:AA407673 GB_EST26:Al390328	GB_OV:XLXINT1 GB_PR4:AC006054 GB_PR4:AC006054 GB_BA1:SCE39 GB_BA1:MSU50335	GB_BA1:BACTHRTRN 15467 A GB_PR2:HS1191B2 60828	GB_PR2:HS1191B2 GB_BA1:MTCY373 GB_PL1:ATY12776´ GB_PL2:ATT6K21	GB_BA2:SCD25 GB_BA1:SLGLYUB GB_BA1:SCH10 GB_PAT:A68024 GB_PAT:A68025 GB_PAT:A68025
555	540	1713	554	1005
rxa01136	rxa01138	ка01191	rxa01205	rxa01212 rxa01219

,	wo (01/00	805									ç	94]	PCT	/IB	00	/00	926	í	
	23-Nov-99	20-Aug-96	8-Sep-97	5-Sep-99	2-Feb-96	12-Nov-98	29-Sep-99	16-MAY-1996					9-Aug-97	1-Feb-99	:	17-Jun-98	5-Sep-98	1-Feb.90		16-OCT-1999	16-OCT-1999		01-DEC-1999	21-Feb-98		13-Feb-99		02-MAR-1999	02-MAR-1999	
	35,478	39,623	36,111	40.199	37.001	39,471	40,574	40,574					39,228	99,923	;	950'65	36,270	100 000	9	50,512	50.512	! <u>!</u>	56,071	46,679		46,679		34,874	34,874	
	Homo sapiens	Homo sapiens	Homo sapiens	Homo sapiens	Equine herpesvirus 2	Escherichia coli	Unknown.	Sphingomonas sp. S88					Babesia bovis	Corynebacterium	glutamicum	Mycobacterium tuberculosis	Homo sapiens	Corvnebacterium	glutamicum	Drosophila melanogaster 50,512	Drosophila melanogaster 50.512		Bacteroides fragilis	Actinobacillus	actinomycetemcomitans	Actinobacillus	actinomycetemcomitans	Rattus norvegicus	Rattus norvegicus	
Table 4 (continued)	Human DNA sequence from clone 512B11 on chromosome 6p24-25. Contains the Desmoplakin I (DPI) gene, ESTs, STSs and GSSs, complete sequence.	zb76h11.s1 Soares_senescent_fibroblasts_NbHSF Homo sapiens cDNA clone IMAGE:309573 3', mRNA sequence.	nk36c09.s1 NCI_CGAP_GC2 Homo sapiens cDNA clone IMAGE:1015600 3' similar to gb;X01677 GLYCERALDEHYDE 3-PHOSPHATE DEHYDROGENASE, LIVER (HUMAN); mRNA sequence.	Homo sapiens chromosome 16 map 16q23.3-q24.1 sequence.	Equine herpesvirus 2, complete genome.	Escherichia coli K-12 MG1655 section 297 of 400 of the complete genome.	Sequence 1 from patent US 5854034.	Sphingomonas S88 sphingan polysaccharide synthesis (spsG), (spsS), (spsR), nivosal transferses (spsC), (spsI) alvanced transferses (spsC), (spsI)	arging transferace (sps.), (sps.), (sps.), (sps.), (sps.), (sps.), Uff 32, Uff 32, ATD binding cased transferace (sps.)	(atrB), glucosyl-isoprenylphosphate transferase (spsB), glucose-1-phosphate	thymidylyltransferase (rhsA), dTDP-6-deoxy-D-glucose -3,5-epimerase (rhsC) dTDP-D-glucose-4,6-dehydratase (rhsB), dTDP-6-deoxy-L-mannose-	dehydrogenase (rhsD), Urf 31, and Urf 34 genes, complete cds.	Babesia bovis ATP-binding protein (babc) mRNA, complete cds.	Corynebacterium glutamicum Ipd gene, complete CDS.		Mycobacterium tuberculosis h37 KV complete genome, segment 24/152.	Homo sapiens chromosome 5, BAC clone 249h5 (LBNL H149), complete	sequence. Connebacterium alutamicum lod gene complete CDS		Drosophila melanogaster chromosome 3L/75A1 clone RPCI98-17C17, *** SEQUENCING IN DESCREES *** EN CONTRACTION DESCREES *** EN CONTRACTION DESCREES ***	Drosophila melanogaster chromosome 3L/75A1 clone RPC198-17C17. ***	SEQUENCING IN PROGRESS ***, 50 unordered pieces.	Bacteroides fragilis 638R polysaccharide B (PS B2) biosynthesis locus, complete Bacteroides fragilis	sequence; and unknown genes. Actinobacillus actinomycetemcomitans DNA for glycosyltransferase, lytic	transglycosylase, dTDP-4-rhamnose reductase, complete cds.	Actinobacillus actinomycetemcomitans gene cluster for 6-deoxy-L-talan	synthesis, complete cds.	Rattus norvegicus, O1SUKA clone, O178.02/918b07, microsatellite sequence, sequence,	Rattus norvegicus, OTSUKA clone, OT78.02/918b07, microsatellite sequence,	sequence tagged site.
	AL031058	N99239	AA554268	AF179633	U20824	AE000407	AR068625	U51197					U44918	Y16642	00400	ALUZ 1933	AC005618	Y16642		AC010045	AC010045		AF125164	AB002668		AB010415		AU027820	AU027820	
	64356	424	400	96371	184427	10601	28804	28804					2791	1800	1000	10034	176714	1800		164829	164829		26443	24907		23112	į	238	238	
	GB_PR3:HS512B11	GB_EST6:N99239	GB_EST16:AA554268	GB_PR4:AF179633	GB_VI:EHVU20824	GB_BA2:AE000407	GB_PAT:AR068625	GB_BA2:SSU51197					GB_IN1:BBU44918	GB_BA1:CGLPD	0000 CM: 440	960V IMI. 162 GD	GB_PR3:AC005618	GB BA1:CGLPD	Ī	GB_HTG4:AC010045	GB_HTG4:AC010045		GB_BA2:AF125164	GB_BA1:AB002668		GB_BA1:AB010415		GB_S1S:AU027820	GB_STS:AU027820	
	rxa01220 1200			rxa01221 849			xa01222 822							xa01260 1305				xa01261 294					rxa01269 564				700	rxa01291 1056		
				_										-				_					-							

wo	01/00805						95							P	CT/II	300)/0(092	6	
15-Sep-99	26-Nov-97 01-OCT-1999	01-OCT-1999	26-Jun-98	26-Jun-98	3-Jul-96 06-OCT-1999	06-OCT-1999	31-OCT-1999	31-OCT-1999	29-Jan-98	15-Feb-97	15-Sep-99	07-DEC-1995	66-104-1-1	11-Apr-99	23-Feb-99	3-Dec-98	3-Dec-98	12-Jan-99	2-Apr-98	
34,812	37,802 35,637	35,637	42,021	40,323	38,707 39,741	39,741	40,154	40,154	37,521	40,525	37,785	38,244	t	37,464	37,488	35,437	35,437	35,437	38,171	
Homo sapiens	Bacillus subtilis 37,802 Drosophila melanogaster 35,637	Drosophila melanogaster 35,637	Homo sapiens	Homo sapiens	Magnaporthe grisea Homo sapiens	Homo sapiens	Ното sapiens	Homo sapiens	Homo sapiens	Mus musculus	Gallus gallus	Gallus gallus	Significant of the control of the co	Homo sapiens	Caenorhabditis elegans	Caenorhabditis elegans	Caenorhabditis elegans	Caenorhabditis elegans	Aeromonas salmonicida	
Table 4 (continued) Homo sapiens chromosome 4, *** SEQUENCING IN PROGRESS ***, 7	unordered pieces. Bacillus subtilis complete genome (section 17 of 21): from 3197001 to 3414420. Drosophila melanogaster chromosome 3 clone BACR48J06 (D1102) RPCI-98 48.J.6 map 96F-96F strain y; cn bw sp. *** SEQUENCING IN PROGRESS ***, 71 unordered nieces	Drosophila m 48.J.6 map 9		genomic survey sequence. CIT-HSP-2290D17.TF CIT-HSP Homo sapiens genomic clone 2290D17, genomic survey sequence.	Magnaporthe grisea nitrogen regulatory protein (NUT1) gene, complete cds. Magnaporthe g. Homo sapiens chromosome 5 clone CIT978SKB_107C20, *** SEQUENCING IN Homo sapiens	FROGRESS , 31 unordered pleces. Homo sapiens chromosome 5 clone CIT978SKB_107C20, *** SEQUENCING IN Homo sapiens PROGRESS *** 31 unordered nieces	Homo sapiens chromosome 19 clone CIT978SKB_83J4, *** SEQUENCING IN PROGRESS *** 6 ordered pieces.	Homo sapiens chromosome 19 clone CIT978SKB_83J4, *** SEQUENCING IN PROGRESS *** 6 ordered pieces.	Human Chromosome X, complete sequence.	mo03b09.r1 Stratagene mouse lung 937302 Mus musculus cDNA clone IMAGE:552473 5' similar to gb:L06505 60S RIBOSOMAL PROTEIN L12 (HUMAN): qb:L04280 Mus musculus ribosomal protein (MOUSE); mRNA	pat.pk0074.e9.f chicken activated T cell cDNA Gallus gallus cDNA clone pat.pk0074.e9.f 5' similar to H-ATPase B subunit, mRNA sequence.	Gallus gallus vacuolar H+-ATPase B subunit gene, complete cds.	nomo saptens critorinosome 4, Secociación de Productos , a unordered pieces.	Homo sapiens chromosome 4, *** SEQUENCING IN PROGRESS ***, 7 unordered bieces.	Caenorhabditis elegans clone F41B4, *** SEQUENCING IN PROGRESS ***, 1 unordered pieces.	Caenorhabditis elegans chromosome V clone Y102G3, *** SEQUENCING IN	Caenorhabditis elegans chromosome V clone Y102G3, *** SEQUENCING IN	Caenorhabditis elegans chromosome V clone Y113G7, *** SEQUENCING IN	Aeromonas salmonicida chaperonin Groes and chaperonin Groet genes, complete cds. Aeromonas salmonicida chaperonin GroES and chaperonin GroEL genes, complete cds.	
AC006445	Z99120 AC010580	AC010580	AQ001809	AQ001809	U60290 AC011371	AC011371	AC009892	AC009892	AC002416	AA096601	AI982114	U20766	AC003890	AC005690	AC006637	AL020985	AL020985	AL031113	AF030975	
174547	217420	121119	705	705	4614 189187	189187	138122	138122	128915	524	626	1645	193424	193424	22092	110000			2511	
GB_HTG3:AC006445	GB_BA1:BSUB0017 GB_HTG3:AC010580	GB_HTG3:AC010580	GB_GSS8:AQ001809	GB_GSS8.AQ001809	GB_PL1:MGU60290 GB_HTG3:AC011371	GB_HTG3:AC011371	GB_HTG4:AC009892	GB_HTG4:AC009892	GB PR3:AC002416	GB_EST9.AA096601	GB_EST37:A1982114	GB_OV:GGU20766	GB_H162:AC003690	GB_HTG2:AC005690	GB_HTG2:AC006637	GB HTG1:CEY102G3	GB_HTG1:CEY102G3_	GB_HTG1:CEY113G7_	GB_BA2:AF030975	
	1308		450		1111		1192			1142		i G	600			414			788	
	rxa01292		rxa01293		rxa01339		rxa01382			xa01399			rxa01420			rxa01467			rxaU15/6	

WUUI	00003						9	b								P	C 1/11	DUU/U	10926
09-DEC-1999 28-MAY-1999	23-DEC-1998	23-DEC-1998	F00 90	6661-100-00	06-OCT-1999	06-OCT-1999	11-Aug-98	02-MAR-1998	28-Apr-99	17-Nov-98	17-Nov-98	11-OCT-1999	00-100-1	27-Aug-99		13-MAR-1997	16-OCT-1999	16-OCT-1999	10-DEC-1997 10-DEC-1997 19-Nov-99
40,073	36,609	. 33,612	000	990'55	33,688	33,688	42,284	40,092	37,811	100,000	100,000	35,612	t	36,416 55,844))	100,000	. 33,205	. 33,205	40,192 35,876 34,759
Pyricularia grisea Homo sapiens	Drosophila melanogaster 36,609	Drosophila melanogaster 33,612		rono sapiens	Homo sapiens	Homo sapiens	Corynebacterium glutamicum	Homo sapiens	Homo sapiens	Corynebacterium glutamicum	Corynebacterium glutamicum	Homo sapiens	My consecentin reprae	Mycobacterium leprae	tuberculosis	Corynebacterium glutamicum	Drosophila melanogaster 33,205	Drosophila melanogaster	Fugu rubripes Fugu rubripes Caenorhabditis elegans
Table 4 (continued) mgae0003aC11f Magnaporthe grisea Appressorium Stage cDNA Library Pyricularia grisea cDNA clone mgae0003aC11f 5', mRNA sequence. RPCI-11419F2.TV RPCI-11 Homo sapiens genomic clone RPCI-11419F2.	genomic survey sequence. Drosophila melanogaster, chromosome 2R, region 44C4-44C5, P1 clone DS06765, complete sequence.	Drosophila melanogaster, chromosome 2R, region 44C4-44C5, P1 clone DS06765, complete sequence.		PROGRESS ***, 15 unordered pieces.	Homo sapiens chromosome 5 clone CIT-HSPC_327F10, *** SEQUENCING IN PROGRESS ***, 15 unordered pieces.	Homo sapiens chromosome 5 clone CIT978SKB_38B5, *** SEQUENCING IN PROGRESS ***, 7 unordered pieces.	Corynebacterium glutamicum DNA for L-Malate:quinone oxidoreductase.	af03g07.s1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1030620 3' similar to TR:G976083 G976083 HISTONE H2A RELATED: ;, mRNA sequence	Homo sapiens PAC clone DJ1136G02 from 7q32-q34, complete sequence.	C.glutamicum proP gene.	C.glutamicum proP gene.	Homo sapiens chromosome 8 clone BAC 388D06, complete sequence. M lenga genomic das certinones poemid 4577		Mycobacterium leprae cosmid B2407. Mycobacterium tuherculosis H378v. complete neurome: segment 155/152		Corynebacterium glutamicum heat shock, ATP-binding protein (clpB) gene, complete cds.	Drosophila melanogaster chromosome 3L/77E1 clone RPCi98-13F11, *** SEQUENCING IN PROGRESS ***, 70 unordered pieces.	Drosophila melanogaster chromosome 3L/77E1 clone RPCI98-13F11, *** SEQUENCING IN PROGRESS ***, 70 unordered pieces.	F.rubripes GSS sequence, clone 077P23aB10, genomic survey sequence. F.rubripes GSS sequence, clone 077P23aB11, genomic survey sequence. Caenorhabditis elegans cosmid T26H2, complete sequence.
A1068560 AQ554460	AC005449	AC005449	160167 AC011352	700	AC011352	AC011402	AJ224946	AA608825	AC005377	17253/	Y12537	AF191071		AL023596 AL022121		U43536	AC009841	AC009841	AL015452 AL015450 Z82055
965	85518	85518	150167			168868	2408		102311	2936	V 2936	88481		35615 121125		3464	164434	164434	522 485 37569
GB_EST22:A1068560 GB_GSS14:AQ554460	GB_IN2:AC005449	GB_IN2:AC005449	GB HTGR-ACO11352		GB_HTG3:AC011352	GB_HTG3:AC011402	GB_BA1:CGA224946	GB_EST17:AA608825	GB_PR4:AC005377	GB_BA!: GGPROPGEN 2936	GB_BA1:CGPROPGEN 2936	GB_PR4:AF191071 GB_BA1:MSGB577CO	S	GB_BA1:MLCB2407 GB_BA1:MTV025		GB_BA1:CGU43536	GB_HTG4:AC009841	GB_HTG4:AC009841	GB_GSS1:FR0022586 GB_GSS1:FR0022584 GB_IN1:CET26H2
840			121				146		į	659		104				1329			1848
rxa01580 8		200					rxa01614 1146		000	i xan ioza		rxa01644 1401				rxa01667 1			rxa01722 1

96

PCT/IB00/00926

WC	01/0	080	5						99									PCT	/IB(0/0	092	6
1-Sep-99	22-OCT-1999	22-OCT-1999 24-MAY-1993	30. 1.1.00		19-OCT-1999		24-DEC-1997	07-DEC-1999	16-OCT-1996	14-MAY-1999		07-OCT-1999	07-OCT-1999	13-Nov-99	13-Nov-99	3-Feb-99	17-Jun-98	17-Jun-98	6	12-5ep-98	18-Nov-96	20-OCT-1999
38,681	35,445	35,968 39,655	44 444		38,452		36,518	35,473	34,174	100,000	;	33,423	33,423	36,717	36,092	39 171	38,682	35.746		38,482	32,317	ır 34,579
Homo sapiens	Homo sapiens	Homo sapiens Corynebacterium	glutamicum	glutamicum	Streptomyces coelicolor A3(2)		Homo sapiens	Homo sapiens	Homo sapiens	Corynebacterium	glutamicum	Homo sapiens	Homo sapiens	Homo sapiens	Homo sapiens	Homo sanjens	Mycobacterium	tuberculosis Mycobacterium	tuberculosis	Oryza sativa	Mycoplasma	pneumoniae Drosophila melanogaster 34,579
Table 4 (continued) Homo sapiens 12q24 BAC RPCI11-124N23 (Roswell Park Cancer Institute	Human BAC Library) complete sequence. Homo sapiens BAC clone NH0436C12 from 2, complete sequence.	Homo sapiens BAC clone NH0436C12 from 2, complete sequence. C.alutamicum GDHA gene.	and the second of the second o	כטון וופטפגנפווטוו טומוחוינטוון, טעו שפר יכן שינימווסנפ ניכון לינישלים.	Streptomyces coelicolor cosmid 2H4.		zj12b06.s1 Soares_fetal_liver_spleen_1NFLS_S1 Homo sapiens cDNA clone IMAGE:450035 3' similar to contains LTR5.t3 LTR5 repetitive element ;, mRNA	sequence. Homo sapiens chromosome 8 clone RP11-202I12 map 8, LOW-PASS SEQUENCE SAMPLING.	zd52c02.r1 Soares_fetal_heart_NbHH19W Homo sapiens cDNA clone IMAGE:344258.5' similar to contains LTR5.b2 LTR5 repetitive element., mRNA	sequence. Corynebacterium glutamicum amtP, glnB, glnD genes and partial ftsY and srp	genes	Homo sapiens chromosome 19 clone CITB-H1_2189E23, *** SEQUENCING IN	PROCEESS 3.30 undustrial process. The mono saping and a second of the se	PROGRESS ***, 35 unordered pieces. Homo sapiens clone GS502B02, *** SEQUENCING IN PROGRESS ***, 3	unordered pieces. Homo sapiens clone GS502B02, *** SEQUENCING IN PROGRESS ***, 3	unordered pieces. Himse mDNA for HM145	fruitatt intvactorium tuberculosis H37Rv complete genome; segment 98/162.	Mycohacterium tuberculosis H37Rv complete genome: segment 98/162.		nbxb0006D03r CUGI Rice BAC Library Oryza sativa genomic clone nbxb0006D03r, genomic survey sequence.	Mycoplasma pneumoniae section 58 of 63 of the complete genome.	Drosophila melanogaster chromosome 3 clone BACR10M16 (D743) RPCI-98 10.M.16 map 93C-93D strain y; cn bw sp, *** SEQUENCING IN PROGRESS *** 186 unordered pieces.
AC007695	AC006464	AC006464 X72855	X 50404	† O † O † O † O † O † O † O † O † O † O	AL031514		AA703380	AC009769	W70175	AJ010319		AC011509	AC011509	AC010126	AC010126	310026	Z70283	770283		AQ161109	AE000058	AC008308
63247	90666	99908 2037	2007) (203	25970		471	122911	436	5368		111353	111353	175986	175986	*****	34150	34150		738	28530	151373
GB_PR4:AC007695	GB_PR4:AC006464			PG557:186_65	GB_BA2:SC2H4		GB_EST18:AA703380	GB_HTG6:AC009769	GB_EST7:W70175	GB BA1:CAJ10319		GB_HTG3:AC011509	GB_HTG3:AC011509	GB_HTG5:AC010126	GB_HTG5:AC010126		GB_BA1:MTCY190	GB BA1:MTCV190		GB_GSS10:AQ161109	GB_BA2:MPAE000058	GB_HTG4:AC008308
1509		1653					1527			373	!			1197			1818				329	
rxa02030		rxa02073	ı			rxa02074	rxa02095			cxa02099				rxa02115 1197			rxa02128				rxa02133	

WO 01	/00805											10	00									P(CT.	/ IB 0	0/0	09:	26		
20-OCT-1999	10-Sep-99	9-Apr-99	14. lan.00	12-MAY-1998	20-Jan-99		27-Apr-93	17-Feb-95		17-Feb-95	12-DEC-1997		9-Apr-99		07-OCT-1999		07-OCT-1999	18-Nov-96		18-MAR-1999	18-MAR-1999		26-Apr-93	28-Aug-99	25-Jun-99		12-MAR-1997	1007	12-MAK-1997
34,579	39,385	37,629	36 901	53 714	44,186		39,103	44,118		36,189	38,487	-	37,264		36.459		36,459	35.498	<u> </u>	35,589	42.786	<u>;</u>	37,780	39,423	47,410		36,136		30,202
Drosophila melanogaster 34,579	Mus musculus	Homo sapiens	Homo saniens	Rhodobacter cansulatus	Rattus sp.		Phaseolus vulgaris	Conynebacterium	glutamicum	Corynebacterium	giutamicum Rhizobium sp. NGR234		Corynebacterium striatum		Homo sapiens		Homo sapiens	Mycoplasma	pneumoniae	Homo sapiens	Homo sapiens		Erwinia carotovora	Mus musculus	Mus musculus		Mus musculus	M marray disa	Mus musculus
Table 4 (continued) 3 Drosophila melanogaster chromosome 3 done BACR10M16 (D743) RPCI-98 10.M 16 map 93C-93D strain y; cn bw sp. *** SEQUENCING IN PROGRESS **** 186 unordered nieres		RPC111-30D24 TP RPCI-11 Homo sapiens genomic clone RPCI-11-30D24,	genomic survey sequence. Homo sapiens clone NH0552E01 complete sequence.			RLUCO75 3' end, mRNA sequence.	P.vulgaris phytohemagglutinin gene encoding erythroagglutinating phytohemagalutinin (PHA-E), complete cds.	C.glutamicum glt gene for citrate synthase and ORF.		C.glutamicum glt gene for citrate synthase and ORF.	Phizobium sp. NGR234 plasmid pNGR234a, section 41 of 46 of the complete	plasmid sequence:	Corynebacterium striatum hypothetical protein YbhB gene, partial cds; ABC transporter TetB (tetB), ABC transporter TetB (tetA), transposase, 23S rRNA	methyltransferase, and transposase genes, complete cds; and unknown	genes. Homo sapiens chromosome 5 clone CIT-HSPC 248019, *** SEQUENCING IN		Homo sapien	Mycoplasma	•			similar to TR:Q15392 Q15392 ORF, COMPLETE CDS.; mRNA sequence.			_		_	Similar to TK:E235517 E235517 F4464.1; mKNA sequence. mx70410 r1 Segree mailiee NMI Mile mileculus contact MACE:602610 F1	similar to TR
AC008308	AW012260	B87734	AC005042	_	AI170522		K03288	X66112		X66112	AE000104		U21300		AC009185		AC009185	AE000058		AI337275	AI337275		M65057	AV021947	AV087117		AA250210	44250210	70000
151373	358	389	192218	189370	367		1 44 1	3013	;	3013	10146		8990		87184		87184	28530		618	618		1291	313	251		532	533	3
GB_HTG4:AC008308	GB_EST37:AW012260 358	GB_GSS3:B87734	GB PR4:AC005042	GB_BA2:AF010496	GB_EST24:AI170522		GB_PL1:PHVDLECA	GB_BA1:CGGLTG		GB_BA1:CGGLTG	GB_BA2:AE000104		GB_BA2:CXU21300		GB_HTG3:AC009185	1	GB_HTG3:AC009185	GB_BA2:MPAE000058 28530	l	GB_EST26:AI337275	GB_EST26:A1337275		GB_BA1:ERWPNLB	GB_EST30:AV021947	GB_EST33:AV087117		GB_EST11:AA250210	GR FST11-AA250210)
	924			1776				1575					1920					905					1410				1050		
	xa02150			rxa02171				rxa02173 1575				;	xa02224 1920					rxa02225					rxa02233 1410				xa02253 1050		

WO 0	1/008	05									1	01											PC	T	/ IB 0	0/0	09	26	
7-Jan-99	29-MAY-1996	15-DEC-1995	22-OCT-1998	10-MAY-1999		24-OCT-1998	16-Jul-99	13-Aug-99))))	13-Aug-99	1	17-Jun-98	03_DEC: 1006	2000	23-Apr-99	17, Jun-08		03-DEC-1996		23-Nov-99	13-120-61	28-Jul-99	;	19-OCT-1998	16-Jan-97		30-Jan-96	10-Feb-99	8-Feb-99 8-Feb-99
100,000	100,000	100,000	39,268	41,523		38,347	37,703	37 006	<u>}</u>	37,006		52,344	52 344	1	37,263	36 861		36,861		34,516	000'66	98,973	;	99,030	99.947		40,247	67,568	36,130 34,543
Corynebacterium	glutamicum Corynebacterium	grammoun Corynebacterium		: Mus musculus		Mus musculus	Homo sapiens	Homo sapiens	<u>.</u>	Homo sapiens		Mycobacterium	tuberculosis Mycobacterium	tuberculosis	Homo sapiens	Mycobacterium	tuberculosis	Mycobacterium	tuberculosis	Homo sapiens	olutamicum	Corynebacterium	glutamicum	Corynebacterium	glutamicum Corynebacterium	glutamicum	Mycobacterium leprae	Mycobacterium	Pyrococcus horikoshii Pyrococcus horikoshii
Table 4 (continued) Corynebaderium glutamicum 3' ppc gene, secG gene, amt gene, ocd gene and	o soxy gene. C.glutamicum amt gene.	C.glutamicum phosphoenolpyruvate carboxylase gene, complete cds.		ud47a06.y1 Soares mouse mammary gland NbMMG Mus musculus cDNA clone IMAGE:1449010 5' similar to TR:075585 075585 MITOGEN. AND STRESS-		Mus musculus mitogen- and stress-activated protein kinase-2 (mMSK2) mRNA, complete cds.	HS_5482_B2_A04_T7A RPCI-11 Human Male BAC Library Homo sapiens denomic clone Plate=1058 Col=8 Row=8 genomic curvey seminance	Homo sapien			PROGRESS *** 15 unordered pieces.	Mycobacterium tuberculosis H37Rv complete genome; segment 28/162.	Mycobacterium tuberculosis sequence from clone v224			unordered pieces. Mycobacterium tuberculosis H37Ry complete genome: segment 28/162		Mycobacterium tuberculosis sequence from clone y224.		Human DNA sequence from PAC 279N11 on chromosome Xq11.2-13.3. Connebacterium nutaminim dtsB1 and dtsB2 genes complete eds	der justeder der der der der der der der der der	Brevibacterium lactofermentum dtsR and dtsR2 genes.		Corynebacterium giutamicum dtsk gene, complete cds.	Corynebacterium glutamicum thiosulfate sulfurtransferase (thtR) gene. partial	cds, acyl CoA carboxylase (accBC) gene, complete cds.	Mycobacterium leprae cosmid B1308.	Mycobacterium tuberculosis H37Rv complete genome; segment 141/162.	Pyrococcus horikoshii OT3 genomic DNA, 1166001-1485000 nt. position (6/7). Pyrococcus horikoshii OT3 genomic DNA, 1166001-1485000 nt. position (6/7).
AJ007732	X93513	M25819	AF087130	AI663709	, , ,	AFU/4/14	AQ742825	AC009293		AC009293		Z95558	AD000004		AC007163	Z95558		AD000004		298255 AB018531		E17019	004000	ABUIRDSO	U35023		U00012	292771	AP000006 AP000006
4460	= 2028	4885	3478	408	6	3120	847	162944		162944		40838	40051		186618	40838		40051		15998		4961	3000	7022	3195		33312	42729	319000 319000
GB_BA1:CGL007732	GB_BA1:CGAMTGENE 2028	GB_BA1:CORPEPC	GB_PL2:AF087130	GB_EST30:Al663709	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	GB_RO.AF074714	GB_GSS4:AQ742825	GB_HTG3:AC009293		GB_HTG3:AC009293		GB_BA1:M1Y25D10	GB_BA1:MSGY224		GB_HTG2:AC007163	GB_BA1:MTY25D10		GB_BA1:MSGY224		GB_BA1:AB018531		GB_PAT:E17019	CB BA1.AB018620	055010dA.1Ad_do	GB_BA1:CGU35023		GB_BA1:U00012	GB_BA1:MTCY71	GB_BA1:AP000006 GB_BA1:AP000006
1479			1023				1095				1	5/11				1386				1752					1896				750
rxa02261			rxa02268				rxa02269				00000	ranzsus				rxa02310				rxa02321					xa02335				ка02364

	07-OCT-1999	07-OCT-1999	3-Jun-98	12-OCT-1999	12-OCT-1999	21-MAR-1997	21-Apr-97	14-Aug-98	14-Aug-98	29-Jul-93		17-Feb-97	26-Apr-93		13-Jan-98	_ 0	17-Jun-98		28-Apr-99			30-Nov-99	13-Sep-99	7-Jul-99		17-Jun-98	24-Jun-97	18-Jan-96	4-Feb-98
	36,138	36,138	41,219	38,566	38,566	39,600	38,603	36,111	33,427	39,936		40,042	40,338		43,298		44.352		43,611			37,971	38,239	38,983	;	37,407	43,193	38,789	37,395
•	nomo sapiens	Homo sapiens	Homo sapiens	Arabidopsis thaliana	Arabidopsis thaliana	Escherichia coli	Homo sapiens	Homo sapiens	Homo sapiens	Bacillus	stearothermophilus			stearothermophilus	Streptomyces	nygroscopicus	Mycobacterium	tuberculosis		abietaniphila		Homo sapiens	Homo sapiens	Homo sapiens		Mycobacterium tuberculosis	Mycobacterium leprae	Gallus gallus	Bacillus subtilis
Table 4 (continued)	PROGRESS ***, 4 ordered pieces.	nomo sapiens chromosome 19 clone CII-HSPC_429L19, *** SEQUENCING IN Homo sapiens PROGRESS ***, 4 ordered pieces.	ot36c01.s1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:1618848 3', mRNA sequence.	Arabidopsis thaliana chromosome 1 clone T1N6, *** SEQUENCING IN PROGRESS ***, 2 ordered pieces.	•	E.coli genomic DNA, Kohara clone #335(40.9-41.3 min.).	EST38262 Embryo, 9 week Homo sapiens cDNA 5' end, mRNA sequence.			B.stearothermophilus Ict gene.		B. Stearothermophilus recombinant lct gene.	B.stearothermophilus lct gene encoding L-lactate dehydrogenase, complete cds.		Streptomyces hygroscopicus putative ptendine-dependent dioxygenase, PKS	includes 1,2,5 and 4, and putative regulatory protein genes, complete cos and putative hydroxylase gene, partial cds.	Mycobacterium tuberculosis H37Rv complete genome; segment 52/162.		Pseudomonas abietaniphila BKME-9 Ditl (ditl), dioxygenase DitA oxygenase	component small subunit (ditA2), dioxygenase DitA oxygenase component large subunit (ditA1), DitH (ditH), DitG (ditG), DitF (ditF), DitR (ditB), DitD (ditD), aromatic diterpenoid extradiol ring-cleavage dioygenase (ditC), DitB (ditB), and dioxygenase DitA ferredoxin component (ditA3) genes, complete cds;		Homo sapiens Chromosome 22q11.2 BAC Clone b135h6 In BCRL2-GGT Region, complete sequence.	Homo sapiens Chromosome 22q11.2 PAC Clone p_n5 In BCRL2-GGT Region, complete sequence	wt24b07.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone IMAGE:2356501 3' similar to SW:PLZF_HUMAN Q05516 ZINC FINGER DBOTEIN DI 7EDNA	Moober of the contraction of the	Mycoodacterium taberculosis H3/RV complete genome, segment 11//162.	Mycobacterium leprae cosmid L581.	Gallus gallus tropomyosin receptor kinase A (ctrkA) mRNA, complete cds.	bacılıus subtilis rrnb-dnab genomic region.
AC011461		ACU1146	AA992021	AC009273	AC009273	D90826	AA334108	AC005224	AC005224	A06664		A04115	M14/88	A T0074			293777		AF119621			AC002470	AC002472	A1806938	705307	70000	Z96801	043396	Arvuozzu
100974	1000	4/8001	279	76175	76175	19493		166687	166687	1350	7	2 5	Los I	07070	250/0		29540		15986			235395	147100	118	07030	7	36225	27.38	750000
GB HTG3:AC011461	GP 1163.AC011461	65-1-05-W-0-1-401	GB_EST21:AA992021	GB_HTG4:AC009273	GB_HTG4:AC009273	GB_BA1:D90826	GB_EST13:AA334108	GB_PR3.AC005224	GB_PR3.AC005224	GB_PAT:A06664	00 0AT.A04446	GD_PA1.A04113	GB_BAT:BACLURIC	CB BA2: AE007404	GG_BAZ.Ar.00/101		GB_BA1:MTCI364		GB_BA2:AF119621			GB_PR4:AC002470	GB_PR4:AC002472	GB_EST34:AI806938	OLANYOTAN DA		GB_BA1:MLCL581	GB_UV:GGU43396	GD_BAZ.AF 000220
2010				1119			723			1656				1837							,	8			1086	3		1452	
rxa02372				rxa02397			rxa02424			rxa02426				7870000	10470841						,	(xau2511 /80			N302512 1086			703C0cv	ואמטלטעו

	86 -98	1-97	6	1-97	g	<u> </u>	. 26	18-OCT-1999		26	6	-6a	26		- 66-/	6,		97	86	-98	-66	86-1	2-65	08-DEC-1999	66-1	19-OCT-1998	86 <u>-</u> 1
	4-Feb-98 29-Apr-99	20-Aug-97	6-Feb-99	20-Aug-97	44_1,00	2	8-Sep-97	18-0))	9-Apr-97		26-Aug-99	9-Apr-97		20-Nov-99	20-Nov-99		8-Aug-97	17-Jun-98	17-Jun-98	24-Jun-99	17-Jսո-98	28-Feb-92	08-DE	15-Jan-99	19-OC	22-Jan-98
	36,218 38,407	35,449	35.449	34,646	35,000	660'00	38,562	35,774	·	41,872		39,139	38,552		34,213	36,461		35,977	38,517	39,173	38,548	46,263	45,053	58,397	52,916	58,809	35,264
	Bacillus subtilis Arabidopsis thaliana	Citrullus lanatus	Citrullus lanatus	Citrullus lanatus	minima minima	Gossypium misutum	Corynebacterium	glutamicum	pombe	Corynebacterium	glutamicum	Homo sapiens	Corynebacterium	glutamicum	Arabidopsis thaliana	Arabidopsis thaliana		Caenorhabditis elegans	Mycobacterium tuberculosis	Mycobacterium tuberculosis	Mycobacterium tuberculosis	Mycobacterium tuberculosis	Saccharopolyspora enthraea	Streptomyces coelicolor	Streptomyces coelicolor	Corynebacterium	glutamicum Ralstonia eutropha
Table 4 (continued)	Bacillus subtilis rmB-dnaB genomic region. Arabidopsis thaliana clone F23B24, *** SEQUENCING IN PROGRESS ***, 6	unordered pieces. Citrullus lanatus Sat gene for serine acetyltransferase, complete cds and 5'-	flanking region. Cirrullus vulgaris serine acetvitransferase (Sat) DNA. complete cds.	Citrullus lanatus Sat gene for serine acetyltransferase, complete cds and 5'-	flanking region.	BNLCH1/496 SX-day Cotton fiber cossyptium his trum curva 3 similar to (AB020715) KIAA0908 protein [Homo sapiens], mRNA sequence.	C.glutamicum putP gene.	S combe chromosome coemid c1305		Corynebacterium glutamicum multidrug resistance protein (cmr) gene, complete	cds.	wi55e03.x1 NCI_CGAP_Brn25 Homo sapiens cDNA clone IMAGE:2428828 3',	mkny sequence. Corynebacterium glutamicum multidrug resistance protein (cmr) gene, complete	cds.	Arabidopsis thaliana genomic DNA, chromosome 5, TAC clone: K16L22,	complete sequence. Arabidopsis thaliana genomic DNA, chromosome 5. BAC clone:F14A1, complete Arabidopsis thaliana	sednence.	Caenorhabditis elegans cosmid F36H9.	Mycobacterium tuberculosis H37Rv complete genome; segment 51/162.	Mycobacterium tuberculosis H37Rv complete genome; segment 51/162.	AL022076 Mycobacterium tuberculosis H37Rv complete genome; segment 157/162.	Mycobacterium tuberculosis H37Rv complete genome; segment 127/162.	S.erythraea eryA gene for 6-deoxyerythronolyde B synthase II & III.	Streptomyces coelicolor propionyl-CoA carboxylase complex B subunit (pccB) gene. complete cds.	Streptomyces coelicolor cosmid 1C2.	Corynebacterium glutamicum dtsR1 and dtsR2 genes, complete cds.	Ralstonia eutropha mmlH, mmll & mmlJ genes.
	AF008220 AC005861	AB006530	D85624	AB006530	007774	AI/2/189	Y09163	754308	2000	U43535		AI857385	U43535		AB016871	AB025602		AF016668	AL010186	AL010186	AL022076	274697	X62569	AF113605	AL031124	AB018531	X99639
	220060 112369	7344	5729	7344	6	n o	3791	33484	5	2531	;	488	2531		79109	55790		35985	37840	37840	23740	29372	20444	1593	42210	4961	2585
	GB_BA2:AF008220 GB_HTG2:AC005861	GB_PL1:AB006530	GB PIT-CNASA	GB_PL1:AB006530	COLUCTION ALTONA	GB_ES13Z:AI727189	GB_BA1:CGPUTP	GB BI 3-CBAC13G6		GB_BA1:CGU43535		GB_EST35:AI857385	GB_BA1:CGU43535		GB_PL1:AB016871	GB PL1:AB025602	1	GB_IN1:CELF36H9	GB_BA1:MTV005	GB_BA1:MTV005	GB_BA1:MTV026	GB_BA1:MTCY338	GB_BA1:SEERYABS	GB_BA2:AF113605	GB_BA1:SC1C2	GB_BA1:AB018531	GB_BA1:AEMML
		7 2262				255				11152					3 1227				1983		2 4953			1671			009 6
		rxa02547			73100	rauzoo				rxa02571					rxa02578				rxa02581		rxa02582			rxa02583			xa02599

8-Jul-97 22-Jan-98	10-reb-99 27-Aug-98	2-Jun-99 2-Jun-99 23-MAR-1999 23-Feb-99	06-DEC-1999	07-MAY-1999	06-DEC-1999	2-Jun-99 L	21-OCT-1991 7-Feb-99 31-Jul-98	29-MAY-1999 19-Jan-99 2-Feb-99	2-Feb-99 1-Jul-99	30-Sep-98 22-DEC-1998
43,377	38,798	39,098 40,104 36,451 39,072	41,566	34,762	39,063	35,814 38,462	37,543 38,829 36,565	36,534 7 36,522 39,341	37,037 43,529	40,044 38,869
Brugia malayi Ralstonia eutropha	Synechocystis PCC66003 36, 143 Homo sapiens 38,798	Melarhaphe neritoides Thermotoga maritima Homo sapiens Caenorhabditis elegans	Glycine max	Homo sapiens	Glycine max	Caenorhabditis elegans Arabidopsis thaliana	Rattus norvegicus Mus musculus Homo sapiens	Homo sapiens 36,534 Drosophila melanogaster 36,522 Homo sapiens 39,341	Homo sapiens Mus musculus	Homo sapiens Homo sapiens
MBAFCW1C08T3 Brugia malayi adult female cDNA (SAW96MLW-BmAF) Brugia malayi cDNA clone AFCW1C08 5', mRNA sequence. Ralstonia eutropha mmlH, mmll & mmlJ genes. Synechocystis ndhC peshG genes for NDH-C DSH G and ODE 157	AQ101527 HS_2265_A1_E11_MF CIT Approved Human Genomic Sperm Library D Homo sapiens genomic clone Plate=2265 Col=21 Row=l, genomic survey sequence.	-	unordered pieces. sc04a02.y1 Gm-c1012 Glycine max cDNA clone GENOME SYSTEMS CLONE ID:Gm-c1012-1155 5' similar to SW:PRS6_SOLTU P54778 26S PROTEASE REGULATORY SUBUNIT 6B HOMOLOG. ;, mRNA sequence.	RPCI11-122K17.TJ RPCI-11 Homo sapiens genomic clone RPCI-11-122K17, genomic survey sequence.	sb95c11.y1 Gm-c1012 Glycine max cDNA clone GENOME SYSTEMS CLONE ID: Gm-c1012-429 5' similar to SW:PRS6_SOLTU P54778 26S PROTEASE REGULATORY SUBUNIT 6B HOMOLOG. ;; mRNA sequence.	Caenorhabditis elegans cosmid B0213. Arabidopsis thaliana genome survey sequence SP6 end of BAC F10D11 of IGF library from strain Columbia of Arabidopsis thaliana, genomic survey sequence.	Rat ITPRZ gene for type 2 inositol triphosphate receptor. Mus musculus mRNA for LOK, complete cds. CIT-HSP-2346014.TR CIT-HSP Homo sapiens genomic clone 2346014, genomic survey sequence.	HS_5230_B1_G06_SP6E RPCI-11 Human Male BAC Library Homo sapiens genomic clone Plate=806 Col=11 Row=N, genomic survey sequence. Drosophila melanogaster Idefix retroelement: gag, pol and env genes, partial. Homo sapiens 12q13.1 PAC RPCI1-228P16 (Roswell Park Cancer Institute Human PAC Library) complete sequence	Homo sapiens 12q13.1 PAC RPC11-228P16 (Roswell Park Cancer Institute Human PAC Library) complete sequence. AV132028 Mus musculus C57BL/6J 11-day embryo Mus musculus cDNA clone 2700087F01, mRNA sequence.	CIT-HSP-2385024. LFB. 1 CIT-HSP Homo sapiens genomic clone 2385D24, genomic survey sequence. CIT-HSP Homo sapiens genomic clone 2384D24. TFD CIT-HSP Homo sapiens genomic clone 2384D24, genomic survey sequence.
AA508926 X99639 X17439	AQ101527	AJ133341 AE001756 AQ423878 AC006765	Al900317	AQ342831	A1900856	AF039050 AL085157	X61677 D89728 AQ062004	AQ555818 AJ009736 AC004801	AC004801 AV132028	AU240654 AQ309500
422 2585 1964	1 8	399 10938 689 274498			779	39134 364		462 7411 193561		43 <i>2</i> 576
GB_EST15:AA508926 GB_BA1:AEMML GB_BA1:SYNPOO	GB_GSS9:AQ101527	GB_IN1::MNE133341 GB_BA2:AE001756 GB_GSS12::AQ423878 GB_HTG2::AC006765	GB_EST36:Al900317	GB_GSS12.AQ342831	GB_EST36:AI900856	GB_IN2:CELB0213 GB_GSS1:CNS00PZB	GB_GSS8:AQ062004	GB_GSS14:AQ555818 GB_IN1:DME9736 GB_PR4:AC004801	GB_FR4:AC004801 GB_EST34:AV132028	GB_GS\$11:AQ309500
73		666	335			1512	882	930	1170	
rxa02634 1734		rxa02638	rxa02659			xa02676 1512	rxa02677	rxa02691	אמע 1170 אמע	

GB_BA2:AF086791 37867	AF086791	67E10 hate sy	Zymomonas mobilis	39,024	4-Nov-98
		transcription elongation factor (greA), enolase (eno), pyruvate dehydrogenase alpha subunit (pdhA), pyruvate dehydrogenase beta subunit (pdhB), ribonuclease H (rnh), homoserine kinase homolog, alcohol dehydrogenase II (adhB), and excinuclease ABC subunit A (uvrA) genes, complete and inknown genes.			
146271	064000	Synechocystis sn PCC6803 complete pename 19/27 2392729-2538999	Symechocystis sp.	34.573	13-Feb-99
13316	AE001306	Chlamydia trachomatis section 33 of 87 of the complete genome.	Chlamydia trachomatis	38.940	2-Sep-98
	AF126953	Corynebacterium glutamicum cystathionine gamma-synthase (metB) gene,	Corynebacterium	100,000	10-Sep-99
		complete cds.	glutamicum		
	AL079332	Streptomyces coelicolor cosmid 15.	Streptomyces coelicolor	37,486	16-Jun-99
190837	Z97353	Human DNA sequence from clone 90L6 on chromosome 22q11.21-11.23. Contains an RPL15 (60S Ribosomal Protein L15) oseudogene. ESTs. STSs and	Homo sapiens	34,149	23-Nov-99
		GSSs, complete sequence.			
	AF099015	Streptomyces coelicolor strain A3(2) integrase (int), Fe-containing superoxide dismutase II (sodF2), Fe uptake system permease (ftrE), and Fe uptake system integral membrane protein (ftrD) genes.	Streptomyces coelicolor	36,721	1-Jun-99
	U14003	on from	Escherichia coli	38,787	17-Apr-96
	AC011361	Homo sapiens chromosome 5 clone CIT-HSPC_482N19, *** SEQUENCING IN PROGRESS *** 69 unordered pieces.	Homo sapiens	43,577	06-OCT-1999
	AC005998	Homo sapiens clone DJ0622E21, complete seguence.	Homo sapiens	37.298	29-Jul-99
	AC006008	Homo sapiens clone DJ0820A21, complete sequence.	Homo sapiens	36,638	0, 69-nu-71
	AL080272	Human DNA sequence from clone 73H14 on chromosome Xq26.3-28, complete		39,726	23-Nov-99 I
		sednence.			
-	M22527	Mouse cytotoxic T lymphocyte-specific serine protease CCPII gene, complete	Mus musculus	47,518	19-Jan-96
	M18459	Mouse granzyme C serine esterase mRNA, complete cds.	Mus musculus	44,939	12-Jun-93
	U57062	Rattus norvegicus natural killer cell protease 4 (RNKP-4) mRNA, complete cds.	Rattus norvegicus	41,554	31-Jul-96
	AQ832862	HS_5261_A2_E10_SP6E RPCI-11 Human Male BAC Library Homo sapiens genomic clone Plate=837 Col=20 Row=I, genomic survey sequence.	Homo sapiens	35,610	27-Aug-99
	AQ784593	HS_3248_A2_F02_T7C CIT Approved Human Genomic Sperm Library D Homo saniens nenomic clone Plate=3248 Col=4 Row=K genomic survey sequence.	Homo sapiens	38,956	3-Aug-99
	AQ473140	CITBI-E1-2589G6.TF CITBI-E1 Homo sapiens genomic clone 2589G6, genomic Homo sapiens	Homo sapiens	34,761	23-Apr-99
	A A COC 70E	Survey sequence.	Orosophila melanaster 40 604	40 604	28.Nov.08
	A40907 03	GM00032.3ptime OM Drosophina melanogaster ovary bruescript Drosophina melanogaster cDNA clone GM08392 Sprime, mRNA sequence.	Olosopiiia iiiciaiiogastei	50.0	06-001-07
	AA696785	GM08392.5prime GM Drosophila melanogaster ovary BlueScript Drosophila melanogaster cDNA clone GM08392 5prime, mRNA sequence.	Drosophila melanogaster 38,281	r 38,281	28-Nov-98
				9	•
	X93514	C.glutamicum betP gene.	Corynebacterium glutamicum	99,931	8-Sep-97
	AL049587	Streptomyces coelicolor cosmid 5F2A.	Streptomyces coelicolor	57,557	24-MAY-1999

-106-

~	
<u>8</u>	
\supseteq	
퍨	
Ž	
ၓ	
† (
е 4	
효	
ā	
_	

Bacillus subtilis 40,000 4-Feb-98	Chlorella kessleri 45,328 17-Feb-97	Mus musculus 41,758 18-Sep-99		Chlorella kessieri 38,106 17-Feb-97
3220 Bacillus subtilis rmB-dnaB genomic region.	55 C.kessleri HUP2 mRNA.	AW048153 UI-M-BH1-alq-h-05-0-UI.s1 NIH_BMAP_M_S2 Mus musculus cDNA clone UI-M- Mus musculus	BH1-alq-h-05-0-UI 3', mRNA sequence.	55 C.kessleri HUP2 mRNA.
220060 AF008220	X6685;	AW048		X66855
220060	2353	383		2353
GB_BA2:AF008220	GB_PL1:CKHUP2	GB_EST38:AW048153		GB_PL1:CKHUP2
	rxs03220 725			

Exemplification

Example 1: Preparation of total genomic DNA of *Corynebacterium glutamicum* ATCC 13032

5 A culture of Corynebacterium glutamicum (ATCC 13032) was grown overnight at 30°C with vigorous shaking in BHI medium (Difco). The cells were harvested by centrifugation, the supernatant was discarded and the cells were resuspended in 5 ml buffer-I (5% of the original volume of the culture — all indicated volumes have been calculated for 100 ml of culture volume). Composition of buffer-I: 140.34 g/l sucrose, 2.46 g/l MgSO₄ x 7H₂O, 10 ml/l KH₂PO₄ solution (100 g/l, adjusted to pH 6.7 with 10 KOH), 50 ml/l M12 concentrate (10 g/l (NH₄)₂SO₄, 1 g/l NaCl, 2 g/l MgSO₄ x 7H₂O, 0.2 g/l CaCl₂, 0.5 g/l yeast extract (Difco), 10 ml/l trace-elements-mix (200 mg/l FeSO₄ x H₂O, 10 mg/l ZnSO₄ x 7 H₂O, 3 mg/l MnCl₂ x 4 H₂O, 30 mg/l H₃BO₃ 20 mg/l CoCl₂ x 6 H₂O, 1 mg/l NiCl₂ x 6 H₂O, 3 mg/l Na₂MoO₄ x 2 H₂O, 500 mg/l complexing agent (EDTA or critic acid), 100 ml/l vitamins-mix (0.2 mg/l biotin, 0.2 mg/l folic acid, 20 15 mg/l p-amino benzoic acid, 20 mg/l riboflavin, 40 mg/l ca-panthothenate, 140 mg/l nicotinic acid, 40 mg/l pyridoxole hydrochloride, 200 mg/l myo-inositol). Lysozyme was added to the suspension to a final concentration of 2.5 mg/ml. After an approximately 4 h incubation at 37°C, the cell wall was degraded and the resulting protoplasts are harvested by centrifugation. The pellet was washed once with 5 ml 20 buffer-I and once with 5 ml TE-buffer (10 mM Tris-HCl, 1 mM EDTA, pH 8). The pellet was resuspended in 4 ml TE-buffer and 0.5 ml SDS solution (10%) and 0.5 ml NaCl solution (5 M) are added. After adding of proteinase K to a final concentration of 200 µg/ml, the suspension is incubated for ca.18 h at 37°C. The DNA was purified by 25 extraction with phenol, phenol-chloroform-isoamylalcohol and chloroformisoamylalcohol using standard procedures. Then, the DNA was precipitated by adding 1/50 volume of 3 M sodium acetate and 2 volumes of ethanol, followed by a 30 min incubation at -20°C and a 30 min centrifugation at 12,000 rpm in a high speed centrifuge using a SS34 rotor (Sorvall). The DNA was dissolved in 1 ml TE-buffer containing 20 μg/ml RNaseA and dialysed at 4°C against 1000 ml TE-buffer for at least 3 hours. 30 During this time, the buffer was exchanged 3 times. To aliquots of 0.4 ml of the dialysed DNA solution, 0.4 ml of 2 M LiCl and 0.8 ml of ethanol are added. After a 30

min incubation at -20°C, the DNA was collected by centrifugation (13,000 rpm, Biofuge Fresco, Heraeus, Hanau, Germany). The DNA pellet was dissolved in TE-buffer. DNA prepared by this procedure could be used for all purposes, including southern blotting or construction of genomic libraries.

5

Example 2: Construction of genomic libraries in *Escherichia coli* of *Corynebacterium glutamicum* ATCC13032.

Using DNA prepared as described in Example 1, cosmid and plasmid libraries were constructed according to known and well established methods (see e.g., Sambrook, J. et al. (1989) "Molecular Cloning: A Laboratory Manual", Cold Spring Harbor Laboratory Press, or Ausubel, F.M. et al. (1994) "Current Protocols in Molecular Biology", John Wiley & Sons.)

Any plasmid or cosmid could be used. Of particular use were the plasmids pBR322 (Sutcliffe, J.G. (1979) *Proc. Natl. Acad. Sci. USA*, 75:3737-3741); pACYC177 (Change & Cohen (1978) *J. Bacteriol* 134:1141-1156), plasmids of the pBS series (pBSSK+, pBSSK- and others; Stratagene, LaJolla, USA), or cosmids as SuperCos1 (Stratagene, LaJolla, USA) or Lorist6 (Gibson, T.J., Rosenthal A. and Waterson, R.H. (1987) *Gene* 53:283-286. Gene libraries specifically for use in *C. glutamicum* may be constructed using plasmid pSL109 (Lee, H.-S. and A. J. Sinskey (1994) *J. Microbiol. Biotechnol.* 4: 256-263).

20

25

15

Example 3: DNA Sequencing and Computational Functional Analysis

Genomic libraries as described in Example 2 were used for DNA sequencing according to standard methods, in particular by the chain termination method using ABI377 sequencing machines (see *e.g.*, Fleischman, R.D. *et al.* (1995) "Whole-genome Random Sequencing and Assembly of Haemophilus Influenzae Rd., *Science*, 269:496-512). Sequencing primers with the following nucleotide sequences were used: 5'-GGAAACAGTATGACCATG-3' or 5'-GTAAAACGACGGCCAGT-3'.

Example 4: In vivo Mutagenesis

In vivo mutagenesis of Corynebacterium glutamicum can be performed by passage of plasmid (or other vector) DNA through E. coli or other microorganisms (e.g. Bacillus spp. or yeasts such as Saccharomyces cerevisiae) which are impaired in their capabilities to maintain

the integrity of their genetic information. Typical mutator strains have mutations in the genes for the DNA repair system (e.g., mutHLS, mutD, mutT, etc.; for reference, see Rupp, W.D. (1996) DNA repair mechanisms, in: *Escherichia col*i and *Salmonella*, p. 2277-2294, ASM: Washington.) Such strains are well known to those of ordinary skill in the art. The use of such strains is illustrated, for example, in Greener, A. and Callahan, M. (1994) *Strategies* 7: 32-34.

Example 5: DNA Transfer Between *Escherichia coli* and *Corynebacterium glutamicum*

Several Corynebacterium and Brevibacterium species contain endogenous 10 plasmids (as e.g., pHM1519 or pBL1) which replicate autonomously (for review see, e.g., Martin, J.F. et al. (1987) Biotechnology, 5:137-146). Shuttle vectors for Escherichia coli and Corynebacterium glutamicum can be readily constructed by using standard vectors for E. coli (Sambrook, J. et al. (1989), "Molecular Cloning: A Laboratory Manual", Cold Spring Harbor Laboratory Press or Ausubel, F.M. et al. (1994) "Current Protocols in 15 Molecular Biology", John Wiley & Sons) to which a origin or replication for and a suitable marker from Corynebacterium glutamicum is added. Such origins of replication are preferably taken from endogenous plasmids isolated from Corynebacterium and Brevibacterium species. Of particular use as transformation markers for these species are genes for kanamycin resistance (such as those derived from the Tn5 or Tn903 transposons) or chloramphenicol (Winnacker, E.L. (1987) "From Genes to Clones — 20 Introduction to Gene Technology, VCH, Weinheim). There are numerous examples in the literature of the construction of a wide variety of shuttle vectors which replicate in both E. coli and C. glutamicum, and which can be used for several purposes, including gene overexpression (for reference, see e.g., Yoshihama, M. et al. (1985) J. Bacteriol. 162:591-597, 25 Martin J.F. et al. (1987) Biotechnology, 5:137-146 and Eikmanns, B.J. et al. (1991) Gene, 102:93-98). Using standard methods, it is possible to clone a gene of interest into one of the shuttle vectors described above and to introduce such a hybrid vectors into strains of Corynebacterium glutamicum. Transformation of C. glutamicum can be achieved by protoplast transformation (Kastsumata, R. et al. (1984) J. Bacteriol. 159306-311), 30 electroporation (Liebl, E. et al. (1989) FEMS Microbiol. Letters, 53:399-303) and in

cases where special vectors are used, also by conjugation (as described e.g. in Schäfer,

A et al. (1990) J. Bacteriol. 172:1663-1666). It is also possible to transfer the shuttle vectors for C. glutamicum to E. coli by preparing plasmid DNA from C. glutamicum (using standard methods well-known in the art) and transforming it into E. coli. This transformation step can be performed using standard methods, but it is advantageous to use an Mcr-deficient E. coli strain, such as NM522 (Gough & Murray (1983) J. Mol. Biol. 166:1-19).

Genes may be overexpressed in *C. glutamicum* strains using plasmids which comprise pCG1 (U.S. Patent No. 4,617,267) or fragments thereof, and optionally the gene for kanamycin resistance from TN903 (Grindley, N.D. and Joyce, C.M. (1980) *Proc. Natl. Acad. Sci. USA* 77(12): 7176-7180). In addition, genes may be overexpressed in *C. glutamicum* strains using plasmid pSL109 (Lee, H.-S. and A. J. Sinskey (1994) *J. Microbiol. Biotechnol.* 4: 256-263).

Aside from the use of replicative plasmids, gene overexpression can also be achieved by integration into the genome. Genomic integration in *C. glutamicum* or other Corynebacterium or Brevibacterium species may be accomplished by well-known methods, such as homologous recombination with genomic region(s), restriction endonuclease mediated integration (REMI) (see, *e.g.*, DE Patent 19823834), or through the use of transposons. It is also possible to modulate the activity of a gene of interest by modifying the regulatory regions (*e.g.*, a promoter, a repressor, and/or an enhancer) by sequence modification, insertion, or deletion using site-directed methods (such as homologous recombination) or methods based on random events (such as transposon mutagenesis or REMI). Nucleic acid sequences which function as transcriptional terminators may also be inserted 3' to the coding region of one or more genes of the invention; such terminators are well-known in the art and are described, for example, in Winnacker, E.L. (1987) From Genes to Clones – Introduction to Gene Technology. VCH: Weinheim.

Example 6: Assessment of the Expression of the Mutant Protein

20

25

30

Observations of the activity of a mutated protein in a transformed host cell rely on the fact that the mutant protein is expressed in a similar fashion and in a similar quantity to that of the wild-type protein. A useful method to ascertain the level of transcription of the mutant gene (an indicator of the amount of mRNA available for translation to the gene

10

15

product) is to perform a Northern blot (for reference see, for example, Ausubel et al. (1988) Current Protocols in Molecular Biology, Wiley: New York), in which a primer designed to bind to the gene of interest is labeled with a detectable tag (usually radioactive or chemiluminescent), such that when the total RNA of a culture of the organism is extracted, run on gel, transferred to a stable matrix and incubated with this probe, the binding and quantity of binding of the probe indicates the presence and also the quantity of mRNA for this gene. This information is evidence of the degree of transcription of the mutant gene. Total cellular RNA can be prepared from *Corynebacterium glutamicum* by several methods, all well-known in the art, such as that described in Bormann, E.R. et al. (1992) *Mol. Microbiol.* 6: 317-326.

To assess the presence or relative quantity of protein translated from this mRNA, standard techniques, such as a Western blot, may be employed (see, for example, Ausubel et al. (1988) Current Protocols in Molecular Biology, Wiley: New York). In this process, total cellular proteins are extracted, separated by gel electrophoresis, transferred to a matrix such as nitrocellulose, and incubated with a probe, such as an antibody, which specifically binds to the desired protein. This probe is generally tagged with a chemiluminescent or colorimetric label which may be readily detected. The presence and quantity of label observed indicates the presence and quantity of the desired mutant protein present in the cell.

20

25

30

Example 7: Growth of Genetically Modified Corynebacterium glutamicum — Media and Culture Conditions

Genetically modified *Corynebacteria* are cultured in synthetic or natural growth media. A number of different growth media for Corynebacteria are both well-known and readily available (Lieb *et al.* (1989) *Appl. Microbiol. Biotechnol.*, 32:205-210; von der Osten *et al.* (1998) *Biotechnology Letters*, 11:11-16; Patent DE 4,120,867; Liebl (1992) "The Genus *Corynebacterium*, in: The Procaryotes, Volume II, Balows, A. *et al.*, eds. Springer-Verlag). These media consist of one or more carbon sources, nitrogen sources, inorganic salts, vitamins and trace elements. Preferred carbon sources are sugars, such as mono-, di-, or polysaccharides. For example, glucose, fructose, mannose, galactose, ribose, sorbose, ribulose, lactose, maltose, sucrose, raffinose, starch or cellulose serve as very good carbon sources. It is also possible to supply sugar to the media via complex

25

compounds such as molasses or other by-products from sugar refinement. It can also be advantageous to supply mixtures of different carbon sources. Other possible carbon sources are alcohols and organic acids, such as methanol, ethanol, acetic acid or lactic acid. Nitrogen sources are usually organic or inorganic nitrogen compounds, or materials which contain these compounds. Exemplary nitrogen sources include ammonia gas or ammonia salts, such as NH₄Cl or (NH₄)₂SO₄, NH₄OH, nitrates, urea, amino acids or complex nitrogen sources like corn steep liquor, soy bean flour, soy bean protein, yeast extract, meat extract and others.

Inorganic salt compounds which may be included in the media include the chloride-, phosphorous- or sulfate- salts of calcium, magnesium, sodium, cobalt, molybdenum, potassium, manganese, zinc, copper and iron. Chelating compounds can be added to the medium to keep the metal ions in solution. Particularly useful chelating compounds include dihydroxyphenols, like catechol or protocatechuate, or organic acids, such as citric acid. It is typical for the media to also contain other growth factors, such as vitamins or growth promoters, examples of which include biotin, riboflavin, thiamin, folic acid, nicotinic acid, pantothenate and pyridoxin. Growth factors and salts frequently originate from complex media components such as yeast extract, molasses, corn steep liquor and others. The exact composition of the media compounds depends strongly on the immediate experiment and is individually decided for each specific case. Information about media optimization is available in the textbook "Applied Microbiol. Physiology, A Practical Approach (eds. P.M. Rhodes, P.F. Stanbury, IRL Press (1997) pp. 53-73, ISBN 0 19 963577 3). It is also possible to select growth media from commercial suppliers, like standard 1 (Merck) or BHI (grain heart infusion, DIFCO) or others.

All medium components are sterilized, either by heat (20 minutes at 1.5 bar and 121°C) or by sterile filtration. The components can either be sterilized together or, if necessary, separately. All media components can be present at the beginning of growth, or they can optionally be added continuously or batchwise.

Culture conditions are defined separately for each experiment. The temperature should be in a range between 15°C and 45°C. The temperature can be kept constant or can be altered during the experiment. The pH of the medium should be in the range of 5 to 8.5, preferably around 7.0, and can be maintained by the addition of buffers to the media. An exemplary buffer for this purpose is a potassium phosphate buffer. Synthetic buffers

10

15

20

25

30

such as MOPS, HEPES, ACES and others can alternatively or simultaneously be used. It is also possible to maintain a constant culture pH through the addition of NaOH or NH₄OH during growth. If complex medium components such as yeast extract are utilized, the necessity for additional buffers may be reduced, due to the fact that many complex compounds have high buffer capacities. If a fermentor is utilized for culturing the microorganisms, the pH can also be controlled using gaseous ammonia.

The incubation time is usually in a range from several hours to several days. This time is selected in order to permit the maximal amount of product to accumulate in the broth. The disclosed growth experiments can be carried out in a variety of vessels, such as microtiter plates, glass tubes, glass flasks or glass or metal fermentors of different sizes. For screening a large number of clones, the microorganisms should be cultured in microtiter plates, glass tubes or shake flasks, either with or without baffles. Preferably 100 ml shake flasks are used, filled with 10% (by volume) of the required growth medium. The flasks should be shaken on a rotary shaker (amplitude 25 mm) using a speed-range of 100 – 300 rpm. Evaporation losses can be diminished by the maintenance of a humid atmosphere; alternatively, a mathematical correction for evaporation losses should be performed.

If genetically modified clones are tested, an unmodified control clone or a control clone containing the basic plasmid without any insert should also be tested. The medium is inoculated to an OD₆₀₀ of O.5 – 1.5 using cells grown on agar plates, such as CM plates (10 g/l glucose, 2,5 g/l NaCl, 2 g/l urea, 10 g/l polypeptone, 5 g/l yeast extract, 5 g/l meat extract, 22 g/l NaCl, 2 g/l urea, 10 g/l polypeptone, 5 g/l yeast extract, 5 g/l meat extract, 22 g/l agar, pH 6.8 with 2M NaOH) that had been incubated at 30°C. Inoculation of the media is accomplished by either introduction of a saline suspension of *C. glutamicum* cells from CM plates or addition of a liquid preculture of this bacterium.

Example 8 – In vitro Analysis of the Function of Mutant Proteins

The determination of activities and kinetic parameters of enzymes is well established in the art. Experiments to determine the activity of any given altered enzyme must be tailored to the specific activity of the wild-type enzyme, which is well within the ability of one of ordinary skill in the art. Overviews about enzymes in general, as well as specific details concerning structure, kinetics, principles, methods,

applications and examples for the determination of many enzyme activities may be found, for example, in the following references: Dixon, M., and Webb, E.C., (1979) Enzymes. Longmans: London; Fersht, (1985) Enzyme Structure and Mechanism. Freeman: New York; Walsh, (1979) Enzymatic Reaction Mechanisms. Freeman: San Francisco; Price, N.C., Stevens, L. (1982) Fundamentals of Enzymology. Oxford Univ. Press: Oxford; Boyer, P.D., ed. (1983) The Enzymes, 3rd ed. Academic Press: New York; Bisswanger, H., (1994) Enzymkinetik, 2nd ed. VCH: Weinheim (ISBN 3527300325); Bergmeyer, H.U., Bergmeyer, J., Graßl, M., eds. (1983-1986) Methods of Enzymatic Analysis, 3rd ed., vol. I-XII, Verlag Chemie: Weinheim; and Ullmann's Encyclopedia of Industrial Chemistry (1987) vol. A9, "Enzymes". VCH: Weinheim, p. 352-363.

The activity of proteins which bind to DNA can be measured by several well-established methods, such as DNA band-shift assays (also called gel retardation assays). The effect of such proteins on the expression of other molecules can be measured using reporter gene assays (such as that described in Kolmar, H. *et al.* (1995) *EMBO J.* 14: 3895-3904 and references cited therein). Reporter gene test systems are well known and established for applications in both pro- and eukaryotic cells, using enzymes such as beta-galactosidase, green fluorescent protein, and several others.

15

20

25

The determination of activity of membrane-transport proteins can be performed according to techniques such as those described in Gennis, R.B. (1989) "Pores, Channels and Transporters", in Biomembranes, Molecular Structure and Function, Springer: Heidelberg, p. 85-137; 199-234; and 270-322.

Example 9: Analysis of Impact of Mutant Protein on the Production of the Desired Product

The effect of the genetic modification in *C. glutamicum* on production of a desired compound (such as an amino acid) can be assessed by growing the modified microorganism under suitable conditions (such as those described above) and analyzing the medium and/or the cellular component for increased production of the desired product (*i.e.*, an amino acid). Such analysis techniques are well known to one of ordinary skill in the art, and include spectroscopy, thin layer chromatography, staining methods of various kinds, enzymatic and microbiological methods, and analytical

15

20

30

chromatography such as high performance liquid chromatography (see, for example, Ullman, Encyclopedia of Industrial Chemistry, vol. A2, p. 89-90 and p. 443-613, VCH: Weinheim (1985); Fallon, A. et al., (1987) "Applications of HPLC in Biochemistry" in: Laboratory Techniques in Biochemistry and Molecular Biology, vol. 17; Rehm et al. (1993) Biotechnology, vol. 3, Chapter III: "Product recovery and purification", page 469-714, VCH: Weinheim; Belter, P.A. et al. (1988) Bioseparations: downstream processing for biotechnology, John Wiley and Sons; Kennedy, J.F. and Cabral, J.M.S. (1992) Recovery processes for biological materials, John Wiley and Sons; Shaeiwitz, J.A. and Henry, J.D. (1988) Biochemical separations, in: Ulmann's Encyclopedia of Industrial Chemistry, vol. B3, Chapter 11, page 1-27, VCH: Weinheim; and Dechow, F.J. (1989) Separation and purification techniques in biotechnology, Noyes Publications.)

In addition to the measurement of the final product of fermentation, it is also possible to analyze other components of the metabolic pathways utilized for the production of the desired compound, such as intermediates and side-products, to determine the overall efficiency of production of the compound. Analysis methods include measurements of nutrient levels in the medium (*e.g.*, sugars, hydrocarbons, nitrogen sources, phosphate, and other ions), measurements of biomass composition and growth, analysis of the production of common metabolites of biosynthetic pathways, and measurement of gasses produced during fermentation. Standard methods for these measurements are outlined in Applied Microbial Physiology, A Practical Approach, P.M. Rhodes and P.F. Stanbury, eds., IRL Press, p. 103-129; 131-163; and 165-192 (ISBN: 0199635773) and references cited therein.

25 Example 10: Purification of the Desired Product from C. glutamicum Culture

Recovery of the desired product from the *C. glutamicum* cells or supernatant of the above-described culture can be performed by various methods well known in the art. If the desired product is not secreted from the cells, the cells can be harvested from the culture by low-speed centrifugation, the cells can be lysed by standard techniques, such as mechanical force or sonication. The cellular debris is removed by centrifugation, and the supernatant fraction containing the soluble proteins is retained for further purification of the desired compound. If the product is secreted from the *C. glutamicum*

-116-

cells, then the cells are removed from the culture by low-speed centrifugation, and the supernate fraction is retained for further purification.

The supernatant fraction from either purification method is subjected to chromatography with a suitable resin, in which the desired molecule is either retained on a chromatography resin while many of the impurities in the sample are not, or where the impurities are retained by the resin while the sample is not. Such chromatography steps may be repeated as necessary, using the same or different chromatography resins. One of ordinary skill in the art would be well-versed in the selection of appropriate chromatography resins and in their most efficacious application for a particular molecule to be purified. The purified product may be concentrated by filtration or ultrafiltration, and stored at a temperature at which the stability of the product is maximized.

There are a wide array of purification methods known to the art and the preceding method of purification is not meant to be limiting. Such purification techniques are described, for example, in Bailey, J.E. & Ollis, D.F. Biochemical Engineering Fundamentals, McGraw-Hill: New York (1986).

15

20

25

30

The identity and purity of the isolated compounds may be assessed by techniques standard in the art. These include high-performance liquid chromatography (HPLC), spectroscopic methods, staining methods, thin layer chromatography, NIRS, enzymatic assay, or microbiologically. Such analysis methods are reviewed in: Patek *et al.* (1994) *Appl. Environ. Microbiol.* 60: 133-140; Malakhova *et al.* (1996) *Biotekhnologiya* 11: 27-32; and Schmidt *et al.* (1998) *Bioprocess Engineer*. 19: 67-70. Ulmann's Encyclopedia of Industrial Chemistry, (1996) vol. A27, VCH: Weinheim, p. 89-90, p. 521-540, p. 540-547, p. 559-566, 575-581 and p. 581-587; Michal, G. (1999) Biochemical Pathways: An Atlas of Biochemistry and Molecular Biology, John Wiley and Sons; Fallon, A. *et al.* (1987) Applications of HPLC in Biochemistry in: Laboratory Techniques in Biochemistry and Molecular Biology, vol. 17.

Example 11: Analysis of the Gene Sequences of the Invention

The comparison of sequences and determination of percent homology between two sequences are art-known techniques, and can be accomplished using a mathematical algorithm, such as the algorithm of Karlin and Altschul (1990) *Proc. Natl. Acad. Sci.* USA 87:2264-68, modified as in Karlin and Altschul (1993) *Proc. Natl. Acad. Sci.* USA

- 117 -

90:5873-77. Such an algorithm is incorporated into the NBLAST and XBLAST programs (version 2.0) of Altschul, et al. (1990) J. Mol. Biol. 215:403-10. BLAST nucleotide searches can be performed with the NBLAST program, score = 100, wordlength = 12 to obtain nucleotide sequences homologous to MCT nucleic acid molecules of the invention. BLAST protein searches can be performed with the XBLAST program, score = 50, wordlength = 3 to obtain amino acid sequences homologous to MCT protein molecules of the invention. To obtain gapped alignments for comparison purposes, Gapped BLAST can be utilized as described in Altschul et al., (1997) Nucleic Acids Res. 25(17):3389-3402. When utilizing BLAST and Gapped BLAST programs, one of ordinary skill in the art will know how to optimize the parameters of the program (e.g., XBLAST and NBLAST) for the specific sequence being analyzed.

10

15

20

25

Another example of a mathematical algorithm utilized for the comparison of sequences is the algorithm of Meyers and Miller ((1988) Comput. Appl. Biosci. 4: 11-17). Such an algorithm is incorporated into the ALIGN program (version 2.0) which is part of the GCG sequence alignment software package. When utilizing the ALIGN program for comparing amino acid sequences, a PAM120 weight residue table, a gap length penalty of 12, and a gap penalty of 4 can be used. Additional algorithms for sequence analysis are known in the art, and include ADVANCE and ADAM. described in Torelli and Robotti (1994) Comput. Appl. Biosci. 10:3-5; and FASTA, described in Pearson and Lipman (1988) P.N.A.S. 85:2444-8.

The percent homology between two amino acid sequences can also be accomplished using the GAP program in the GCG software package (available at http://www.gcg.com), using either a Blosum 62 matrix or a PAM250 matrix, and a gap weight of 12, 10, 8, 6, or 4 and a length weight of 2, 3, or 4. The percent homology between two nucleic acid sequences can be accomplished using the GAP program in the GCG software package, using standard parameters, such as a gap weight of 50 and a length weight of 3.

A comparative analysis of the gene sequences of the invention with those present in Genbank has been performed using techniques known in the art (see, e.g., Bexevanis and Ouellette, eds. (1998) Bioinformatics: A Practical Guide to the Analysis of Genes and Proteins. John Wiley and Sons: New York). The gene sequences of the invention

30

were compared to genes present in Genbank in a three-step process. In a first step, a BLASTN analysis (e.g., a local alignment analysis) was performed for each of the sequences of the invention against the nucleotide sequences present in Genbank, and the top 500 hits were retained for further analysis. A subsequent FASTA search (e.g., a combined local and global alignment analysis, in which limited regions of the sequences are aligned) was performed on these 500 hits. Each gene sequence of the invention was subsequently globally aligned to each of the top three FASTA hits, using the GAP program in the GCG software package (using standard parameters). In order to obtain correct results, the length of the sequences extracted from Genbank were adjusted to the length of the query sequences by methods well-known in the art. The results of this analysis are set forth in Table 4. The resulting data is identical to that which would have been obtained had a GAP (global) analysis alone been performed on each of the genes of the invention in comparison with each of the references in Genbank, but required significantly reduced computational time as compared to such a database-wide GAP (global) analysis. Sequences of the invention for which no alignments above the cutoff values were obtained are indicated on Table 4 by the absence of alignment information. It will further be understood by one of ordinary skill in the art that the GAP alignment homology percentages set forth in Table 4 under the heading "% homology (GAP)" are listed in the European numerical format, wherein a ',' represents a decimal point. For example, a value of "40,345" in this column represents "40.345%".

Example 12: Construction and Operation of DNA Microarrays

The sequences of the invention may additionally be used in the construction and application of DNA microarrays (the design, methodology, and uses of DNA arrays are well known in the art, and are described, for example, in Schena, M. et al. (1995)

Science 270: 467-470; Wodicka, L. et al. (1997) Nature Biotechnology 15: 1359-1367;

DeSaizieu, A. et al. (1998) Nature Biotechnology 16: 45-48; and DeRisi, J.L. et al. (1997) Science 278: 680-686).

DNA microarrays are solid or flexible supports consisting of nitrocellulose, nylon, glass, silicone, or other materials. Nucleic acid molecules may be attached to the surface in an ordered manner. After appropriate labeling, other nucleic acids or nucleic acid mixtures can be hybridized to the immobilized nucleic acid molecules, and the label

5

10

15

20

25

30

may be used to monitor and measure the individual signal intensities of the hybridized molecules at defined regions. This methodology allows the simultaneous quantification of the relative or absolute amount of all or selected nucleic acids in the applied nucleic acid sample or mixture. DNA microarrays, therefore, permit an analysis of the expression of multiple (as many as 6800 or more) nucleic acids in parallel (see, e.g., Schena, M. (1996) BioEssays 18(5): 427-431).

The sequences of the invention may be used to design oligonucleotide primers which are able to amplify defined regions of one or more *C. glutamicum* genes by a nucleic acid amplification reaction such as the polymerase chain reaction. The choice and design of the 5' or 3' oligonucleotide primers or of appropriate linkers allows the covalent attachment of the resulting PCR products to the surface of a support medium described above (and also described, for example, Schena, M. *et al.* (1995) *Science* 270: 467-470).

Nucleic acid microarrays may also be constructed by *in situ* oligonucleotide synthesis as described by Wodicka, L. *et al.* (1997) *Nature Biotechnology* 15: 1359-1367. By photolithographic methods, precisely defined regions of the matrix are exposed to light. Protective groups which are photolabile are thereby activated and undergo nucleotide addition, whereas regions that are masked from light do not undergo any modification. Subsequent cycles of protection and light activation permit the synthesis of different oligonucleotides at defined positions. Small, defined regions of the genes of the invention may be synthesized on microarrays by solid phase oligonucleotide synthesis.

The nucleic acid molecules of the invention present in a sample or mixture of nucleotides may be hybridized to the microarrays. These nucleic acid molecules can be labeled according to standard methods. In brief, nucleic acid molecules (e.g., mRNA molecules or DNA molecules) are labeled by the incorporation of isotopically or fluorescently labeled nucleotides, e.g., during reverse transcription or DNA synthesis. Hybridization of labeled nucleic acids to microarrays is described (e.g., in Schena, M. et al. (1995) supra; Wodicka, L. et al. (1997), supra; and DeSaizieu A. et al. (1998), supra). The detection and quantification of the hybridized molecule are tailored to the specific incorporated label. Radioactive labels can be detected, for example, as

- 120 -

described in Schena, M. et al. (1995) supra) and fluorescent labels may be detected, for example, by the method of Shalon et al. (1996) Genome Research 6: 639-645).

The application of the sequences of the invention to DNA microarray technology, as described above, permits comparative analyses of different strains of *C*. *glutamicum* or other Corynebacteria. For example, studies of inter-strain variations based on individual transcript profiles and the identification of genes that are important for specific and/or desired strain properties such as pathogenicity, productivity and stress tolerance are facilitated by nucleic acid array methodologies. Also, comparisons of the profile of expression of genes of the invention during the course of a fermentation reaction are possible using nucleic acid array technology.

Example 13: Analysis of the Dynamics of Cellular Protein Populations (Proteomics)

10

15

20

25

The genes, compositions, and methods of the invention may be applied to study the interactions and dynamics of populations of proteins, termed 'proteomics'. Protein populations of interest include, but are not limited to, the total protein population of *C. glutamicum* (e.g., in comparison with the protein populations of other organisms), those proteins which are active under specific environmental or metabolic conditions (e.g., during fermentation, at high or low temperature, or at high or low pH), or those proteins which are active during specific phases of growth and development.

Protein populations can be analyzed by various well-known techniques, such as gel electrophoresis. Cellular proteins may be obtained, for example, by lysis or extraction, and may be separated from one another using a variety of electrophoretic techniques. Sodium dodecyl sulfate polyacrylamide gel electrophoresis (SDS-PAGE) separates proteins largely on the basis of their molecular weight. Isoelectric focusing polyacrylamide gel electrophoresis (IEF-PAGE) separates proteins by their isoelectric point (which reflects not only the amino acid sequence but also posttranslational modifications of the protein). Another, more preferred method of protein analysis is the consecutive combination of both IEF-PAGE and SDS-PAGE, known as 2-D-gel electrophoresis (described, for example, in Hermann *et al.* (1998) *Electrophoresis* 19: 3217-3221; Fountoulakis *et al.* (1998) *Electrophoresis* 19: 1193-1202; Langen *et al.* (1997) *Electrophoresis* 18: 1184-1192; Antelmann *et al.* (1997) *Electrophoresis* 18:

5

10

15

20

25

30

- 121 -

1451-1463). Other separation techniques may also be utilized for protein separation, such as capillary gel electrophoresis; such techniques are well known in the art.

Proteins separated by these methodologies can be visualized by standard techniques, such as by staining or labeling. Suitable stains are known in the art, and include Coomassie Brilliant Blue, silver stain, or fluorescent dyes such as Sypro Ruby (Molecular Probes). The inclusion of radioactively labeled amino acids or other protein precursors (e.g., ³⁵S-methionine, ³⁵S-cysteine, ¹⁴C-labelled amino acids, ¹⁵N-amino acids, ¹⁵NO₃ or ¹⁵NH₄⁺ or ¹³C-labelled amino acids) in the medium of *C. glutamicum* permits the labeling of proteins from these cells prior to their separation. Similarly, fluorescent labels may be employed. These labeled proteins can be extracted, isolated and separated according to the previously described techniques.

Proteins visualized by these techniques can be further analyzed by measuring the amount of dye or label used. The amount of a given protein can be determined quantitatively using, for example, optical methods and can be compared to the amount of other proteins in the same gel or in other gels. Comparisons of proteins on gels can be made, for example, by optical comparison, by spectroscopy, by image scanning and analysis of gels, or through the use of photographic films and screens. Such techniques are well-known in the art.

To determine the identity of any given protein, direct sequencing or other standard techniques may be employed. For example, N- and/or C-terminal amino acid sequencing (such as Edman degradation) may be used, as may mass spectrometry (in particular MALDI or ESI techniques (see, e.g., Langen et al. (1997) Electrophoresis 18: 1184-1192)). The protein sequences provided herein can be used for the identification of C. glutamicum proteins by these techniques.

The information obtained by these methods can be used to compare patterns of protein presence, activity, or modification between different samples from various biological conditions (e.g., different organisms, time points of fermentation, media conditions, or different biotopes, among others). Data obtained from such experiments alone, or in combination with other techniques, can be used for various applications, such as to compare the behavior of various organisms in a given (e.g., metabolic) situation, to increase the productivity of strains which produce fine chemicals or to increase the efficiency of the production of fine chemicals.

- 122 -

Equivalents

5

Those of ordinary skill in the art will recognize, or will be able to ascertain using no more than routine experimentation, many equivalents to the specific embodiments of the invention described herein. Such equivalents are intended to be encompassed by the following claims.

20

25

30

What is claimed:

- An isolated nucleic acid molecule from Corynebacterium glutamicum encoding an
 MCT protein, or a portion thereof, provided that the nucleic acid molecule does not consist of any of the F-designated genes set forth in Table 1.
- 2. The isolated nucleic acid molecule of claim 1, wherein said nucleic acid moleculeencodes an MCT protein involved in the production of a fine chemical.
 - 3. An isolated *Corynebacterium glutamicum* nucleic acid molecule selected from the group consisting of those sequences set forth as odd-numbered SEQ ID NOs of the Sequence Listing, or a portion thereof, provided that the nucleic acid molecule does not consist of any of the F-designated genes set forth in Table 1.
 - 4. An isolated nucleic acid molecule which encodes a polypeptide sequence selected from the group consisting of those sequences set forth as even-numbered SEQ ID NOs of the Sequence Listing, provided that the nucleic acid molecule does not consist of any of the F-designated genes set forth in Table 1.
 - 5. An isolated nucleic acid molecule which encodes a naturally occurring allelic variant of a polypeptide selected from the group of amino acid sequences consisting of those sequences set forth as even-numbered SEQ ID NOs of the Sequence Listing, provided that the nucleic acid molecule does not consist of any of the F-designated genes set forth in Table 1.
 - 6. An isolated nucleic acid molecule comprising a nucleotide sequence which is at least 50% homologous to a nucleotide sequence selected from the group consisting of those sequences set forth as odd-numbered SEQ ID NOs of the Sequence Listing, or a portion thereof, provided that the nucleic acid molecule does not consist of any of the F-designated genes set forth in Table 1.

WO 01/00805

5

- 7. An isolated nucleic acid molecule comprising a fragment of at least 15 nucleotides of a nucleic acid comprising a nucleotide sequence selected from the group consisting of those sequences set forth as odd-numbered SEQ ID NOs of the Sequence Listing, provided that the nucleic acid molecule does not consist of any of the F-designated genes set forth in Table 1.
- 8. An isolated nucleic acid molecule which hybridizes to the nucleic acid molecule of any one of claims 1-7 under stringent conditions.
- An isolated nucleic acid molecule comprising the nucleic acid molecule of any one
 of claims 1-8 or a portion thereof and a nucleotide sequence encoding a heterologous
 polypeptide.
- 15 10. A vector comprising the nucleic acid molecule of any one of claims 1-9.
 - 11. The vector of claim 10, which is an expression vector.
 - 12. A host cell transfected with the expression vector of claim 11.
- 20
- 13. The host cell of claim 12, wherein said cell is a microorganism.
- 14. The host cell of claim 13, wherein said cell belongs to the genus *Corynebacterium* or *Brevibacterium*.
- 25
- 15. The host cell of claim 12, wherein the expression of said nucleic acid molecule results in the modulation in production of a fine chemical from said cell.
- 16. The host cell of claim 15, wherein said fine chemical is selected from the group
 consisting of: organic acids, proteinogenic and nonproteinogenic amino acids, purine
 and pyrimidine bases, nucleosides, nucleotides, lipids, saturated and unsaturated

fatty acids, diols, carbohydrates, aromatic compounds, vitamins, cofactors, polyketides, and enzymes.

- 17. A method of producing a polypeptide comprising culturing the host cell of claim 12
 in an appropriate culture medium to, thereby, produce the polypeptide.
 - 18. An isolated MCT polypeptide from *Corynebacterium glutamicum*, or a portion thereof.
- 19. The polypeptide of claim 18, wherein said polypeptide is involved in the production of a fine chemical production.
 - 20. An isolated polypeptide comprising an amino acid sequence selected from the group consisting of those sequences set forth as even-numbered SEQ ID NOs of the Sequence Listing, provided that the amino acid sequence is not encoded by any of the F-designated genes set forth in Table 1.

15

25

- 21. An isolated polypeptide comprising a naturally occurring allelic variant of a polypeptide comprising an amino acid sequence selected from the group consisting
 20 of those sequences set forth as even-numbered SEQ ID NOs of the Sequence Listing, or a portion thereof, provided that the amino acid sequence is not encoded by any of the F-designated genes set forth in Table 1.
 - 22. The isolated polypeptide of any of claims 18-21, further comprising heterologous amino acid sequences.
 - 23. An isolated polypeptide which is encoded by a nucleic acid molecule comprising a nucleotide sequence which is at least 50% homologous to a nucleic acid selected from the group consisting of those sequences set forth as odd-numbered SEQ ID NOs of the Sequence Listing, provided that the nucleic acid molecule does not consist of any of the F-designated nucleic acid molecules set forth in Table 1.

- 24. An isolated polypeptide comprising an amino acid sequence which is at least 50% homologous to an amino acid sequence selected from the group consisting of those sequences set forth as even-numbered SEQ ID NOs of the Sequence Listing, provided that the amino acid sequence is not encoded by any of the F-designated genes set forth in Table 1.
- 25. A method for producing a fine chemical, comprising culturing a cell containing a vector of claim 12 such that the fine chemical is produced.
- 10 26. The method of claim 25, wherein said method further comprises the step of recovering the fine chemical from said culture.

5

- 27. The method of claim 25, wherein said method further comprises the step of transfecting said cell with the vector of claim 11 to result in a cell containing said vector.
- 28. The method of claim 25, wherein said cell belongs to the genus *Corynebacterium* or *Brevibacterium*.
- 20 29. The method of claim 25, wherein said cell is selected from the group consisting of: Corynebacterium glutamicum, Corynebacterium herculis, Corynebacterium, lilium, Corynebacterium acetoacidophilum, Corynebacterium acetoglutamicum, Corynebacterium acetophilum, Corynebacterium ammoniagenes, Corynebacterium fujiokense, Corynebacterium nitrilophilus, Brevibacterium ammoniagenes,
- Brevibacterium butanicum, Brevibacterium divaricatum, Brevibacterium flavum, Brevibacterium healii, Brevibacterium ketoglutamicum, Brevibacterium ketosoreductum, Brevibacterium lactofermentum, Brevibacterium linens, Brevibacterium paraffinolyticum, and those strains set forth in Table 3.
- 30. The method of claim 25, wherein expression of the nucleic acid molecule from said vector results in modulation of production of said fine chemical.

- 127 -

- 31. The method of claim 25, wherein said fine chemical is selected from the group consisting of: organic acids, proteinogenic and nonproteinogenic amino acids, purine and pyrimidine bases, nucleosides, nucleotides, lipids, saturated and unsaturated fatty acids, diols, carbohydrates, aromatic compounds, vitamins, cofactors, polyketides, and enzymes.
- 32. The method of claim 25, wherein said fine chemical is an amino acid.

- 33. The method of claim 32, wherein said amino acid is drawn from the group consisting of: lysine, glutamate, glutamine, alanine, aspartate, glycine, serine, threonine, methionine, cysteine, valine, leucine, isoleucine, arginine, proline, histidine, tyrosine, phenylalanine, and tryptophan.
- 34. A method for producing a fine chemical, comprising culturing a cell whose genomic
 DNA has been altered by the inclusion of a nucleic acid molecule of any one of claims 1-9.
- 35. A method for diagnosing the presence or activity of Corynebacterium diphtheriae in a subject, comprising detecting the presence of one or more of SEQ ID NOs 1 through
 676 of the Sequence Listing in the subject, provided that the sequences are not or are not encoded by any of the F-designated sequences set forth in Table 1, thereby diagnosing the presence or activity of Corynebacterium diphtheriae in the subject.
- 36. A host cell comprising a nucleic acid molecule selected from the group consisting
 of the nucleic acid molecules set forth as odd-numbered SEQ ID NOs of the Sequence
 Listing, wherein the nucleic acid molecule is disrupted.
- 37. A host cell comprising a nucleic acid molecule selected from the group consisting of the nucleic acid molecules set forth as odd-numbered SEQ ID NOs in the Sequence
 30 Listing, wherein the nucleic acid molecule comprises one or more nucleic acid modifications from the sequence set forth as odd-numbered SEQ ID NOs of the Sequence Listing s.

- 128 -

38. A host cell comprising a nucleic acid molecule selected from the group consisting of the nucleic acid molecules set forth as odd-numbered SEQ ID NOs of the Sequence Listing, wherein the regulatory region of the nucleic acid molecule is modified relative to the wild-type regulatory region of the molecule.

SEQUENCE LISTING

<120	O> Co Ii Ti	ORYN	EBAC' VED PORT	TERI IN M		LUTAI	ft MICUI SYNTI						EINS	3		
<140 <140	>		2501													
<213 <213	0> 1 1> 5' 2> DI 3> Co	NA	ebac [.]	teri	um gi	lutar	nicur	π								
<222	1> C1 2> (:	DS 1) KN03)												
	tca						ata Ile									48
							ctt Leu									96
gga Gly	tta Leu	gtt Val 35	gtt Val	att Ile	act Thr	cct Pro	gca Ala 40	gca Ala	gga Gly	tat Tyr	gta Val	aca Thr 45	tat Tyr	ctt Leu	agt Ser	144
							gga Gly			Cys						192
							aaa Lys									240
							att Ile								gtt Val	288
							cct Pro									336
							ctt Leu 120									384
							atg Met									432
aaa Lys 145	tta Leu	att Ile	aca Thr	cca Pro	tta Leu 150	tct Ser	gtt Val	acg Thr	gaa Glu	caa Gln 155	gaa Glu	acg Thr	aat Asn	ata Ile	gga Gly 160	480

tta gac aag att gtt cac ggt gaa cat gct tac ttt gaa ggt gag cta Leu Asp Lys Ile Val His Gly Glu His Ala Tyr Phe Glu Gly Glu Leu aat aga ttc aat aaa cat att cga tat tagaatatat ttacatagaa 575 Asn Arg Phe Asn Lys His Ile Arg Tyr 180 tat 578 <210> 2 <211> 185 <212> PRT <213> Corynebacterium glutamicum <400> 2 Ile Ser Ala Ser Ala Gly Ala Ile Gly Trp Leu Ile Leu Glu Tyr Ile Phe Lys Lys Thr Thr Ser Leu Leu Gly Leu Leu Gly Ala Leu Ala Gly Leu Val Val Ile Thr Pro Ala Ala Gly Tyr Val Thr Tyr Leu Ser Ala Thr Ile Met Ala Leu Ile Gly Gly Ile Cys Cys Tyr Ile Val Ile Asn Tyr Ile Lys Val Lys Leu Lys Tyr His Asp Ala Leu Asp Ala Phe Gly Ile His Gly Val Gly Gly Ile Ile Gly Ala Val Leu Thr Ala Val Phe Gln Ser Lys Lys Ala Asn Pro Asp Ile Glu Asn Gly Phe Ile Tyr Thr Gly Asp Ile His Ile Ile Leu Val Gln Ile Leu Cys Val Thr Ala 120 Val Val Ile Phe Ser Ile Val Met Thr Phe Ile Ile Ala Lys Val Ile 130 Lys Leu Ile Thr Pro Leu Ser Val Thr Glu Gln Glu Thr Asn Ile Gly Leu Asp Lys Ile Val His Gly Glu His Ala Tyr Phe Glu Gly Glu Leu 165 170 Asn Arg Phe Asn Lys His Ile Arg Tyr 180 <210> 3 <211> 373 <212> DNA <213> Corynebacterium glutamicum <220>

<22	1> C 2> (3> R	101)	(3 099	73)												
	0> 3 ttag	agc	tggt	tcaa	gg g	gtgt	caat	c cc	aaaa	ggca	ctc	cttg	aac	tcat	gaaaaa	60
gcti	tgac	aaa	actt	caac	gt c	aaag	gagg	t ca	tcca	cgct				gat Asp		115
att Ile	gca Ala	gca Ala	gtc Val	tcc Ser 10	ggc Gly	aat Asn	tca Ser	gct Ala	tgg Trp 15	atg Met	ctg Leu	atg Met	tcc Ser	gcg Ala 20	tcg Ser	163
ctc Leu	gtg Val	ctg Leu	cta Leu 25	atg Met	aca Thr	cca Pro	gca Ala	ctg Leu 30	gca Ala	ctt Leu	ttc Phe	tat Tyr	ggc Gly 35	ggc Gly	atg Met	211
tct Ser	cgt Arg	caa Gln 40	aag Lys	tcc Ser	gtg Val	ctc Leu	aac Asn 45	atg Met	atg Met	atg Met	atg Met	tcc Ser 50	ttt Phe	gga Gly	gca Ala	259
ttg Leu	ggc Gly 55	gtc Val	gtt Val	act Thr	gtt Val	att Ile 60	tac Tyr	ctc Leu	ttg Leu	tgg Trp	gga Gly 65	tgg Trp	tcg Ser	atg Met	tct Ser (307
tat Tyr 70	gga Gly	acć Thr	caa Gln	tca Ser	atc Ile 75	gcg Ala	gga Gly	atc Ile	ttt Phe	gct Ala 80	aac Asn	cct Pro	ttt Phe	gag Glu	ttc Phe 85	355
			aaa Lys			,										373
<212	l> 91 2> PF	RТ	ebact	eriu	ım g]	lutar	nicur	n								
<400																
Met 1	Gly	Ala	Asp	Gln 5	Ile	Ala	Ala	Val	Ser 10	Gly	Asn	Ser	Ala	Trp 15	Met	
Leu	Met	Ser	Ala 20	Ser	Leu	Val	Leu	Leu 25	Met	Thr	Pro	Ala	Leu 30	Ala	Leu	
Phe	Tyr	Gly 35	Gly	Met	Ser	Arg	Gln 40	Lys	Ser	Val	Leu	Asn 45	Met	Met	Met	
Met	Ser 50	Phe	Gly	Ala	Leu	Gly 55	Val	Val	Thr	Val	Ile 60	Tyr	Leu	Leu	Trp	
Gly 65	Trp	Ser	Met	Ser	Tyr 70	Gly	Thr	Gln	Ser	Ile 75	Ala	Gly	Ile	Phe	Ala 80	
Asn	Pro	Phe	Glu	Phe 85	Phe	Gly	Leu	Lys	Asp 90	Ser						

<21 <21	0> 5 1> 8 2> D 3> C	79	ebac	teri	um g	luta	micu	m								
<22	1> C 2> (DS 101) XA00		56)												
	0> 5 aaag	aca	tccc	ggaa	cc a	ctcc	gcta	c tt	gagg	tcgg	aat	cggg	aaa (gaat	gctttt	60
agc	catg	cct	taat	gtaa	cc a	aaca	tcta	g aa	ttga	gaac		act Thr				115
		tcg Ser														163
ctc Leu	aaa Lys	ggt Gly	gtc Val 25	cgc Arg	aat Asn	gtt Val	ggg Gly	gtg Val 30	tta Leu	aga Arg	ggt Gly	cgg Arg	aat Asn 35	ctc Leu	ggt Gly	211
		ggc Gly 40														259
cag Gln	cac His 55	cgc Arg	ccc Pro	aac Asn	gat Asp	gga Gly 60	ttc Phe	ctg Leu	tct Ser	gaa Glu	gaa Glu 65	gcc Ala	gcc Ala	gac Asp	aac Asn	307
cca Pro 70	gac Asp	cgc Arg	cta Leu	tcc Ser	aag Lys 75	gac Asp	cgc Arg	gtg Val	tgg Trp	atc Ile 80	atc Ile	gat Asp	ccc Pro	ctc Leu	gac Asp 85	355
ggc Gly	acc Thr	aaa Lys	gaa Glu	ttc Phe 90	gcc Ala	acc Thr	ggc Gly	cgc Arg	cag Gln 95	gac Asp	tgg Trp	gca Ala	gta Val	cac His 100	atc Ile	403
gca Ala	ctg Leu	gta Val	gaa Glu 105	aac Asn	ggt Gly	gtt Val	ccc Pro	acc Thr 110	cac His	gcc Ala	gct Ala	gtt Val	ggc Gly 115	ctc Leu	ccc Pro	451
gac Asp	ctt Leu	ggc Gly 120	gtg Val	gtg Val	ttc Phe	cac His	tcc Ser 125	gct Ala	gat Asp	gcc Ala	cgc Arg	gcc Ala 130	gtg Val	act Thr	ggc Gly	499
		tcc Ser														547
gct Ala 150	cta Leu	tct Ser	tgc Cys	gca Ala	gag Glu 155	cag Gln	ctc Leu	ggc Gly	ttt Phe	gaa Glu 160	acc Thr	aag Lys	gcc Ala	ctt Leu	gga Gly 165	595
tcc Ser	gca Ala	ggc Gly	gct Ala	aaa Lys 170	gca Ala	atg Met	cac His	gtt Val	ctc Leu 175	ctc Leu	ggt Gly	gac Asp	tac Tyr	gac Asp 180	gcc Ala	643

		-	 		tac Tyr			•		-	-		_	691
					ttg Leu 205						-			739
	•				gac Asp			-		-		-		787
-	-	_	-	-	gaa Glu				_	-		_		835
	gag Glu				taad	egeto	gtt a	atgat	gac	gg ca	at			879

<210> 6

<211> 252

<212> PRT

<213> Corynebacterium glutamicum

<400> 6

Met Thr Ala Gln Ile Asp Asp Ser Ile Leu Thr His Arg Leu Ala Gln
1 5 10 15

Gly Thr Gly Glu Ile Leu Lys Gly Val Arg Asn Val Gly Val Leu Arg
20 25 30

Gly Arg Asn Leu Gly Asp Ala Gly Asp Glu Leu Ala Gln Ser Trp Ile 35 40 45

Ala Arg Val Leu Glu Gln His Arg Pro Asn Asp Gly Phe Leu Ser Glu 50 55 60

Glu Ala Ala Asp Asn Pro Asp Arg Leu Ser Lys Asp Arg Val Trp Ile
65 70 75 80

Ile Asp Pro Leu Asp Gly Thr Lys Glu Phe Ala Thr Gly Arg Gln Asp 85 90 95

Trp Ala Val His Ile Ala Leu Val Glu Asn Gly Val Pro Thr His Ala 100 105 110

Ala Val Gly Leu Pro Asp Leu Gly Val Val Phe His Ser Ala Asp Ala 115 120 125

Arg Ala Val Thr Gly Pro Tyr Ser Lys Val Ile Ala Ile Ser His Asn 130 135 140

Arg Pro Pro Lys Val Ala Leu Ser Cys Ala Glu Gln Leu Gly Phe Glu 145 150 155 160

Thr Lys Ala Leu Gly Ser Ala Gly Ala Lys Ala Met His Val Leu Leu 165 170 175

Gly Asp Tyr Asp Ala Tyr Ile His Ala Gly Gly Gln Tyr Glu Trp Asp

180 185 190

Ser Ala Ala Pro Val Gly Val Cys Lys Ala Ala Gly Ley His Cy

Ser Ala Ala Pro Val Gly Val Cys Lys Ala Ala Gly Leu His Cys Ser 195 200 205

Arg Leu Asp Gly Ser Glu Leu Thr Tyr Asn Asn Lys Asp Thr Tyr Met 210 215 220

Pro Asp Ile Leu Ile Cys Arg Pro Glu Leu Ala Asp Glu Leu Leu Glu 225 230 235 240

Met Cys Ala Lys Phe Tyr Glu Glu Asn Gly Thr Tyr 245 250

<210> 7

<211> 875

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(859)

<223> RXA01420

<400> 7

cgaagttcac gactacaggc attacctggg tgctgatttt gcgcgagtaa agctgtggct 60

gcggaatgcg ctgctcatcc acacgtggaa tcctgattgg gtg acg ctg ggt gga 115 Val Thr Leu Gly Gly

ttg aat gta cca tcg tgg tcg ctg ggc gcg gaa atg ctg ttc tac ctg $\,$ 163 Leu Asn Val Pro Ser Trp Ser Leu Gly Ala Glu Met Leu Phe Tyr Leu $\,$ 10 $\,$ 20

acg ttc ccg ctg ttt att ccg tta gtg cgc aaa gtg aag ggc gtg ggc 211
Thr Phe Pro Leu Phe Ile Pro Leu Val Arg Lys Val Lys Gly Val Gly
25 30 35

aac tgg tgg gca ttt ggc atc acc ttt gcc gtg agc ctg gcg ctg att 259 Asn Trp Trp Ala Phe Gly Ile Thr Phe Ala Val Ser Leu Ala Leu Ile 40 45 50

aca gtg att cac ttt tat gcg gac gga cca aag ggg att gag aac ttc 307 Thr Val Ile His Phe Tyr Ala Asp Gly Pro Lys Gly Ile Glu Asn Phe 55 60 65

ttt gtt cct cgc ctg tgg gac acc aat gtg tca ccg gtc gcg gaa gtt 355
Phe Val Pro Arg Leu Trp Asp Thr Asn Val Ser Pro Val Ala Glu Val
70 80 85

cac gcc gat cca gtg tgg ttt atg cag gaa gaa att ccc gtg ctg gaa 403 His Ala Asp Pro Val Trp Phe Met Gln Glu Glu Ile Pro Val Leu Glu 90 95 100

tct tac tgg ctg tct tac tac ttc ccg ctg acc aga ctc atc gag ttc $\,$ 451 Ser Tyr Trp Leu Ser Tyr Tyr Phe Pro Leu Thr Arg Leu Ile Glu Phe $\,$ 105 $\,$ 115

tac ctc ggt gtg ttt ggc gcg aag ctg gtt gct gaa ggc atg ttt aaa 499

Tyr	Leu	Gly 120	Val	Phe	Gly	Ala	Lys 125	Leu	Val	Ala	Glu	Gly 130	Met	Phe	Lys	
				acc Thr												547
				gtg Val		_	-		_	-		-		_		595
				ttt Phe 170												643
				gaa Glu			-		-	-	-	_	_			691
				ttc Phe												739
				att Ile												787
				gtg Val												835
_			-	ttg Leu 250	-			taai	taag	gec a	acgg	aa				875
<210 <211 <211	Leu 0> 8 1> 2! 2> P!	Pro 53 RT	Ser	Leu	Met	Ile	Leu		taago	gec a	acgg	aa				875
<210 <211 <211 <211 <400	Leu 0> 8 1> 29 2> P1 3> Co 0> 8	Pro 53 RT oryne	Ser	Leu 250	Met	Ile lutan	Leu	· n					Gly	Ala 15	Glu	875
<210 <211 <211 <211 <400 Val	Leu 0> 8 1> 29 2> P1 3> Co 0> 8 Thr	Pro 53 RT oryne Leu	Ser	Leu 250 teriv	Met ım g	Ile lutan Asn	Leu micur Val	n Pro	Ser 10	Trp	Ser	Leu		15		875
<pre><210 <211 <211 <211 <211 <400 Val</pre>	Leu 0 > 8 1 > 2 2 > P 3 > C 0 > 8 Thr	Pro 53 RT oryne Leu Phe	Ser Sebace Gly Tyr 20	Leu 250 teriv Gly 5	Met um gi Leu Thr	Ile lutan Asn Phe	Leu micum Val Pro	Pro Leu 25	Ser 10	Trp	Ser	Leu	Val 30	15 Arg	Lys	875
<pre><210 <211 <211 <211 <400 Val</pre>	Leu 0 > 8 1 > 2! 2 > P! 3 > Co 0 > 8 Thr Leu Lys	Pro 53 RT bryne Leu Phe Gly 35	Ser Gly Tyr 20 Val	Leu 250 teriu 5 Leu	Met Im gi Leu Thr	Ile lutan Asn Phe Trp	Leu micum Val Pro Trp 40	Pro Leu 25 Ala	Ser 10 Phe	Trp Ile Gly	Ser Pro	Leu Leu Thr 45	Val 30 Phe	15 Arg Ala	Lys Val	875
<pre><210 <211 <211 <211 <400 Val Met Val Ser</pre>	D> 8 1> 2: 2> P1 3> Co D> 8 Thr Leu Lys Leu 50	Pro S3 RT Dryne Leu Phe Gly 35 Ala	Ser Gly Tyr 20 Val Leu	Leu 250 teriv 5 Leu Gly	Met Leu Thr Asn	Ile lutar Asn Phe Trp Val 55	Leu Val Pro Trp 40 Ile	Pro Leu 25 Ala	Ser 10 Phe Phe	Trp Ile Gly Tyr	Ser Pro Ile Ala 60	Leu Thr 45 Asp	Val 30 Phe Gly	15 Arg Ala Pro	Lys Val Lys	875
<pre><210 <211 <211 <211 <400 Val Met Val Ser Gly 65</pre>	D> 8 1> 2! 2> P1 3> Co 0> 8 Thr Leu Lys Leu 50 Ile	Pro S3 RT Dryne Leu Phe Gly 35 Ala Glu	Ser Gly Tyr 20 Val Leu Asn	Leu 250 teriv 6ly 5 Leu Gly Ile	Met Leu Thr Asn Thr	Ile lutar Asn Phe Trp Val 55 Val	Leu Nal Pro Trp 40 Ile Pro	Pro Leu 25 Ala His	Ser 10 Phe Phe Leu	Trp Ile Gly Tyr Trp 75	Ser Pro Ile Ala 60 Asp	Leu Thr 45 Asp	Val 30 Phe Gly Asn	15 Arg Ala Pro Val	Lys Val Lys Ser	875

B00/00926

	wo (01/008	305												PCT	/1
			100	•				105					110			
Arg	Leu	Ile 115	Glu	Phe	Tyr	Leu	Gly 120	Val	Phe	Gly	Ala	Lys 125	Leu	Val	Ala	
Glu	Gly 130	Met	Phe	Lys	Asn	Thr 135	Asn	Ile	Thr	Ile	Pro 140	Leu	Ile	Ala	Leu	
Ala 145	Val	Ser	Phe	Val	Ala 150	Thr	Trp	Phe	Val	Pro 155	Leu	Ala	Phe	Lys	Met 160	
Ser	Val	Ile	Met	Ser 165	Leu	Pro	Met	Ala	Phe 170	Val	Val	Ala	Thr	Leu 175	Ala	
Val	Arg	Asp	Ile 180	Glu	Gly	Lys	Ser	Gly 185	Glu	Ile	Ala	Ser	Pro 190	Arg	Ala	
Val	Lau	Lou	Clu	700	Tla	C	nh -	7 1 -	DL -	m			- 1		_	

Val Leu Leu Gly Asn Ile Ser Phe Ala Phe Tyr Met Val Gln Phe Pro 200 205

Val Met Val Phe Val Gln Arg Tyr Phe Ile Ala Gly Lys Glu Tyr Gly 215

Phe Leu Gly Trp Ala Phe Tyr Ala Val Val Cys Phe Ile Val Ser Val 225 235

Ile Leu Ala Trp Val Leu Leu Pro Ser Leu Met Ile Leu 245 250

<210> 9 <211> 1983 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1960)

<400> 9

<223> RXN02581

acggtcactc gctcaagtag tgttagtttg caaaagtaat aaaatgttca tctttgtcga 60

tggtcacaat agtcattaaa gaattgtaag aggggttcac atg gat tta gat aaa Met Asp Leu Asp Lys 1

gcg att ggt tca ttc ttc gat gag aat gga gaa atc aac ctt cct cca 163 Ala Ile Gly Ser Phe Phe Asp Glu Asn Gly Glu Ile Asn Leu Pro Pro 10 20

ttc cta act ttg gca gcc atg ggt gag ttc atg tac cag gct gac atc Phe Leu Thr Leu Ala Ala Met Gly Glu Phe Met Tyr Gln Ala Asp Ile 25

gct gaa ggc ggc ggg gat aaa cca cgc atg cat ttc tgg gac ttc tcc 259 Ala Glu Gly Gly Asp Lys Pro Arg Met His Phe Trp Asp Phe Ser 40 50

gaa gac cgc gat ggc aag ctg att cag tac acc cga aac gag atc gat Glu Asp Arg Asp Gly Lys Leu Ile Gln Tyr Thr Arg Asn Glu Ile Asp

55 60 65

act Thr 70	cgt Arg	atc Ile	aag Lys	gct Ala	gta Val 75	gca Ala	ggc Gly	cgt Arg	ttg Leu	cag Gln 80	cag Gln	gtc Val	gcc Ala	acc Thr	ctg Leu 85	355
ggt Gly	gat Asp	cgt Arg	gca Ala	gcg Ala 90	atc Ile	ctg Leu	gct Ala	aac Asn	aac Asn 95	agc Ser	cct Pro	gag Glu	tac Tyr	att Ile 100	ttc Phe	403
agc Ser	ttc Phe	ctc Leu	ggc Gly 105	gcg Ala	atc Ile	tac Tyr	gct Ala	ggc Gly 110	atg Met	gtc Val	cct Pro	gtg Val	ccg Pro 115	ctt Leu	tat Tyr	451
		aac Asn 120														499
gac Asp	agc Ser 135	gag Glu	cca Pro	gtt Val	gtc Val	gtt Val 140	ctg Leu	acc Thr	aac Asn	tcc Ser	aag Lys 145	tcc Ser	gca Ala	ggt Gly	gcc Ala	547
gtg Val 150	cgc Arg	aag Lys	cac His	ttc Phe	tcc Ser 155	agc Ser	ctt Leu	cca Pro	gct Ala	gca Ala 160	gaa Glu	cgc Arg	cca Pro	cgc Arg	atc Ile 165	595
ctc Leu	tct Ser	gta Val ·	gat Asp	tcc Ser 170	ttg Leu	cct Pro	gat Asp	tct Ser	ctc Leu 175	gcg Ala	gat Asp	tct Ser	tac Tyr	gag Glu 180	aac Asn	643
cca Pro	atg Met	ctg Leu	acc Thr 185	gaa Glu	gcc Ala	ggc Gly	cgc Arg	cgc Arg 190	ctg Leu	gct Ala	gct Ala	ctg Leu	cgc Arg 195	Gln	tcc Ser	691
gcg Ala	ccc Pro	att Ile 200	gat Asp	ctg Leu	acc Thr	gca Ala	ttc Phe 205	ctg Leu	cag Gln	tac Tyr	acc Thr	tcc Ser 210	ggc Gly	tcc Ser	acc Thr	739
cga Arg	acc Thr 215	cca Pro	gct Ala	ggc Gly	gtt Val	gtt Val 220	ctg Leu	acc Thr	aac Asn	cgc Arg	tcc Ser 225	atc Ile	ctg Leu	acc Thr	aac Asn	787
gtc Val 230	ttg Leu	cag Gln	atc Ile	ttc Phe	agc Ser 235	gcc Ala	gca Ala	cag Gln	ctg Leu	aaa Lys 240	acc Thr	cca Pro	ctg Leu	cgc Arg	ctg Leu 245	835
gtt Val	tca Ser	tgg Trp	ctg Leu	cca Pro 250	ctg Leu	cac His	cac His	gac Asp	atg Met 255	ggc Gly	att Ile	atc Ile	ctc Leu	gcg Ala 260	gcg Ala	883
ttt Phe	gtc Val	act Thr	atg Met 265	ctt Leu	ggc Gly	ctg Leu	gac Asp	aac Asn 270	gag Glu	ttc Phe	atg Met	aac Asn	cca Pro 275	cgc Arg	gat Asp	931
ttc Phe	gtg Val	cag Gln 280	cag Gln	cct Pro	tcc Ser	cgc Arg	tgg Trp 285	att Ile	aag Lys	cag Gln	ctc Leu	aac Asn 290	cgt Arg	cgc Arg	gaa Glu	97 9
agc Ser	gac Asp 295	gtg Val	gac Asp	gtt Val	aac Asn	gtc Val 300	tac Tyr	acc Thr	gtg Val	gtt Val	cct Pro 305	aac Asn	ttc Phe	gcc Ala	ctc Leu	1027

gag Glu 310	ctt Leu	gca Ala	gca Ala	cgc Arg	tac Tyr 315	gca Ala	aag Lys	cca Pro	gca Ala	gag Glu 320	gga Gly	gag Glu	acc Thr	ctg Leu	gat Asp 325	1075
ctt Leu	tcc Ser	gca Ala	ttg Leu	gat Asp 330	gċc Ala	atc Ile	att Ile	atc Ile	ggt Gly 335	tcc Ser	gag Glu	cca Pro	gtc Val	aca Thr 340	gaa Glu	1123
			acc Thr 345													1171
			ctg Leu													1219
gtc Val	acc Thr 375	acc Thr	cca Pro	cag Gln	acc Thr	gaa Glu 380	aac Asn	cgc Arg	cca Pro	ctg Leu	atc Ile 385	tcc Ser	tac Tyr	ttc Phe	gac Asp	1267
cgc Arg 390	gag Glu	gcc Ala	ttg Leu	gcc Ala	gaa Glu 395	aac Asn	cgc Arg	gtt Val	gag Glu	ctt Leu 400	gta Val	gaa Glu	aag Lys	ggc Gly	aat Asn 405	1315
aac Asn	aag Lys	gct Ala	gtt Val	gct Ala 410	ttc Phe	gtc Val	tcc Ser	aac Asn	ggc Gly 415	cag Gln	gtt Val	gca Ala	Ala	cca Pro 420	cag Gln	1363
cag Gln	ctg Leu	gtc Val	atc Ile 425	gtt Val	gat Asp	tcc Ser	gaa Glu	acc Thr 430	gga Gly	acc Thr	gag Glu	ctg Leu	gca Ala 435	gac Asp	ggc Gly	1411
			gaa Glu													1459
ctc Leu	gac Asp 455	cgc Arg	gag Glu	gaa Glu	gac Asp	acc Thr 460	gca Ala	gaa Glu	acc Thr	ttc Phe	cgc Arg 465	aac Asn	cgt Arg	ctg Leu	acc Thr	1507
acc Thr 470	cgc Arg	ctg Leu	gaa Glu	gaa Glu	aac Asn 475	tcc Ser	cgc Arg	gca Ala	gaa Glu	ggt Gly 480	gct Ala	gcc Ala	gac Asp	gac Asp	aac Asn 485	1555
tac Tyr	tgg Trp	atg Met	gcc Ala	acc Thr 490	ggt Gly	gac Asp	ctc Leu	ggc Gly	gtc Val 495	atc Ile	gta Val	gac Asp	aac Asn	gag Glu 500	ctc Leu	1603
tac Tyr	atc Ile	acc Thr	ggt Gly 505	cgt Arg	ctg Leu	aag Lys	gac Asp	ctc Leu 510	atc Ile	gtt Val	gtc Val	gca Ala	ggc Gly 515	cga Arg	aac Asn	1651
cac His	tac Tyr	cca Pro 520	cag Gln	gac Asp	atc Ile	gag Glu	tac Tyr 525	acc Thr	gtc Val	cag Gln	gct Ala	gct Ala 530	tcc Ser	gca Ala	cac His	1699
atc Ile	cgt Arg 535	gca Ala	gat Asp	tcc Ser	gtc Val	gca Ala 540	gca Ala	ttc Phe	gca Ala	gtc Val	cca Pro 545	ggc Gly	gat Asp	gac Asp	att Ile	1747

gaa Glu 550	aag Lys	ctc Leu	atc Ile	atc Ile	ctg Leu 555	gca Ala	gaa Glu	cgc Arg	gac Asp	acc Thr 560	act Thr	gca Ala	aac Asn	gaa Glu	gcc Ala 565	1795
gac Asp	gat Asp	gca Ala	gct Ala	gct Ala 570	gaa Glu	gaa Glu	gca Ala	atc Ile	cgc Arg 575	tcc Ser	gcc Ala	gtt Val	ggc Gly	act Thr 580	gca Ala	1843
						gag Glu										1891
						aag Lys										1939
				caa Gln		aac Asn 620	tagt	tctt	tg d	cagad	cacc	gc aq	gg			1983
<211 <212)> 10 l> 62 2> PF 3> Co	20 RT	ebact	ceriu	ım gl	lutan	nicur	n								
																•
)> 1(Asp		Asp	Lys 5	Ala	Ile	Gly	Ser	Phe 10	Phe	Asp	Glu	Asn	Gly 15	Glu	
Ile	Asn	Leu	Pro 20	Pro	Phe	Leu	Thr	Leu 25	Ala	Ala	Met	Gly	Glu 30	Phe	Met	
Tyr	Gln	Ala 35	Asp	Ile	Ala	Glu	Gly 40	Gly	Gly	Asp	Lys	Pro 45	Arg	Met	His	
Phe	Trp 50	Asp	Phe	Ser	Glu	Asp 55	Arg	Asp	Gly	Lys	Leu 60	Ile	Gln	Tyr	Thr	
Arg 65						Arg							Arg	Leu	Gln 80	
Gln	Val	Ala	Thr	Leu 85		Asp	Arg	Ala	Ala 90	Ile	Leu	Ala	Asn	Asn 95	Ser	
Pro	Glu	Tyr	Ile 100	Phe	Ser	Phe	Leu	Gly 105	Ala	Ile	Tyr	Ala	Gly 110	Met	Val	
Pro	Val	Pro 115	Leu	Tyr	Asp	Pro	Asn 120	Glu	Pro	Gly	His	Ala 125	Asp	His	Leu	
Asn	Ala 130	Val	Phe	Ala	Asp	Ser 135	Glu	Pro	Val	Val	Val 140	Leu	Thr	Asn	Ser	
Lys 145	Ser	Ala	Gly	Ala	Val 150	Arg	Lys	His	Phe	Ser 155	Ser	Leu	Pro	Ala	Ala 160	
Glu	Arg	Pro	Arg	Ile 165	Leu	Ser	Val	Asp	Ser 170	Leụ	Pro	Asp	Ser	Leu 175	Ala	

Asp Ser Tyr Glu Asn Pro Met Leu Thr Glu Ala Gly Arg Arg Leu Ala

180 ' 185 190

Ala Leu Arg Gln Ser Ala Pro Ile Asp Leu Thr Ala Phe Leu Gln Tyr 195 200 205

Thr Ser Gly Ser Thr Arg Thr Pro Ala Gly Val Val Leu Thr Asn Arg 210 215 220

Ser Ile Leu Thr Asn Val Leu Gln Ile Phe Ser Ala Ala Gln Leu Lys 225 230 235 240

Thr Pro Leu Arg Leu Val Ser Trp Leu Pro Leu His His Asp Met Gly
245 250 255

Ile Ile Leu Ala Ala Phe Val Thr Met Leu Gly Leu Asp Asn Glu Phe 260 265 270

Met Asn Pro Arg Asp Phe Val Gln Gln Pro Ser Arg Trp Ile Lys Gln 275 280 285

Leu Asn Arg Arg Glu Ser Asp Val Asp Val Asn Val Tyr Thr Val Val 290 295 300

Pro Asn Phe Ala Leu Glu Leu Ala Ala Arg Tyr Ala Lys Pro Ala Glu 305 310 315 320

Gly Glu Thr Leu Asp Leu Ser Ala Leu Asp Ala Ile Ile Ile Gly Ser 325 330 335

Glu Pro Val Thr Glu Asn Ala Leu Thr Thr Phe Arg Glu Ala Phe Glu 340 . 345 350

Pro Tyr Gly Leu Pro Val Gln Thr Leu Arg Pro Ser Tyr Gly Leu Ala 355 360 365

Glu Ala Ser Leu Leu Val Thr Thr Pro Gln Thr Glu Asn Arg Pro Leu 370 375 380

Ile Ser Tyr Phe Asp Arg Glu Ala Leu Ala Glu Asn Arg Val Glu Leu 385 390 395 400

Val Glu Lys Gly Asn Asn Lys Ala Val Ala Phe Val Ser Asn Gly Gln
405 410 415

Val Ala Ala Pro Gln Gln Leu Val Ile Val Asp Ser Glu Thr Gly Thr 420 425 430

Glu Leu Ala Asp Gly Gln Ile Gly Glu Ile Trp Thr His Gly Glu Asn 435 440 445

Thr Ala Ala Gly Tyr Leu Asp Arg Glu Glu Asp Thr Ala Glu Thr Phe
450 455 460

Arg Asn Arg Leu Thr Thr Arg Leu Glu Glu Asn Ser Arg Ala Glu Gly 475 480

Ala Ala Asp Asp Asn Tyr Trp Met Ala Thr Gly Asp Leu Gly Val Ile
485 490 495

Val Asp Asn Glu Leu Tyr Ile Thr Gly Arg Leu Lys Asp Leu Ile Val 500 505 510

Val Ala Gly Arg Asn His Tyr Pro Gln Asp Ile Glu Tyr Thr Val Gln Ala Ala Ser Ala His Ile Arg Ala Asp Ser Val Ala Ala Phe Ala Val 535 Pro Gly Asp Asp Ile Glu Lys Leu Ile Ile Leu Ala Glu Arg Asp Thr 550 Thr Ala Asn Glu Ala Asp Asp Ala Ala Ala Glu Glu Ala Ile Arg Ser 565 570 Ala Val Gly Thr Ala His Gly Val Val Pro Glu Glu Ile Arg Ile Leu Ala Pro Asp Glu Ile Ala Arg Ser Ser Ser Gly Lys Ile Ala Arg Arg 600 Val Asn Gln Arg Asn Tyr Ile Gln Glu Gln Ala Asn <210> 11 <211> 1550 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (1)..(1527) <223> FRXA02581 <400> 11 gtc cct gtg ccg ctt tat gat cca aac gag cca gga cac gca gac cac Val Pro Val Pro Leu Tyr Asp Pro Asn Glu Pro Gly His Ala Asp His 5 ctc aac gct gtt ttc gca gac agc gag cca gtt gtc gtt ctg acc aac 96 Leu Asn Ala Val Phe Ala Asp Ser Glu Pro Val Val Leu Thr Asn 25 tcc aag tcc gca ggt gcc gtg cgc aag cac ttc tcc agc ctt cca gct 144 Ser Lys Ser Ala Gly Ala Val Arg Lys His Phe Ser Ser Leu Pro Ala 40 gca gaa ege eea ege ate ete tet gta gat tee ttg eet gat tet ete 192 Ala Glu Arg Pro Arg Ile Leu Ser Val Asp Ser Leu Pro Asp Ser Leu gcg gat tct tac gag aac cca atg ctg acc gaa gcc ggc cgc ctg 240 Ala Asp Ser Tyr Glu Asn Pro Met Leu Thr Glu Ala Gly Arg Arg Leu 75 gct gct ctg cgc cag tcc gcg ccc att gat ctg acc gca ttc ctg cag 288 Ala Ala Leu Arg Gln Ser Ala Pro Ile Asp Leu Thr Ala Phe Leu Gln tac acc tee gge tee acc ega acc eca get gge gtt gtt etg acc aac Tyr Thr Ser Gly Ser Thr Arg Thr Pro Ala Gly Val Val Leu Thr Asn 100 105

cgc Arg	tcc Ser	atc Ile 115	ctg Leu	acc Thr	aac Asn	gtc Val	ttg Leu 120	cag Gln	atc Ile	ttc Phe	agc Ser	gcc Ala 125	gca Ala	cag Gln	ctg Leu	384
aaa Lys	acc Thr 130	cca Pro	ctg Leu	cgc Arg	ctg Leu	gtt Val 135	tca Ser	tgg Trp	ctg Leu	cca Pro	ctg Leu 140	cac His	cac His	gac Asp	atg Met	432
ggc Gly 145	att Ile	atc Ile	ctc Leu	gcg Ala	gcg Ala 150	ttt Phe	gtc Val	act Thr	atg Met	ctt Leu 155	ggc Gly	ctg Leu	gac Asp	aac Asn	gag Glu 160	480
ttc Phe	atg Met	aac Asn	cca Pro	cgc Arg 165	gat Asp	ttc Phe	gtg Val	cag Gln	cag Gln 170	cct Pro	tcc Ser	cgc Arg	tgg Trp	att Ile 175	aag Lys	528
cag Gln	ctc Leu	aac Asn	cgt Arg 180	cgc Arg	gaa Glu	agc Ser	gac Asp	gtg Val 185	gac Asp	gtt Val	aac Asn	gtc Val	tac Tyr 190	acc Thr	gtg Val	576
gtt Val	cct Pro	aac Asn 195	ttc Phe	gcc Ala	ctc Leu	gag Glu	ctt Leu 200	gca Ala	gca Ala	cgc Arg	tac Tyr	gca Ala 205	aag Lys	cca Pro	gca Ala	624
gag Glu	gga Gly 210	gag Glu	acc Thr	ctg Leu	gat Asp	ctt Leu 215	tcc Ser	gca Ala	ttg Leu	gat Asp	gcc Ala 220	atc Ile	att Ile	atc Ile	ggt Gly	672
tcc Ser 225	gag Glu	cca Pro	gtc Val	aca Thr	gaa Glu 230	aac Asn	gct Ala	ctg Leu	acc Thr	acc Thr 235	ttc Phe	cgt Arg	gaa Glu	gct Ala	ttc Phe 240	720
gag Glu	cct Pro	tac Tyr	ggc Gly	ctg Leu 245	cct Pro	gtt Val	cag Gln	acc Thr	ctg Leu 250	cgt Arg	cct Pro	tcc Ser	tac Tyr	ggt Gly 255	ctt Leu	768
gca Ala	gaa Glu	gca Ala	tcc Ser 260	ctg Leu	ctg Leu	gtc Val	acc Thr	acc Thr 265	cca Pro	cag Gln	acc Thr	gaa Glu	aac Asn 270	cgc Arg	cca Pro	816
ctg Leu	atc Ile	tcc Ser 275	tac Tyr	ttc Phe	gac Asp	cgc Arg	gag Glu 280	gcc Ala	ttg Leu	gcc Ala	gaa Glu	aac Asn 285	cgc Arg	gtt Val	gag Glu	864
ctt Leu	gta Val 290	gaa Glu	aag Lys	ggc Gly	aat Asn	aac Asn 295	aag Lys	gct Ala	gtt Val	gct Ala	ttc Phe 300	gtc Val	tcc Ser	aac Asn	ggc Gly	912
cag Gln 305	gtt Val	gca Ala	gcc Ala	cca Pro	cag Gln 310	cag Gln	ctg Leu	gtc Val	atc Ile	gtt Val 315	gat Asp	tcc Ser	gaa Glu	acc Thr	gga Gly 320	960
acc Thr	gag Glu	ctg Leu	gca Ala	gac Asp 325	ggc Gly	cag Gln	atc Ile	ggc Gly	gaa Glu 330	atc Ile	tgg Trp	acc Thr	cac His	ggc Gly 335	gaa Glu	1008
aac Asn	act Thr	gct Ala	gca Ala 340	ggt Gly	tac Tyr	ctc Leu	gac Asp	cgc Arg 345	gag Glu	gaa Glu	gac Asp	acc Thr	gca Ala 350	gaa Glu	acc Thr	1056

ttc Phe	cgc Arg	aac Asn 355	cgt Arg	ctg Leu	acc Thr	acc Thr	cgc Arg 360	ctg Leu	gaa Glu	gaa Glu	aac Asn	tcc Ser 365	cgc Arg	gca Ala	gaa Glu	1104
ggt Gly	gct Ala 370	gcc Ala	gac Asp	gac Asp	aac Asn	tac Tyr 375	tgg Trp	atg Met	gcc Ala	acc Thr	ggt Gly 380	gac Asp	ctc Leu	ggc Gly	gtc Val	1152
atc Ile 385	gta Val	gac Asp	aac Asn	gag Glu	ctc Leu 390	tac Tyr	atc Ile	acc Thr	ggt Gly	cgt Arg 395	ctg Leu	aag Lys	gac Asp	ctc Leu	atc Ile 400	1200
gtt Val	gtc Val	gca Ala	ggc Gly	cga Arg 405	aac Asn	cac His	tac Tyr	cca Pro	cag Gln 410	gac Asp	atc Ile	gag Glu	tac Tyr	acc Thr 415	gtc Val	1248
cag Gln	gct Ala	gct Ala	tcc Ser 420	gca Ala	cac His	atc Ile	cgt Arg	gca Ala 425	gat Asp	tcc Ser	gtc Val	gca Ala	gca Ala 430	ttc Phe	gca Ala	1296
gtc Val	cca Pro	ggc Gly 435	gat Asp	gac Asp	att Ile	gaa Glu	aag Lys 440	ctc Leu	atc Ile	atc Ile	ctg Leu	gca Ala 445	gaa Glu	cgc Arg	gac Asp	1344
acc Thr	act Thr 450	gca Ala	aac Asn	gaa Glu	gcc Ala	gac Asp 455	gat Asp	gca Ala	gct Ala	gct Ala	gaa Glu 460	gaa Glu	gca Ala	atc Ile	cgc Arg	1392
tcc Ser 465	gcc Ala	gtt Val	ggc Gly	act Thr	gca Ala 470	cac His	ggt Gly	gtt Val	gtt Val	cca Pro 475	gaa Glu	gag Glu	atc Ile	cgt Arg	atc Ile 480	1440
ctc Leu	gca Ala	cct Pro	gac Asp	gag Glu 485	atc Ile	gcg Ala	cgt Arg	tcc Ser	tcc Ser 490	tcc Ser	gga Gly	aag Lys	atc Ile	gca Ala 495	cgc Arg	1488
cgc Arg	gtc Val	aac Asn	cag Gln 500	cgc Arg	aac Asn	tac Tyr	att Ile	cag Gln 505	gaa Glu	caa Gln	gct Ala	aac Asn	tagt	tctt	tg	1537
caga	acaco	egc a	agg						•							1550
~21 (۱ <u>\</u> 11)														

<210> 12

<211> 509

<212> PRT

<213> Corynebacterium glutamicum

<400> 12

Val Pro Val Pro Leu Tyr Asp Pro Asn Glu Pro Gly His Ala Asp His 1 5 10 15

Leu Asn Ala Val Phe Ala Asp Ser Glu Pro Val Val Val Leu Thr Asn 20 25 30

Ser Lys Ser Ala Gly Ala Val Arg Lys His Phe Ser Ser Leu Pro Ala 35 40 45

Ala Glu Arg Pro Arg Ile Leu Ser Val Asp Ser Leu Pro Asp Ser Leu 50 55 60

Ala Asp Ser Tyr Glu Asn Pro Met Leu Thr Glu Ala Gly Arg Arg Leu Ala Ala Leu Arg Gln Ser Ala Pro Ile Asp Leu Thr Ala Phe Leu Gln 85 Tyr Thr Ser Gly Ser Thr Arg Thr Pro Ala Gly Val Val Leu Thr Asn Arg Ser Ile Leu Thr Asn Val Leu Gln Ile Phe Ser Ala Ala Gln Leu 120 Lys Thr Pro Leu Arg Leu Val Ser Trp Leu Pro Leu His His Asp Met Gly Ile Ile Leu Ala Ala Phe Val Thr Met Leu Gly Leu Asp Asn Glu Phe Met Asn Pro Arg Asp Phe Val Gln Gln Pro Ser Arg Trp Ile Lys 170 Gln Leu Asn Arg Arg Glu Ser Asp Val Asp Val Asn Val Tyr Thr Val Val Pro Asn Phe Ala Leu Glu Leu Ala Ala Arg Tyr Ala Lys Pro Ala 200 Glu Gly Glu Thr Leu Asp Leu Ser Ala Leu Asp Ala Ile Ile Gly Ser Glu Pro Val Thr Glu Asn Ala Leu Thr Thr Phe Arg Glu Ala Phe 235 Glu Pro Tyr Gly Leu Pro Val Gln Thr Leu Arg Pro Ser Tyr Gly Leu Ala Glu Ala Ser Leu Leu Val Thr Thr Pro Gln Thr Glu Asn Arg Pro Leu Ile Ser Tyr Phe Asp Arg Glu Ala Leu Ala Glu Asn Arg Val Glu Leu Val Glu Lys Gly Asn Asn Lys Ala Val Ala Phe Val Ser Asn Gly Gln Val Ala Ala Pro Gln Gln Leu Val Ile Val Asp Ser Glu Thr Gly 310 Thr Glu Leu Ala Asp Gly Gln Ile Gly Glu Ile Trp Thr His Gly Glu Asn Thr Ala Ala Gly Tyr Leu Asp Arg Glu Glu Asp Thr Ala Glu Thr 345 Phe Arg Asn Arg Leu Thr Thr Arg Leu Glu Glu Asn Ser Arg Ala Glu Gly Ala Ala Asp Asp Asn Tyr Trp Met Ala Thr Gly Asp Leu Gly Val Ile Val Asp Asn Glu Leu Tyr Ile Thr Gly Arg Leu Lys Asp Leu Ile

385					390					395					400	
Val	Val	Ala	Gly	Arg 405	Asn	His	Tyr	Pro	Gln 410	Asp	Ile	Glu	Tyr	Thr 415	Val	
Gln	Ala	Ala	Ser 420	Ala	His	Ile	Arg	Ala 425	Asp	Ser	Val	Ala	Ala 430	Phe	Ala	
Val	Pro	Gly 435	Asp	Asp	Ile	Glu	Lys 440	Leu	Ile	Ile	Leu	Ala 445	Glu	Arg	Asp	
Thr	Thr 450	Ala	Asn	Glu	Ala	Asp 455	Asp	Ala	Ala	Ala	Glu 460	Glu	Ala	Ile	Arg	
Ser 465	Ala	Val	Gly	Thr	Ala 470	His	Gly	Val	Val	Pro 475	Glu	Glu	Ile	Arg	Ile 480	
Leu	Ala	Pro	Asp	Glu 485	Ile	Ala	Arg	Ser	Ser 490	Ser	Gly	Lys		Ala 495	Arg	•
Arg	Val	Asn	Gln 500	Arg	Asn	Tyr	Ile	Gln 505	Glu	Gln	Ala	Asn				
<213 <213 <213		953 NA oryne	ebact	ceriu	ım g]	Lutan	nicur	n								
<222	2> (3 3> R)	101).		930)											. •	
	0> 13 atgto		tct	cctca	ag co	ctcgt	ttt	g gti	tgag	gcgg	ata	gttt	taa 1	tatt	tttta	60
agt	ttaaq	gtt (gtaai	cga	gc to	gaaaq	ggct	g ago	gcct	caat				agc Ser		115
					atg Met											163
					acc Thr											211
					acc Thr											259
					gaa Glu											307
					cca Pro 75											355

gag Glu	ggc Gly	gag Glu	cct Pro	cgt Arg 90	cgt Arg	gca Ala	cat His	acc Thr	cag Gln 95	cgt Arg	gaa Glu	ttg Leu	aat Asn	ttc Phe 100	tcc Ser	403
gcg Ala	gtg Val	agc Ser	gat Asp 105	tcc Ser	cca Pro	ggt Gly	tcc Ser	cac His 110	gat Asp	att Ile	gcg Ala	gtt Val	gtc Val 115	ggt Gly	atg Met	451
gct Ala	gcg Ala	cgt Arg 120	tac Tyr	cca Pro	ggc Gly	gct Ala	gag Glu 125	agc Ser	ctg Leu	gag Glu	gat Asp	atg Met 130	tgg Trp	aag Lys	cta Leu	499
ctc Leu	gtc Val 135	gag Glu	ggc Gly	cgt Arg	gac Asp	ggt Gly 140	atc Ile	tcg Ser	gat Asp	cta Leu	ccg Pro 145	att Ile	ggc Gly	cgt Arg	tgg Trp	547
tct Ser 150	gag Glu	tat Tyr	gca Ala	ggc Gly	gat Asp 155	gag Glu	gtt Val	atg Met	tct Ser	cgg Arg 160	aag Lys	atg Met	gaa Glu	gag Glu	ttt Phe 165	595
tct Ser	acc Thr	atc Ile	ggt Gly	ggc Gly 170	tac Tyr	ctg Leu	tca Ser	gat Asp	atc Ile 175	tct Ser	agc Ser	ttt Phe	gat Asp	gcg Ala 180	gag Glu	643
ttc Phe	ttt Phe	ggt Gly	ctg Leu 185	tct Ser	ccg Pro	ctc Leu	gag Glu	gcc Ala 190	gcc Ala	aac Asn	atg Met	gat Asp	cct Pro 195	cag Gln	cag Gln	691
cgt Arg	att Ile	ttg Leu 200	ctg Leu	gag Glu	cta Leu	acg Thr	tgg Trp 205	gag Glu	gct Ala	ttg Leu	gag Glu	tac Tyr 210	gct Ala	cgc Arg	atc Ile	739
gca Ala	cca Pro 215	aac Asn	act Thr	ttg Leu	cgt Arg	ggc Gly 220	gaa Glu	gcc Ala	gtg Val	ggc Gly	gtg Val 225	ttc Phe	ata Ile	ggt Gly	tcc Ser	787
tcc Ser 230	aac Asn	aac Asn	gat Asp	tac Tyr	ggc Gly 235	atg Met	atg Met	atc Ile	gct Ala	gcc Ala 240	gat Asp	cca Pro	gca Ala	gaa Glu	gca Ala 245	835
cat His	cct Pro	tat Tyr	gcg Ala	ctg Leu 250	act Thr	ggt Gly	act Thr	tct Ser	agt Ser 255	gcg Ala	att Ile	gtc Val	gct Ala	aac Asn 260	cgc Arg	883
att Ile	aac Asn	tac Tyr	gct Ala 265	ttc Phe	gat Asp	ttc Phe	cgc Arg	ggt Gly 270	cct Pro	tcc Ser	gtc Val	aac Asn	gtg Val 275	gat Asp	acc Thr	931
gca Ala	tgt Cys	tct Ser 280	tct Ser	tct Ser	ctg Leu	gta Val	gcg Ala 285	gtt Val	cac His	cag Gln	gct Ala	gtc Val 290	cgt Arg	gcg Ala	ctg Leu	979
cgt Arg	aat Asn 295	Gly	gaa Glu	gcg Ala	gat Asp	cac His 300	gct Ala	atc Ile	gct Ala	ggt Gly	gga Gly 305	gtg Val	aac Asn	att Ile	ttg Leu	1027
gca Ala 310	tct Ser	cca Pro	ttt Phe	gtc Val	aca Thr 315	act Thr	gca Ala	ttc Phe	gct Ala	gag Glu 320	ctc Leu	ggt Gly	gtg Val	atc Ile	agc Ser 325	1075
cca	acc	ggc	aag	atc	cac	gca	ttc	tct	gat	gat	gcc	gat	ggt	ttc	gtg	1123

Pro	Thr	Gly	Lys	Ile 330	His	Ala	Phe	Ser	Asp 335	Asp	Ala	Asp	Gly	Phe 340	Val	
	tcc Ser															1171
	cgc Arg															1219
	tcc Ser 375															1267
	gtt Val															1315
	acc Thr															1363
	ccc Pro															1411
	gca Ala															1459
	act Thr 455			-				_		-		-		-		1507
_	ttg Leu	_		_		_							_			1555
	cgc Arg															1603
	cgt Arg															1651
	ttc Phe															1699
	gca Ala 535															1747
	cag Gln															1795
	caa Gln															1843

570 575 580 tgc gac cta acc cca gta gcc cgc gcg ctg gca ggc cgc aat cat ggc 1891 Cys Asp Leu Thr Pro Val Ala Arg Ala Leu Ala Gly Arg Asn His Gly 585 590 cgc tcc cgc gca gtc gtg ctt gca agc act atc gag gaa gcc gta aag 1939 Arg Ser Arg Ala Val Val Leu Ala Ser Thr Ile Glu Glu Ala Val Lys 605 cgc ctg cgc cag gtc gca gaa ggc aag gtc agc gtc ggt atc tcc gca 1987 Arg Leu Arg Gln Val Ala Glu Gly Lys Val Ser Val Gly Ile Ser Ala 620 gct gat tcc cca gcg gcc aac ggt cct gtg ttt gtg tac tcc ggt ttc 2035 Ala Asp Ser Pro Ala Ala Asn Gly Pro Val Phe Val Tyr Ser Gly Phe 630 635 gga tcc cag cac cgc ctc atg atc aag gaa ttg tgc tca att tcg cca 2083 Gly Ser Gln His Arg Leu Met Ile Lys Glu Leu Cys Ser Ile Ser Pro 650 cag ttc cgc gag cgc atc gaa gag ctc gat gaa atg gtt aag ttc gag 2131 Gln Phe Arg Glu Arg Ile Glu Glu Leu Asp Glu Met Val Lys Phe Glu 665 670 675 tcc ggc tgg tcc atc atq aaa ctt gtt ttg gat gat gag caa act tac 2179 Ser Gly Trp Ser Ile Met Lys Leu Val Leu Asp Asp Glu Gln Thr Tyr 680 gac acc gag acc gcg cag gtt gtg atc acc gca atc cag atc gca ctg 2227 Asp Thr Glu Thr Ala Gln Val Val Ile Thr Ala Ile Gln Ile Ala Leu 695 700 act gac ctg ttg gca agc ttc ggt gta aag cca gct gcc gtc atg ggc 2275 Thr Asp Leu Leu Ala Ser Phe Gly Val Lys Pro Ala Ala Val Met Gly 710 715 atg tcg atg ggt gag atc gct gcc gct tac gct gcc ggt gga ctc agc 2323 Met Ser Met Gly Glu Ile Ala Ala Ala Tyr Ala Ala Gly Gly Leu Ser 730 735 gac ege gat acc atg etc att gee age eac egt tee ege eta atg gge 2371 Asp Arg Asp Thr Met Leu Ile Ala Ser His Arg Ser Arg Leu Met Gly 745 750 gag ggc gag aag tcc ctg gct gag gat cag ctg ggt gcc atg gct gtg 2419 Glu Gly Glu Lys Ser Leu Ala Glu Asp Gln Leu Gly Ala Met Ala Val gtg gaa ttc gcc gct gcg gac ctg gat aag ttc atc gaa gaa aac cct 2467 Val Glu Phe Ala Ala Ala Asp Leu Asp Lys Phe Ile Glu Glu Asn Pro 780 gag tac aag ggc att gag cet get gtt tat gea ggc eea ggc atg act 2515 Glu Tyr Lys Gly Ile Glu Pro Ala Val Tyr Ala Gly Pro Gly Met Thr acc gtg ggt gga cct cgc gac gcc gtg gtt cag ttc gta gag aag ctg Thr Val Gly Gly Pro Arg Asp Ala Val Val Gln Phe Val Glu Lys Leu

815

810

gaa tot gaa gac Glu Ser Glu Asp 825	aag ttt gcc Lys Phe Ala	cgc ctg ctc aa Arg Leu Leu As 830	ac gtc aag ggc sn Val Lys Gly 835	gct ggc 2611 Ala Gly
cac acc tct gct His Thr Ser Ala 840	gtg gaa cca Val Glu Pro	ctt ctt ggt ga Leu Leu Gly Gl 845	g ctc gct ggc u Leu Ala Gly 850	gaa atc 2659 Glu Ile
gct ggc atc gag Ala Gly Ile Glu 855				
gat cag ggt gtt Asp Gln Gly Val 870	acc tac cca Thr Tyr Pro 875	gtt gga gca gt Val Gly Ala Va 88	l Val His Asp	gcc gat 2755 Ala Asp 885
tac atg ctc cgc Tyr Met Leu Arg	tgt acc cgc Cys Thr Arg 890	cag tcc gtg ta Gln Ser Val Ty 895	c ttc cag gac r Phe Gln Asp	tcc acc 2803 Ser Thr 900
gaa gct gca ttc Glu Ala Ala Phe 905				
aac cca gtt gca Asn Pro Val Ala 920	ctc atg ggc Leu Met Gly	atg atg aac ac Met Met Asn Th 925	c gcg ttc acc ar Ala Phe Thr 930	gtg ggc 2899 Val Gly
aag cct gat gca Lys Pro Asp Ala 935	cag ctg ctg Gln Leu Leu 940	ttc agc ctg aa Phe Ser Leu Ly	ng cga aaa gtc vs Arg Lys Val 945	cca gag 2947 Pro Glu
gca gaa tcc ctc Ala Glu Ser Leu 950	cgc gac ctt Arg Asp Leu 955	ctg gcg aag ct Leu Ala Lys Le 96	eu Tyr Val Asn	ggc gca 2995 Gly Ala 965
aac gtt gat ttc Asn Val Asp Phe	tcc gcg ctg Ser Ala Leu 970	tac ggc gaa gg Tyr Gly Glu Gl 975	gt gaa acc atc y Glu Thr Ile	gat ccg 3043 Asp Pro 980
cca cac atc acc Pro His Ile Thr 985	tgg aag cac Trp Lys His	cag cgc ttc tg Gln Arg Phe Tr 990	gg act tcc gca pp Thr Ser Ala 995	cgc cca 3091 Arg Pro
tcc tct ggc gca Ser Ser Gly Ala 1000	tcc ctg gat Ser Leu Asp	ctg ccg ggc tt Leu Pro Gly Pr 1005	c cgc gtg aat ne Arg Val Asn 1010	ctg cca 3139 Leu Pro
aac aac act gtg Asn Asn Thr Val 1015	gcg ttt tcc Ala Phe Ser 102	Thr Ala Ala Gl	aa ctg gca cca u Leu Ala Pro 1025	tcc gca 3187 Ser Ala
gtg gca atc atg Val Ala Ile Met 1030	gaa gca gcc Glu Ala Ala 1035	gcc atg gct gt Ala Met Ala Va	c acc cca ggt al Thr Pro Gly 1040	tcc tcc 3235 Ser Ser 1045
gtc gac gca gtg Val Asp Ala Val	gac gag cgc Asp Glu Arg 1050	gac atg ctg co Asp Met Leu Pr 1055	ca cca agc ggc co Pro Ser Gly	gaa atc 3283 Glu Ile 1060

acc acc atc gtg act cgc tcc ttg ggc ggt ttg agc ctg tcc qta tac Thr Thr Ile Val Thr Arg Ser Leu Gly Gly Leu Ser Leu Ser Val Tyr aag att gag gga acc acc agc act ctt gtc gcc gaa ggt ttc gca gcc Lys Ile Glu Gly Thr Thr Ser Thr Leu Val Ala Glu Gly Phe Ala Ala aac cca gga ttc gcc gca gca tct tcc ttc gac ggt cca ggc tac gac Asn Pro Gly Phe Ala Ala Ser Ser Phe Asp Gly Pro Gly Tyr Asp gga ttc aac acc gat tac agc gac cag cca gac cct cgc tcc gac ctg Gly Phe Asn Thr Asp Tyr Ser Asp Gln Pro Asp Pro Arg Ser Asp Leu cct ttg gac atc gaa gca gtc cgc tgg gac cca gcg acc gaa acc gtc Pro Leu Asp Ile Glu Ala Val Arg Trp Asp Pro Ala Thr Glu Thr Val gaa gag cgc atg cgc gcc atc gtc tcc gaa gca atg ggc tac gac gtg Glu Glu Arg Met Arg Ala Ile Val Ser Glu Ala Met Gly Tyr Asp Val gat gac etc eca ege gaa etc eca etg att gac etc gge etc gac tec Asp Asp Leu Pro Arg Glu Leu Pro Leu Ile Asp Leu Gly Leu Asp Ser ctc atg ggc atg cgc atc aaa aac cgc atc gaa aat gac ttc cag atc Leu Met Gly Met Arg Ile Lys Asn Arg Ile Glu Asn Asp Phe Gln Ile cca cca ctc cag gtc caa gcg ctc cgc gat gca tcc gtc gct gac gtg Pro Pro Leu Gln Val Gln Ala Leu Arg Asp Ala Ser Val Ala Asp Val gta atc atg gtg gaa aac atg gtc gct ggc cgc tcc tct gag acg ctt Val Ile Met Val Glu Asn Met Val Ala Gly Arg Ser Ser Glu Thr Leu gtc gac gcc acc ccg cag gtg cca gct gag gca gca ggg gag gct caa Val Asp Ala Thr Pro Gln Val Pro Ala Glu Ala Ala Gly Glu Ala Gln gct gct gag tct tct gct tcg ggc gag gac gtg cag ggc gtt ggc gtt Ala Ala Glu Ser Ser Ala Ser Gly Glu Asp Val Gln Gly Val Gly Val gca ccg cga gat gcg tcg gaa cgc atg gtc ttt ggt act tgg gca ggc Ala Pro Arg Asp Ala Ser Glu Arg Met Val Phe Gly Thr Trp Ala Gly ctg act ggc gct gcg gca gct ggc gtg acc agc aag ttg cca cag atc Leu Thr Gly Ala Ala Ala Gly Val Thr Ser Lys Leu Pro Gln Ile gat gtc gat act gca acc gca att gcc gag cgc ctc acc gag cgt tcc Asp Val Asp Thr Ala Thr Ala Ile Ala Glu Arg Leu Thr Glu Arg Ser gga att gaa atc agc act gaa cag gtg ttg gct gca gaa acc ctc gaa

Gly Ile Glu Ile Ser Thr Glu Gln Val Leu Ala Ala Glu Thr Leu Glu 1305 1310 cca ctg tct gac ctg gtg cgt gaa ggc ctc gaa act gaa gtt cag ggc 4099 Pro Leu Ser Asp Leu Val Arg Glu Gly Leu Glu Thr Glu Val Gln Gly 1320 1325 aac att cgt gtg ctg cgt gga cgt gca gaa ggc tcc acc aag cct gca 4147 Asn Ile Arg Val Leu Arg Gly Arg Ala Glu Gly Ser Thr Lys Pro Ala 1335 1340 gtg ttc atg ttc cac cca gct ggc ggt tct tcc gtg gtc tac caa cca 4195 Val Phe Met Phe His Pro Ala Gly Gly Ser Ser Val Val Tyr Gln Pro 1350 1355 1360 1365 cta atg cgt cgt ctg cct gaa gat gtc cct gtc tat ggc gtt gag cgt 4243 Leu Met Arg Arg Leu Pro Glu Asp Val Pro Val Tyr Gly Val Glu Arg 1370 ctg gaa ggc gat ctc gct gac cgc gcg gca gca tat gtt gat gac atc 4291 Leu Glu Gly Asp Leu Ala Asp Arg Ala Ala Ala Tyr Val Asp Asp Ile 1390 aag aag tac tcc gat ggc ttc cca gta gtt ttg ggt ggc tgg agc ttc 4339 Lys Lys Tyr Ser Asp Gly Phe Pro Val Val Leu Gly Gly Trp Ser Phe 1400 1405 1410 ggc ggt gcc gtt gcc ttc gag gtt gcc cac caa ctg gtt ggc tcc gat 4387 Gly Gly Ala Val Ala Phe Glu Val Ala His Gln Leu Val Gly Ser Asp 1415 1420 gtt gag gta gct acc gtg gcg ttg ctg gat act gtg cag cct tca aac 4435 Val Glu Val Ala Thr Val Ala Leu Leu Asp Thr Val Gln Pro Ser Asn 1430 1435 1440 cca gca cca gat acc gct gag gaa act cgt gca cgc tgg act cgc tac 4483 Pro Ala Pro Asp Thr Ala Glu Glu Thr Arg Ala Arg Trp Thr Arg Tyr 1450 1455 gcg gac ttc gcc aag aag acc tac ggc ctt gat ttc gag gta cct ttt 4531 Ala Asp Phe Ala Lys Lys Thr Tyr Gly Leu Asp Phe Glu Val Pro Phe 1465 1470 gaa atc ttg gac acc atc ggt gaa gac gga atg ctg tcc atg atg acc 4579 Glu Ile Leu Asp Thr Ile Gly Glu Asp Gly Met Leu Ser Met Met Thr 1480 1485 gac ttc ctg gcc aac acc gac gcc tcc gag cac gga ttg tcc gca ggt 4627 Asp Phe Leu Ala Asn Thr Asp Ala Ser Glu His Gly Leu Ser Ala Gly 1495 1500 gtg ctt gaa cac cag cgc gct tct ttt gtg gac aac cgc atc ctg gct 4675 Val Leu Glu His Gln Arg Ala Ser Phe Val Asp Asn Arg Ile Leu Ala 1510 1515 1525 aaa ctt aat ttt gca gac tgg gcc aac gtt gaa gcc cct gtc atc ctg Lys Leu Asn Phe Ala Asp Trp Ala Asn Val Glu Ala Pro Val Ile Leu 1530 1540 ttc cgc gcg gaa cgc atg cat gat gga gct atc gaa ctt gaa cca aac Phe Arg Ala Glu Arg Met His Asp Gly Ala Ile Glu Leu Glu Pro Asn

1545 1550 1555

tat gcc aag att gat caa gat gga gga tgg tcc gga att gtc aac gat
Tyr Ala Lys Ile Asp Gln Asp Gly Gly Trp Ser Gly Ile Val Asn Asp
1560
1570

ttg gaa att gtt cag ctg aat ggt gac cac ctg gca gtt gtc gat gaa 4867 Leu Glu Ile Val Gln Leu Asn Gly Asp His Leu Ala Val Val Asp Glu 1575 1580 1585

cca gaa atc ggc aca gtc gga gct cat ttg agt cgc cgc att gat gag 4915 Pro Glu Ile Gly Thr Val Gly Ala His Leu Ser Arg Arg Ile Asp Glu 1590 1605

att tct cgg aag aat tagtaacgga gagctgacgg aag

Ile Ser Arg Lys Asn

1610

<210> 14

<211> 1610

<212> PRT

<213> Corynebacterium glutamicum

<400> 14

Met Glu Gln Ser Gln Ser Ser Asp Gln Lys Met Thr Val Glu Gln Val 1 5 10 15

Arg Thr Trp Leu Arg Asp Trp Val Val Arg Thr Thr Gly Ile Pro Val 20 25 30

Glu Glu Val Thr Asp Asp Lys Ala Met Glu Thr Phe Gly Leu Ser Ser 35 40 45

Arg Asp Val Val Leu Ser Gly Glu Leu Glu Asn Leu Leu Asp Thr 50 55 60

Ser Leu Asp Ala Thr Ile Ala Tyr Glu Tyr Pro Thr Ile Arg Ser Leu
65 70 75 80

Ala Gln Arg Leu Val Glu Gly Glu Pro Arg Arg Ala His Thr Gln Arg 85 90 95

Glu Leu Asn Phe Ser Ala Val Ser Asp Ser Pro Gly Ser His Asp Ile 100 105 110

Ala Val Val Gly Met Ala Ala Arg Tyr Pro Gly Ala Glu Ser Leu Glu 115 120 125

Asp Met Trp Lys Leu Leu Val Glu Gly Arg Asp Gly Ile Ser Asp Leu 130 135 140

Pro Ile Gly Arg Trp Ser Glu Tyr Ala Gly Asp Glu Val Met Ser Arg 145 150 155 160

Lys Met Glu Glu Phe Ser Thr Ile Gly Gly Tyr Leu Ser Asp Ile Ser 165 170 175

Ser Phe Asp Ala Glu Phe Phe Gly Leu Ser Pro Leu Glu Ala Ala Asn 180 185 190

WO 01/00805	PCT/IB00/00926

Met Asp Pro Gln Gln Arg Ile Leu Leu Glu Leu Thr Trp Glu Ala Leu 195 200 205

- Glu Tyr Ala Arg Ile Ala Pro Asn Thr Leu Arg Gly Glu Ala Val Gly 210 215 220
- Val Phe Ile Gly Ser Ser Asn Asn Asp Tyr Gly Met Met Ile Ala Ala 225 230 235 240
- Asp Pro Ala Glu Ala His Pro Tyr Ala Leu Thr Gly Thr Ser Ser Ala 245 250 255
- Ile Vaí Ala Asn Arg Ile Asn Tyr Ala Phe Asp Phe Arg Gly Pro Ser 260 265 270
- Val Asn Val Asp Thr Ala Cys Ser Ser Ser Leu Val Ala Val His Gln 275 280 285
- Ala Val Arg Ala Leu Arg Asn Gly Glu Ala Asp His Ala Ile Ala Gly 290 295 300
- Gly Val Asn Ile Leu Ala Ser Pro Phe Val Thr Thr Ala Phe Ala Glu 305 310 315 320
- Leu Gly Val Ile Ser Pro Thr Gly Lys Ile His Ala Phe Ser Asp Asp 325 330 335
- Ala Asp Gly Phe Val Arg Ser Asp Gly Ala Gly Val Val Leu Lys 340 345 . 350
- Arg Val Asp Asp Ala Ile Arg Asp Gly Asp Lys Ile Ile Gly Val Ile 355 360 365
- Lys Gly Ser Ala Val Asn Ser Asp Gly His Ser Asn Gly Leu Thr Ala 370 375 380
- Pro Asn Pro Asp Ala Gln Val Asp Val Leu Gln Arg Ala Tyr Val Asp 385 390 395 400
- Ala Gln Val Asp Pro Thr Thr Val Asp Tyr Val Glu Ala His Gly Thr 405 410 415
- Gly Thr Ile Leu Gly Asp Pro Ile Glu Ala Thr Ala Leu Gly Ala Val 420 425 430
- Leu Gly Tyr Gly Arg Asp Ala Ser Thr Pro Thr Leu Leu Gly Ser Ala
 435 440 445
- Lys Ser Asn Phe Gly His Thr Glu Ser Ala Ala Gly Ile Ala Gly Val 450 455 460
- Ile Lys Val Leu Leu Ala Leu Gln Asn Lys Thr Leu Pro Pro Thr Val 465 470 475 480
- Asn Phe Ala Gly Pro Asn Arg Tyr Ile Asp Phe Asp Ala Glu Arg Leu
 485 490 495
- Glu Val Val Glu Asp Pro Arg Glu Trp Pro Glu Tyr Asn Gly His Ala 500 505 510
- Val Ala Gly Val Ser Ala Phe Gly Phe Gly Gly Thr Asn Ala His Val

515 520 525

Val Ile Ser Glu Tyr Asn Ala Glu Asp Tyr Glu Thr Arg Ala Pro Lys 535 Glu Ala Leu Leu Pro Asp Gln Gln Val Ala Leu Pro Val Ser Gly His 550 555 Leu Pro Ser Arg Arg Gln Ala Ala Ala Asp Leu Ala Asp Phe Leu 565 Glu Gly Arg Lys Asp Cys Asp Leu Thr Pro Val Ala Arg Ala Leu Ala Gly Arg Asn His Gly Arg Ser Arg Ala Val Val Leu Ala Ser Thr Ile 600 Glu Glu Ala Val Lys Arg Leu Arg Gln Val Ala Glu Gly Lys Val Ser 610 Val Gly Ile Ser Ala Ala Asp Ser Pro Ala Ala Asn Gly Pro Val Phe 635 Val Tyr Ser Gly Phe Gly Ser Gln His Arg Leu Met Ile Lys Glu Leu 645 650 Cys Ser Ile Ser Pro Gln Phe Arg Glu Arg Ile Glu Glu Leu Asp Glu Met Val Lys Phe Glu Ser Gly Trp Ser Ile Met Lys Leu Val Leu Asp Asp Glu Gln Thr Tyr Asp Thr Glu Thr Ala Gln Val Val Ile Thr Ala Ile Gln Ile Ala Leu Thr Asp Leu Leu Ala Ser Phe Gly Val Lys Pro Ala Ala Val Met Gly Met Ser Met Gly Glu Ile Ala Ala Ala Tyr Ala 730 Ala Gly Gly Leu Ser Asp Arg Asp Thr Met Leu Ile Ala Ser His Arg 745 Ser Arg Leu Met Gly Glu Gly Glu Lys Ser Leu Ala Glu Asp Gln Leu 755 Gly Ala Met Ala Val Val Glu Phe Ala Ala Ala Asp Leu Asp Lys Phe 775 Ile Glu Glu Asn Pro Glu Tyr Lys Gly Ile Glu Pro Ala Val Tyr Ala 785 Gly Pro Gly Met Thr Thr Val Gly Gly Pro Arg Asp Ala Val Val Gln Phe Val Glu Lys Leu Glu Ser Glu Asp Lys Phe Ala Arg Leu Leu Asn 820 825 Val Lys Gly Ala Gly His Thr Ser Ala Val Glu Pro Leu Leu Gly Glu 835 840

Leu Ala Gly Glu Ile Ala Gly Ile Glu Pro Leu Pro Leu Gln Ile Pro 850 860

- Leu Phe Ser Ser Val Asp Gln Gly Val Thr Tyr Pro Val Gly Ala Val 865 870 875 880
- Val His Asp Ala Asp Tyr Met Leu Arg Cys Thr Arg Gln Ser Val Tyr 885 890 895
- Phe Gln Asp Ser Thr Glu Ala Ala Phe Ala Ala Gly His Asn Thr Leu 900 905 910
- Val Glu Ile Ser Pro Asn Pro Val Ala Leu Met Gly Met Met Asn Thr 915 920 925
- Ala Phe Thr Val Gly Lys Pro Asp Ala Gln Leu Leu Phe Ser Leu Lys 930 935 940
- Arg Lys Val Pro Glu Ala Glu Ser Leu Arg Asp Leu Leu Ala Lys Leu 945 950 955 960
- Tyr Val Asn Gly Ala Asn Val Asp Phe Ser Ala Leu Tyr Gly Glu Gly 965 970 975
- Glu Thr Ile Asp Pro Pro His Ile Thr Trp Lys His Gln Arg Phe Trp 980 985 990
- Thr Ser Ala Arg Pro Ser Ser Gly Ala Ser Leu Asp Leu Pro Gly Phe 995 1000 1005
- Arg Val Asn Leu Pro Asn Asn Thr Val Ala Phe Ser Thr Ala Ala Glu 1010 1015 1020
- Leu Ala Pro Ser Ala Val Ala Ile Met Glu Ala Ala Ala Met Ala Val 1025 1030 1035 1040
- Thr Pro Gly Ser Ser Val Asp Ala Val Asp Glu Arg Asp Met Leu Pro 1045 1050 1055
- Pro Ser Gly Glu Ile Thr Thr Ile Val Thr Arg Ser Leu Gly Gly Leu 1060 1065 1070
- Ser Leu Ser Val Tyr Lys Ile Glu Gly Thr Thr Ser Thr Leu Val Ala 1075 1080 1085
- Glu Gly Phe Ala Ala Asn Pro Gly Phe Ala Ala Ser Ser Phe Asp 1090 1095 1100
- Gly Pro Gly Tyr Asp Gly Phe Asn Thr Asp Tyr Ser Asp Gln Pro Asp 1105 1110 1115
- Pro Arg Ser Asp Leu Pro Leu Asp Ile Glu Ala Val Arg Trp Asp Pro 1125 1130 1135
- Ala Thr Glu Thr Val Glu Glu Arg Met Arg Ala Ile Val Ser Glu Ala 1140 1145 1150
- Met Gly Tyr Asp Val Asp Asp Leu Pro Arg Glu Leu Pro Leu Ile Asp 1155 , 1160 1165

Leu Gly Leu Asp Ser Leu Met Gly Met Arg Ile Lys Asn Arg Ile Glu 1170 1175 1180

- Asn Asp Phe Gln Ile Pro Pro Leu Gln Val Gln Ala Leu Arg Asp Ala 1185 1190 1195 1200
- Ser Val Ala Asp Val Val Ile Met Val Glu Asn Met Val Ala Gly Arg 1205 1210 1215
- Ser Ser Glu Thr Leu Val Asp Ala Thr Pro Gln Val Pro Ala Glu Ala 1220 1225 1230
- Ala Gly Glu Ala Gln Ala Ala Glu Ser Ser Ala Ser Gly Glu Asp Val 1235 1240 1245
- Gln Gly Val Gly Val Ala Pro Arg Asp Ala Ser Glu Arg Met Val Phe 1250 1260
- Gly Thr Trp Ala Gly Leu Thr Gly Ala Ala Ala Ala Gly Val Thr Ser 1265 1270 1275 1280
- Lys Leu Pro Gln Ile Asp Val Asp Thr Ala Thr Ala Ile Ala Glu Arg 1285 1290 1295
- Leu Thr Glu Arg Ser Gly Ile Glu Ile Ser Thr Glu Gln Val Leu Ala 1300 1305 1310
- Ala Glu Thr Leu Glu Pro Leu Ser Asp Leu Val Arg Glu Gly Leu Glu 1315 1320 1325
- Thr Glu Val Gln Gly Asn Ile Arg Val Leu Arg Gly Arg Ala Glu Gly 1330 1335 1340
- Ser Thr Lys Pro Ala Val Phe Met Phe His Pro Ala Gly Gly Ser Ser 1345 1350 1355 1360
- Val Val Tyr Gln Pro Leu Met Arg Arg Leu Pro Glu Asp Val Pro Val 1365 1370 1375
- Tyr Gly Val Glu Arg Leu Glu Gly Asp Leu Ala Asp Arg Ala Ala Ala 1380 1385 1390
- Tyr Val Asp Asp Ile Lys Lys Tyr Ser Asp Gly Phe Pro Val Val Leu 1395 1400 1405
- Gly Gly Trp Ser Phe Gly Gly Ala Val Ala Phe Glu Val Ala His Gln 1410 1415 1420
- Leu Val Gly Ser Asp Val Glu Val Ala Thr Val Ala Leu Leu Asp Thr
 1425 1430 1435 1440
- Val Gln Pro Ser Asn Pro Ala Pro Asp Thr Ala Glu Glu Thr Arg Ala 1445 1450 1455
- Arg Trp Thr Arg Tyr Ala Asp Phe Ala Lys Lys Thr Tyr Gly Leu Asp 1460 1465 1470
- Phe Glu Val Pro Phe Glu Ile Leu Asp Thr Ile Gly Glu Asp Gly Met 1475 1480 1485
- Leu Ser Met Met Thr Asp Phe Leu Ala Asn Thr Asp Ala Ser Glu His

1490 1495 1500 Gly Leu Ser Ala Gly Val Leu Glu His Gln Arg Ala Ser Phe Val Asp 1505 1510 1515 Asn Arg Ile Leu Ala Lys Leu Asn Phe Ala Asp Trp Ala Asn Val Glu 1525 1530 Ala Pro Val Ile Leu Phe Arg Ala Glu Arg Met His Asp Gly Ala Ile 1545 Glu Leu Glu Pro Asn Tyr Ala Lys Ile Asp Gln Asp Gly Gly Trp Ser Gly Ile Val Asn Asp Leu Glu Ile Val Gln Leu Asn Gly Asp His Leu 1575 Ala Val Val Asp Glu Pro Glu Ile Gly Thr Val Gly Ala His Leu Ser 1585 1600 Arg Arg Ile Asp Glu Ile Ser Arg Lys Asn 1605 <210> 15 <211> 540 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(517) <223> RXA01138 <400> 15 cttattcaag tttttggaaa gataattaac tatgacttta aaaacagtaa acggaacgca 60 gctgcgagac actgtcggat cgttcccttc aggtgtcacg gtg gtc acc act acc Val Val Thr Thr Thr gat ggg gaa gtg gac cac ggg ttg act gtg agt gcg ttc gtg tcc ttg 163 Asp Gly Glu Val Asp His Gly Leu Thr Val Ser Ala Phe Val Ser Leu 10 tcg ttg gag cct gcc atg gtg ttg gtg agt atc gat aag aaa tca agc 211 Ser Leu Glu Pro Ala Met Val Leu Val Ser Ile Asp Lys Lys Ser Ser 25 gtt gtg ccg ttt ttg gag cag ggt tca cca gtt gct gtg tct gtg tta 259 Val Val Pro Phe Leu Glu Gln Gly Ser Pro Val Ala Val Ser Val Leu 40 tcg gaa gag cag agc gat ttg gcc atc aca ttt ggc cgt cat ctg gaa Ser Glu Glu Gln Ser Asp Leu Ala Ile Thr Phe Gly Arg His Leu Glu

80

aac aaa ttc gac ggc gtt tcc att aag cgt tca aca aac agg gca gcg Asn Lys Phe Asp Gly Val Ser Ile Lys Arg Ser.Thr Asn Arg Ala Ala

75

65

55

70

gtc ttg gaa ggt gcg tca gca tgg ttg agt ggc gct gtg gtg gat aaa 403 Val Leu Glu Gly Ala Ser Ala Trp Leu Ser Gly Ala Val Val Asp Lys tac cca ggt gga gat cac ttt att atc acc att gcc gtg gaa gag tgt Tyr Pro Gly Gly Asp His Phe Ile Ile Thr Ile Ala Val Glu Glu Cys 110 gct cac gac gag gag caa aag cca ctt ctt tac cac cgt ggc agg ctt Ala His Asp Glu Glu Gln Lys Pro Leu Leu Tyr His Arg Gly Arg Leu 125 ttt cag tgg caa gaa gat taattctcca ccccttcatt ttc 540 Phe Gln Trp Gln Glu Asp 135 <210> 16 <211> 139 <212> PRT <213> Corynebacterium glutamicum <400> 16 Val Val Thr Thr Asp Gly Glu Val Asp His Gly Leu Thr Val Ser 1 5 Ala Phe Val Ser Leu Ser Leu Glu Pro Ala Met Val Leu Val Ser Ile Asp Lys Lys Ser Ser Val Val Pro Phe Leu Glu Gln Gly Ser Pro Val 45 Ala Val Ser Val Leu Ser Glu Glu Gln Ser Asp Leu Ala Ile Thr Phe Gly Arg His Leu Glu Asn Lys Phe Asp Gly Val Ser Ile Lys Arg Ser Thr Asn Arg Ala Ala Val Leu Glu Gly Ala Ser Ala Trp Leu Ser Gly Ala Val Val Asp Lys Tyr Pro Gly Gly Asp His Phe Ile Ile Thr Ile 105 Ala Val Glu Glu Cys Ala His Asp Glu Glu Gln Lys Pro Leu Leu Tyr 115 120 His Arg Gly Arg Leu Phe Gln Trp Gln Glu Asp 130 135 <210> 17 <211> 756 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(733) <223> RXA01980

<400> 17 aggatcgtac caaataaggc aataaactct ttttactttt cctcaacttc ctgaaaagtc 60 gccgccctag aattcactaa gtttccgata tctttaaccc atg cag atc att gat Met Gln Ile Ile Asp ctc tct cat gcg ttc gcg ccc gga caa ccc cac tac cct ggg gat cca 163 Leu Ser His Ala Phe Ala Pro Gly Gln Pro His Tyr Pro Gly Asp Pro 10 gat caa gaa att aag acg gtc tcc acg att gaa aac gat ggc ttt tta 211 Asp Gln Glu Ile Lys Thr Val Ser Thr Ile Glu Asn Asp Gly Phe Leu atg cat caa tac aga ctt gtt ggt ccc tgg gga acg cat gta gat gca 259 Met His Gln Tyr Arg Leu Val Gly Pro Trp Gly Thr His Val Asp Ala 40 45 cct gca cat ttc gat cca caa ggt cgg acg ctt gat cag atc cct gtg 307 Pro Ala His Phe Asp Pro Gln Gly Arg Thr Leu Asp Gln Ile Pro Val 55 gag gaa acg cat tta ccc ctt tat tgc ctg agg ttt tct cqc ccc gat 355 Glu Glu Thr His Leu Pro Leu Tyr Cys Leu Arg Phe Ser Arg Pro Asp 75 cta tgt act gct gat ata gaa gcg ttt gaa cat aca cac ggg aaa 403 Leu Cys Thr Ala Ala Asp Ile Glu Ala Phe Glu His Thr His Gly Lys ate gaa cea gga tee tte gte gea ete eac act gga tgg gaa tgg gqt 451 Ile Glu Pro Gly Ser Phe Val Ala Leu His Thr Gly Trp Glu Trp Gly 110 aaa caa ggg atc gca ccc ggc tgg tct atc gag gct tta gaa atc ctc Lys Gln Gly Ile Ala Pro Gly Trp Ser Ile Glu Ala Leu Glu Ile Leu 125 cat gcc cgt gga gtc att gcc att ggc cac gat ctt ccc gat aca gat 547 His Ala Arg Gly Val Ile Ala Ile Gly His Asp Leu Pro Asp Thr Asp cct tca ctg gag gca cag cgc tgg tgg ctg tgc cgt gac cat tgg cag Pro Ser Leu Glu Ala Gln Arg Trp Trp Leu Cys Arg Asp His Trp Gln 150 155 160 att gaa aac ctc acc aat ttg gac aag gtt cct gca acg ggt gcg atg 643 Ile Glu Asn Leu Thr Asn Leu Asp Lys Val Pro Ala Thr Gly Ala Met 170 175 att gct tgt cct tgg cca gtt cca aaa gat ggt gct agt ttc cca gtg Ile Ala Cys Pro Trp Pro Val Pro Lys Asp Gly Ala Ser Phe Pro Val 185 195 cgt cca att gct ctc gtc cca gag cac cta tcc cct act cgc 733 Arg Pro Ile Ala Leu Val Pro Glu His Leu Ser Pro Thr Arg 200 205 taaagcgaac ggcagcacct tct 756

<210> 18

<211> 211

<212> PRT

<213> Corynebacterium glutamicum

<400> 18

Met Gln Ile Ile Asp Leu Ser His Ala Phe Ala Pro Gly Gln Pro His 1 5 10 15

Tyr Pro Gly Asp Pro Asp Gln Glu Ile Lys Thr Val Ser Thr Ile Glu 20 25 30

Asn Asp Gly Phe Leu Met His Gln Tyr Arg Leu Val Gly Pro Trp Gly 35 40 45

Thr His Val Asp Ala Pro Ala His Phe Asp Pro Gln Gly Arg Thr Leu 50 55 60

Asp Gln Ile Pro Val Glu Glu Thr His Leu Pro Leu Tyr Cys Leu Arg
65 70 75 80

Phe Ser Arg Pro Asp Leu Cys Thr Ala Ala Asp Ile Glu Ala Phe Glu 85 90 95

His Thr His Gly Lys Ile Glu Pro Gly Ser Phe Val Ala Leu His Thr 100 105 110

Gly Trp Glu Trp Gly Lys Gln Gly Ile Ala Pro Gly Trp Ser Ile Glu 115 120 125

Ala Leu Glu Ile Leu His Ala Arg Gly Val Ile Ala Ile Gly His Asp 130 135 140

Leu Pro Asp Thr Asp Pro Ser Leu Glu Ala Gln Arg Trp Trp Leu Cys 145 150 155 160

Arg Asp His Trp Gln Ile Glu Asn Leu Thr Asn Leu Asp Lys Val Pro 165 170 175

Ala Thr Gly Ala Met Ile Ala Cys Pro Trp Pro Val Pro Lys Asp Gly
180 185 190

Ala Ser Phe Pro Val Arg Pro Ile Ala Leu Val Pro Glu His Leu Ser 195 200 205

Pro Thr Arg 210

<210> 19

<211> 1830

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(1807)

<223> RXN01007

<400> 19

tctgaaccaa tataccgatc agtctaaaag tgtgttaagt tctggaacat aaattagctg 60 acacgtaaag taacttaaag attcactgga ggtaagccta gtg ttt aaa aag cac Val Phe Lys Lys His aga cac ggt ctc ggc tcc ccc gaa acc aaa cca cgc tca ata acc cgc Arg His Gly Leu Gly Ser Pro Glu Thr Lys Pro Arg Ser Ile Thr Arg cgg ttt ttc acc gcg gcc gcc gct acg ctg gca gga ttg gca gtc ctg 211 Arg Phe Phe Thr Ala Ala Ala Ala Thr Leu Ala Gly Leu Ala Val Leu 30 tcc ggc tgc aca gca caa ccc tca caa gca gaa gac aac acg ctc act 259 Ser Gly Cys Thr Ala Gln Pro Ser Gln Ala Glu Asp Asn Thr Leu Thr tac tta gag cca cag ttc ttc cgc acc ctg tac cca cca tca gcg ggc Tyr Leu Glu Pro Gln Phe Phe Arg Thr Leu Tyr Pro Pro Ser Ala Gly ttt tac ccc aac ggc agt gtg gtg aac aac att gca gac cgc ttg ctc Phe Tyr Pro Asn Gly Ser Val Val Asn Asn Ile Ala Asp Arg Leu Leu tac cag gat cet gaa ace ttg gaa etc aag eeg tgg ate gee ace gaa Tyr Gln Asp Pro Glu Thr Leu Glu Leu Lys Pro Trp Ile Ala Thr Glu 95 ctc cca gaa gta aac gaa gcc acg gaa ttt acc ttc aac atc cgc 451 Leu Pro Glu Val Asn Glu Asp Ala Thr Glu Phe Thr Phe Asn Ile Arg 105 acc gat gtc acc tac tcc gat ggc acc ccg ctg acg gct gaa aac gtg Thr Asp Val Thr Tyr Ser Asp Gly Thr Pro Leu Thr Ala Glu Asn Val 120 125 gtg aaa aac ttc gat ctc tat ggc ctc ggc gat caa gat cga cgc ctc 547 Val Lys Asn Phe Asp Leu Tyr Gly Leu Gly Asp Gln Asp Arg Arg Leu 135 140 acc atc tct gag cag atc acc aac tac gac cac ggc gaa gta gta gat 595 Thr Ile Ser Glu Gln Ile Thr Asn Tyr Asp His Gly Glu Val Val Asp 150 · 155 160 gag gac acc gtc cga ttc cac ttc tct gag cct gca cct ggt ttt gct 643 Glu Asp Thr Val Arg Phe His Phe Ser Glu Pro Ala Pro Gly Phe Ala 170 175 cag gcc acc agc tcc ttc aac gct ggc ctt tat gcc gat tcc acc ttg 691 Gln Ala Thr Ser Ser Phe Asn Ala Gly Leu Tyr Ala Asp Ser Thr Leu 190 gag ttc gcc aat gag gat ttc gcg cca ggc aac gcc caa aac gtc atc 739 Glu Phe Ala Asn Glu Asp Phe Ala Pro Gly Asn Ala Gln Asn Val Ile ggc tcc ggt cct ttc gtg atc acc gat gaa acc cta ggc acc aac ctc Gly Ser Gly Pro Phe Val Ile Thr Asp Glu Thr Leu Gly Thr Asn Leu 215 220

acc Thr 230	ttg Leu	act Thr	gcg Ala	cgt Arg	gag Glu 235	gat Asp	tac Tyr	gat Asp	tgg Trp	gca Ala 240	cca Pro	cca Pro	tca Ser	cgc Arg	gaa Glu 245	835
		ggt Gly														883
		tcc Ser														931
		cag Gln 280														979
atc Ile	ccg Pro 295	atc Ile	atc Ile	tcc Ser	gca Ala	gcc Ala 300	acc Thr	aac Asn	ggt Gly	gtg Val	aac Asn 305	aac Asn	agc Ser	ttc Phe	aac Asn	1027
ttc Phe 310	cgc Arg	ttc Phe	aaa Lys	aac Asn	gag Glu 315	ctg Leu	ctc Leu	tca Ser	gac Asp	atc Ile 320	cgt Arg	gtt Val	cgc Arg	caa Gln	gct Ala 325	1075
		cac His														1123
		tat Tyr														1171
		gaa Glu 360														1219
gct Ala	ctg Leu 375	ctt Leu	gac Asp	gaa Glu	gcc Ala	ggc Gly 380	tgg Trp	acc Thr	ctt Leu	gat Asp	agc Ser 385	gac Asp	ggc Gly	atg Met	cgt Arg	1267
		gac Asp														1315
		cgt Arg														1363
gat Asp	ctg Leu	ggc Gly	atc Ile 425	aag Lys	gtc Val	aac Asn	ctc Leu	aac Asn 430	cca Pro	ggt Gly	gac Asp	caa Gln	gca Ala 435	gcc Ala	cag Gln	1411
		gac Asp 440														1459
		cgc Arg														1507

			ttg Leu 475									1555
			ttg Leu									1603
			cgt Arg								tac Tyr	1651
			tat Tyr								gtc Val	1699
											ggc Gly	1747
											tcc Ser 565	1795
gag Glu		taa	atga	cta (cctc	gcag	at to	ct		•		1830

<210> 20

<211> 569

<212> PRT

<213> Corynebacterium glutamicum

<400> 20

Val Phe Lys Lys His Arg His Gly Leu Gly Ser Pro Glu Thr Lys Pro 1 5 10 15

Arg Ser Ile Thr Arg Arg Phe Phe Thr Ala Ala Ala Ala Thr Leu Ala 20 25 30

Gly Leu Ala Val Leu Ser Gly Cys Thr Ala Gln Pro Ser Gln Ala Glu 35 40 45

Asp Asn Thr Leu Thr Tyr Leu Glu Pro Gln Phe Phe Arg Thr Leu Tyr 50 55 60

Pro Pro Ser Ala Gly Phe Tyr Pro Asn Gly Ser Val Val Asn Asn Ile 65 70 75 80

Ala Asp Arg Leu Leu Tyr Gln Asp Pro Glu Thr Leu Glu Leu Lys Pro 85 90 95

Trp Ile Ala Thr Glu Leu Pro Glu Val Asn Glu Asp Ala Thr Glu Phe $100 \hspace{1cm} 105 \hspace{1cm} 110$

Thr Phe Asn Ile Arg Thr Asp Val Thr Tyr Ser Asp Gly Thr Pro Leu 115 120 125

Thr Ala Glu Asn Val Val Lys Asn Phe Asp Leu Tyr Gly Leu Gly Asp 130 135 140

Gln 145	Asp	Arg	Arg	Leu	Thr 150	Ile	Ser	Glu	Gln	Ile 155	Thr	Asn	Tyr	Asp	His 160
Gly	Glu	Val	Val	Asp 165	Glu	Asp	Thr	Val	Arg 170	Phe	His	Phe	Ser	Glu 175	Pro
Ala	Pro	Gly	Phe 180	Ala	Gln	Ala	Thr	Ser 185	Ser	Phe	Asn	Ala	Gly 190	Leu	Туг
Ala	Asp	Ser 195	Thr	Leu	Glu	Phe	Ala 200	Asn	Glu	Asp	Phe	Ala 205	Pro	Gly	Asr
Ala	Gln 210	Asn	Val	Ile	Gly	Ser 215	Gly	Pro	Phe	Val	11e 220	Thr	Asp	Glu	Thr
Leu 225	Gly	Thr	Asn	Leu	Thr 230	Leu	Thr	Ala	Arg	Glu 235	Asp	Tyr	Asp	Trp	Ala 240
Pro	Pro	Ser	Arg	Glu 245	His	Gln	Gly	Arg	Ala 250	Lys	Leu	Asp	Ala	Val 255	Asn
Tyr	Val	Leu	Ala 260	Gly	Glu	Glu	Ser	Val 265	Arg	Ile	Gly	Ala	Ile 270	Val	Ala
Gly	Gln	Gly 275	Asp	Ile	Ala	Arg	Gln 280	Ile	Glu	Ala	Pro	Val 285	Glu	Ala	His
Leu	Lys 290	Asp	Ala	Gly	Ile	Pro 295	Ile	Ile	Ser	Ala	Ala 300	Thr	Asn	Gly	Val
Asn 305	Asn	Ser	Phe	Asn	Phe 310	Arg	Phe	Lys	Asn	Glu 315	Leu	Leu	Ser	Asp	11e 320
Arg	Val	Arg	Gln	Ala 325	Leu	Ile	His	Ala	11e 330	Asp	Arg	Glu	Lys	Ile 335	Met
Arg	Val	Leu	Phe 340	Ser	Asp	Ser	Tyr	Pro 345	Leu	Ala	Thr	Ser	Val 350	Leu	Ala
Gln	Asn	Ala 355	Leu	Gly	Tyr	Lys	Glu 360	Gln	Val	Asp	Ala	Tyr 365	Val	Tyr	Asp
Leu	Asp 370	Lys	Ala	Thr	Ala	Leu 375	Leu	Asp	Glu	Ala	Gly 380	Trp	Thr	Leu	Asp
Ser 385	Asp	Gly	Met	Arg	Arg 390	Lys	Asp	Gly	Glu	Leu 395	Leu	Glu	Leu	Thr	Phe 400
Asn	Glu	Ala	Leu	Pro 405	Gln	Pro	Arg	Ser	Arg 410	Glu	Val	Val	Thr	Met 415	Val
Gln	Glu	Gln	Leu 420	Gly	Asp	Leu	Gly	Ile 425	Lys	Val	Asn	Leu	Asn 430	Pro	Gly
Asp	Gln	Ala 435	Ala	Gln	Asp	Ala	Asp 440	Ser	Lys	Asp	Leu	Asn 445	Lys	Ile	Gln
Val	Arg 450	His	Thr	Met	Val	Gly 455	Arg	Ala	Asp	Tyr	Asp 460	Val	Leu	Lys	Ser

Gln 465	Leu	Tyr	Ser	Thr	Asn 470	Arg	Asn	Glu	Leu	Leu 475	Asn	Met	Thr	Val	Glu 480	
Gly	Glu	Thŗ	Ala	Asp 485	Ile	Gly	Asp	Pro	His 490	Leu	Glu	Glu	Leu	Leu 495	Met	
Ala	Ile	Ala	Ser 500	Ser	Pro	Arg	Glu	Glu 505	Asp	Arg	Ala	Ala	Ala 510	Ser	Ala	
Ala	Ala	Gln 515	Asp	Tyr	Ile	Thr	Glu 520	Gln	Ala	Tyr	Val	Leu 525	Pro	Leu	Phe	
Glu	Glu 530	Pro	Val	Val	Tyr	Gly 535	Val	Gln	Pro	Tyr	Val 540	Lys	Gly	Phe	Ser	
Pro 545	Glu	Val	Ile	Gly	Arg 550	Pro	Ser	Phe	Tyr	Glu 555	Thr	Tyr	Ile	Asp	His 560	
Ser	Ser	Asp	His	Ser 565	Ser	Glu	Glu	Asp								
<21 <21	0> 21 1> 85 2> DN 3> Co	8 1A	ebact	ceriu	ım gl	Lutan	nicum	n								
	0> 1> CI 2> (1		(81	351												
	3> R)			,,												
<40	3> R) 0> 23	KN007 L	784		og ga	aataq	gttad	g cgo	ggcg	catg	tggi	tgg	gat a	atato	gaataa	60
<22:	3> R) 0> 23	KN007 L cag t	784 ctato	egego							atg	tct	att		ttc	60 115
<22: <400 gtc. atc:	3> R) 0> 23 acato	KN007 L cag t cca a	784 ctato actao gca	egego egego	ta aa	aacga aaa	aggad atc	c gti gaa	ttaa: gtg	agct tgg	atg Met 1	tct Ser gac	att Ile atc	gaa Glu atg	ttc Phe 5 tgc	
<22: <400 gtc. atc: tcc Ser	3> R) 0> 21 acato tatto gca	kn007 L cag t cca a cca Pro	784 ctato actao gca Ala tac	egege egege aaa Lys 10 atc	atg Met	aacga aaa Lys aaa	aggad atc Ile aag	gaa Glu cgc	gtg Val 15	tgg Trp gac	atg Met 1 agc Ser	tct Ser gac Asp	att Ile atc Ile	gaa Glu atg Met 20	ttc Phe 5 tgc Cys	115
<22: <400 gtc. atc: tcc Ser ccc Pro	3> RX 0> 23 acato tatto gca Ala	kN007 Leag teca a cca a Pro tgc Cys	gca Ala tac Tyr 25	aaa Lys 10 atc Ile	atg Met ggc Gly	aacga aaa Lys aaa Lys	atc Ile aag Lys	gaa Glu cgc Arg 30	gtg Val 15 ctc Leu	tgg Trp gac Asp	atg Met 1 agc Ser gac Asp	tct Ser gac Asp gcc Ala	att Ile atc Ile cta Leu 35	gaa Glu atg Met 20 agt Ser	ttc Phe 5 tgc Cys acc Thr	115 163
<22: <400 gtc. atc: tcc Ser ccc Pro	3> RX 0> 2: acato tatto gca Ala ttc Phe	cag to cag Gln 40	gca Ala tac Tyr 25 gcc Ala	aaa Lys 10 atc Ile gga Gly	atg Met ggc Gly cgc Arg	aacga aaa Lys aaa Lys atc Ile	atc Ile aag Lys gaa Glu 45	gaa Glu cgc Arg 30 gtg Val	gtg Val 15 ctc Leu gaa Glu	tgg Trp gac Asp tac Tyr	atg Met 1 agc Ser gac Asp aag Lys	tct Ser gac Asp gcc Ala agc Ser 50	att Ile atc Ile cta Leu 35 ttc Phe	gaa Glu atg Met 20 agt Ser gaa Glu	ttc Phe 5 tgc Cys acc Thr ctc Leu	115163211
<22: <400 gtc. atc: tcc Ser ccc Pro ttt Phe atg	3> RX 0> 23 acato tatto gca Ala ttc Phe gac Asp cca Pro	cca a cca a rro tgc Cys cag Gln 40 ggc Gly	gca Ala tac Tyr 25 gcc Ala cta Leu	aaa Lys 10 atc Ile gga Gly gaa Glu	atg Met ggc Gly cgc Arg acc Thr	aacga aaa Lys aaa Lys atc Ile cac His 60	atc Ile aag Lys gaa Glu 45 cca Pro	gaa Glu cgc Arg 30 gtg Val ctg Leu	gtg Val 15 ctc Leu gaa Glu cgt Arg	tgg Trp gac Asp tac Tyr tcc Ser	atg Met 1 agc Ser gac Asp aag Lys gac Asp 65	tct Ser gac Asp gcc Ala agc Ser 50 gtt Val	att Ile atc Ile cta Leu 35 ttc Phe gaa Glu atg	gaa Glu atg Met 20 agt Ser gaa Glu tac Tyr	ttc Phe 5 tgc Cys acc Thr ctc Leu ctc Leu	115163211259

90 95 100

gaa Glu	acc Thr	atc Ile	gcg Ala 105	gcc Ala	aac Asn	acc Thr	atc Ile	aac Asn 110	gcg Ala	cac His	cgc Arg	ctt Leu	acc Thr 115	cac His	ttc Phe	451
gcg Ala	aaa Lys	gcc Ala 120	cac	ggc Gly	aag Lys	caa Gln	caa Gln 125	gaa Glu	gtg Val	gcg Ala	cag Gln	gaa Glu 130	ctc Leu	ttc Phe	aag Lys	499
										gac Asp						547
										agt Ser 160						595
ctc Leu	gaa Glu	tcc Ser	gac Asp	gtg Val 170	tac Tyr	acc Thr	aac Asn	gaa Glu	gtc Val 175	caa Gln	caa Gln	gac Asp	gtc Val	cac His 180	gaa Glu	643
										ttc Phe						691
aaa Lys	tac Tyr	gcc Ala 200	atc Ile	aac Asn	ggc Gly	gcc Ala	caa Gln 205	caa Gln	gaa Glu	gaa Glu	gta Val	ttc Phe 210	acc Thr	ggc Gly	acc Thr	739
gta Val	gaa Glu 215	aaa Lys	gcc Ala	ttc Phe	gaa Glu	gag Glu 220	tgg Trp	gca Ala	gcc Ala	gaa Glu	aac Asn 225	cca Pro	gtc Val	agc Ser	cca Pro	7,87
ttt Phe 230	gag Glu	gtc Val	att Ile	gac Asp	ggc Gly 235	caa Gln	agc Ser	tgc Cys	tcc Ser	gtc Val 240	gac Asp	ggc Gly	acc Thr	tgc Cys	aac Asn 245	835
taad	ctttt	gg g	gacct	atgt	g co	jt ·										858

<210> 22

<211> 245

<212> PRT

<213> Corynebacterium glutamicum

<400> 22

Met Ser Ile Glu Phe Ser Ala Pro Ala Lys Met Lys Ile Glu Val Trp

Ser Asp Ile Met Cys Pro Phe Cys Tyr Ile Gly Lys Lys Arg Leu Asp 20 25

Asp Ala Leu Ser Thr Phe Asp Gln Ala Gly Arg Ile Glu Val Glu Tyr

Lys Ser Phe Glu Leu Met Pro Gly Leu Glu Thr His Pro Leu Arg Ser

Asp Val Glu Tyr Leu Ala Asp Ala Lys Gly Met Ser Leu Glu Gln Ala

Arg Gln Met Asn Gly Gln Val Gln Ala Met Ala Gln Ala Thr Gly Leu Glu Met Asn Pro Asp Glu Thr Ile Ala Ala Asn Thr Ile Asn Ala His 105 Arg Leu Thr His Phe Ala Lys Ala His Gly Lys Gln Gln Glu Val Ala 120 Gln Glu Leu Phe Lys Ala His Phe Val Asp Gly Lys Asn Val Asp Asp 130 135 Leu Asp Val Leu Val Ser Ile Ala Ala Glu Val Gly Leu Asp Ala Ser 155 Ala Ala Arg Glu Ala Leu Glu Ser Asp Val Tyr Thr Asn Glu Val Gln 170 Gln Asp Val His Glu Ala Arg Gln Leu Gly Val Gln Gly Val Pro Phe 185 Phe Val Phe Asp Arg Lys Tyr Ala Ile Asn Gly Ala Gln Glu Glu 200 Val Phe Thr Gly Thr Val Glu Lys Ala Phe Glu Glu Trp Ala Ala Glu 210 215 Asn Pro Val Ser Pro Phe Glu Val Ile Asp Gly Gln Ser Cys Ser Val 230 235 240 Asp Gly Thr Cys Asn 245 <210> 23 <211> 1896 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1873) <223> RXA02335 <400> 23 tggttgagtt cttcggggtt gagtgtgcaa gaatattcac tattggtcag gcaactatgt 60 gtctacccac tgagtcatca atttaaatca ggagttatta gtg tca gtc gag act 115 Val Ser Val Glu Thr agg aag atc acc aag gtt ctt gtc gct aac cgt ggt gag att gca atc 163 Arg Lys Ile Thr Lys Val Leu Val Ala Asn Arg Gly Glu Ile Ala Ile 10 ege gtg tte egt gea get ega gat gaa gge atg gga tet gte gee gte 211 Arg Val Phe Arg Ala Ala Arg Asp Glu Gly Met Gly Ser Val Ala Val tac gca gag cca gat gca gat gca cca ttc gtg tca tat gca gag gag 259

Tyr Ala Glu Pro Asp Ala Asp Ala Pro Phe Val Ser Tyr Ala Asp Glu gct ttt gcc ctc ggt ggc caa aca tcc gct gag tcc tac ctt gtc att 307 Ala Phe Ala Leu Gly Gly Gln Thr Ser Ala Glu Ser Tyr Leu Val Ile 60 gac aag atc atc gat gcg gcc cgc aag tcc ggc gcc gac gcc atc cac 355 Asp Lys Ile Ile Asp Ala Ala Arg Lys Ser Gly Ala Asp Ala Ile His 70 ccc ggc tac ggc ttc ctc gca gaa aac gct gac ttc gca gaa gca gtc 403 Pro Gly Tyr Gly Phe Leu Ala Glu Asn Ala Asp Phe Ala Glu Ala Val 90 95 atc aac gaa ggc ctg atc tgg att gga cct tca cct gag tcc atc cgc 451 Ile Asn Glu Gly Leu Ile Trp Ile Gly Pro Ser Pro Glu Ser Ile Arg 105 110 tcc ctc ggc gac aag gtc acc gct cgc cac atc gca gat acc gcc aag 499 Ser Leu Gly Asp Lys Val Thr Ala Arg His Ile Ala Asp Thr Ala Lys 120 125 gct cca atg gct cct ggc acc aag gaa cca gta aaa gac gca gca gaa 547 Ala Pro Met Ala Pro Gly Thr Lys Glu Pro Val Lys Asp Ala Ala Glu 135 140 gtt gtg gct ttc gct gaa gaa ttc ggt ctc cca atc gcc atc aag gca 595 Val Val Ala Phe Ala Glu Glu Phe Gly Leu Pro Ile Ala Ile Lys Ala 150 155 gct ttc ggt ggc ggc gga cgt ggc atg aag gtt gcc tac aag atg gaa 643 Ala Phe Gly Gly Gly Arg Gly Met Lys Val Ala Tyr Lys Met Glu 170 gaa gtc gct gac ctc ttc gag tcc gca acc cgt gaa gca acc gca gcg Glu Val Ala Asp Leu Phe Glu Ser Ala Thr Arg Glu Ala Thr Ala Ala 185 190 ttc ggc cgc ggc gag tgc ttc gtg gag cgc tac ctg gac aag gca cgc 739 Phe Gly Arg Gly Glu Cys Phe Val Glu Arg Tyr Leu Asp Lys Ala Arg 200 205 cac gtt gag gct cag gtc atc gcc gat aag cac ggc aac gtt gtt gtc 787 His Val Glu Ala Gln Val Ile Ala Asp Lys His Gly Asn Val Val 215 220 gcc gga acc cgt gac tgc tcc ctg cag cgc cgt ttc cag aag ctc gtc Ala Gly Thr Arg Asp Cys Ser Leu Gln Arg Arg Phe Gln Lys Leu Val 230 235 gaa gaa gca cca gca cca ttc ctc acc gat gac cag cgc gag cgt ctc 883 Glu Glu Ala Pro Ala Pro Phe Leu Thr Asp Asp Gln Arg Glu Arg Leu 250 -255 cac tee tee geg aag get ate tgt aag gaa get gge tae tae ggt gea 931 His Ser Ser Ala Lys Ala Ile Cys Lys Glu Ala Gly Tyr Tyr Gly Ala 265 275 ggc acc gtt gag tac ctc gtt ggc tcc gac ggc ctg atc tcc ttc ctc 979 Gly Thr Val Glu Tyr Leu Val Gly Ser Asp Gly Leu Ile Ser Phe Leu

280 285 290

				-		-				cca Pro	-	-			1027
										cgc Arg 320					1075
										cgc Arg					1123
	-				_	-	-			aac Asn			•		1171
	-			_		-			_	ggc Gly		 -	_	-	1219
										tcc Ser					1267
_	_	-	_	_		-			_	acc Thr 400	_	 -	-		1315
_	_		-	-	_					gtt Val					1363
	-									gaa Glu					1411
										aag Lys					1459
										gct Ala					1507
										gtt Val 480					1555
										ctg Leu					1603
									Arg	cgc Arg				aag Lys	1651
								Ala		cca Pro		Gly		gtc Val	1699

atc aag gtc aac gtc gaa gaa ggc gct gaa gtc aac gaa ggc gac acc Ile Lys Val Asn Val Glu Glu Gly Ala Glu Val Asn Glu Gly Asp Thr 535 540 545	1747
gtt gtt gtc ctc gag gct atg aag atg gaa aac cct gtg aag gct cat Val Val Leu Glu Ala Met Lys Met Glu Asn Pro Val Lys Ala His 550 555 560 565	1795
aag too gga acc gta acc ggo ott act gto got goa ggo gag ggt gto Lys Ser Gly Thr Val Thr Gly Leu Thr Val Ala Ala Gly Glu Gly Val 570 575 580	1843
aac aag ggc gtt gtt ctc ctc gag atc aag taagttcttg gattcctgtt Asn Lys Gly Val Val Leu Leu Glu Ile Lys 585 590	1893
agt	1896
<210> 24 <211> 591 <212> PRT <213> Corynebacterium glutamicum	
<400> 24	
Val Ser Val Glu Thr Arg Lys Ile Thr Lys Val Leu Val Ala Asn Arg 1 10 15	
Gly Glu Ile Ala Ile Arg Val Phe Arg Ala Ala Arg Asp Glu Gly Met 20 25 30	
Gly Ser Val Ala Val Tyr Ala Glu Pro Asp Ala Asp Ala Pro Phe Val 35 40 45	
Ser Tyr Ala Asp Glu Ala Phe Ala Leu Gly Gly Gln Thr Ser Ala Glu 50 55 60	
Ser Tyr Leu Val Ile Asp Lys Ile Ile Asp Ala Ala Arg Lys Ser Gly 65 70 75 80	
Ala Asp Ala Ile His Pro Gly Tyr Gly Phe Leu Ala Glu Asn Ala Asp 85 90 95	
Phe Ala Glu Ala Val Ile Asn Glu Gly Leu Ile Trp Ile Gly Pro Ser 100 105 110	
Pro Glu Ser Ile Arg Ser Leu Gly Asp Lys Val Thr Ala Arg His Ile 115 · 120	
Ala Asp Thr Ala Lys Ala Pro Met Ala Pro Gly Thr Lys Glu Pro Val 130 135 140	
Lys Asp Ala Ala Glu Val Val Ala Phe Ala Glu Glu Phe Gly Leu Pro 145 150 155 160	
Ile Ala Ile Lys Ala Ala Phe Gly Gly Gly Gly Arg Gly Met Lys Val	
Ala Tyr Lys Met Glu Glu Val Ala Asp Leu Phe Glu Ser Ala Thr Arg 180 185 190	

Glu Ala Thr Ala Ala Phe Gly Arg Gly Glu Cys Phe Val Glu Arg Tyr 200 Leu Asp Lys Ala Arg His Val Glu Ala Gln Val Ile Ala Asp Lys His 215 Gly Asn Val Val Ala Gly Thr Arg Asp Cys Ser Leu Gln Arg Arg Phe Gln Lys Leu Val Glu Glu Ala Pro Ala Pro Phe Leu Thr Asp Asp 250 245 Gln Arg Glu Arg Leu His Ser Ser Ala Lys Ala Ile Cys Lys Glu Ala Gly Tyr Tyr Gly Ala Gly Thr Val Glu Tyr Leu Val Gly Ser Asp Gly 280 Leu Ile Ser Phe Leu Glu Val Asn Thr Arg Leu Gln Val Glu His Pro 290 295 Val Thr Glu Glu Thr Thr Gly Ile Asp Leu Val Arg Glu Met Phe Arg Ile Ala Glu Gly His Glu Leu Ser Ile Lys Glu Asp Pro Ala Pro Arg Gly His Ala Phe Glu Phe Arg Ile Asn Gly Glu Asp Ala Gly Ser Asn 345 Phe Met Pro Ala Pro Gly Lys Ile Thr Ser Tyr Arg Glu Pro Gln Gly 360 Pro Gly Val Arg Met Asp Ser Gly Val Val Glu Gly Ser Glu Ile Ser 375 Gly Gln Phe Asp Ser Met Leu Ala Lys Leu Ile Val Trp Gly Asp Thr 395 390 Arg Glu Gln Ala Leu Gln Arg Ser Arg Ala Leu Ala Glu Tyr Val 405 Val Glu Gly Met Pro Thr Val Ile Pro Phe His Gln His Ile Val Glu 425 Asn Pro Ala Phe Val Gly Asn Asp Glu Gly Phe Glu Ile Tyr Thr Lys 435 Trp Ile Glu Glu Val Trp Asp Asn Pro Ile Ala Pro Tyr Val Asp Ala Ser Glu Leu Asp Glu Asp Glu Asp Lys Thr Pro Ala Gln Lys Val Val 465 470 475 Val Glu Ile Asn Gly Arg Arg Val Glu Val Ala Leu Pro Gly Asp Leu 485 490 Ala Leu Gly Gly Thr Ala Gly Pro Lys Lys Lys Ala Lys Lys Arg Arg 500

Ala Gly Gly Ala Lys Ala Gly Val Ser Gly Asp Ala Val Ala Ala Pro Met Gln Gly Thr Val Ile Lys Val Asn Val Glu Glu Gly Ala Glu Val - 535 Asn Glu Gly Asp Thr Val Val Leu Glu Ala Met Lys Met Glu Asn 545 550 Pro Val Lys Ala His Lys Ser Gly Thr Val Thr Gly Leu Thr Val Ala 570 Ala Gly Glu Gly Val Asn Lys Gly Val Val Leu Leu Glu Ile Lys 580 585 <210> 25 <211> 1575 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1552) <223> RXA02173 <400> 25 ctaaattggg cttagatctt ccgcctctaa ataggtatgc agagacattc gaattaatta 60 acaaagccat ttttcggccg tggagaagcg ttttccgact atg gtg tgg ggc atg Met Val Trp Gly Met gaa cac act tca gca ttg acg ctc ata gac tcg gtt ttg gac cct gac 163 Glu His Thr Ser Ala Leu Thr Leu Ile Asp Ser Val Leu Asp Pro Asp ago tto att tot tgg aat gaa act coc caa tat gac aac cto aat caa 211 Ser Phe Ile Ser Trp Asn Glu Thr Pro Gln Tyr Asp Asn Leu Asn Gln ggc tat gca gag acc ttg gag cgg gct cga agc aag gcc aaa tgc gat 259 Gly Tyr Ala Glu Thr Leu Glu Arg Ala Arg Ser Lys Ala Lys Cys Asp gaa tog gta att act gga gaa ggc acc gtg gag ggc att ccg gta gcc 307 Glu Ser Val Ile Thr Gly Glu Gly Thr Val Glu Gly Ile Pro Val Ala gtt att ttg tcc gat ttt tcc ttc ctc ggc ggt tct ttg ggc acg gtc 355 Val Ile Leu Ser Asp Phe Ser Phe Leu Gly Gly Ser Leu Gly Thr Val 7.5 gcg tcg gtg cgc atc atg aag gcg att cac cgc gcc aca gag ctg aaa 403 Ala Ser Val Arg Ile Met Lys Ala Ile His Arg Ala Thr Glu Leu Lys 95 100 ctc cca ctg ctg gtc tcc cct gct tcc ggt ggt gcg cgc atg cag gaa Leu Pro Leu Leu Val Ser Pro Ala Ser Gly Gly Ala Arg Met Gln Glu 105 110

				ttt Phe												499
				gcg Ala												547
				gcc Ala												595
				ggc Gly 170		_				-			-			643
				Gly												691
				act Thr												739
				gtg Val												787
				ttt Phe												835
				gcg Ala 250												883
				acg Thr												931
				ttg Leu												979
				gtg Val												1027
				ctg Leu												1075
gag Glu	cta Leu	aac Asn	ctg Leu	ccg Pro 330	atc Ile	gtg Val	tcc Ser	atc Ile	atc Ile 335	gac Asp	acc Thr	tcc Ser	ggc Gly	gcc Ala 340	gaa Glu	1123
				gct Ala												1171
acc	ttg	tcc	aag	ctt	atc	gac	gct	ccc	ctc	ccc	acc	gtt	tcg	gtc	att	1219

1111	Leu	Ser 360	Lys	Leu	Ile	Asp	Ala 365	Pro	Leu	Pro	Thr	Val 370	Ser	Val	Ile	
att Ile	ggt Gly 375	cag Gln	ggc Gly	gtt Val	ggc Gly	ggt Gly 380	ggc Gly	gcg Ala	ctg Leu	gcc Ala	atg Met 385	ctg Leu	ccc Pro	gcc Ala	gat Asp	1267
ctg Leu 390	gtc Val	tac Tyr	gcg Ala	gcc Ala	gaa Glu 395	aac Asn	gcg Ala	tgg Trp	ctg Leu	tcc Ser 400	gca Ala	ttg Leu	cca Pro	cca Pro	gag Glu 405	1315
ggc Gly	gcc Ala	tcg Ser	gcc Ala	atc Ile 410	ctc Leu	ttc Phe	cgc Arg	gac Asp	acc Thr 415	aac Asn	cac His	gcc Ala	gcg Ala	gaa Glu 420	atc Ile	1363
ata Ile	gag Glu	cga Arg	caa Gln 425	ggc Gly	gtg Val	cag Gln	gcg Ala	cac His 430	gca Ala	ctt Leu	tta Leu	agc Ser	caa Gln 435	ggg Gly	ctt Leu	1411
atc Ile	gac Asp	ggg Gly 440	atc Ile	gtc Val	gcc Ala	gaa Glu	acc Thr 445	gag Glu	cac His	ttt Phe	gtt Val	gaa Glu 450	gaa Glu	att Ile	ctc Leu	1459
ggc Gly	aca Thr 455	atc Ile	agc Ser	aac Asn	gcc Ala	ctc Leu 460	tcc Ser	gaa Glu	ttg Leu	gat Asp	aac Asn 465	aat Asn	ccg Pro	gag Glu	agg Arg	1507
gcg Ala 470	gga Gly	cgc Arg	gac Asp	agt Ser	cgc Arg 475	ttc Phe	aca Thr	cga Arg	ttt Phe	gag Glu 480	cgt Arg	tta Leu	gcg Ala	cag Gln		1552
taaa	agaaa	at t	atgo	gcto	ga to	a										1575
<210 <213 <212)> 26 L> 48 2> PF	5 8 4 RT	·			a Lutaπ	nicum	1								1575
<210 <212 <212 <213)> 26 i> 48 2> PF 3> Co	S 84 RT oryne	ebact	eriu	ım g]	utam					m)					1575
<210 <212 <212 <213)> 26 i> 48 2> PF 3> Co	S 84 RT oryne	ebact	eriu	ım g]				Ala 10	Leu	Thr	Leu	Ile	Asp 15	Ser	1575
<210 <211 <212 <213 <400 Met)> 26 l> 48 2> PF 3> Cc)> 26 Val	i4 RT Oryne i Trp	ebact	eriu Met 5	nm gl Glu	utam	Thr	Ser	10					15		1575
<210 <211 <212 <211 <400 Met 1	0> 26 L> 48 2> PF 3> Cc 0> 26 Val	6 4 T Trp Asp	Gly Pro 20	Met 5	um gl Glu Ser	utan His	Thr	Ser Ser 25	10 Trp	Asn	Glu	Thr	Pro 30	15 Gln	Tyr	1575
<210 <211 <212 <213 <400 Met 1 Val	0> 26 1> 48 2> PF 3> Co 0> 26 Val Leu	Asp Leu 35	Gly Pro 20 Asn	Met 5 Asp	am gl Glu Ser Gly	utam His Phe	Thr Ile Ala 40	Ser Ser 25 Glu	Trp	Asn Leu	Glu Glu	Thr Arg 45	Pro 30 Ala	15 Gln Arg	Tyr Ser	1575
<210 <211 <211 <400 Met 1 Val Asp	0> 26 1> 48 2> PF 3> Cc 0> 26 Val Leu Asn Ala 50	Asp Leu 35	Gly Pro 20 Asn Cys	Met 5 Asp Gln	um gl Glu Ser Gly	His Phe Tyr Ser	Thr Ile Ala 40 Val	Ser Ser 25 Glu Ile	Trp Thr	Asn Leu Gly	Glu Glu Glu 60	Thr Arg 45 Gly	Pro 30 Ala	15 Gln Arg Val	Tyr Ser Glu	1575
<210 <211 <211 <400 Met 1 Val Asp Lys	0> 26 l> 48 2> PF 3> Cc 0> 26 Val Leu Asn Ala 50	Asp Leu 35 Lys	Gly Pro 20 Asn Cys	Met 5 Asp Gln Asp	Glu Ser Gly Glu Val	His Phe Tyr Ser 55	Thr Ile Ala 40 Val	Ser Ser 25 Glu Ile Ser	Trp Thr Thr Asp	Asn Leu Gly Phe 75	Glu Glu Glu 60 Ser	Thr Arg 45 Gly Phe	Pro 30 Ala Thr	15 Gln Arg Val Gly	Tyr Ser Glu Gly 80	1575

Ala Arg Met Gln Glu Asp Asn Arg Ala Phe Val Met Met Val Ser Ile 115 120 125

- Thr Ala Ala Val Gln Arg His Arg Glu Ala His Leu Pro Phe Leu Val 130 135 140
- Tyr Leu Arg Asn Pro Thr Met Gly Gly Ala Met Ala Ser Trp Gly Ser 145 150 155 160
- Ser Gly His Leu Thr Phe Ala Glu Pro Gly Ala Gln Ile Gly Phe Leu 165 170 175
- Gly Pro Arg Val Val Glu Leu Thr Thr Gly His Ala Leu Pro Asp Gly 180 185 190
- Val Gln Gln Ala Glu Asn Leu Val Lys Thr Gly Val Ile Asp Gly Ile 195 200 205
- Val Ser Pro Leu Gln Leu Arg Ala Ala Val Ala Lys Thr Leu Lys Val 210 215 220
- Ile Gln Pro Val Glu Ala Thr Asp Arg Phe Ser Pro Thr Thr Pro Gly 225 230 235 240
- Val Ala Leu Pro Val Met Glu Ala Ile Ala Arg Ser Arg Asp Pro Gln
 245 250 255
- Arg Pro Gly Ile Gly Glu Ile Met Glu Thr Leu Gly Ala Asp Val Val 260 265 270
- Lys Leu Ser Gly Ala Arg Ala Gly Ala Leu Ser Pro Ala Val Arg Val 275 280 285
- Ala Leu Ala Arg Ile Gly Gly Arg Pro Val Val Leu Ile Gly Gln Asp 290 295 300
- Arg Arg Phe Thr Leu Gly Pro Gln Glu Leu Arg Phe Ala Arg Arg Gly 305 310 315 320
- Ile Ser Leu Ala Arg Glu Leu Asn Leu Pro Ile Val Ser Ile Ile Asp 325 330 335
- Thr Ser Gly Ala Glu Leu Ser Gln Ala Ala Glu Glu Leu Gly Ile Ala 340 345 350
- Ser Ser Ile Ala Arg Thr Leu Ser Lys Leu Ile Asp Ala Pro Leu Pro 355 . 360 . 365
- Thr Val Ser Val Ile Ile Gly Gln Gly Val Gly Gly Gly Ala Leu Ala 370 375 380
- Met Leu Pro Ala Asp Leu Val Tyr Ala Ala Glu Asn Ala Trp Leu Ser 385 390 395 400
- Ala Leu Pro Pro Glu Gly Ala Ser Ala Ile Leu Phe Arg Asp Thr Asn 405 410 415
- His Ala Ala Glu Ile Ile Glu Arg Gln Gly Val Gln Ala His Ala Leu 420 425 430
- Leu Ser Gln Gly Leu Ile Asp Gly Ile Val Ala Glu Thr Glu His Phe

435 440 445

Val Glu Glu Ile Leu Gly Thr Ile Ser Asn Ala Leu Ser Glu Leu Asp 450 455 460

Asn Asn Pro Glu Arg Ala Gly Arg Asp Ser Arg Phe Thr Arg Phe Glu 465 470 475 480

Arg Leu Ala Gln

<210> 27 <211> 1056 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1033) <223> RXA01764

<400> 27

ttttcaaaat taatagttga cattttcaac gttatgagtt ttcattggta tcacgccccg 60

acgaagtgtc tgggatcaca aaccttcaaa ggagtttgaa atg tct ctc aat gga 115 Met Ser Leu Asn Gly 1 5

aaa gtc gcc atc gtt acc gga tct ggt gca gga ctt ggt cgt tcc ttc $\,$ 163 Lys Val Ala Ile Val Thr Gly Ser Gly Ala Gly Leu Gly Arg Ser Phe $\,$ 10 $\,$ 15 $\,$ 20

gct cag gag ctt gcc cgt cag ggt gca tct gtc atc gtc aat gac gta 211 Ala Gln Glu Leu Ala Arg Gln Gly Ala Ser Val Ile Val Asn Asp Val 25 30 35

aac cag gca gcc gca gat gag act gtc gca gca atc acc gaa gcc ggc 259 Asn Gln Ala Ala Ala Asp Glu Thr Val Ala Ala Ile Thr Glu Ala Gly 40 45

ggc aaa gcc gcc gcc gtt atc gcc ccc gtt gga ccc tct gaa agc gcc 307 Gly Lys Ala Ala Ala Val Ile Ala Pro Val Gly Pro Ser Glu Ser Ala 55 60 65

gca ttg ctg gtg cgg gag gcc gtc gac aag ttc ggt tct ttg gac att 355 Ala Leu Leu Val Arg Glu Ala Val Asp Lys Phe Gly Ser Leu Asp Ile 70 80 85

ctt gtc aca aac gcg ggc atc ctt cgt gat agg tcc ctg ctg aag atg 403 Leu Val Thr Asn Ala Gly Ile Leu Arg Asp Arg Ser Leu Leu Lys Met 90 95 100

acg gac gat gat ttc gat gca gtc att aac gtg cac ctc aag ggc act 451 Thr Asp Asp Asp Phe Asp Ala Val Ile Asn Val His Leu Lys Gly Thr 105 115

ttc acc tgt gtt cgc gag gca ttt gga tac ttc aag gag aat gga atc 499 Phe Thr Cys Val Arg Glu Ala Phe Gly Tyr Phe Lys Glu Asn Gly Ile 120 125 130

gcg ggg cgc Ala Gly Arc 135					Thr						547
ttc gga cag Phe Gly Glr 150											595
gtt cgc acc Val Arg Thi	tgg gcg Trp Ala 170	ctg gag Leu Glu	atg aa Met Ly	g cgc /s Arg 175	gca Ala	ggt Gly	gtc Val	acc Thr	att Ile 180	aac Asn	643
gcg atc att Ala Ile Ile				p Met							691
ttc cag aaq Phe Gln Lys 200	Ala Val										739
ttc ttc cgc Phe Phe Arc 215											787
ctt gtg gcc Leu Val Ala 230											835
gcc atc ggt Ala Ile Gly											883
cca gca gt Pro Ala Va				ly Gly							931
cag gaa cg Gln Glu Ard 28	g Gly Lys										979
gtc gtt tt Val Val Pho 295			Ala G								1027
aag gca ta Lys Ala 310	acaccgca	caccaaga	at ttt								1056
<210> 28 <211> 311 <212> PRT <213> Cory	nebacteri	um gluta	nmicum								
<400> 28 Met Ser Le 1	u Asn Gly 5	Lys Val	. Ala I	le Val 10		Gly	Ser	Gly	Ala 15		
Leu Gly Ar	g Ser Phe 20	Ala Glr		eu Ala 25	Arg	Gln	Gly	Ala 30		Val	

Ile Val Asn Asp Val Asn Gln Ala Ala Ala Asp Glu Thr Val Ala Ala 35 40 45

Ile Thr Glu Ala Gly Gly Lys Ala Ala Ala Val Ile Ala Pro Val Gly 50 55 60

Pro Ser Glu Ser Ala Ala Leu Leu Val Arg Glu Ala Val Asp Lys Phe 65 70 75 80

Gly Ser Leu Asp Ile Leu Val Thr Asn Ala Gly Ile Leu Arg Asp Arg 85 90 95

Ser Leu Leu Lys Met Thr Asp Asp Asp Phe Asp Ala Val Ile Asn Val 100 105 110

His Leu Lys Gly Thr Phe Thr Cys Val Arg Glu Ala Phe Gly Tyr Phe 115 120 125

Lys Glu Asn Gly Ile Ala Gly Arg Ile Val Thr Ile Gly Ser Pro Thr 130 135 140

Gly Gln Arg Gly Asn Phe Gly Gln Ser Asn Tyr Ala Ala Ala Lys Ala 145 150 155 160

Gly Ile Val Gly Met Val Arg Thr Trp Ala Leu Glu Met Lys Arg Ala 165 170 175

Gly Val Thr Ile Asn Ala Ile Ile Pro Glu Ala Ala Thr Asp Met Thr
180 185 190

Lys Thr Val Pro Tyr Phe Gln Lys Ala Val Glu Ala Asp Glu Arg Gly 195 200 205

Glu Ala Met Pro Ala Phe Phe Arg Glu Thr Leu Gly Phe Gly Thr Pro 210 215 220

Gln Asp Val Ala Gly Leu Val Ala Phe Leu Ser Ser Asp Glu Ala Ala 225 230 235 240

Asn Ile Ser Gly Gln Ala Ile Gly Ala Gly Gly Asp Arg Met Gln Val 245 250 255

Trp Lys His Pro Glu Pro Ala Val Thr Glu Phe Asn Pro Gly Gly Trp 260 265 270

Thr Tyr Glu Ala Leu Gln Glu Arg Gly Lys Asn Ile Ile Glu Gly Asn 275 280 285

Leu Gln Ser Val Gly Val Val Phe Pro Glu Leu Pro Ala Glu Leu Gln 290 295 300

Pro Gln Ile Pro Val Lys Ala 305 310

<210> 29

<211> 1827

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(1804) <223> RXN02487 <400> 29 tcatagetac gegeatgeec acattetaga tegeogaaga aageageggg aegtetetat 60 atactaaagg gcactaaagc aacgcagttg aagggacacc atg tca gca tac gaa Met Ser Ala Tyr Glu acc aaa gaa tgg ctc cag cac tac cca gag tgg acg cca cac tcg ctg 163 Thr Lys Glu Trp Leu Gln His Tyr Pro Glu Trp Thr Pro His Ser Leu gaa tat ggc gac acc acc ctg ctg gac gtt tac gac aac aac ctg gcc 211 Glu Tyr Gly Asp Thr Thr Leu Leu Asp Val Tyr Asp Asn Asn Leu Ala att aac gca gac aag cca gcc acc tac ttt ttc ggt cgt tca caa acc Ile Asn Ala Asp Lys Pro Ala Thr Tyr Phe Phe Gly Arg Ser Gln Thr tac ggt gaa ctg gac aaa gaa gtc cgc aaa act gcc gct ggc ctg cgc 307 Tyr Gly Glu Leu Asp Lys Glu Val Arg Lys Thr Ala Ala Gly Leu Arg gca cta ggt gtc cgc ccc ggc gat cac gta gcg att atc ctc ccc aac 355 Ala Leu Gly Val Arg Pro Gly Asp His Val Ala Ile Ile Leu Pro Asn 403 tgc cca cag cac atc gca gct ttc tac gca gtg ctg aaa ctc ggc gca Cys Pro Gln His Ile Ala Ala Phe Tyr Ala Val Leu Lys Leu Gly Ala 90 95 gta gtc att gag cac aac ccg ctc tac acc gcc cac gaa ctg ctc gaa 451 Val Val Ile Glu His Asn Pro Leu Tyr Thr Ala His Glu Leu Leu Glu 105 ccc ttc aaa gac cac ggt gcc cgc gtt gcc atc gtc tgg gac aaa gcc 499 Pro Phe Lys Asp His Gly Ala Arg Val Ala Ile Val Trp Asp Lys Ala 120 125 130 547 tcc ccc acc gtc gaa cag cta cgt gga cag acc cag ttg gaa acc atc Ser Pro Thr Val Glu Gln Leu Arg Gly Gln Thr Gln Leu Glu Thr Ile 135 140 gtg tcg gtc aac atg atc aac gcg atg cca cca ctc cag cgc cta gca 595 Val Ser Val Asn Met Ile Asn Ala Met Pro Pro Leu Gln Arg Leu Ala 150 155 ctt cgg ctc cca atc cct gca ctg cgc aag agc cgc gaa tcc ctc tcc 643 Leu Arg Leu Pro Ile Pro Ala Leu Arg Lys Ser Arg Glu Ser Leu Ser 170 gge gea gee eec aac ace gtt eet ttt gaa ace etg ace age gea gea Gly Ala Ala Pro Asn Thr Val Pro Phe Glu Thr Leu Thr Ser Ala Ala 185 190 195 atg qqc qqc gac gac gac gta gtt tca qaa ccc acc gtq acc aaa

Met Gly Gly Asp Gly Asp Asp Val Val Ser Glu Pro Thr Val Thr Lys

200 205 210

gaa Glu	tcc Ser 215	gtc Val	gcg Ala	ctg Leu	atc Ile	ctc Leu 220	tac Tyr	acc Thr	tcc Ser	ggc Gly	acc Thr 225	acc Thr	gga Gly	cgc Arg	ccc Pro	787
aag Lys 230	ggt Gly	gcc Ala	cag Gln	ctc Leu	acc Thr 235	cac His	gga Gly	aac Asn	ctg Leu	ttc Phe 240	ttc Phe	aat Asn	ctt Leu	ctt Leu	caa Gln 245	835
		cac His														883
		cta Leu														931
		gtg Val 280														979
		ctg Leu														1027
		gtg Val														1075
		atc Ile														1123
		tcc Ser														1171
		gtc Val 360														1219
ggt Gly	aac Asn 375	ccc Pro	atg Met	agc Ser	gat Asp	cac His 380	cga Arg	cgc Arg	caa Gln	ggc Gly	tac Tyr 385	gta Val	gga Gly	atc Ile	ccc Pro	1267
		gac Asp														1315
		ccc Pro													cag Gln	1363
		aag Lys														1411
		gag Glu 440														1459

GJ À GGG	ttc Phe 455	atc Ile	cgc Arg	cta Leu	gtt Val	gct Ala 460	cgc Arg	atc Ile	aag Lys	gaa Glu	gtc Val 465	atc Ile	atc Ile	act Thr	ggc Gly	1507
ggt Gly 470	ttc Phe	aac Asn	gtg Val	tac Tyr	cca Pro 475	gct Ala	gag Glu	gtt Val	gaa Glu	gaa Glu 480	gtc Val	ctc Leu	gca Ala	gag Glu	cac His 485	1555
cca Pro	gac Asp	att Ile	gaa Glu	gat Asp 490	tcc Ser	gca Ala	gtc Val	gtt Val	ggt Gly 495	atc Ile	ccg Pro	cgt Arg	gaa Glu	gac Asp 500	ggc Gly	1603
tcc Ser	gaa Glu	aac Asn	gtc Val 505	gtt Val	gct Ala	gcc Ala	atc Ile	act Thr 510	ttg Leu	gtg Val	gaa Glu	ggt Gly	gca Ala 515	gcg Ala	ctg Leu	1651
gat Asp	ccg Pro	gat Asp 520	ggc Gly	ctg Leu	aag Lys	gaa Glu	ttc Phe 525	gcc Ala	cgc Arg	aag Lys	aac Asn	ctc Leu 530	acc Thr	cgc Arg	tac Tyr	1699
aag Lys	gtt Val 535	ccg Pro	cgc Arg	act Thr	ttc Phe	tac Tyr 540	cac His	ttt Phe	gag Glu	gag Glu	atg Met 545	ccg Pro	cgg Arg	gat Asp	cag Gln	1747
atg Met 550	ggc Gly	aag Lys	att Ile	agg Arg	cgt Arg 555	cgt Arg	gaa Glu	gtg Val	cag Gln	gcg Ala 560	Glu	ttg Leu	ttg Leu	aag Lys	aag Lys 565	1795
	ggc Gly	_	tag	acgc	cga	ttta	agag	gt c	ga							1827

<210> 30 <211> 568 <212> PRT

<213> Corynebacterium glutamicum

Thr Pro His Ser Leu Glu Tyr Gly Asp Thr Thr Leu Leu Asp Val Tyr 20 25 30

Asp Asn Asn Leu Ala Ile Asn Ala Asp Lys Pro Ala Thr Tyr Phe Phe

Gly Arg Ser Gln Thr Tyr Gly Glu Leu Asp Lys Glu Val Arg Lys Thr 50 55 60

Ala Ala Gly Leu Arg Ala Leu Gly Val Arg Pro Gly Asp His Val Ala 65 70 75 80

Ile Ile Leu Pro Asn Cys Pro Gln His Ile Ala Ala Phe Tyr Ala Val 85 90 95

Leu Lys Leu Gly Ala Val Val Ile Glu His Asn Pro Leu Tyr Thr Ala 100 105 110

His Glu Leu Clu Pro Phe Lys Asp His Gly Ala Arg Val Ala Ile 115 120 125

- Val Trp Asp Lys Ala Ser Pro Thr Val Glu Gln Leu Arg Gly Gln Thr 130 135 140
- Gln Leu Glu Thr Ile Val Ser Val Asn Met Ile Asn Ala Met Pro Pro 145 150 155 160
- Leu Gln Arg Leu Ala Leu Arg Leu Pro Ile Pro Ala Leu Arg Lys Ser 165 170 175
- Arg Glu Ser Leu Ser Gly Ala Ala Pro Asn Thr Val Pro Phe Glu Thr
 180 185 190
- Leu Thr Ser Ala Ala Met Gly Gly Asp Gly Asp Asp Val Val Ser Glu
 195 200 205
- Pro Thr Val Thr Lys Glu Ser Val Ala Leu Ile Leu Tyr Thr Ser Gly 210 215 220
- Thr Thr Gly Arg Pro Lys Gly Ala Gln Leu Thr His Gly Asn Leu Phe 225 230 235 240
- Phe Asn Leu Leu Gln Gly Lys His Trp Val Pro Gly Leu Gly Asp Lys 245 250 255
- Pro Glu Arg Met Leu Ala Ala Leu Pro Met Phe His Ala Tyr Gly Leu 260 . 265 . 270
- Thr Met Val Gly Thr Leu Ser Val Phe Ile Gly Gly Glu Met Val Leu 275 280 285
- Leu Pro Thr Pro Arg Ile Asp Leu Ile Met Asn Val Met Lys Lys His 290 295 300
- Thr Pro Thr Trp Leu Pro Gly Val Pro Thr Leu Tyr Glu Lys Ile Val 305 310 315 320
- Asp Ala Ser Glu Lys Glu Gly Ile Pro Ile Lys Gly Val Arg Asn Ala 325 330 335
- Phe Ser Gly Ala Ser Thr Leu Ser Gln Arg Thr Val Glu Arg Trp Glu 340 345 350
- Lys His Thr Gly Gly Arg Leu Val Glu Gly Tyr Gly Leu Thr Glu Thr 355 360 365
- Ser Pro Ile Ile Val Gly Asn Pro Met Ser Asp His Arg Arg Gln Gly 370 375 380
- Tyr Val Gly Ile Pro Phe Pro Asp Thr Ile Val Arg Ile Ala Asn Pro 385 390 395 400
- Glu Asn Leu Asp Glu Thr Met Pro Asp Gly Ser Glu Gly Glu Val Leu 405 410 415
- Val Lys Gly Pro Gln Val Phe Lys Gly Tyr Leu Asn Gln Glu Glu Ala
 420 425 430
- Thr Lys Asn Ser Phe His Gly Glu Trp Tyr Arg Thr Gly Asp Val Gly

V	/al	Met 450	Glu	Glu	Asp	Gly	Phe 455	Ile	Arg	Leu	Val	Ala 460	Arg	Ile	Lys	Glu	
	/al 65	Ile	Ile	Thr	Gly	Gly 470	Phe	Asn	Val	Tyr	Pro 475	Ala	Glu	Val	Glu	Glu 480	
V	/al	Leu	Ala	Glu	His 485	Pro	Asp	Ile	Glu	Asp 490	Ser	Ala	Val	Val	Gly 495	Ile	
F	Pro	Arg	Glu	Asp 500	Gly	Ser	Glu	Asn _,	Val 505	Val	Ala	Ala	Ile	Thr 510	Leu	Val	
C	Slu	Gly	Ala 515	Ala	Leu	Asp	Pro	Asp 520	Gly	Leu	Lys	Glu	Phe 525	Ala	Arg	Lys	
F	Asn	Leu 530	Thr	Arg	Tyr	Lys	Val 535	Pro	Arg	Thr	Phe	Tyr 540	His	Phe	Glu	Glu	
	Met 545	Pro	Arg	Asp	Gln	Met 550	Gly	Lys	Ile	Arg	Arg 555	Arg	Glu	Val	Gln	Ala 560	
1		Leu	Leu	Lys	Lys 565	Leu	Gly	Lys									
	<211 <212 <213 <220 <221 <222 <223)> L> CI 2> (1 3> FI	ll NA Oryne OS 101) RXAO:	(3	ceriu 38)	um gl	Lutar	nícum	n								
)> 3: gagt		accg	cacco	gc ga	acgt	cgga	g tg	atga	agaa	gcc	gggt	tca	tccg	cctagt	60
t	tgc1	cgca	atc a	aagaa	aagto	ca to	catc	actg	g cg	gttt	caac			cca Pro	_		115
					ctc Leu 10												163
					cgt Arg												211
					ggt Gly												259
	-	_	_		ctc Leu		_		-	_		_					307
,	ttt	gag	gag	atg	ccg	cqq	gat	caq	atq	aac	aaq	att	agg	cat	cgt	gaa	355

Phe Glu Glu Met Pro Arg Asp Gln Met Gly Lys Ile Arg Arg Glu 75 gtg cag gcg gag ttg ttg aag aag ctc ggc aag tagacgccga tttaagaggt 408 Val Gln Ala Glu Leu Leu Lys Lys Leu Gly Lys 90 cga 411 <210> 32 <211> 96 <212> PRT <213> Corynebacterium glutamicum <400> 32 Val Tyr Pro Ala Glu Val Glu Glu Val Leu Ala Glu His Pro Asp Ile 10 Glu Asp Ser Ala Val Val Gly Ile Pro Arg Glu Asp Gly Ser Glu Asn 20 25 Val Val Ala Ala Ile Thr Leu Val Glu Gly Ala Ala Leu Asp Pro Asp Gly Leu Lys Glu Phe Ala Arg Lys Asn Leu Thr Arg Tyr Lys Val Pro 55 Arg Thr Phe Tyr His Phe Glu Glu Met Pro Arg Asp Gln Met Gly Lys Ile Arg Arg Glu Val Gln Ala Glu Leu Leu Lys Lys Leu Gly Lys 90 <210> 33 <211> 913 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(913) <223> FRXA02490 <400> 33 tcatagctac gcgcatgccc acattctaga tcgccgaaga aagcagcggg acgtctctat 60 atactaaagg gcactaaagc aacgcagttg aagggacacc atg tca gca tac gaa Met Ser Ala Tyr Glu ace aaa gaa tgg ete cag cae tae eea gag tgg aeg eea eae teg etg 163 Thr Lys Glu Trp Leu Gln His Tyr Pro Glu Trp Thr Pro His Ser Leu 10 15 gaa tat ggc gac acc acc ctg ctg gac gtt tac gac aac aac ctg qcc

Glu Tyr Gly Asp Thr Thr Leu Leu Asp Val Tyr Asp Asn Asn Leu Ala

. 25 30 35 att aac gca gac aag cca gcc acc tac ttt ttc ggt cgt tca caa acc 259 Ile Asn Ala Asp Lys Pro Ala Thr Tyr Phe Phe Gly Arg Ser Gln Thr 45 tac ggt gaa ctg gac aaa gaa gtc cgc aaa act gcc gct ggc ctg cgc 307 Tyr Gly Glu Leu Asp Lys Glu Val Arg Lys Thr Ala Ala Gly Leu Arg gea eta ggt gte ege eee gge gat eae gta geg att ate ete eee aae 355 Ala Leu Gly Val Arg Pro Gly Asp His Val Ala Ile Ile Leu Pro Asn tgc cca cag cac atc gca gct ttc tac gca gtg ctg aaa ctc ggc gca 403 Cys Pro Gln His Ile Ala Ala Phe Tyr Ala Val Leu Lys Leu Gly Ala 100 gta gtc att gag cac aac ccg ctc tac acc gcc cac gaa ctg ctc gaa 451 Val Val Ile Glu His Asn Pro Leu Tyr Thr Ala His Glu Leu Leu Glu 105 110 ccc ttc aaa gac cac ggt gcc cgc gtt gcc atc gtc tgg gac aaa gcc 499 Pro Phe Lys Asp His Gly Ala Arg Val Ala Ile Val Trp Asp Lys Ala 120 125 tcc ccc acc gtc gaa cag cta cgt gga cag acc cag ttg gaa acc atc 547 Ser Pro Thr Val Glu Gln Leu Arg Gly Gln Thr Gln Leu Glu Thr Ile 135 140 gtg tcg gtc aac atg atc aac gcg atg cca cca ctc cag cgc cta gca Val Ser Val Asn Met Ile Asn Ala Met Pro Pro Leu Gln Arg Leu Ala 155 ctt cgg ctc cca atc cct gca ctg cgc aag agc cgc gaa tcc ctc tcc Leu Arg Leu Pro Ile Pro Ala Leu Arg Lys Ser Arg Glu Ser Leu Ser 170 175 gge gea gee eec aac ace gtt eet ttt gaa ace etg ace age gea gea 691 Gly Ala Ala Pro Asn Thr Val Pro Phe Glu Thr Leu Thr Ser Ala Ala 190 atg ggc ggc gac ggc gac gta gtt tca gaa ccc acc gtg acc aaa 739 Met Gly Gly Asp Gly Asp Asp Val Val Ser Glu Pro Thr Val Thr Lys 205 gaa too gto gog otg ato ote tac acc too ggc acc acc gga ogc occ 787 Glu Ser Val Ala Leu Ile Leu Tyr Thr Ser Gly Thr Thr Gly Arg Pro aag ggt gcc cag ctc acc cac gga aac ctg ttc tcc aat ctc ctc caa Lys Gly Ala Gln Leu Thr His Gly Asn Leu Phe Ser Asn Leu Leu Gln 230 235 240 gga aag cac tgg gtt cca ggt ctc gga gac aaa cca gaa cgc atg ctt Gly Lys His Trp Val Pro Gly Leu Gly Asp Lys Pro Glu Arg Met Leu 250 255 gca qcc cta cca atg ttc cac gca tac ggt 913 Ala Ala Leu Pro Met Phe His Ala Tyr Gly

270

265

<210> 34

<211> 271

<212> PRT

<213> Corynebacterium glutamicum

<400> 34

Met Ser Ala Tyr Glu Thr Lys Glu Trp Leu Gln His Tyr Pro Glu Trp 1 5 10 15

Thr Pro His Ser Leu Glu Tyr Gly Asp Thr Thr Leu Leu Asp Val Tyr 20 25 30

Asp Asn Asn Leu Ala Ile Asn Ala Asp Lys Pro Ala Thr Tyr Phe Phe 35 40 45

Gly Arg Ser Gln Thr Tyr Gly Glu Leu Asp Lys Glu Val Arg Lys Thr 50 55 60

Ala Ala Gly Leu Arg Ala Leu Gly Val Arg Pro Gly Asp His Val Ala 65 70 75 80

Ile Ile Leu Pro Asn Cys Pro Gln His Ile Ala Ala Phe Tyr Ala Val 85 90 95

Leu Lys Leu Gly Ala Val Val Ile Glu His Asn Pro Leu Tyr Thr Ala 100 105 110

His Glu Leu Leu Glu Pro Phe Lys Asp His Gly Ala Arg Val Ala Ile 115 120 125

Val Trp Asp Lys Ala Ser Pro Thr Val Glu Gln Leu Arg Gly Gln Thr 130 135 140

Gln Leu Glu Thr Ile Val Ser Val Asn Met Ile Asn Ala Met Pro Pro 145 150 155 160

Leu Gln Arg Leu Ala Leu Arg Leu Pro Ile Pro Ala Leu Arg Lys Ser 165 170 175

Arg Glu Ser Leu Ser Gly Ala Ala Pro Asn Thr Val Pro Phe Glu Thr 180 185 190

Leu Thr Ser Ala Ala Met Gly Gly Asp Gly Asp Asp Val Val Ser Glu
195 200 205

Pro Thr Val Thr Lys Glu Ser Val Ala Leu Ile Leu Tyr Thr Ser Gly 210 215 220

Thr Thr Gly Arg Pro Lys Gly Ala Gln Leu Thr His Gly Asn Leu Phe 225 230 235 240

Ser Asn Leu Leu Gln Gly Lys His Trp Val Pro Gly Leu Gly Asp Lys 245 250 255

Pro Glu Arg Met Leu Ala Ala Leu Pro Met Phe His Ala Tyr Gly 260 265 270

<210> 35

(212	> 41 > DN > Co.	A	bact	eriu	m gl	utam	icum									
<222	> CD > (1	S 01). A014		1)												
	> 35 catc		agcc	ttgc	t tt	atga	gctt	ttc	cccg	ıcaa	tgag	ccgc	gt t	gtgt	atcca	60
taag	tctt	ag c	ctac	aagc	g ct	ttga	ggta	gtt	tggg	gatc	atg Met 1	gat Asp	ttc Phe	aac Asn	gac Asp 5	115
aaa Lys	gcc Ala	gct Ala	tca Ser	gaa Glu 10	aac Asn	gct Ala	gta Val	aag Lys	act Thr 15	ggc Gly	gca Ala	gaa Glu	ggc Gly	ccc Pro 20	aac Asn	163
gtt Val	ttc Phe	gcg Ala	agc Ser 25	gtg Val	gcc Ala	aag Lys	att Ile	ttg Leu 30	cag Gln	gat Asp	gtt Val	ggc Gly	gga Gly 35	att Ile	tca Ser	211
gcc Ala	gaa Glu	gac Asp 40	gtc Val	act Thr	ccg Pro	gaa Glu	tct Ser 45	cgt Arg	ttt Phe	act Thr	gag Glu	gat Asp 50	ttg Leu	gca Ala	gtg Val	259
agc Ser	tca Ser 55	ctc Leu	aat Asn	tac Tyr	atc Ile	gag Glu 60	ttg Leu	att Ile	gtc Val	aat Asn	gcg Ala 65	gag Glu	gac Asp	gca Ala	ttt Phe	307
ggt Gly 70	gtt Val	cgc Arg	att Ile	gag Glu	gac Asp 75	gcc Ala	gat Asp	gcc Ala	aag Lys	gat Asp 80	Leu	acc Thr	acc Thr	gtg Val	cag Gln 85	355
							acc Thr			Ala			cggg	aaa		401
attt	cgc	cca a	aaa													414
<213	0> 30 L> 9' 2> Pl 3> Co	7 RT	ebac	teri	um g	luta	micu	π				,				
	0> 3 Asp		Asn	Asp 5		Ala	Ala	Ser	Glu 10		ı Ala	Val	Lys	Thr 15	Gly	
Ala	Glu	Gly	Pro 20	Asn	Val	Phe	Ala	Ser 25		. Ala	Lys	Ile	Leu 30		Asp	
Val	Gly	Gly 35	Ile	Ser	Ala	Glu	Asp 40	Val	Thr	Pro	Glu	Ser 45		Ph∈	Thr	
Glu	Asp 50		Ala	Val	Ser	Ser 55		Asn	Туг	: Ile	e Glu		Ile	· Val	. Asn	

Ala Glu Asp Ala Phe Gly Val Arg Ile Glu Asp Ala Asp Ala Lys Asp Leu Thr Thr Val Gln Asp Leu Ile Asp Phe Ile Asn Thr Asn Lys Ala 90 Asp <210> 37 <211> 298 <212> DNA <213> Corynebacterium glutamicum " <220> <221> CDS <222> (101)..(298) <223> RXA00796 <400> 37 ctggaatccc aaagcgcttg catgacgcgg aaagttaaca taggctaggt acgtcaagtt 60 gttgatacat caacttaatt aacttttaga ggagtacacc atg agc aag atc gcc 115 Met Ser Lys Ile Ala ate ate ace ggt tee ace egt eea gge ege gte aae att gae gta gee Ile Ile Thr Gly Ser Thr Arg Pro Gly Arg Val Asn Ile Asp Val Ala aac tgg gtt ctc gag cgc gca caa gag cgc aac gat gca cag tac gag 211 Asn Trp Val Leu Glu Arg Ala Gln Glu Arg Asn Asp Ala Gln Tyr Glu ctc gtt gat atc gcc gat ttc aac ttc ccc gtc ctc gac gaa gca atg 259 Leu Val Asp Ile Ala Asp Phe Asn Phe Pro Val Leu Asp Glu Ala Met 40 45 cca gcc ggc tac ggc cag tat gca aac gag cac acc aag 298 Pro Ala Gly Tyr Gly Gln Tyr Ala Asn Glu His Thr Lys 55 60 <210> 38 <211> 66 <212> PRT <213> Corynebacterium glutamicum <400> 38 Met Ser Lys Ile Ala Ile Ile Thr Gly Ser Thr Arg Pro Gly Arg Val 10 Asn Ile Asp Val Ala Asn Trp Val Leu Glu Arg Ala Gln Glu Arg Asn Asp Ala Gln Tyr Glu Leu Val Asp Ile Ala Asp Phe Asn Phe Pro Val Leu Asp Glu Ala Met Pro Ala Gly Tyr Gly Gln Tyr Ala Asn Glu His

60

55

Thr Lys 65 <210> 39 <211> 666 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(643) <223> RXA01897 <400> 39 ctatttagat cgttccggaa ccgatccacg cgccgatatc cactccctgg atgaactctt 60 tcactaggct ggcctttatt gtttccggaa aggggttgct atg aaa att ggt gtc Met Lys Ile Gly Val 163 atc ctg ggc agt atc cgc gaa ggc cgc ttc ggc caa ggc gtt gcc gat Ile Leu Gly Ser Ile Arg Glu Gly Arg Phe Gly Gln Gly Val Ala Asp 10 15 tgg gtc atg gaa caa atc ggg gct tat gac gca ccc gat gtg gaa ttt 211 Trp Val Met Glu Gln Ile Gly Ala Tyr Asp Ala Pro Asp Val Glu Phe 25 30 gaa ctc atc gac ctc aaa gct ttc aac gtg ccc ctg ttg gaa tcc gcg 259 Glu Leu Ile Asp Leu Lys Ala Phe Asn Val Pro Leu Leu Glu Ser Ala 40 45 aca gtt cca ggt tcc gcg gat aaa cag tac gac gcc ccg cgc gta act 307 Thr Val Pro Gly Ser Ala Asp Lys Gln Tyr Asp Asp Pro Arg Val Thr 55 60 gcc tgg tca cag gcc att gat gcc tgc gat gcc ttc ctt ttc atc acc 355 Ala Trp Ser Gln Ala Ile Asp Ala Cys Asp Ala Phe Leu Phe Ile Thr 70 75 80 ccg gaa tac aac cac ggt gtg ccc ggc gcg ttc aaa aat gcg tat gac Pro Glu Tyr Asn His Gly Val Pro Gly Ala Phe Lys Asn Ala Tyr Asp atc ctg ggc aat gaa tgg ctg aac aaa acc gtc ggt ttc att tcc tac 451 Ile Leu Gly Asn Glu Trp Leu Asn Lys Thr Val Gly Phe Ile Ser Tyr 105 115 ggt gca gtc gaa ggg atc cgt gtt gtc gaa cag tgg cgt cag atc gtc 499 Gly Ala Val Glu Gly Ile Arg Val Val Glu Gln Trp Arg Gln Ile Val 120 130 gcc acc ttc aac atg tac gat atc cgc agc cag cta tcc ttt tcc acc 547 Ala Thr Phe Asn Met Tyr Asp Ile Arg Ser Gln Leu Ser Phe Ser Thr 135 140 145 ttc acc gag aac aac agc act ttt gcg ccc aat gat cga cgc ccc Phe Thr Glu Asn Asn Gly Thr Phe Ala Pro Asn Asp Arg Pro 150

ggt gaa cta atc cgc ctc ctt gat agc ctc cta acg gct gtc cgc gat 643 Gly Glu Leu Ile Arg Leu Leu Asp Ser Leu Leu Thr Ala Val Arg Asp 170 taaggctctg aaatactaat gag 666 <210> 40 <211> 181 <212> PRT <213> Corynebacterium glutamicum <400> 40 Met Lys Ile Gly Val Ile Leu Gly Ser Ile Arg Glu Gly Arg Phe Gly Gln Gly Val Ala Asp Trp Val Met Glu Gln Ile Gly Ala Tyr Asp Ala 30 Pro Asp Val Glu Phe Glu Leu Ile Asp Leu Lys Ala Phe Asn Val Pro 40 Leu Leu Glu Ser Ala Thr Val Pro Gly Ser Ala Asp Lys Gln Tyr Asp 50 55 Asp Pro Arg Val Thr Ala Trp Ser Gln Ala Ile Asp Ala Cys Asp Ala Phe Leu Phe Ile Thr Pro Glu Tyr Asn His Gly Val Pro Gly Ala Phe Lys Asn Ala Tyr Asp Ile Leu Gly Asn Glu Trp Leu Asn Lys Thr Val Gly Phe Ile Ser Tyr Gly Ala Val Glu Gly Ile Arg Val Val Glu Gln Trp Arg Gln Ile Val Ala Thr Phe Asn Met Tyr Asp Ile Arg Ser Gln 135 140 Leu Ser Phe Ser Thr Phe Thr Glu Asn Asn Gly Thr Phe Ala Pro 150 Asn Asp Arg Arg Pro Gly Glu Leu Ile Arg Leu Leu Asp Ser Leu Leu 165 170 Thr Ala Val Arg Asp 180 <210> 41 <211> 375 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (1)..(375) <223> RXN02809

)> 41		~+~			~~~	a+ -	200	224							40
									aac Asn 10							48
									atc Ile							96
-		-	_	-	-				cgc Arg							144
									ctg Leu							192
									gag Glu							240
									tgg Trp 90							288
									tta Leu							336
									ctt Leu							375
<211 <212)> 42 l> 12 2> PF 3> Co	25 RT	ebact	teri	um gi	lutar	nicu	n								
<400)> 42	2														
Asn 1	Leu	Ser	Val	Pro 5	Ala	Ala	Leu	Thr	Asn 10	Ala	Leu	Ser	_	Leu · 15	Ser	
Ala	Glu	Trp	Asn 20	Asn	Lys	Ala	Ala	Gly 25	Ile	Val	Ser	Tyr	Gly 30	Ser	Ala	
Met	Gly	Val 35	Arg	Ala	Ala	Glu	His 40	Leu	Arg	Gly	Ile	Leu 45	Ser	Glu	Leu	
Gln	Ile 50	Ala	His	Val	Gln	Lys 55	Thr	Gly	Leu	Leu	Ser 60	Ile	Phe	Thr	Asp	
Phe 65	Glu	Tyr	Pro	Asn	Phe 70	Lys	Pro	Ser	Glu	G1n 75	Gly	Ile	Ser	Ser	Val 80	
Asp	Ala	Met	Leu	Glu 85	Gln	Leu	Val	Val	Trp 90	Thr	Lys	Ala	Met	Ser 95		
Ile	Arg	Glu	Ser 100	Ala	Asn	Val	Tyr	His 105	Leu	Arg	Thr	Pro	His 110		Ser	

Gly Glu Leu Pro Asp Trp Asp Ser Pro Leu Phe Val Phe 120

<210> 43 <211> 273 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (1)..(273) <223> FRXA02809 <400> 43 gca gca cta acc aac gcc ctt tcc tac ctc tcc gca gag tgg aac aac Ala Ala Leu Thr Asn Ala Leu Ser Tyr Leu Ser Ala Glu Trp Asn Asn

aag gct gca ggc atc gtc tcc tac ggc tcc gca atg ggc gtt cgc gca

Lys Ala Ala Gly Ile Val Ser Tyr Gly Ser Ala Met Gly Val Arg Ala 20

gct gag cac ctc cgc ggc atc ctt tcc gag ctt cag atc gca cac gtt 144. Ala Glu His Leu Arg Gly Ile Leu Ser Glu Leu Gln Ile Ala His Val

caa aag acc ggc ctg ctg agc atc ttc acc gac ttc gaa tac cct aac Gln Lys Thr Gly Leu Leu Ser Ile Phe Thr Asp Phe Glu Tyr Pro Asn 50 55

ttc aag cct tcc gag cag ggc atc tcc tct gtg gac gct atg ctt gag 240 Phe Lys Pro Ser Glu Gln Gly Ile Ser Ser Val Asp Ala Met Leu Glu 70

cag ctt gtt gtc tgg acc aag gca atg tcc acc 273 Gln Leu Val Val Trp Thr Lys Ala Met Ser Thr 85

<210> 44 <211> 91

<212> PRT

<213> Corynebacterium glutamicum

<400> 44

Ala Ala Leu Thr Asn Ala Leu Ser Tyr Leu Ser Ala Glu Trp Asn Asn

Lys Ala Ala Gly Ile Val Ser Tyr Gly Ser Ala Met Gly Val Arg Ala 20 25

Ala Glu His Leu Arg Gly Ile Leu Ser Glu Leu Gln Ile Ala His Val

Gln Lys Thr Gly Leu Leu Ser Ile Phe Thr Asp Phe Glu Tyr Pro Asn 50

Phe Lys Pro Ser Glu Gln Gly Ile Ser Ser Val Asp Ala Met Leu Glu 70

Gln Leu Val Val Trp Thr Lys Ala Met Ser Thr 85 90

<210 <211 <212 <213	> 57 > DN	45 A	bact	eriu	m gl	utam	icum									
<220 <221 <222 <223	> CD > (1	01).	. (57 13	22)												
<400 tctg			cact	cgag	g ag	ctgg	caaa	cgg	ccgc	acc	atcg	atgt	tg a	ggca	cgcac	60
cgac	tcca	itc g	aaga	gtcc	g ca	tccg	gccg	, tat	cgtt	acc		cgc Arg				115
acc Thr	acc Thr	gaa Glu	ggc Gly	gaa Glu 10	gta Val	gca Ala	gcc Ala	aag Lys	ctg Leu 15	gtt Val	acc Thr	cgc Arg	ttc Phe	gca Ala 20	att Ile	163
cgt Arg	gga Gly	cgc Arg	atc Ile 25	acc Thr	acc Thr	aac Asn	gaa Glu	atg Met 30	gct Ala	gca Ala	cca Pro	gca Ala	gat Asp 35	tcc Ser	tac Tyr	211
ggc Gly	gca Ala	cgc Arg 40	gac Asp	gaa Glu	gtt Val	gtc Val	gag Glu 45	gca Ala	acc Thr	cct Pro	cgt Arg	tcc Ser 50	ttc Phe	atc Ile	cgc Arg	259
cag Gln	gca Ala 55	act Thr	gtt Val	tct Ser	gca Ala	cct Pro 60	gca Ala	gac Asp	atg Met	acc Thr	cca Pro 65	ttc Phe	gcc Ala	atg Met	gtt Val	307
tct Ser 70	ggt Gly	gac Asp	tac Tyr	aac Asn	cca Pro 75	att Ile	cac His	acc Thr	tct Ser	gac Asp 80	aac Asn	gct Ala	gca Ala	aag Lys	ctt Leu 85	355
gtt Val	ggc Gly	ctg Leu	gac Asp	gca Ala 90	gct Ala	ctt Leu	gtc Val	cac His	ggc Gly 95	atg Met	tgg Trp	ctg Leu	tcc Ser	gct Ala 100	acc Thr	403
gca Ala	cag Gln	cac	ctc Leu 105	gct Ala	ggt Gly	ctt Leu	ggc Gly	tct Ser 110	gag Glu	gtc Val	att Ile	ggt Gly	tgg Trp 115	acc Thr	tac Tyr	451
tcc Ser	atg Met	tac Tyr 120	Gly	atg Met	gtt Val	caa Gln	ctc Leu 125	Asn	gac Asp	gtt Val	gtt Val	gac Asp 130	atc Ile	acc Thr	gtc Val	499
gag Glu	cgt Arg 135	Val	ggc Gly	cgc Arg	gca Ala	ggt Gly 140	Leu	aag Lys	cct Pro	gca Ala	tac Tyr 145	Glu	gtc Val	acc Thr	tgc Cys	547
cgc Arg 150	Ile	gat Asp	ggc Gly	aac Asn	gtt Val 155	Val	tcc Ser	cgc Arg	gga Gly	Caq Glr 160	Ala	ctg Leu	ctc Leu	aag Lys	gct Ala 165	595

											atc Ile					643
											gct Ala					691
											ggc Gly					739
											gtc Val 225					787
ttc Phe 230	gtg Val	cac His	cca Pro	gct Ala	ggg Gly 235	gtt Val	ttg Leu	aac Asn	ctc Leu	acc Thr 240	cag Gln	ttc Phe	acg Thr	cag Gln	gtc Val 245	835
gcg Ala	ctc Leu	gcc Ala	gtg Val	gtt Val 250	gcc Ala	tac Tyr	gct Ala	cag Gln	acc Thr 255	gag Glu	cgc Arg	ctc Leu	aag Lys	gct Ala 260	gca Ala	883
											cac His					931
											gaa Glu					979
											cac His 305					1027
											gcc Ala					1075
aac Asn	atg Met	atc Ile	aac Asn	gtt Val 330	gca Ala	gcc Ala	acc Thr	gag Glu	gtg Val 335	gag Glu	aac Asn	tgg Trp	gtt Val	gac Asp 340	cgt Arg	1123
											gtt Val					1171
gat Asp	ggc Gly	cag Gln 360	cag Gln	tac Tyr	gca Ala	gtc Val	gca Ala 365	ggt Gly	acc Thr	ttg Leu	gct Ala	ggc Gly 370	ctg Leu	aag Lys	gcc Ala	1219
ctc Leu	aag Lys 375	gct Ala	tct Ser	gca Ala	tct Ser	gca Ala 380	aac Asn	cca Pro	cgt Arg	gct Ala	tac Tyr 385	gtg Val	aac Asn	att Ile	cca Pro	1267
											cgc Arg					1315
gct	ttc	gca	gag	aag	ctg	gac	gag	ctg	ctg	cca	gag	acc	atc	gac	att	1363

Ala	Phe	Ala	Glu	Lys 410	Leu	Asp	Glu	Leu	Leu 415	Pro	Glu	Thr	Ile	Asp 420	Ile	
				ggc Gly												1411
				agc Ser												1459
gag Glu	cgc Arg 455	ctc Leu	aag Lys	ggc Gly	atc Ile	aag Lys 460	gtg Val	gag Glu	gac Asp	acc Thr	gac Asp 465	gag Glu	aac Asn	acc Thr	ctg Leu	1507
				ctc Leu												1555
				gaa Glu 490												1603
				ggc Gly												1651
				gat Asp												1699
				gac Asp												1747
	Ala			gaa Glu							Ala					1795
				gct Ala 570											Ala	1843
				cct Pro												1891
			Ile	atg Met				Ala					Ile			1939
		Ile		gca Ala			Thr					Thr			gtg Val	1987
	Ser					Met					Ser				tcc Ser 645	2035
															cag Gln	2083

650 655 660

								ggc Gly 670								2131
ctt Leu	tcc Ser	gag Glu 680	acc Thr	gtt Val	cgt Arg	gca Ala	cgt Arg 685	ctt Leu	cgc Arg	gca Ala	ctg Leu	acc Thr 690	ggt Gly	gca Ala	gca Ala	2179
								gat Asp								2227
								gtt Val								2275
								ggc Gly								2323
								gtc Val 750								2371
gtg Val	cag Gln	aat Asn 760	gtt Val	gct Ala	gca Ala	gcc Ala	aac Asn 765	ggc Gly	acc Thr	agc Ser	gtc Val	tcc Ser 770	atg Met	tcc Ser	tcc Ser	2419
								gtt Val								2467
								gaa Glu								2515
								ggt Gly								2563
								ctc Leu 830								2611
								gtc Val								2659
								tgg Trp								2707
								att Ile								2755
								gct Ala								2803

gaa gac acc gct c Glu Asp Thr Ala I 905	ctc gct gca acc Leu Ala Ala Thr	ctg aag cag gtt Leu Lys Gln Val 910	tcc gag gtg gct · 2851 Ser Glu Val Ala 915
gcg aag cca gcc a Ala Lys Pro Ala A 920			
ggt gcg gct cct g Gly Ala Ala Pro G 935			
tcc cag ggc gcg a Ser Gln Gly Ala T 950			
cgt aag gaa tac g Arg Lys Glu Tyr A			
gca aag ctg tgg a Ala Lys Leu Trp I 985			
gat gca gtc atc g Asp Ala Val Ile A 1000		Asn Glu Gln Arg	
agc acc gtc acc g Ser Thr Val Thr V 1015		Ala Leu Thr Pro	
cca ttc gca gct c Pro Phe Ala Ala E 1030			
cag gct gaa aac c Gln Ala Glu Asn C			
atc gca gga ctt o Ile Ala Gly Leu <i>I</i> 1065	gca gat ctt gca Ala Asp Leu Ala	tcc cgc ggt gtc Ser Arg Gly Val 1070	gat gga cgc gtc 3331 Asp Gly Arg Val 1075
cac gtt gta ctc o His Val Val Leu F 1080		Asn Arg Gly Met	
ggc gct tac ggc g Gly Ala Tyr Gly (1095		Ala Phe Asp Ala	
tgg ggc tcc gag a Trp Gly Ser Glu 1 1110			
cgc atc ggc tgg o			

ctc atc cct gcc gct gaa aag ctg ggc atc cac gtc tac acc cct gaa Leu Ile Pro Ala Ala Glu Lys Leu Gly Ile His Val Tyr Thr Pro Glu gag atc tct tcc gaa ctg ctg ggt ctt gca tcc gca gaa tcc cgc gaa Glu Ile Ser Ser Glu Leu Leu Gly Leu Ala Ser Ala Glu Ser Arg Glu aag gct ctg gaa gca ccg atc gat tac gac ctg acc ggt gga ctt tcc Lys Ala Leu Glu Ala Pro Ile Asp Tyr Asp Leu Thr Gly Gly Leu Ser ggt ggc gta tcc atc gca gca ctg gca gca tcc ctc gag tcc gac gca Gly Gly Val Ser Ile Ala Ala Leu Ala Ala Ser Leu Glu Ser Asp Ala gta gag acc acc tct gca gca gaa gac acc atc aag gcg ctt cca tca Val Glu Thr Thr Ser Ala Ala Glu Asp Thr Ile Lys Ala Leu Pro Ser cct aag cac cca gag cag cca gtg ggc acg cca gtt gga gag gtc aag Pro Lys His Pro Glu Gln Pro Val Gly Thr Pro Val Gly Glu Val Lys acc gat ctc gaa gac atg gtt gtc atg gtt ggc gtt ggc gaa gtc tcc Thr Asp Leu Glu Asp Met Val Val Met Val Gly Val Gly Glu Val Ser tca tgg ggc tcc gga cgt acc cgc ttc gaa gct gag tac ggc atc cag Ser Trp Gly Ser Gly Arg Thr Arg Phe Glu Ala Glu Tyr Gly Ile Gln cgc gac ggc tcc gtt gac ctc acc gca gca ggc gtc ctt gag ctt gca Arg Asp Gly Ser Val Asp Leu Thr Ala Ala Gly Val Leu Glu Leu Ala tgg atg atg ggt ctg atc tcc tgg agc gaa gat cca aag cca gcc tgg Trp Met Met Gly Leu Ile Ser Trp Ser Glu Asp Pro Lys Pro Ala Trp tac gac gct gac ggc acc gaa gtg cct gaa gaa gag atc tac gag cgc Tyr Asp Ala Asp Gly Thr Glu Val Pro Glu Glu Glu Ile Tyr Glu Arg ttc cgc gac gaa gtc atc gca cga tgc ggt gtt cgt gag ctt gtc gac Phe Arg Asp Glu Val Ile Ala Arg Cys Gly Val Arg Glu Leu Val Asp gac gca ttc ctc gtc gac ggc tcc ctc gac gca gct gaa gtc ttc Asp Ala Phe Leu Val Asp Gly Gly Ser Leu Asp Ala Ala Glu Val Phe ctc gac ege gac atc tcc ttc tcc gta acc tct gct gaa gaa gca cag Leu Asp Arg Asp Ile Ser Phe Ser Val Thr Ser Ala Glu Glu Ala Gln gcc tac gtc gat gca gat gct tcc gtg acc gtt gaa gaa gca gac ggc Ala Tyr Val Asp Ala Asp Ala Ser Val Thr Val Glu Glu Ala Asp Gly gaa tgg atc gtg acc aag aag ggc tcc acc tcc ttc gtg cca cgc

Glu Trp Ile Val Thr Lys Lys Gly Ser Thr Ser Phe Val Pro Arg 1385 1390 aag gca acc ctg acc cgc tcc gta gca ggc cag ctg cca acc gac ttc 4339 Lys Ala Thr Leu Thr Arg Ser Val Ala Gly Gln Leu Pro Thr Asp Phe 1400 1405 gac cct gcc aag tgg ggt atc cca gcc tcc atg atc gat gca ctc gac 4387 Asp Pro Ala Lys Trp Gly Ile Pro Ala Ser Met Ile Asp Ala Leu Asp 1415 aac atc gca gcg tgg aac ctg gtc act gca gtc gac gcc ttc ctg tcc 4435 Asn Ile Ala Ala Trp Asn Leu Val Thr Ala Val Asp Ala Phe Leu Ser 1430 1435 1445 1440 tee gge tte age cea gea gaa ete etg eag tee ate eae eea get gae 4483 Ser Gly Phe Ser Pro Ala Glu Leu Leu Gln Ser Ile His Pro Ala Asp 1450 gtg tcc tcc acc cag ggc acc ggt atc ggt ggc atg cag tcc cta cgc 4531 Val Ser Ser Thr Gln Gly Thr Gly Ile Gly Gly Met Gln Ser Leu Arg 1465 aag ctg ttc gtc aac cgc ttc ctc ggc cag gat cgt cca tcc gac atc 4579 Lys Leu Phe Val Asn Arg Phe Leu Gly Gln Asp Arg Pro Ser Asp Ile 1480 1485 ctc cag gag acc ctg cca aac gtt gtg gct gca cac acc atg cag tcc 4627 Leu Gln Glu Thr Leu Pro Asn Val Val Ala Ala His Thr Met Gln Ser 1500 tac gtc ggt ggc tac ggc cag atg atc cac cca gtg gca gca tgt gca 4675 Tyr Val Gly Gly Tyr Gly Gln Met Ile His Pro Val Ala Ala Cys Ala 1515 1520 ace gea get gte tee gtg gaa gaa gge gtg gae aag ate ege ete aae 4723 Thr Ala Ala Val Ser Val Glu Glu Gly Val Asp Lys Ile Arg Leu Asn 1530 1535 aag gca gat ttc gtt gtc gcc ggt ggt atc gat gac atc cag gtt gaa 4771 Lys Ala Asp Phe Val Val Ala Gly Gly Ile Asp Asp Ile Gln Val Glu 1545 1550 tee etg ace gge tte ggt gae atg aac gee ace gea gae ace eag gea 4819 Ser Leu Thr Gly Phe Gly Asp Met Asn Ala Thr Ala Asp Thr Gln Ala 1560 1565 atg ctg gac aag ggc atc gac cca cgc ttc atc tcc cgc gca aac gat 4867 Met Leu Asp Lys Gly Ile Asp Pro Arg Phe Ile Ser Arg Ala Asn Asp 1575 ega egt ege gea gge tte ete gaa gea gea ggt gge ggt ace gte ete 4915 Arg Arg Ala Gly Phe Leu Glu Ala Ala Gly Gly Gly Thr Val Leu 1590 1595 1600 ctg gca cgt gca tcc gtt gct gct gaa ctg gga ctg cca gtt ctc gca 4963 Leu Ala Arq Ala Ser Val Ala Ala Glu Leu Gly Leu Pro Val Leu Ala 1610 1620 gtt gtt gca cac gca cag tcc tac gcc gat ggt gct cac acc tcc atc Val Val Ala His Ala Gln Ser Tyr Ala Asp Gly Ala His Thr Ser Ile

1625 1630 1635

															•	
			Gly					ggt Gly 45				Ğĺy				5059
		Leu					Asn	aaa Lys			Leu					5107
	Arg					His		acc Thr		Thr					Pro	5155 1685
					His			ctg Leu		Lys				Arg		5203
				Met				tcc Ser 171	Gln				Thr			5251
			Gly					cag Gln 25				Leu				5299
		Thr					Gln	aac Asn			Leu					5347
	${\tt Glu}$					Gly		aac Asn		Val					Pro	5395 .765
					Gly			aag Lys		Gly				Ser		5443
ggc Gly	ttc Phe	ggc Gly	cac His 1785	Val	gct Ala	gca Ala	gtc Val	gtc Val 179	Val	ctg Leu	gca Ala	acc Thr	Ser	ggc Gly 95	atc Ile	5491
			Ala					ggc Gly)5				Glu				5539
gca Ala	cgc Arg 1815	Ala	acc Thr	cag Ģln	cgc Arg	ctg Leu 182	Arg	acc Thr	ggt Gly	gca Ala	Asn	cgc Arg 25	cta Leu	gaa Glu	gct Ala	5587
ggc Gly 1830	Met	gtt Val	ggc Gly	cga Arg	gca Ala 183	Pro	ttg Leu	ttc Phe	gag Glu	Gln	gtc Val 840	gac Asp	gga Gly	cgt Arg	Arg	5635 .845
					Ala			gca Ala		Ile				Ile		5683
				Leu				ggc Gly 187	Ile				taaa	ıcgtt	ag	5732

atagctaaga aag 5745

<210> 46

<211> 1874

<212> PRT

<213> Corynebacterium glutamicum

<400> 46

Val Arg Ile Val Leu Thr Thr Glu Gly Glu Val Ala Ala Lys Leu Val 1 5 10 15

Thr Arg Phe Ala Ile Arg Gly Arg Ile Thr Thr Asn Glu Met Ala Ala 20 25 30

Pro Ala Asp Ser Tyr Gly Ala Arg Asp Glu Val Val Glu Ala Thr Pro 35 40 45

Arg Ser Phe Ile Arg Gln Ala Thr Val Ser Ala Pro Ala Asp Met Thr 50 55 60

Pro Phe Ala Met Val Ser Gly Asp Tyr Asn Pro Ile His Thr Ser Asp 65 70 75 80

Asn Ala Ala Lys Leu Val Gly Leu Asp Ala Ala Leu Val His Gly Met 85 90 95

Trp Leu Ser Ala Thr Ala Gln His Leu Ala Gly Leu Gly Ser Glu Val 100 105 110

Ile Gly Trp Thr Tyr Ser Met Tyr Gly Met Val Gln Leu Asn Asp Val 115 120 125

Val Asp Ile Thr Val Glu Arg Val Gly Arg Ala Gly Leu Lys Pro Ala 130 135 140

Tyr Glu Val Thr Cys Arg Ile Asp Gly Asn Val Val Ser Arg Gly Gln 145 150 155 160

Ala Leu Leu Lys Ala Pro Ser Thr Ala Tyr Val Tyr Pro Ser Gln Gly 165 170 175

Ile Gln Ala Lys Gly Met Gly Gln Gly Asp Arg Thr Ala Ser Ala Glu 180 185 190

Ala Arg Ala Val Trp Glu Arg Ala Asp Ala His Thr Arg Ala Asn Leu 195 200 205

Gly Phe Ser Ile Gln Gln Val Ile Asp Glu Asn Pro Thr Glu Leu Lys 210 215 220

Val Gly Asp Thr Thr Phe Val His Pro Ala Gly Val Leu Asn Leu Thr 225 230 235 240

Gln Phe Thr Gln Val Ala Leu Ala Val Val Ala Tyr Ala Gln Thr Glu 245 250 255

Arg Leu Lys Ala Ala Asn Ala Ile Val Asp Gly Ser Leu Tyr Ala Gly 260 265 270

His Ser Leu Gly Glu Tyr Thr Ala Leu Ala Ser Leu Gly Asn Ile Phe 280 Glu Leu Glu Gly Val Ile Asp Val Val Phe Ser Arg Gly Ser Ala Met His Ser Leu Val Pro Arg Asp Glu Lys Gly Arg Ser Asn Tyr Gly Leu Ala Ala Phe Arq Pro Asn Met Ile Asn Val Ala Ala Thr Glu Val Glu Asn Trp Val Asp Arg Val Ala Glu Glu Ser Gly Glu Phe Leu Gln Ile 345 Val Asn Tyr Asn Val Asp Gly Gln Gln Tyr Ala Val Ala Gly Thr Leu Ala Gly Leu Lys Ala Leu Lys Ala Ser Ala Ser Ala Asn Pro Arg Ala 375 Tyr Val Asn Ile Pro Gly Ile Asp Val Pro Phe His Ser Ser Val Leu Arg Pro Gly Val Pro Ala Phe Ala Glu Lys Leu Asp Glu Leu Leu Pro Glu Thr Ile Asp Ile Asp Ala Leu Arg Gly Arg Tyr Ile Pro Asn Leu 420 Val Ala Arg Pro Phe Glu Leu Thr Gln Ser Phe Val Asp Ala Ile Leu 440 Ala Val Val Pro Ser Glu Arg Leu Lys Gly Ile Lys Val Glu Asp Thr Asp Glu Asn Thr Leu Ala Arg Leu Leu Leu Ile Glu Leu Leu Ser Trp Gln Phe Ala Ser Pro Val Arg Trp Ile Glu Thr Gln Ala Leu Ile Ile 490 Asp Thr Val Asp Gln Ile Ile Glu Val Gly Leu Ala Ala Ser Pro Thr Leu Thr Asn Leu Ala Leu Arg Thr Met Asp Val Ile Gly Lys Ser Arg 520 Pro Val Phe Asn Val Glu Arg Asp Gln Asp Thr Val Met Leu Asn Asp 530 535 Val Arg Gln Ala Pro Val Ala Glu Val Glu Glu Glu Ala Val Glu Glu 550 Ala Pro Ala Ala Ala Ala Pro Ala Ala Glu Ala Pro Val Ala Ala Ala Pro Val Ala Ala Ala Pro Ala Pro Val Gly Asn Ala Pro Glu

Leu Lys Phe Asn Ala Ala Asn Ala Ile Met Val Leu Phe Ala Val Gln

595 600 605

Asn Lys Ile Asn Ile Asp Gln Ile Thr Ala Ala Asp Thr Ser Glu Thr 610 620

Leu Thr Asn Gly Val Ser Ser Arg Arg Asn Gln Met Leu Met Asp Met 625 630 635 640

Ser Thr Glu Leu Ser Val Pro Thr Ile Asp Gly Ala Ala Asp Ala Asp 645 650 655

Val Ala Thr Leu Gln Gly Arg Val Val Thr Ala Ala Pro Gly Tyr Lys 660 665 670

Pro Phe Gly Pro Val Leu Ser Glu Thr Val Arg Ala Arg Leu Arg Ala 675 680 685

Leu Thr Gly Ala Ala Gly Leu Lys Thr Ser Tyr Ile Gly Asp Arg Val 690 695 700

Thr Gly Thr Trp Gly Leu Pro Glu Ser Trp Thr Ala His Val Glu Val
705 710 715 720

Glu Leu Leu Gly Thr Arg Glu Gly Glu Ser Val Arg Gly Gly Asn 725 730 735

Leu Gly Ser Leu Pro Ala Asn Ala Ser Ser Lys Gly Asp Val Asp Ala 740 745 750

Leu Ile Asp Ala Ala Val Gln Asn Val Ala Ala Ala Asn Gly Thr Ser 755 760 765

Val Ser Met Ser Ser Gly Gly Ala Ala Ser Gly Gly Gly Val Val Asp 770 . 780

Ser Ala Ala Leu Asp Ala Tyr Ala Ser Thr Val Thr Gly Glu Glu Gly 785 790 795 800

Val Leu Ala Asn Val Ala Arg Gly Ile Leu Ser Gln Leu Gly Leu Asp 805 810 815

Thr Lys Asp Glu Val Glu Gly Ala Glu Ile Asp Thr Glu Leu Tyr Asp 820 825 830

Ala Val Glu Ala Glu Leu Gly Thr Gly Trp Leu Lys Leu Val Thr Pro 835 840 845

Val Phe Ser Ala Asp Arg Ala Ile Leu Phe Asp Asp Arg Trp Ala Ser 850 855 860

Ala Arg Glu Asp Leu Ala Arg Leu Ala Asn Gly Glu Asp Ile Ala Val 865 870 875 880

Glu Arg Phe Ala Gly Thr Gly Glu Thr Val Val Lys Gln Ala Ala Trp 885 890 895

Trp Ala Glu His Val Glu Asp Thr Ala Leu Ala Ala Thr Leu Lys Gln 900 905 910

Val Ser Glu Val Ala Ala Lys Pro Ala Asn Glu Pro His Ile Asp Asp 915 920 925

Val Ala Leu Val Thr Gly Ala Ala Pro Glu Ser Ile Ala Gly Ala Val 930 935 940

- Ala Ala Arg Leu Leu Ser Gln Gly Ala Thr Val Ile Leu Thr Ala Ser 945 950 955 960
- Asn Val Ser Gln Ala Arg Lys Glu Tyr Ala Arg Lys Leu Tyr Ala Ala 965 970 975
- Asn Ala Thr Pro Asn Ala Lys Leu Trp Ile Val Pro Ala Asn Met Ser 980 985 990
- Ser Tyr Arg Asp Val Asp Ala Val Ile Asp Trp Ile Gly Asn Glu Gln 995 1000 1005
- Arg Val Thr Val Gly Ser Thr Val Thr Val Thr Lys Pro Ala Leu Thr 1010 1020
- Pro Thr Leu Ala Tyr Pro Phe Ala Ala Pro Ser Val Ser Gly Thr Leu 1025 1030 1035 1040
- Ala Asp Ala Gly Pro Gln Ala Glu Asn Gln Ala Arg Leu Leu Trp 1045 1050 1055
- Ser Val Glu Arg Thr Ile Ala Gly Leu Ala Asp Leu Ala Ser Arg Gly 1060 1065 1070
- Val Asp Gly Arg Val His Val Val Leu Pro Gly Ser Pro Asn Arg Gly 1075 1080 1085
- Met Phe Gly Gly Asp Gly Ala Tyr Gly Glu Val Lys Ala Ala Phe Asp 1090 1095 1100
- Ala Ile Leu Ala Lys Trp Gly Ser Glu Thr Gly Trp Pro Gln Phe Val 1105 1110 1115 1120
- Ser Leu Ala Gln Ala Arg Ile Gly Trp Val Ala Gly Thr Gly Leu Met 1125 1130 1135
- Gly Arg Asn Asp Val Leu Ile Pro Ala Ala Glu Lys Leu Gly Ile His 1140 1145 1150
- Val Tyr Thr Pro Glu Glu Ile Ser Ser Glu Leu Leu Gly Leu Ala Ser 1155 1160 1165
- Ala Glu Ser Arg Glu Lys Ala Leu Glu Ala Pro Ile Asp Tyr Asp Leu 1170 1175 1180
- Thr Gly Gly Leu Ser Gly Gly Val Ser Ile Ala Ala Leu Ala Ala Ser 1185 1190 1195 1200
- Leu Glu Ser Asp Ala Val Glu Thr Thr Ser Ala Ala Glu Asp Thr Ile 1205 1210 1215
- Lys Ala Leu Pro Ser Pro Lys His Pro Glu Gln Pro Val Gly Thr Pro 1220 1225 1230
- Val Gly Glu Val Lys Thr Asp Leu Glu Asp Met Val Wat Wal Gly
 1235 1240 1245

Val Gly Glu Val Ser Ser Trp Gly Ser Gly Arg Thr Arg Phe Glu Ala 1250 1255 1260

- Glu Tyr Gly Ile Gln Arg Asp Gly Ser Val Asp Leu Thr Ala Ala Gly 1265 1270 1275 1280
- Val Leu Glu Leu Ala Trp Met Met Gly Leu Ile Ser Trp Ser Glu Asp 1285 1290 1295
- Pro Lys Pro Ala Trp Tyr Asp Ala Asp Gly Thr Glu Val Pro Glu Glu 1300 1305 1310
- Glu Ile Tyr Glu Arg Phe Arg Asp Glu Val Ile Ala Arg Cys Gly Val 1315 1320 1325
- Arg Glu Leu Val Asp Asp Ala Phe Leu Val Asp Gly Ser Leu Asp 1330 1335 1340
- Ala Ala Glu Val Phe Leu Asp Arg Asp Ile Ser Phe Ser Val Thr Ser 1345 1350 1355 1360
- Ala Glu Glu Ala Gln Ala Tyr Val Asp Ala Asp Ala Ser Val Thr Val 1365 1370 1375
- Glu Glu Ala Asp Gly Glu Trp Ile Val Thr Lys Lys Lys Gly Ser Thr 1380 1385 1390
- Ser Phe Val Pro Arg Lys Ala Thr Leu Thr Arg Ser Val Ala Gly Gln 1395 1400 1405
- Leu Pro Thr Asp Phe Asp Pro Ala Lys Trp Gly Ile Pro Ala Ser Met 1410 1415 1420
- Ile Asp Ala Leu Asp Asn Ile Ala Ala Trp Asn Leu Val Thr Ala Val 1425 1430 1435 1440
- Asp Ala Phe Leu Ser Ser Gly Phe Ser Pro Ala Glu Leu Leu Gln Ser 1445 1450 1455
- Ile His Pro Ala Asp Val Ser Ser Thr Gln Gly Thr Gly Ile Gly Gly 1460 1465 1470
- Met Gln Ser Leu Arg Lys Leu Phe Val Asn Arg Phe Leu Gly Gln Asp 1475 1480 1485
- Arg Pro Ser Asp Ile Leu Gln Glu Thr Leu Pro Asn Val Val Ala Ala 1490 1495 1500
- His Thr Met Gln Ser Tyr Val Gly Gly Tyr Gly Gln Met Ile His Pro 1505 1510 1515 1520
- Val Ala Ala Cys Ala Thr Ala Ala Val Ser Val Glu Glu Gly Val Asp 1525 1530 1535
- Lys Ile Arg Leu Asn Lys Ala Asp Phe Val Val Ala Gly Gly Ile. Asp 1540 1545 1550
- Asp Ile Gln Val Glu Ser Leu Thr Gly Phe Gly Asp Met Asn Ala Thr 1555 1560 1565
- Ala Asp Thr Gln Ala Met Leu Asp Lys Gly Ile Asp Pro Arg Phe Ile

1570 1575 1580

Ser Arg Ala Asn Asp Arg Arg Arg Ala Gly Phe Leu Glu Ala Ala Gly 1585 1590 1595 1600

- Gly Gly Thr Val Leu Leu Ala Arg Ala Ser Val Ala Ala Glu Leu Gly 1605 1610 1615
- Leu Pro Val Leu Ala Val Val Ala His Ala Gln Ser Tyr Ala Asp Gly
 1620 1625 1630
- Ala His Thr Ser Ile Pro Ala Pro Gly Leu Gly Ala Leu Gly Ala Ala 1635 1640 1645
- Arg Gly Gly Lys Lys Ser Val Leu Ala Arg Glu Leu Asn Lys Leu Gly 1650 1660
- Leu Thr Pro Asp Asp Val Arg Val Val Ser Lys His Asp Thr Ser Thr 1665 1670 1675 1680
- Asn Ala Asn Asp Pro Asn Glu Ser Glu Leu His Asn Leu Leu Trp Lys 1685 1690 1695
- Thr Ile Gly Arg Glu Ala Asp Asn Pro Met Phe Val Val Ser Gln Lys 1700 1705 1710
- Ser Leu Thr Gly His Ser Lys Gly Gly Ala Ala Leu Phe Gln Ile Gly 1715 1720 1725
- Gly Leu Val Ser Ile Leu Glu Thr Gly Lys Leu Pro Gln Asn Ala Ser 1730 1735 1740
- Leu Asp Cys Val Asp Pro Glu Met Glu Ala Lys Gly Glu Asn Phe Val 1745 1750 1755 1760
- Trp Leu Arg Lys Pro Leu Asp Leu Gly Ala Gly Ser Ile Lys Ala Gly 1765 1770 1775
- Val Leu Thr Ser Leu Gly Phe Gly His Val Ala Ala Val Val Leu 1780 1785 1790
- Ala Thr Ser Gly Ile Phe Glu Gln Ala Met Arg Asn Ala Gly Leu Asp 1795 1800 1805
- Val Glu Ala Trp Arg Ala Arg Ala Thr Gln Arg Leu Arg Thr Gly Ala 1810 1815 1820
- Asn Arg Leu Glu Ala Gly Met Val Gly Arg Ala Pro Leu Phe Glu Gln 1825 1830 1835 1840
- Val Asp Gly Arg Arg Leu Pro Glu His Gly Ala His Gln Ala Glu Ile 1845 1850 1855
- Asn Leu Leu Ile Asp Ala Asp Ala Arg Leu Gly Ala Asp Gly Ile Tyr 1860 1865 1870

Gln Gly

<210> 47

<211> 3317 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (1)..(3294) <223> FRXA00113 <400> 47 gct tca ggt ggc gga gtt gtt gat tcc gca gca ctt gat gcc tac gca 48 Ala Ser Gly Gly Val Val Asp Ser Ala Ala Leu Asp Ala Tyr Ala tcc acc gtc act ggt gaa gaa ggc gtc ctg gca aac gtt gct cgc ggc Ser Thr Val Thr Gly Glu Glu Gly Val Leu Ala Asn Val Ala Arg Gly att ctg tct cag ctt ggt ctc gac acc aag gac gag gtt gaa ggc gca Ile Leu Ser Gln Leu Gly Leu Asp Thr Lys Asp Glu Val Glu Gly Ala 35 40 gag atc gac acc gaa ctc tac gac gct gtc gaa gca gaa ctg ggc acc Glu Ile Asp Thr Glu Leu Tyr Asp Ala Val Glu Ala Glu Leu Gly Thr 50 ggc tgg ctg aag ctt gtc acc cca gtg ttc tcc gct gat cgt gcg atc 240 Gly Trp Leu Lys Leu Val Thr Pro Val Phe Ser Ala Asp Arg Ala Ile 65 70 ttg ttc gac gac cgt tgg gca tct gca cgt gaa gat ctg gca cgc ctt 288 Leu Phe Asp Asp Arg Trp Ala Ser Ala Arg Glu Asp Leu Ala Arg Leu 85 gcc aac ggc gag gat att gcc gtc gag cgc ttt gct gga acg ggg gag 336 Ala Asn Gly Glu Asp Ile Ala Val Glu Arg Phe Ala Gly Thr Gly Glu 100 105 acc gtc gtc aag caa gct gca tgg tgg gct gag cac gtt gaa gac acc 384 Thr Val Val Lys Gln Ala Ala Trp Trp Ala Glu His Val Glu Asp Thr 115 120 gct ctc gct gca acc ctg aag cag gtt tcc gag gtg gct gcg aag cca Ala Leu Ala Ala Thr Leu Lys Gln Val Ser Glu Val Ala Ala Lys Pro gcc aac gag cca cac atc gac gat gtt gcg ctg gtt acc ggt gcg gct 480 Ala Asn Glu Pro His Ile Asp Asp Val Ala Leu Val Thr Gly Ala Ala 150 155 cct gag tcg atc gcc ggt gca gtt gcg gct cgc ctg ctg tcc cag ggc Pro Glu Ser Ile Ala Gly Ala Val Ala Ala Arg Leu Leu Ser Gln Gly gcg acc gtc att ctc acc gca tcg aac gtc tcc cag gcg cgt aag gaa 576 Ala Thr Val Ile Leu Thr Ala Ser Asn Val Ser Gln Ala Arg Lys Glu 180 185 tac gca cgc aag ctc tac gct gcg aac gca acc cct aac gca aag ctg Tyr Ala Arg Lys Leu Tyr Ala Ala Asn Ala Thr Pro Asn Ala Lys Leu 195 200 205

			aac Asn						672
			aac Asn 230						720
			gct Ala						768
			ggt Gly						816
			ctc Leu						864
			tcc Ser						912
		-	aac Asn 310	-	 _		 _	 _	960
			gct Ala						1008
			cag Gln						1056
			ggc Gly						1104
			ggc Gly						1152
Glu			ctt Leu 390						1200
			tac Tyr						1248
			gca Ala						1296
			gac Asp						1344

			cca Pro													1392
			gtt Val													1440
			acc Thr													1488
			ctc Leu 500													1536
			tcc Ser													1584
			gaa Glu													1632
			gca Ala													1680
			ggc Gly													1728
			ttc Phe 580													1776
			gct Ala													1824
gtg Val	acc Thr 610	aag Lys	aag Lys	aag Lys	ggc Gly	tcc Ser 615	acc Thr	tcc Ser	ttc Phe	gtg Val	cca Pro 620	cgc Arg	aag Lys	gca Ala	acc Thr	1872
			tcc Ser													1920
			atc Ile													1968
			ctg Leu 660													2016
			gaa Glu													2064
acc	cag	ggc	acc	ggt	atc	ggt	ggc	atg	cag	tcc	cta	cgc	aag	ctg	ttc	2112

Thr	Gln 690	Gly	Thr	Gly	Ile	Gly 695	Gly	Met	Gln	Ser	Leu 700	Arg	Lys	Leu	Phe	
					ggc Gly 710											2160
					gtg Val											2208
					atc											2256
					ggc Gly											2304
					ggt Gly											2352
			-	_	aac Asn 790	-		_	-		_	_	_	-	_	2400
					cgc Arg											2448
					gca Ala											2496
					gaa Glu											2544
					gcc Ala											2592
					ggt Gly 870											2640
					aaa Lys											2688
					acc Thr											2736
					ctg Leu											2784
					tcc Ser											2832

935 940 ggt gca gca ctc ttc cag atc ggt gga ctt gtc tcc atc ctg gaa acc Gly Ala Ala Leu Phe Gln Ile Gly Gly Leu Val Ser Ile Leu Glu Thr 950 955 2928 ggc aag ctg cca cag aac gca tcc ctt gac tgc gtt gac cca gag atg Gly Lys Leu Pro Gln Asn Ala Ser Leu Asp Cys Val Asp Pro Glu Met 965 970 2976 gaa gca aag ggc gag aac ttc gtc tgg ctg cgc aag cca ctg gat ctc Glu Ala Lys Gly Glu Asn Phe Val Trp Leu Arg Lys Pro Leu Asp Leu 985 gge gea gge tee att aag gee gge gta ett aee tea etg gge tte gge 3024 Gly Ala Gly Ser Ile Lys Ala Gly Val Leu Thr Ser Leu Gly Phe Gly 995 1000 1005 cac gtg gct gca gtc gtg ctg gca acc agc ggc atc ttc gag cag 3072 His Val Ala Ala Val Val Leu Ala Thr Ser Gly Ile Phe Glu Gln 1010 1015 gca atg cgc aac gca ggc ctc gac gtc gaa gca tgg cgt gca cgc gca 3120 Ala Met Arg Asn Ala Gly Leu Asp Val Glu Ala Trp Arg Ala Arg Ala 1025 1030 1035 acc cag cgc ctg cgc acc ggt gca aac cgc cta gaa gct ggc atg gtt 3168 Thr Gln Arg Leu Arg Thr Gly Ala Asn Arg Leu Glu Ala Gly Met Val 1045 1050 ggc cga gca cca ttg ttc gag cag gtc gac gga cgt cgc ctg cca gag Gly Arg Ala Pro Leu Phe Glu Gln Val Asp Gly Arg Arg Leu Pro Glu 1060 1065 1070 cat ggc gct cac caa gca gag atc aac ttg ctt atc gac gct gac gct 3264 His Gly Ala His Gln Ala Glu Ile Asn Leu Leu Ile Asp Ala Asp Ala 1075 1080 1085 cgc ctc ggt gct gac ggc atc tac cag ggc taaacgttag atagctaaga 3314 Arg Leu Gly Ala Asp Gly Ile Tyr Gln Gly 1090 3317 aag <210> 48 <211> 1098 <212> PRT <213> Corynebacterium glutamicum <400> 48 Ala Ser Gly Gly Val Val Asp Ser Ala Ala Leu Asp Ala Tyr Ala Ser Thr Val Thr Gly Glu Glu Gly Val Leu Ala Asn Val Ala Arg Gly

Ile Leu Ser Gln Leu Gly Leu Asp Thr Lys Asp Glu Val Glu Gly Ala
35 40 45

. 55 60 Gly Trp Leu Lys Leu Val Thr Pro Val Phe Ser Ala Asp Arg Ala Ile 70 Leu Phe Asp Asp Arg Trp Ala Ser Ala Arg Glu Asp Leu Ala Arg Leu Ala Asn Gly Glu Asp Ile Ala Val Glu Arg Phe Ala Gly Thr Gly Glu Thr Val Val Lys Gln Ala Ala Trp Trp Ala Glu His Val Glu Asp Thr Ala Leu Ala Ala Thr Leu Lys Gln Val Ser Glu Val Ala Ala Lys Pro Ala Asn Glu Pro His Ile Asp Asp Val Ala Leu Val Thr Gly Ala Ala 150 155 Pro Glu Ser Ile Ala Gly Ala Val Ala Ala Arg Leu Leu Ser Gln Gly 170 Ala Thr Val Ile Leu Thr Ala Ser Asn Val Ser Gln Ala Arg Lys Glu Tyr Ala Arg Lys Leu Tyr Ala Ala Asn Ala Thr Pro Asn Ala Lys Leu 200 Trp Ile Val Pro Ala Asn Met Ser Ser Tyr Arg Asp Val Asp Ala Val Ile Asp Trp Ile Gly Asn Glu Gln Arg Val Thr Val Gly Ser Thr Val Thr Val Thr Lys Pro Ala Leu Thr Pro Thr Leu Ala Tyr Pro Phe Ala 245 Ala Pro Ser Val Ser Gly Thr Leu Ala Asp Ala Gly Pro Gln Ala Glu 265 Asn Gln Ala Arq Leu Leu Trp Ser Val Glu Arg Thr Ile Ala Gly Leu Ala Asp Leu Ala Ser Arg Gly Val Asp Gly Arg Val His Val Val Leu Pro Gly Ser Pro Asn Arg Gly Met Phe Gly Gly Asp Gly Ala Tyr Gly Glu Val Lys Ala Ala Phe Asp Ala Ile Leu Ala Lys Trp Gly Ser 325

Glu Thr Gly Trp Pro Gln Phe Val Ser Leu Ala Gln Ala Arg Ile Gly 345

Trp Val Ala Gly Thr Gly Leu Met Gly Arg Asn Asp Val Leu Ile Pro

Ser Glu Leu Leu Gly Leu Ala Ser Ala Glu Ser Arg Glu Lys Ala Leu 390 395 Glu Ala Pro Ile Asp Tyr Asp Leu Thr Gly Gly Leu Ser Gly Gly Val 405 410 Ser Ile Ala Ala Leu Ala Ala Ser Leu Glu Ser Asp Ala Val Glu Thr Thr Ser Ala Ala Glu Asp Thr Ile Lys Ala Leu Pro Ser Pro Lys His 440 Pro Glu Gln Pro Val Gly Thr Pro Val Gly Glu Val Lys Thr Asp Leu Glu Asp Met Val Val Met Val Gly Val Gly Glu Val Ser Ser Trp Gly Ser Gly Arg Thr Arg Phe Glu Ala Glu Tyr Gly Ile Gln Arg Asp Gly 485 490 Ser Val Asp Leu Thr Ala Ala Gly Val Leu Glu Leu Ala Trp Met Met 505 Gly Leu Ile Ser Trp Ser Glu Asp Pro Lys Pro Ala Trp Tyr Asp Ala 520 Asp Gly Thr Glu Val Pro Glu Glu Glu Ile Tyr Glu Arg Phe Arg Asp 535 Glu Val Ile Ala Arg Cys Gly Val Arg Glu Leu Val Asp Asp Ala Phe Leu Val Asp Gly Gly Ser Leu Asp Ala Ala Glu Val Phe Leu Asp Arg Asp Ile Ser Phe Ser Val Thr Ser Ala Glu Glu Ala Gln Ala Tyr Val 585 Asp Ala Asp Ala Ser Val Thr Val Glu Glu Ala Asp Gly Glu Trp Ile 595 600 Val Thr Lys Lys Gly Ser Thr Ser Phe Val Pro Arg Lys Ala Thr 615 Leu Thr Arg Ser Val Ala Gly Gln Leu Pro Thr Asp Phe Asp Pro Ala 625 635 Lys Trp Gly Ile Pro Ala Ser Met Ile Asp Ala Leu Asp Asn Ile Ala Ala Trp Asn Leu Val Thr Ala Val Asp Ala Phe Leu Ser Ser Gly Phe 665 Ser Pro Ala Glu Leu Leu Gln Ser Ile His Pro Ala Asp Val Ser Ser 680 Thr Gln Gly Thr Gly Ile Gly Gly Met Gln Ser Leu Arg Lys Leu Phe

Val Asn Arg Phe Leu Gly Gln Asp Arg Pro Ser Asp Ile Leu Gln Glu Thr Leu Pro Asn Val Val Ala Ala His Thr Met Gln Ser Tyr Val Gly Gly Tyr Gly Gln Met Ile His Pro Val Ala Ala Cys Ala Thr Ala Ala 745 Val Ser Val Glu Glu Gly Val Asp Lys Ile Arg Leu Asn Lys Ala Asp Phe Val Val Ala Gly Gly Ile Asp Asp Ile Gln Val Glu Ser Leu Thr Gly Phe Gly Asp Met Asn Ala Thr Ala Asp Thr Gln Ala Met Leu Asp Lys Gly Ile Asp Pro Arg Phe Ile Ser Arg Ala Asn Asp Arg Arg Ala Gly Phe Leu Glu Ala Ala Gly Gly Gly Thr Val Leu Leu Ala Arg 820 825 Ala Ser Val Ala Ala Glu Leu Gly Leu Pro Val Leu Ala Val Val Ala His Ala Gln Ser Tyr Ala Asp Gly Ala His Thr Ser Ile Pro Ala Pro 855 Gly Leu Gly Ala Leu Gly Ala Ala Arg Gly Gly Lys Lys Ser Val Leu 870 875 Ala Arg Glu Leu Asn Lys Leu Gly Leu Thr Pro Asp Asp Val Arg Val 885 Val Ser Lys His Asp Thr Ser Thr Asn Ala Asn Asp Pro Asn Glu Ser 905 Glu Leu His Asn Leu Leu Trp Lys Thr Ile Gly Arg Glu Ala Asp Asn 920 Pro Met Phe Val Val Ser Gln Lys Ser Leu Thr Gly His Ser Lys Gly 930 935 Gly Ala Ala Leu Phe Gln Ile Gly Gly Leu Val Ser Ile Leu Glu Thr 950 955 Gly Lys Leu Pro Gln Asn Ala Ser Leu Asp Cys Val Asp Pro Glu Met Glu Ala Lys Gly Glu Asn Phe Val Trp Leu Arg Lys Pro Leu Asp Leu 985 Gly Ala Gly Ser Ile Lys Ala Gly Val Leu Thr Ser Leu Gly Phe Gly 995 1000 His Val Ala Ala Val Val Leu Ala Thr Ser Gly Ile Phe Glu Gln 1010 Ala Met Arg Asn Ala Gly Leu Asp Val Glu Ala Trp Arg Ala Arg Ala

1025 1030 1035 1040 Thr Gln Arg Leu Arg Thr Gly Ala Asn Arg Leu Glu Ala Gly Met Val 1045 1050 Gly Arg Ala Pro Leu Phe Glu Gln Val Asp Gly Arg Arg Leu Pro Glu His Gly Ala His Gln Ala Glu Ile Asn Leu Leu Ile Asp Ala Asp Ala 1075 1080 Arg Leu Gly Ala Asp Gly Ile Tyr Gln Gly <210> 49 <211> 6136 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(6136) <223> RXN03111 <400> 49 cgtgaccgaa ttgagcagga acttcggggc cagccgactg attaaccgct ttggccagga 60 gccttttgcc ttcgctttcg ccggccaagg atatgactgg ttg aag acc ctt cgt Leu Lys Thr Leu Arg gcc gcg gtt gcc gca ggt gca ggc acc aat gtt agt gac atc gtc gag 163 Ala Ala Val Ala Ala Gly Ala Gly Thr Asn Val Ser Asp Ile Val Glu 10 cgc gca aat gcg ctg ctt gca cta gtt gca gat gat ctc att ggc acc Arg Ala Asn Ala Leu Leu Ala Leu Val Ala Asp Asp Leu Ile Gly Thr 25 ctt cca ttt ggt ttc gat cca gtg gct tgg gct aac aac tcc gaa gat 259 Leu Pro Phe Gly Phe Asp Pro Val Ala Trp Ala Asn Asn Ser Glu Asp 45 cca gct ttc gat act gca caa tct gca gtg agc gtg ccg ggt atc ttt 307 Pro Ala Phe Asp Thr Ala Gln Ser Ala Val Ser Val Pro Gly Ile Phe 60 gto too cag ato goa acc etg gat too ett gag gog cag ego ett gat Val Ser Gln Ile Ala Thr Leu Asp Ser Leu Glu Ala Gln Arg Leu Asp gtg gat cag gct gtg tcc agc att ggt cat tcc cag ggc gta ttg ggc 403 Val Asp Gln Ala Val Ser Ser Ile Gly His Ser Gln Gly Val Leu Gly 90 95 gtg cac ctg ctc aat gat gcg act cgt gct gat gaa ctc gtt gcc att Val His Leu Leu Asn Asp Ala Thr Arg Ala Asp Glu Leu Val Ala Ile 110

gcg cag ttg atc ggt gca gcg atc acc cgc acc gca cgc atg acg ggc

Ala	Gln	Leu 120		Gly	Ala	Ala	Ile 125		Arg	Thr	Ala	Arg 130		Thr	Gly	
ctg Leu	atc Ile 135	gcg Ala	cag Gln	ggc Gly	gac Asp	aac Asn 140	Met	ccg Pro	atg Met	ctg Leu	tcg Ser 145	atc Ile	gcc Ala	gga Gly	att Ile	547
tcc Ser 150	cgc Arg	gaa Glu	cag Gln	ctt Leu	cag Gln 155	caa Gln	gct Ala	atc Ile	gac Asp	gcg Ala 160	gcc Ala	tgc Cys	gcc Ala	gaa Glu	gtc Val 165	595
cct Pro	gcg Ala	gag Glu	atc Ile	cgc Arg 170	ccg Pro	gtt Val	atc Ile	ggt Gly	ctg Leu 175	cgc Arg	aac Asn	tca Ser	cgc Arg	gat Asp 180	tct Ser	643
tat Tyr	gtt Val	ttg Leu	gtt Val 185	ggc Gly	cgc Arg	cca Pro	gac Asp	gac Asp 190	aac Asn	gct Ala	cgc Arg	gtt Val	gtt Val 195	aag Lys	gtc Val	691
											att Ile					739
cgc Arg	ggc Gly 215	ggt Gly	tcc Ser	gcg Ala	ttc Phe	agc Ser 220	ccc Pro	cgt Arg	att Ile	act Thr	ccg Pro 225	ctg Leu	aag Lys	gtg Val	cag Gln	787
gct Ala 230	gct Ala	ttc Phe	cat His	cac His	cca Pro 235	gct Ala	atg Met	aac Asn	atg Met	gct Ala 240	gtg Val	gag Glu	cag Gln	acc Thr	gtg Val 245	835
gcg Ala	tgg Trp	gca Ala	acc Thr	act Thr 250	gct Ala	ggt Gly	ttg Leu	gat Asp	gtg Val 255	gaa Glu	ctc Leu	acc Thr	cgc Arg	gag Glu 260	atc Ile	883
gcc Ala	gct Ala	gat Asp	gtt Val 265	ttg Leu	gtt Val	aac Asn	cct Pro	gtc Val 270	gat Asp	tgg Trp	gta Val	gca Ala	cgc Arg 275	gtc Val	aac Asn	931
											gac Asp					979
ggt Gly	ggc Gly 295	atc Ile	gtt Val	aag Lys	ctg Leu	act Thr 300	gcc Ala	aac Asn	atc Ile	ctt Leu	gag Glu 305	ggc Gly	cgc Arg	ggc Gly	gcg Ala	1027
gat Asp 310	tcc Ser	ttc Phe	tat Tyr	gtt Val	ggt Gly 315	gac Asp	gcc Ala	gca Ala	ggc Gly	cag Gln 320	gcc Ala	aag Lys	ata Ile	ttt Phe	gat Asp 325	1075
gct Ala	ggc Gly	atg Met	gca Ala	cct Pro 330	gaa Glu	ctt Leu	cca Pro	gtg Val	gat Asp 335	tac Tyr	cag Gln	gag Glu	ttc Phe	gca Ala 340	cca Pro	1123
		Glu									gtt Val					1171
gag Glu	ctg Leu	acc Thr	ggc Gly	cgc Arg	acc Thr	cca Pro	atg Met	atg Met	ctg Leu	gct Ala	ggc Gly	atg Met	acc Thr	cca Pro	acc Thr	1219

360 365 370 acc gtt gac cct gcc att gtt gca gcc gct gca aac ggt gga cac tgg Thr Val Asp Pro Ala Ile Val Ala Ala Ala Ala Asn Gly Gly His Trp 380 385 get gag etc get ggt gge gga cag gtt acc eca gag etg etg gaa acc Ala Glu Leu Ala Gly Gly Gln Val Thr Pro Glu Leu Leu Glu Thr 390 cac atc gca cag ctc acc gac atg ctt gag cca ggt atc aac gcc cag 1363 His Ile Ala Gln Leu Thr Asp Met Leu Glu Pro Gly Ile Asn Ala Gln 410 415 ttc aac tcc atg ttc ttg gat cca tac ctg tgg aag atg cag att ggt Phe Asn Ser Met Phe Leu Asp Pro Tyr Leu Trp Lys Met Gln Ile Gly 425 ggc aag cgc ctt gtt cct aag gcc cgc gct aat ggt gca tcc atc gac 1459 Gly Lys Arg Leu Val Pro Lys Ala Arg Ala Asn Gly Ala Ser Ile Asp 440 445 ggc atc gtc atc acc gcc ggc att cct gaa aag gat gaa gct gtt gca 1507 Gly Ile Val Ile Thr Ala Gly Ile Pro Glu Lys Asp Glu Ala Val Ala 455 460 ttg gtc aag gaa ctg atg cgt gat ggt ttc cct tgg atc gca ttc aag 1555 Leu Val Lys Glu Leu Met Arg Asp Gly Phe Pro Trp Ile Ala Phe Lys 470 475 cca ggt gcc atc aag cag gtt aac tct gtg ttg gct atc gct aag gaa 1603 Pro Gly Ala Ile Lys Gln Val Asn Ser Val Leu Ala Ile Ala Lys Glu 490 495 gtt cca gaa ctc ccc atc atc att cag att gag ggt ggc gtt gca ggt 1651 Val Pro Glu Leu Pro Ile Ile Gln Ile Glu Gly Gly Val Ala Gly 510 gga cac cac tot tgg gaa gac ctc gat gag ctg ctg atc gcc acc tac 1699 Gly His His Ser Trp Glu Asp Leu Asp Glu Leu Leu Ile Ala Thr Tyr 525 ggc aag gtc cgc gca ctg gat aac gtg gtg ctg tgt gtc ggc ggt ggc Gly Lys Val Arg Ala Leu Asp Asn Val Val Leu Cys Val Gly Gly Gly 540 att ggc tca cct gag cgc gct gct gat tac gtc acc ggt tcc tgg tcc 1795 Ile Gly Ser Pro Glu Arg Ala Ala Asp Tyr Val Thr Gly Ser Trp Ser 560 act tcc tac ggc ctg cca gct atg cct gtt gat ggc atc ttg gtg ggt 1843 Thr Ser Tyr Gly Leu Pro Ala Met Pro Val Asp Gly Ile Leu Val Gly acc gct gcg atg gca acc aag gaa gca acc acc tcc cag gcc gtc aag 1891 Thr Ala Ala Met Ala Thr Lys Glu Ala Thr Thr Ser Gln Ala Val Lys 585 590 gaa ctt ctt gtt tcc acc cag ggc tct gat gaa tgg gtt cct gct ggt

Glu Leu Leu Val Ser Thr Gln Gly Ser Asp Glu Trp Val Pro Ala Gly

605

600

ggc Gly	gca Ala 615	aag Lys	aac Asn	gga Gly	atg Met	gca Ala 620	Ser	ggc Gly	cgt Arg	tcc Ser	cag Gln 625	ctt Leu	ggc Gly	gca Ala	gac Asp	1987
atc Ile 630	His	gag Glu	atc Ile	gac Asp	aac Asn 635	tcc Ser	ttt Phe	gct Ala	aag Lys	gct Ala 640	gga Gly	cgc Arg	ctt Leu	ctt Leu	gat Asp 645	2035
gag Glu	gtt Val	gca Ala	ggc Gly	gat Asp 650	gag Glu	acg Thr	gct Ala	gtg Val	cag Gln 655	gcg Ala	cgc Arg	cgg Arg	gat Asp	gag Glu 660	atc Ile	2083
att Ile	gaa Glu	gcg Ala	att Ile 665	ggc Gly	aag Lys	acc Thr	gcc Ala	aag Lys 670	gtg Val	tac Tyr	ttc Phe	ggt Gly	gac Asp 675	atc Ile	gga Gly	2131
		act Thr 680														2179
cct Pro	gtt Val 695	gat Asp	ggt Gly	cag Gln	tgg Trp	att Ile 700	gat Asp	gct Ala	tcc Ser	tgg Trp	gct Ala 705	gca Ala	cgt Arg	ttt Phe	gcc Ala	2227
		ctg Leu														2275
caa Gln	ttt Phe	gag Glu	cca Pro	agc Ser 730	ctg Leu	acg Thr	gtg Val	gag Glu	gat Asp 735	ggc Gly	gtc Val	gac Asp	aag Lys	ctt Leu 740	gtt Val	2323
gct Ala	gct Ala	tac Tyr	ccg Pro 745	cat His	gcc Ala	gca Ala	acc Thr	gac Asp 750	ctg Leu	ctc Leu	acc Thr	ccg Pro	gct Ala 755	gat Asp	gtc Val	2371
gcc Ala	tgg Trp	ttc Phe 760	ttg Leu	ggc Gly	ctg Leu	tgc Cys	cgc Arg 765	acg Thr	ccg Pro	ggc Gly	aag Lys	cct Pro 770	gtg Val	aac Asn	ttt Phe	2419
gtg Val	ccc Pro 775	gtc Val	att Ile	gat Asp	aag Lys	gac Asp 780	gtg Val	cgt Arg	cgc Arg	tgg Trp	tgg Trp 785	cgc Arg	tcg Ser	gac Asp	tcc Ser	2467
ctg Leu 790	tgg Trp	cag Gln	tcc Ser	cac His	gat Asp 795	gat Asp	cgc Arg	tac Tyr	acc Thr	gct Ala 800	gat Asp	cag Gln	gtg Val	gct Ala	att Ile 805	2515
atc Ile	cct Pro	ggt Gly	gtc Val	gtc Val 810	gcc Ala	gtt Val	gct Ala	ggc Gly	atc Ile 815	acc Thr	aag Lys	gcc Ala	aac Asn	gaa Glu 820	cct Pro	2563
gtc Val	gct Ala	gac Asp	ctg Leu 825	ctt Leu	gat Asp	cgc Arg	ttt Phe	gtc Val 830	gac Asp	gcc Ala	acc Thr	atc Ile	gag Glu 835	cgc Arg	atc Ile	2611
gat Asp	Glu	cac His 840	gat Asp	tcc Ser	cgc Arg	tcc Ser	cgc Arg 845	gac Asp	atc Ile	atg Met	ggc Gly	aaa Lys 850	gtg Val	ctt Leu	tcc Ser	2659

tca Ser	cct Pro 855	Gly	aca Thr	ttc Phe	tgg Trp	gct Ala 860	ggc Gly	cgc Arg	aac Asn	atc Ile	cca Pro 865	tcg Ser	gtg Val	atc Ile	cac His	2707
agc Ser 870	ctt Leu	ggg Gly	cat His	gct Ala	gac Asp 875	aag Lys	tgg Trp	tcc Ser	cgc Arg	tcc Ser 880	gaa Glu	ttc Phe	gaa Glu	gca Ala	ttc Phe 885	2755
cat His	agc Ser	cca Pro	acc Thr	ggc Gly 890	gcc Ala	aac Asn	ttg Leu	gtg Val	tac Tyr 895	gaa Glu	gac Asp	gcc Ala	gag Glu	cac His 900	gcg Ala	2803
atg Met	ctg Leu	act Thr	gtg Val 905	cct Pro	ttg Leu	gcg Ala	ggt Gly	tcc Ser 910	acc Thr	gca Ala	ttc Phe	ggc Gly	acc Thr 915	acc Thr	gct Ala	2851
gag Glu	ctg Leu	aaa Lys 920	atc Ile	cgt Arg	ttc Phe	acc Thr	agc Ser 925	ccc Pro	atc Ile	gac Asp	gct Ala	ctg Leu 930	cca Pro	agc Ser	gct Ala	2899
gtc Val	cca Pro 935	ctg Leu	gtc Val	acc Thr	cag Gln	gaa Glu 940	gac Asp	gct Ala	gaa Glu	gcc Ala	gcg Ala 945	atg Met	ggt Gly	gaa Glu	ctg Leu	2947
acc Thr 950	cgc Arg	atc Ile	gca Ala	gct Ala	ggc Gly 955	ggc Gly	acc Thr	ctg Leu	gca Ala	act Thr 960	gtg Val	aac Asn	aat Asn	ggc Gly	acc Thr 965	2995
gct Ala	acc Thr	tgg Trp	gaa Glu	acc Thr 970	tcc Ser	gtc Val	gat Asp	gcc Ala	ggc Gly 975	gtc Val	atc Ile	gct Ala	gac Asp	tac Tyr 980	aac Asn	3043
aac Asn	gtc Val	acc Thr	gca Ala 985	ggc Gly	tac Tyr	ctg Leu	cca Pro	gca Ala 990	tcc Ser	gtt Val	gtt Val	cct Pro	gca Ala 995	cac His	acc Thr	3091
gca Ala	cct Pro	gac Asp 1000	Val	ctg Leu	gtt Val	ggc Gly	cgc Arg 100	Ala	tgg Trp	cca Pro	gca Ala	Val	ttc Phe)10	gct Ala	gcc Ala	3139
gta Val	aag Lys 1015	Ser	gca Ala	gtc Val	atc Ile	cca Pro 102	ggc Gly O	acc Thr	gat Asp	tcc Ser	Ala	tcc Ser 25	gtt Val	gtg Val	gaa Glu	3187
ggc Gly 1030	Met	ctg Leu	tcc Ser	ctg Leu	gtt Val 103	His	ctg Leu	gag Glu	cac His	His	att Ile 40	gtg Val	ctc Leu	aag Lys	Ser	3235 .045
gat Asp	gtc Val	cca Pro	acc Thr	gac Asp 1050	Gly	gcg Ala	ctg Leu	aag Lys	gtt Val 105	Ser	gcg Ala	act Thr	gcc Ala	Asp	gag Glu 060	3283
gta Val	gtc Val	Asp	acc Thr 1065	Asp	ctg Leu	ggt Gly	cgc Arg	ctc Leu 107	Val	atc Ile	gtg Val	cgc Arg	Ala	gaa Glu)75	atc Ile	3331
gcc Ala	gac Asp	gca Ala 1080	Glu	ggc Gly	aac Asn	ctg Leu	att Ile 108	Ala	acg Thr	ttg Leu	gct Ala	Glu	cgt Arg 90	ttc Phe	gcg Ala	3379
atc	cgc	gga	cgc	aag	ggc	aac	gct	gtc	gca	cgc	acc	aac	acc	tcc	gca	3427

Ile Arg Gly Arg Lys Gly Asn Ala Val Ala Arg Thr Asn Thr Ser Ala 1095 1100 ctg cca acc acc gtg gac acc cca cgc tca gct cgc gca gtg gca acc Leu Pro Thr Thr Val Asp Thr Pro Arg Ser Ala Arg Ala Val Ala Thr 1110 1115 1125 gtt gtt gca cct gaa tcc atg cgc cca ttc gct gtg atc tcc ggt gac 3523 Val Val Ala Pro Glu Ser Met Arg Pro Phe Ala Val Ile Ser Gly Asp 1130 cgc aac cca att cac gtc tct gat gtt gcg gct tcc ctg gct ggt ctg 3571 Arg Asn Pro Ile His Val Ser Asp Val Ala Ala Ser Leu Ala Gly Leu 1145 1150 cca ggt gtg atc gtg cac ggc atg tgg acc tct gcc atc ggt gaa ctg 3619 Pro Gly Val Ile Val His Gly Met Trp Thr Ser Ala Ile Gly Glu Leu 1160 1165 atc gcc ggt gca gca ttc aac gat gag cag atc caa act ccc gca gcc 3667 Ile Ala Gly Ala Ala Phe Asn Asp Glu Gln Ile Gln Thr Pro Ala Ala 1180 aag gtc gtg gaa tac acc gca acc atg ctg gca cca gtt ctt cca ggt 3715 Lys Val Val Glu Tyr Thr Ala Thr Met Leu Ala Pro Val Leu Pro Gly 1195 1200 gaa gaa att gag ttc agc gtt gag cgc tcc gca gtg gac aac cgc cca 3763 Glu Glu Ile Glu Phe Ser Val Glu Arg Ser Ala Val Asp Asn Arg Pro 1215 gga atg gga gag gtc cgc acc gtt acc gca acc gtc aac ggc aac tta 3811 Gly Met Gly Glu Val Arg Thr Val Thr Ala Thr Val Asn Gly Asn Leu 1225 1230 gtg ctt acc gcc acc gct gtt gtg gca gct cca tct act ttc tac gca 3859 Val Leu Thr Ala Thr Ala Val Val Ala Ala Pro Ser Thr Phe Tyr Ala 1240 1245 tto cca ggc cag ggc att cag tcc cag ggc atg ggt atg gaa gca cgc 3907 Phe Pro Gly Gln Gly Ile Gln Ser Gln Gly Met Gly Met Glu Ala Arg 1255 1260 cgt aac tot cag goa got oge got ato tgg gac oge goe gat goa cac 3955 Arg Asn Ser Gln Ala Ala Arg Ala Ile Trp Asp Arg Ala Asp Ala His 1270 1275 acc cgc aat aag ctg ggc ttc tcc atc gtg gaa atc gtg gaa aac aac 4003 Thr Arg Asn Lys Leu Gly Phe Ser Ile Val Glu Ile Val Glu Asn Asn 1290 1295 1300 cca cgc gaa gta acc gtg gca ggg gag aag ttc ttc cac cca gac ggc Pro Arg Glu Val Thr Val Ala Gly Glu Lys Phe Phe His Pro Asp Gly 1305 gtt ttg tac ctc acc cag ttc acc cag gtg ggc atg gca act ctg ggc 4099 Val Leu Tyr Leu Thr Gln Phe Thr Gln Val Gly Met Ala Thr Leu Gly 1320 1325 1330 gtt gct cag atc gct gaa atg cgt gaa gca cat gcc ttg aac cag cgt Val Ala Gln Ile Ala Glu Met Arg Glu Ala His Ala Leu Asn Gln Arg

1335 1340 1345

gca Ala 1350	Tyr	ttt Phe	gct Ala	gga Gly	cac His	Ser	gtt Val	ggt Gly	gag Glu	Tyr	aac Asn 360	gcg Ala	ctt Leu	gct Ala	Ala	41 95
tat Tyr	gct Ala	ggt Gly	gtg Val	ctg Leu 137	Ser	ctg Leu	gaa Glu	tcc Ser	gtt Val 13	Leu	gag Glu	atc Ile	gtt Val	Tyr	cgt Arg 380	4243
cgt Arg	ggc Gly	ttg Leu	acc Thr 1389	Met	cac His	cgc Arg	ttg Leu	gtg Val 13	Asp	cgc Arg	gat Asp	gaa Glu	Asn	ggt Gly 395	ctg Leu	4291
tcc Ser	aac Asn	tac Tyr 1400	Ala	ctc Leu	gca Ala	gct Ala	ctt Leu 140	Arg	ccc Pro	aac 'Asn	aag Lys	Met	ggt Gly 110	ctg Leu	acc Thr	4339
gca Ala	gac Asp 1415	Asn	gtt Val	ttc Phe	gat Asp	tac Tyr 142	Val	gcg Ala	tct Ser	gtt Val	Ser	gaa Glu 125	gct Ala	tcc Ser	ggt Gly	4387
gaa Glu 1430	Phe	ctg Leu	gag Glu	atc Ile	gtt Val 143	Asn	tac Tyr	aac Asn	t'tg Leu	Ala	ggc Gly 140	ctg Leu	cag Gln	tac Tyr	Āla	4435 .445
gtt (Val)	gct Ala	gga Gly	acc Thr	cag Gln 145(Ala	ggt Gly	ctt Leu	gcc Ala	gcc Ala 145	Leu	cgt Arg	gcc Ala	gat Asp	Val	gag Glu 160	4483
aac Asn i	cgt Arg	gca Ala	cca Pro 1465	Gly	cag Gln	cgt Arg	gcc Ala	ttc Phe 147	Ile	ttg Leu	atc Ile	cct Pro	Gly	att Ile 175	gac Asp	4531
gtg (Val	cca Pro	ttc Phe 1480	His	tcc Ser	tcc Ser	aag Lys	ctg Leu 148	Arg	gac Asp	ggt Gly	gtg Val	Gly	gcg Ala 190	ttc Phe	cgt Arg	4579
gag (Glu)	cac His 1495	Leu	gat Asp	tcc Ser	ctg Leu	atc Ile 150	Pro	gct Ala	gag Glu	ctg Leu	Asp	ctg Leu 505	gat Asp	gtg Val	ctg Leu	4627
gtt 6 Val 6 1510	Gly	cgc Arg	tac Tyr	att Ile	cca Pro 151	Asn	ttg Leu	gtg Val	gct Ala	Arg	cca Pro 520	ttc Phe	gaa Glu	ctc Leu	Thr	4675 .525
gaa (Glu (gag Glu	ttc Phe	gtg Val	gca Ala 1530	Ser	atg Met	gca Ala	gaa Glu	gtg Val 153	Val	gag Glu	tcc Ser	acc Thr	Tyr	gtc Val 540	4723
aat (Asn (gag Glu	atc Ile	ttg Leu 1545	Ala	gat Asp	ttc Phe	aag Lys	gct Ala 155	Ala	tcc Ser	gcc Ala	gat Asp	Lys	cag Gln 555	aag Lys	4771
ctt (Leu A	gcc Ala	çgc Arg 1560	Thr	ttg Leu	ctt Leu	att Ile	gag Glu 156	Leu	ctt Leu	gca Ala	tgg Trp	Gln	ttc Phe 570	gca Ala	tca Ser	4819
cct (gtg Val 1575	Arg	tgg Trp	atc Ile	gag Glu	act Thr 158	Gln	gat Asp	ctg Leu	ttg Leu `	Ile	aag Lys 85	ggc Gly	ctt Leu	caa Gln	4867

gct Ala	gag Glu	cgt Arg	ttc Phe	gtg Val	gag Glu	gtc Val	ggt Gly	gtt Val	ggc Gly	tct Ser	gct Ala	cca Pro	acg Thr	ctt Leu	gcc Ala	4915
159						95	_		-		600					1605
aac Asn	atg Met	atg Met	ggc Gly	cag Gln 161	Thr	ctg Leu	cgc Arg	ctt Leu	cct Pro 16	Gln	tac Tyr	gcg Ala	gac Asp	gcc Ala 1	acc Thr 620	4963
att Ile	gag Glu	gtg Val	tta Leu 162	Asn	att Ile	gag Glu	cgc Arg	gat Asp 16	Arg	cca Pro	gtt Val	gtg Val	Phe	gct Ala 635	acc Thr	5011
gat Asp	gag Glu	gtt Val 164	Val	cgt Arg	gaa Glu	gtg Val	gcg Ala 16	Val	gaa Glu	gag Glu	acc Thr	Pro	gca Ala 650	gct Ala	cct Pro	5059
gca Ala	gaa Glu 165	Thr	act Thr	gaa Glu	acc Thr	cca Pro 16	Ala	acc Thr	cca Pro	gca Ala	Thr	cca Pro 665	gcc Ala	cct Pro	gtt Val	5107
gca Ala 167	Ala	gca Ala	gcc Ala	cct Pro	gcc Ala 16	Thr	ggc Gly	ggc Gly	cct Pro	Arg	cca Pro 680	gat Asp	gac Asp	atc Ile	Ser	5155 L685
					Ala					Ile				acc Thr		5203
gtt Val	cgc Arg	cca Pro	gat Asp 1705	Gln	atg Met	ggt Gly	gcc Ala	act Thr 17	Asp	tcc Ser	atc Ile	gag Glu	Thr	ctg Leu 715	gtt Val	5251
gag Glu	ggc Gly	gtg Val 1720	Ser	tct Ser	cgc Arg	cgt Arg	aac Asn 172	Gln	ctc Leu	ctg Leu	ctg Leu	Asp	ctt Leu 730	ggt Gly	gtg Val	5299
gag Glu	ttc Phe 1735	Gly	ctc Leu	ggc Gly	gca Ala	att Ile 174	Asp	gga Gly	gca Ala	gcc Ala	Asp	gct Ala 745	gag Glu	ctc Leu	ggt Gly	5347
gat Asp 1750	Leu	aag Lys	gtc Val	acc Thr	gtg Val 175	Ser	aag Lys	atg Met	gct Ala	Lys	ggc Gly 760	tac Tyr	aag Lys '	gcg Ala	Phe	5395 .765
ggc Gly	cct Pro	gtg Val	ctc Leu	tcc Ser 1770	Asp	gct Ala	gca Ala	gct Ala	gat Asp 17	Ala	ctg Leu	cgt Arg	cgc Arg	ctc Leu 17	act Thr 180	5443
ggt Gly	cct Pro	acc Thr	ggt Gly 1785	Lys	cgc Arg	ccg Pro	gga Gly	tac Tyr 179	Ile	gca Ala	gag Glu	cgc Arg	Val	acc Thr 195	ggc Gly	5491
acg Thr	Trp	gaa Glu 1800	Leu	ggc Gly	cag Gln	ggc Gly	tgg Trp 180	Ala	gac Asp	cac His	gtg Val	Val	gct Ala 310	gaa Glu	gtt Val	5539
		Gly					Ala				Gly			ctg Leu		5587

tca ctg tct cct gca agc cca gcg tct gca tca gat ctt gat tcg ctt 5635 Ser Leu Ser Pro Ala Ser Pro Ala Ser Ala Ser Asp Leu Asp Ser Leu
1830 1835 1840 . 1845
atc gac gca gcc gtc cag gcc gta gcc tcc cgc cgc ggc gtt gcg gtc 5683 Ile Asp Ala Ala Val Gln Ala Val Ala Ser Arg Arg Gly Val Ala Val 1850 1855 1860
tcc ctg cct tca gca ggc ggc gct gcc ggt ggc gtg gtt gat tcc gca 5731 Ser Leu Pro Ser Ala Gly Gly Ala Ala Gly Gly Val Val Asp Ser Ala 1865 1870 1875
gct ctt ggc gag ttt gca gag cag gtc acc gga cac gat ggt gtg ctt 5779 Ala Leu Gly Glu Phe Ala Glu Gln Val Thr Gly His Asp Gly Val Leu 1880 1885 1890
gct cag gca gcc cgc acc atc ttg acc cag ttg ggt ctt gat aag cca 5827 Ala Gln Ala Ala Arg Thr Ile Leu Thr Gln Leu Gly Leu Asp Lys Pro 1895 1900 1905
gca acc gtt tcc gtg gaa gac acc gca gag gaa gac ctc tac gag ttg 5875 Ala Thr Val Ser Val Glu Asp Thr Ala Glu Glu Asp Leu Tyr Glu Leu 1910 1915 1920 1925
gtc tcc aag gaa ctc ggt tct gat tgg cca cgt cag gtt gca cca agc 5923 Val Ser Lys Glu Leu Gly Ser Asp Trp Pro Arg Gln Val Ala Pro Ser 1930 1935 1940
ttc gat gaa gaa aag gtt gtt ctg ctt gat gac cgt tgg gct tct gcg 5971 Phe Asp Glu Glu Lys Val Val Leu Leu Asp Asp Arg Trp Ala Ser Ala 1945 1950 1955
cgt gag gat ctc tcc gcg ttg ctc ttg gcg aac tcg cag caa ctg ata 6019 Arg Glu Asp Leu Ser Ala Leu Leu Leu Ala Asn Ser Gln Gln Leu Ile 1960 1965 1970
tcg atg tca cag gcg cag gcg aag ctg ttg cag cac aag ctg aat tct 6067 Ser Met Ser Gln Ala Gln Ala Lys Leu Leu Gln His Lys Leu Asn Ser 1975 1980 1985
ttg gac ttg atg atc tcg cag cta ggc tcg cga aca aag ctt ctt gga 6115 Leu Asp Leu Met Ile Ser Gln Leu Gly Ser Arg Thr Lys Leu Leu Gly 1990 1995 2000 2005
cta cgc cga caa tgt tgc ggc Leu Arg Arg Gln Cys Cys Gly 2010
<210> 50 <211> 2012 <212> PRT <213> Corynebacterium glutamicum
<400> 50 Leu Lys Thr Leu Arg Ala Ala Val Ala Ala Gly Ala Gly Thr Asn Val 1 5 10 15
Ser Asp Ile Val Glu Arg Ala Asn Ala Leu Leu Ala Leu Val Ala Asp 20 25 30

WO 01/00805 Asp Leu Ile Gly Thr Leu Pro Phe Gly Phe Asp Pro Val Ala Trp Ala Asn Asn Ser Glu Asp Pro Ala Phe Asp Thr Ala Gln Ser Ala Val Ser Val Pro Gly Ile Phe Val Ser Gln Ile Ala Thr Leu Asp Ser Leu Glu 70 Ala Gln Arg Leu Asp Val Asp Gln Ala Val Ser Ser Ile Gly His Ser Gln Gly Val Leu Gly Val His Leu Leu Asn Asp Ala Thr Arg Ala Asp 105 Glu Leu Val Ala Ile Ala Gln Leu Ile Gly Ala Ala Ile Thr Arg Thr 120 Ala Arg Met Thr Gly Leu Ile Ala Gln Gly Asp Asn Met Pro Met Leu Ser Ile Ala Gly Ile Ser Arg Glu Gln Leu Gln Gln Ala Ile Asp Ala 145

Ala Cys Ala Glu Val Pro Ala Glu Ile Arg Pro Val Ile Gly Leu Arg

Asn Ser Arg Asp Ser Tyr Val Leu Val Gly Arg Pro Asp Asp Asn Ala

Arg Val Val Lys Val Ile Glu Ala Met Ala Ala Lys Asp Lys Lys Ala

Ile Glu Asp Lys Leu Arg Gly Gly Ser Ala Phe Ser Pro Arg Ile Thr

Pro Leu Lys Val Gln Ala Ala Phe His His Pro Ala Met Asn Met Ala

Val Glu Gln Thr Val Ala Trp Ala Thr Thr Ala Gly Leu Asp Val Glu 250

Leu Thr Arg Glu Ile Ala Ala Asp Val Leu Val Asn Pro Val Asp Trp 265 260

Val Ala Arg Val Asn Glu Ala Tyr Glu Ala Gly Ala Arg Trp Phe Leu 280

Asp Val Gly Pro Asp Gly Gly Ile Val Lys Leu Thr Ala Asn Ile Leu 290

Glu Gly Arg Gly Ala Asp Ser Phe Tyr Val Gly Asp Ala Ala Gly Gln 315

Ala Lys Ile Phe Asp Ala Gly Met Ala Pro Glu Leu Pro Val Asp Tyr 325

Gln Glu Phe Ala Pro Arg Val Glu His Val Asp Gly Thr Pro Arg Leu 345

Val Thr Lys Phe Thr Glu Leu Thr Gly Arg Thr Pro Met Met Leu Ala

355 360 365

Gly Met Thr Pro Thr Thr Val Asp Pro Ala Ile Val Ala Ala Ala Ala 370 . 375 380

- Asn Gly Gly His Trp Ala Glu Leu Ala Gly Gly Gly Gln Val Thr Pro 385 390 395 400
- Glu Leu Leu Glu Thr His Ile Ala Gln Leu Thr Asp Met Leu Glu Pro 405 410 415
- Gly Ile Asn Ala Gln Phe Asn Ser Met Phe Leu Asp Pro Tyr Leu Trp
 420 425 430
- Lys Met Gln Ile Gly Gly Lys Arg Leu Val Pro Lys Ala Arg Ala Asn 435 440 445
- Gly Ala Ser Ile Asp Gly Ile Val Ile Thr Ala Gly Ile Pro Glu Lys 450 455 460
- Asp Glu Ala Val Ala Leu Val Lys Glu Leu Met Arg Asp Gly Phe Pro 465 470 475 480
- Trp Ile Ala Phe Lys Pro Gly Ala Ile Lys Gln Val Asn Ser Val Leu
 485 490 495
- Ala Ile Ala Lys Glu Val Pro Glu Leu Pro Ile Ile Ile Gln Ile Glu
 500 505 510
- Gly Gly Val Ala Gly Gly His His Ser Trp Glu Asp Leu Asp Glu Leu 515 520 525
- Leu Ile Ala Thr Tyr Gly Lys Val Arg Ala Leu Asp Asn Val Val Leu 530 535 540
- Cys Val Gly Gly Gly Ile Gly Ser Pro Glu Arg Ala Ala Asp Tyr Val 545 550 555 560
- Thr Gly Ser Trp Ser Thr Ser Tyr Gly Leu Pro Ala Met Pro Val Asp 565 570 575
- Gly Ile Leu Val Gly Thr Ala Ala Met Ala Thr Lys Glu Ala Thr Thr 580 595
- Ser Gln Ala Val Lys Glu Leu Leu Val Ser Thr Gln Gly Ser Asp Glu 595 600 605
- Trp Val Pro Ala Gly Gly Ala Lys Asn Gly Met Ala Ser Gly Arg Ser 610 615 620
- Gln Leu Gly Ala Asp Ile His Glu Ile Asp Asn Ser Phe Ala Lys Ala 625 630 635 640
- Gly Arg Leu Leu Asp Glu Val Ala Gly Asp Glu Thr Ala Val Gln Ala 645 . 650 655
- Arg Arg Asp Glu Ile Ile Glu Ala Ile Gly Lys Thr Ala Lys Val Tyr
 660 665 670
- Phe Gly Asp Ile Gly Ser Met Thr Tyr Glu Gln Trp Leu Asn Arg Tyr 675 680 685

Leu Glu Leu Ser Gly Pro Val Asp Gly Gln Trp Ile Asp Ala Ser Trp 695 Ala Ala Arg Phe Ala Gln Met Leu Glu Arg Ala Glu Ala Arg Leu Ile Glu Gln Asp His Gly Gln Phe Glu Pro Ser Leu Thr Val Glu Asp Gly 730 Val Asp Lys Leu Val Ala Ala Tyr Pro His Ala Ala Thr Asp Leu Leu 745 Thr Pro Ala Asp Val Ala Trp Phe Leu Gly Leu Cys Arg Thr Pro Gly Lys Pro Val Asn Phe Val Pro Val Ile Asp Lys Asp Val Arg Arg Trp 775 Trp Arg Ser Asp Ser Leu Trp Gln Ser His Asp Asp Arg Tyr Thr Ala Asp Gln Val Ala Ile Ile Pro Gly Val Val Ala Val Ala Gly Ile Thr 810 805 Lys Ala Asn Glu Pro Val Ala Asp Leu Leu Asp Arg Phe Val Asp Ala 825 Thr Ile Glu Arg Ile Asp Glu His Asp Ser Arg Ser Arg Asp Ile Met Gly Lys Val Leu Ser Ser Pro Gly Thr Phe Trp Ala Gly Arg Asn Ile Pro Ser Val Ile His Ser Leu Gly His Ala Asp Lys Trp Ser Arg Ser 870 Glu Phe Glu Ala Phe His Ser Pro Thr Gly Ala Asn Leu Val Tyr Glu Asp Ala Glu His Ala Met Leu Thr Val Pro Leu Ala Gly Ser Thr Ala 905 Phe Gly Thr Thr Ala Glu Leu Lys Ile Arg Phe Thr Ser Pro Ile Asp 920 Ala Leu Pro Ser Ala Val Pro Leu Val Thr Gln Glu Asp Ala Glu Ala 930 . Ala Met Gly Glu Leu Thr Arg Ile Ala Ala Gly Gly Thr Leu Ala Thr 950 Val Asn Asn Gly Thr Ala Thr Trp Glu Thr Ser Val Asp Ala Gly Val Ile Ala Asp Tyr Asn Asn Val Thr Ala Gly Tyr Leu Pro Ala Ser Val 985 Val Pro Ala His Thr Ala Pro Asp Val Leu Val Gly Arg Ala Trp Pro 1000

Ala Val Phe Ala Ala Val Lys Ser Ala Val Ile Pro Gly Thr Asp Ser 1010 1015 1020

- Ala Ser Val Val Glu Gly Met Leu Ser Leu Val His Leu Glu His His 1025 1030 1035 1040
- Ile Val Leu Lys Ser Asp Val Pro Thr Asp Gly Ala Leu Lys Val Ser 1045 1050 1055
- Ala Thr Ala Asp Glu Val Val Asp Thr Asp Leu Gly Arg Leu Val Ile 1060 1065 1070
- Val Arg Ala Glu Ile Ala Asp Ala Glu Gly Asn Leu Ile Ala Thr Leu 1075 1080 1085
- Ala Glu Arg Phe Ala Ile Arg Gly Arg Lys Gly Asn Ala Val Ala Arg 1090 1095 1100
- Thr Asn Thr Ser Ala Leu Pro Thr Thr Val Asp Thr Pro Arg Ser Ala 1105 1110 1115 1120
- Arg Ala Val Ala Thr Val Val Ala Pro Glu Ser Met Arg Pro Phe Ala 1125 1130 1135
- Val Ile Ser Gly Asp Arg Asn Pro Ile His Val Ser Asp Val Ala Ala 1140 1145 1150
- Ser Leu Ala Gly Leu Pro Gly Val Ile Val His Gly Met Trp Thr Ser 1155 1160 1165
- Ala Ile Gly Glu Leu Ile Ala Gly Ala Ala Phe Asn Asp Glu Gln Ile 1170 1175 1180
- Gln Thr Pro Ala Ala Lys Val Val Glu Tyr Thr Ala Thr Met Leu Ala 1185 1190 1195 1200
- Pro Val Leu Pro Gly Glu Glu Ile Glu Phe Ser Val Glu Arg Ser Ala 1205 1210 1215
- Val Asp Asn Arg Pro Gly Met Gly Glu Val Arg Thr Val Thr Ala Thr 1220 1225 1230
- Val Asn Gly Asn Leu Val Leu Thr Ala Thr Ala Val Val Ala Ala Pro 1235 1240 1245
- Ser Thr Phe Tyr Ala Phe Pro Gly Gln Gly Ile Gln Ser Gln Gly Met 1250 1255 1260
- Gly Met Glu Ala Arg Arg Asn Ser Gln Ala Ala Arg Ala Ile Trp Asp 1265 1270 1280
- Arg Ala Asp Ala His Thr Arg Asn Lys Leu Gly Phe Ser Ile Val Glu 1285 1290 1295
- Ile Val Glu Asn Asn Pro Arg Glu Val Thr Val Ala Gly Glu Lys Phe 1300 1305 1310
- Phe His Pro Asp Gly Val Leu Tyr Leu Thr Gln Phe Thr Gln Val Gly 1315 1320 1325
- Met Ala Thr Leu Gly Val Ala Gln Ile Ala Glu Met Arg Glu Ala His

1330 1335 1340

Ala Leu Asn Gln Arg Ala Tyr Phe Ala Gly His Ser Val Gly Glu Tyr 1345 1350 1355 1360

- Asn Ala Leu Ala Ala Tyr Ala Gly Val Leu Ser Leu Glu Ser Val Leu 1365 1370 1375
- Glu Ile Val Tyr Arg Arg Gly Leu Thr Met His Arg Leu Val Asp Arg 1380 1385 1390
- Asp Glu Asn Gly Leu Ser Asn Tyr Ala Leu Ala Ala Leu Arg Pro Asn 1395 1400 1405
- Lys Met Gly Leu Thr Ala Asp Asn Val Phe Asp Tyr Val Ala Ser Val 1410 1415 1420
- Ser Glu Ala Ser Gly Glu Phe Leu Glu Ile Val Asn Tyr Asn Leu Ala 1425 1430 1435 1440
- Gly Leu Gln Tyr Ala Val Ala Gly Thr Gln Ala Gly Leu Ala Ala Leu 1445 1450 1455
- Arg Ala Asp Val Glu Asn Arg Ala Pro Gly Gln Arg Ala Phe Ile Leu 1460 1465 1470
- Ile Pro Gly Ile Asp Val Pro Phe His Ser Ser Lys Leu Arg Asp Gly 1475 1480 1485
- Val Gly Ala Phe Arg Glu His Leu Asp Ser Leu Ile Pro Ala Glu Leu 1490 1495 1500
- Asp Leu Asp Val Leu Val Gly Arg Tyr Ile Pro Asn Leu Val Ala Arg 1505 1510 1520
- Pro Phe Glu Leu Thr Glu Glu Phe Val Ala Ser Met Ala Glu Val Val 1525 1530 1535
- Glu Ser Thr Tyr Val Asn Glu Ile Leu Ala Asp Phe Lys Ala Ala Ser 1540 1545 1550
- Ala Asp Lys Gln Lys Leu Ala Arg Thr Leu Leu Ile Glu Leu Leu Ala-1555 1560 1565
- Trp Gln Phe Ala Ser Pro Val Arg Trp Ile Glu Thr Gln Asp Leu Leu 1570 1575 1580
- Ile Lys Gly Leu Gln Ala Glu Arg Phe Val Glu Val Gly Val Gly Ser 1585 1590 1595 1600
- Ala Pro Thr Leu Ala Asn Met Met Gly Gln Thr Leu Arg Leu Pro Gln 1605 1610 1615
- Tyr Ala Asp Ala Thr Ile Glu Val Leu Asn Ile Glu Arg Asp Arg Pro 1620 1625 1630
- Val Val Phe Ala Thr Asp Glu Val Val Arg Glu Val Ala Val Glu Glu 1635 1640 1645
- Thr Pro Ala Ala Pro Ala Glu Thr Thr Glu Thr Pro Ala Thr Pro Ala 1650 1660

Thr Pro Ala Pro Val Ala Ala Ala Ala Pro Ala Thr Gly Gly Pro Arg 1665 1670 1680

- Pro Asp Asp Ile Ser Phe Thr Pro Ser Asp Ala Thr Glu Met Leu Ile 1685 1690 1695
- Ala Ile Trp Thr Lys Val Arg Pro Asp Gln Met Gly Ala Thr Asp Ser 1700 1705 1710
- Ile Glu Thr Leu Val Glu Gly Val Ser Ser Arg Arg Asn Gln Leu Leu 1715 1720 1725
- Leu Asp Leu Gly Val Glu Phe Gly Leu Gly Ala Ile Asp Gly Ala Ala 1730 1735 1740
- Asp Ala Glu Leu Gly Asp Leu Lys Val Thr Val Ser Lys Met Ala Lys
 1745 1750 1755 1760
- Gly Tyr Lys Ala Phe Gly Pro Val Leu Ser Asp Ala Ala Ala Asp Ala 1765 1770 . 1775
- Leu Arg Arg Leu Thr Gly Pro Thr Gly Lys Arg Pro Gly Tyr Ile Ala 1780 1785 1790
- Glu Arg Val Thr Gly Thr Trp Glu Leu Gly Gln Gly Trp Ala Asp His 1795 1800 1805
- Val Val Ala Glu Val Val Ile Gly Ala Arg Glu Gly Ala Ser Leu Arg 1810 1815 1820
- Gly Gly Asp Leu Ala Ser Leu Ser Pro Ala Ser Pro Ala Ser Ala Ser 1825 1830 1835 1840
- Asp Leu Asp Ser Leu Ile Asp Ala Ala Val Gln Ala Val Ala Ser Arg 1845 1850 1855
- Arg Gly Val Ala Val Ser Leu Pro Ser Ala Gly Gly Ala Ala Gly Gly 1860 1865 1870
- Val Val Asp Ser Ala Ala Leu Gly Glu Phe Ala Glu Gln Val Thr Gly 1875 1880 1885
- His Asp Gly Val Leu Ala Gln Ala Ala Arg Thr Ile Leu Thr Gln Leu 1890 1895 1900
- Gly Leu Asp Lys Pro Ala Thr Val Ser Val Glu Asp Thr Ala Glu Glu 1905 1910 1915 1920
- Asp Leu Tyr Glu Leu Val Ser Lys Glu Leu Gly Ser Asp Trp Pro Arg 1925 1930 1935
- Gln Val Ala Pro Ser Phe Asp Glu Glu Lys Val Val Leu Leu Asp Asp 1940 1945 1950
- Arg Trp Ala Ser Ala Arg Glu Asp Leu Ser Ala Leu Leu Leu Ala Asn 1955 1960 1965
- Ser Gln Gln Leu Ile Ser Met Ser Gln Ala Gln Ala Lys Leu Leu Gln 1970 1975 1980

His Lys Leu Asn Ser Leu Asp Leu Met Ile Ser Gln Leu Gly Ser Arg 1985 1990 1995 2000

Thr Lys Leu Gly Leu Arg Arg Gln Cys Cys Gly 2005 2010

<210> 51 <211> 2185 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(2185) <223> FRXA00158 <400> 51 cgtgccattt tctttacaaa agagtattaa ccgaaacttc aggtcaggat ccacgccctg 60 cgttcatccc ggctaagtta tacaaggagc gagttctcac gtg acc gaa ttg agc Val Thr Glu Leu Ser agg aac ttc ggg gcc agc cga ctg att aac cgc ttt ggc cag gag cct 163 Arg Asn Phe Gly Ala Ser Arg Leu Ile Asn Arg Phe Gly Gln Glu Pro 10 ttt gee tte get tte gee gge caa gga tat gae tgg ttg aag ace ett 211 Phe Ala Phe Ala Phe Ala Gly Gln Gly Tyr Asp Trp Leu Lys Thr Leu 25 259 cgt gcc gcg gtt gcc gca ggt gca ggc acc aat gtt agt gac atc gtc Arg Ala Ala Val Ala Ala Gly Ala Gly Thr Asn Val Ser Asp Ile Val 40 45 307 gag cgc gca aat gcg ctg ctt gca cta gtt gca gat gat ctc att ggc Glu Arg Ala Asn Ala Leu Leu Ala Leu Val Ala Asp Asp Leu Ile Gly 55 60 acc ctt cca ttt ggt ttc gat cca gtg gct tgg gct aac aac tcc gaa 355 Thr Leu Pro Phe Gly Phe Asp Pro Val Ala Trp Ala Asn Asn Ser Glu 75 gat cca gct ttc gat act gca caa tct gca gtg agc gtg ccg ggt atc 403 Asp Pro Ala Phe Asp Thr Ala Gln Ser Ala Val Ser Val Pro Gly Ile 90 ttt gtc tcc cag atc gca acc ctg gat tcc ctt gag gcg cag cgc ctt 451 Phe Val Ser Gln Ile Ala Thr Leu Asp Ser Leu Glu Ala Gln Arg Leu 110 gat gtg gat cag gct gtg tcc agc att ggt cat tcc cag ggc gta ttg 499 Asp Val Asp Gln Ala Val Ser Ser Ile Gly His Ser Gln Gly Val Leu ggc gtg cac ctg ctc aat gat gcg act cgt gct gat gaa ctc gtt gcc 547 Gly Val His Leu Leu Asn Asp Ala Thr Arg Ala Asp Glu Leu Val Ala 135 140 145 att gcg cag ttg atc ggt gca gcg atc acc cgc acc gca cgc atg acg

Ile 150	Ala	Gln	Leu	Ile	Gly 155	Ala	Ala	Ile	Thr	Arg 160	Thr	Ala	Arg	Met	Thr 165	
					ggc Gly											643
					ctt Leu											691
					cgc Arg											739
					ggc Gly											787
					gct Ala 235											835
					gcg Ala										gtg. Val	883
cag Gln	gct Ala	gct Ala	ttc Phe 265	cat His	cac His	cca Pro	gct Ala	atg Met 270	aac Asn	atg Met	gct Ala	gtg Val	gag Glu 275	cag Gln	acc Thr	931
					act Thr											979
					ttg Leu											1027
aac Asn 310	gaa Glu	gcg Ala	tat Tyr	gag Glu	gct Ala 315	ggc Gly	gct Ala	cgc Arg	tgg Trp	ttc Phe 320	ctc Leu	gac Asp	gtt Val	gga Gly	cca Pro 325	1075
					aag Lys											1123
					gtt Val											1171
					cct Pro											1219
					gtt Val											1267
					cgc Arg											1315

390	395	400	405
acc acc gtt gac cct Thr Thr Val Asp Pro 410	Ala Ile Val Al		
tgg gct gag ctc gct Trp Ala Glu Leu Ala 425		n Val Thr Pro Glu	
acc cac atc gca cag Thr His Ile Ala Gln 440			
cag ttc aac tcc atg Gln Phe Asn Ser Met 455			
ggt ggc aag cgc ctt Gly Gly Lys Arg Leu 470			
gac ggc atc gtc atc Asp Gly Ile Val Ile 490			
gca ttg gtc aag gaa Ala Leu Val Lys Glu 505		p Gly Phe Pro Trp	
aag cca ggt gcc atc Lys Pro Gly Ala Ile 520			
gaa gtt cca gaa ctc Glu Val Pro Glu Leu 535			
ggt gga cac cac tct Gly Gly His His Ser 550	Trp Glu Asp Le	u Asp Glu Leu Leu	Ile Ala Thr
tac ggc aag gtc cgc Tyr Gly Lys Val Arg 570			
ggc att ggc tca cct Gly Ile Gly Ser Pro 585		a Asp Tyr Val Thr	
tcc act tcc tac ggc Ser Thr Ser Tyr Gly 600			
ggt acc gct gcg atg Gly Thr Ala Ala Met 615			
aag gaa ctt ctt gtt Lys Glu Leu Leu Val 630			

ggt ggc gca aag aac gga atg gca tat ggc cgt tcc cag ctt ggc gc Gly Gly Ala Lys Asn Gly Met Ala Tyr Gly Arg Ser Gln Leu Gly Al 650 655 660	ca 2083 La
gac atc cac gag atc gac aac tcc ttt gct aag gct gga cgc ctt ct Asp Ile His Glu Ile Asp Asn Ser Phe Ala Lys Ala Gly Arg Leu Le 665 670 675	t 2131 eu
gat gag gtt gca ggc cat gaa acg gat ttg caa gcg cgc ccg gat ga Asp Glu Val Ala Gly His Glu Thr Asp Leu Gln Ala Arg Pro Asp Gl 680 685 690	ag 2179 .u
atc att Ile Ile 695	2185
<210> 52 <211> 695 <212> PRT <213> Corynebacterium glutamicum	
<pre><400> 52 Val Thr Glu Leu Ser Arg Asn Phe Gly Ala Ser Arg Leu Ile Asn Ar 1</pre>	g
Phe Gly Gln Glu Pro Phe Ala Phe Ala Phe Ala Gly Gln Gly Tyr As 20 25 30	sp.
Trp Leu Lys Thr Leu Arg Ala Ala Val Ala Ala Gly Ala Gly Thr As	in
Val Ser Asp Ile Val Glu Arg Ala Asn Ala Leu Leu Ala Leu Val Al 50 55 60	.a
Asp Asp Leu Ile Gly Thr Leu Pro Phe Gly Phe Asp Pro Val Ala Tr 65 70 75 8	P .
Ala Asn Asn Ser Glu Asp Pro Ala Phe Asp Thr Ala Gln Ser Ala Va 85 90 95	11
Ser Val Pro Gly Ile Phe Val Ser Gln Ile Ala Thr Leu Asp Ser Le	eu
Glu Ala Gln Arg Leu Asp Val Asp Gln Ala Val Ser Ser Ile Gly Hi	.s
Ser Gln Gly Val Leu Gly Val His Leu Leu Asn Asp Ala Thr Arg Al 130 135 140	.a
Asp Glu Leu Val Ala Ile Ala Gln Leu Ile Gly Ala Ala Ile Thr Ar 145 150 155 16	. -
Thr Ala Arg Met Thr Gly Leu Ile Ala Gln Gly Asp Asn Met Pro Me 165 170 175	et.
Leu Ser Ile Ala Gly Ile Ser Arg Glu Gln Leu Gln Gln Ala Ile As 180 185 190	sp
Ala Ala Cys Ala Glu Val Pro Ala Glu Ile Arg Pro Val Ile Gly Le	eu

195 200 205 Arg Asn Ser Arg Asp Ser Tyr Val Leu Val Gly Arg Pro Asp Asn 215 Ala Arg Val Val Lys Val Ile Glu Ala Met Ala Ala Lys Asp Lys Lys 230 235 Ala Ile Glu Asp Lys Leu Arg Gly Gly Ser Ala Phe Ser Pro Arg Ile Thr Pro Leu Lys Val Gln Ala Ala Phe His His Pro Ala Met Asn Met 265 Ala Val Glu Gln Thr Val Ala Trp Ala Thr Thr Ala Gly Leu Asp Val 280 Glu Leu Thr Arg Glu Ile Ala Ala Asp Val Leu Val Asn Pro Val Asp 295 Trp Val Ala Arg Val Asn Glu Ala Tyr Glu Ala Gly Ala Arg Trp Phe 310 315 Leu Asp Val Gly Pro Asp Gly Gly Ile Val Lys Leu Thr Ala Asn Ile 325 330 Leu Glu Gly Arg Gly Ala Asp Ser Phe Tyr Val Gly Asp Ala Ala Gly Gln Ala Lys Ile Phe Asp Ala Gly Met Ala Pro Glu Leu Pro Val Asp 360 . Tyr Gln Glu Phe Ala Pro Arg Val Glu His Val Asp Gly Thr Pro Arg 375 Leu Val Thr Lys Phe Thr Glu Leu Thr Gly Arg Thr Pro Met Met Leu 390 395 Ala Gly Met Thr Pro Thr Thr Val Asp Pro Ala Ile Val Ala Ala Ala 405 410 Ala Asn Gly Gly His Trp Ala Glu Leu Ala Gly Gly Gly Gln Val Thr 425 Pro Glu Leu Leu Glu Thr His Ile Ala Gln Leu Thr Asp Met Leu Glu Pro Gly Ile Asn Ala Gln Phe Asn Ser Met Phe Leu Asp Pro Tyr Leu 455 Trp Lys Met Gln Ile Gly Gly Lys Arg Leu Val Pro Lys Ala Arg Ala 470

Asn Gly Ala Ser Ile Asp Gly Ile Val Ile Thr Ala Gly Ile Pro Glu

Lys Asp Glu Ala Val Ala Leu Val Lys Glu Leu Met Arg Asp Gly Phe 500 505 510

Pro Trp Ile Ala Phe Lys Pro Gly Ala Ile Lys Gln Val Asn Ser Val

520

490

106

485

515

Leu Ala Ile Ala Lys Glu Val Pro Glu Leu Pro Ile Ile Ile Gln Ile 535 Glu Gly Gly Val Ala Gly Gly His His Ser Trp Glu Asp Leu Asp Glu 550 555 Leu Leu Ile Ala Thr Tyr Gly Lys Val Arg Ala Leu Asp Asn Val Val Leu Cys Val Gly Gly Gly Ile Gly Ser Pro Glu Arg Ala Ala Asp Tyr 585 Val Thr Gly Ser Trp Ser Thr Ser Tyr Gly Leu Pro Ala Met Pro Val Asp Gly Ile Leu Val Gly Thr Ala Ala Met Ala Thr Lys Glu Ala Thr 615 Thr Ser Gln Ala Val Lys Glu Leu Leu Val Ser Thr Gln Gly Ser Asp 625 630 635 Glu Trp Val Pro Ala Gly Gly Ala Lys Asn Gly Met Ala Tyr Gly Arg Ser Gln Leu Gly Ala Asp Ile His Glu Ile Asp Asn Ser Phe Ala Lys 665 Ala Gly Arg Leu Leu Asp Glu Val Ala Gly His Glu Thr Asp Leu Gln Ala Arg Pro Asp Glu Ile Ile 690 <210> 53 <211> 3831 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (1)..(3831) <223> FRXA00572 <400> 53 cag tgg ctc aac cgc tac ctc gag ctg tct ggc cct gtt gat ggt cag 48 Gln Trp Leu Asn Arg Tyr Leu Glu Leu Ser Gly Pro Val Asp Gly Gln tgg att gat gct tcc tgg gct gca cgt ttt gcc cag atg ctg gag cgt 96 Trp Ile Asp Ala Ser Trp Ala Ala Arg Phe Ala Gln Met Leu Glu Arg gcc gag gcg cgt ttg.atc gag cag gat cat ggc caa ttt gag cca agc Ala Glu Ala Arg Leu Ile Glu Gln Asp His Gly Gln Phe Glu Pro Ser 35 ctg acg gtg gag gat ggc gtc gac aag ctt gtt gct gct tac ccg cat 192 Leu Thr Val Glu Asp Gly Val Asp Lys Leu Val Ala Ala Tyr Pro His 50 55

					ctc Leu 70											240
					ggc Gly											288
					tgg Trp											336
		-			gct Ala	-	_		-					-	_	384
					acc Thr											432
					gcc Ala 150											480
					atg Met											528
			-		atc Ile		_				_					576
-	_			-	tcc Ser	_		_	-			_				624
					gaa Glu											672
					gca Ala 230											720
		_			gac Asp	-	-		_	-	-		-	-		768
					gcc Ala											816
					act Thr											864
					gtc Val											912

				tcc Ser												960
				tgg Trp 325												1008
				gat Asp												1056
				cac His								_				1104
				gtt Val												1152
				gtg Val												1200
				acg Thr 405												1248
		-		gca Ala	_					-	_					1296
				tca Ser												1344
				ttc Phe												1392
				gcg Ala												1440
				acc Thr 485												1488
				cag Gln												1536
				ctg Leu												1584
				tcc Ser												1632
cgc	acc	gtt	acc	gca	acc	gtc	aac	ggc	aac	tta	gtg	ctt	acc	gcc	acc	1680

Arg 545	Thr	Val	Thr	Ala	Thr 550	Val	Asn	Gly	Asn	Leu 555	Val	Leu	Thr	Ala	Thr 560	
				-	cca Pro											1728
					atg Met											1776
-	_	-			gac Asp	_	_	-	_			-		_	-	1824
					gaa Glu		_	-				_	-	-		1872
					ttc Phe 630											1920
					ggc Gly											1968
-	_	_	_	•	cat His	-	_		_	-	-			-		2016
					tac Tyr											2064
					ctg Leu			-			_				_	2112
					cgc Arg 710											2160
					aac′ Asn											2208
					gtt Val											2256
					gct Ala											2304
					ctt Leu											2352
					ttg Leu											2400

785	790	795	800
		ttc cgt gag cac ctt Phe Arg Glu His Leu 810	
ctg atc cca gct gag Leu Ile Pro Ala Glu 820	ctg gat ctg gat Leu Asp Leu Asp 825	gtg ctg gtt ggc cgc Val Leu Val Gly Arg 830	tac att 2496 Tyr Ile
		ctc act gaa gag ttc Leu Thr Glu Glu Phe 845	
		tat gtc aat gag atc Tyr Val Asn Glu Ile 860	
gat ttc aag gct gct Asp Phe Lys Ala Ala 865	tcc gcc gat aag Ser Ala Asp Lys 870	cag aag ctt gcc cgc Gln Lys Leu Ala Arg 875	acg ttg 2640 Thr Leu 880
		gca tca cct gtg cgc Ala Ser Pro Val Arg 890	
		ctt caa gct gag cgt Leu Gln Ala Glu Arg 910	
		ctt gcc aac atg atg Leu Ala Asn Met Met 925	
acc ctg cgc ctt cct Thr Leu Arg Leu Pro 930	cag tac gcg gac Gln Tyr Ala Asp 935	gcc acc att gag gtg Ala Thr Ile Glu Val 940	tta aac 2832 Leu Asn
	Pro Val Val Phe	gct acc gat gag gtt Ala Thr Asp Glu Val 955	
		gct cct gca gaa acc Ala Pro Ala Glu Thr .970	
		cct gtt gca gct gca Pro Val Ala Ala Ala 990	
		atc agc ttc act cct Ile Ser Phe Thr Pro 1005	
gcc act gaa atg ctc Ala Thr Glu Met Leu 1010	atc gct atc tgg Ile Ala Ile Trp 1015	acc aag gtt cgc cca Thr Lys Val Arg Pro 1020	gat cag 3072 Asp Gln
atg ggt gcc act gat Met Gly Ala Thr Asp 1025	tcc atc gag acc Ser Ile Glu Thr 1030	ctg gtt gag ggc gtg Leu Val Glu Gly Val 1035	tcc tct 3120 Ser Ser 1040

cgc cgt aac cag ctc ctg ctg gat ctt ggt gtg gag ttc ggc ctc ggc 3168 Arg Arg Asn Gln Leu Leu Asp Leu Gly Val Glu Phe Gly Leu Gly 1045 1050 1055	8
gca att gac gga gca gcc gat gct gag ctc ggt gat cta aag gtc acc 3216 Ala Ile Asp Gly Ala Ala Asp Ala Glu Leu Gly Asp Leu Lys Val Thr 1060 1065 1070	6
gtg tcc aag atg gct aag ggc tac aag gcg ttt ggc cct gtg ctc tcc 3264 Val Ser Lys Met Ala Lys Gly Tyr Lys Ala Phe Gly Pro Val Leu Ser 1075 1080 1085	4
gat gct gca gct gat gcc ctg cgt cgc ctc act ggt cct acc ggt aag Asp Ala Ala Ala Asp Ala Leu Arg Arg Leu Thr Gly Pro Thr Gly Lys 1090 1095 1100	2
cgc ccg gga tac atc gca gag cgc gtc acc ggc acg tgg gaa ttg ggc 3360 Arg Pro Gly Tyr Ile Ala Glu Arg Val Thr Gly Thr Trp Glu Leu Gly 1105 1110 1115 1120	Э
cag ggc tgg gct gac cac gtg gtc gct gaa gtt gtg atc ggc gcc cgc 3408 Gln Gly Trp Ala Asp His Val Val Ala Glu Val Val Ile Gly Ala Arg 1125 1130 1135	3
gaa ggc gca tcc ctg cgc ggc ggc gac ctg gcg tca ctg tct cct gca 3456 Glu Gly Ala Ser Leu Arg Gly Gly Asp Leu Ala Ser Leu Ser Pro Ala 1140 1145 1150	6
agc cca gcg tct gca tca gat ctt gat tcg ctt atc gac gca gcc gtc 3504 Ser Pro Ala Ser Ala Ser Asp Leu Asp Ser Leu Ile Asp Ala Ala Val 1155 1160 1165	4
cag gcc gta gcc tcc cgc cgc ggc gtt gcg gtc tcc ctg cct tca gca 3552 Gln Ala Val Ala Ser Arg Arg Gly Val Ala Val Ser Leu Pro Ser Ala 1170 1175 1180	2
ggc ggc gct gcc ggt ggc gtg gtt gat tcc gca gct ctt ggc gag ttt 3600 Gly Gly Ala Ala Gly Gly Val Val Asp Ser Ala Ala Leu Gly Glu Phe 1185 1190 1195 1200	0
gca gag cag gtc acc gga cac gat ggt gtg ctt gct cag gca gcc cgc 3648 Ala Glu Gln Val Thr Gly His Asp Gly Val Leu Ala Gln Ala Ala Arg 1205 1210 1215	8
acc atc ttg acc cag ttg ggt ctt gat aag cca gca acc gtt tcc gtg 3690. Thr Ile Leu Thr Gln Leu Gly Leu Asp Lys Pro Ala Thr Val Ser Val 1220 1225 1230	6
gaa gac acc gca gag gaa gac ctc tac gag ttg gtc tcc aag gaa ctc 3746 Glu Asp Thr Ala Glu Glu Asp Leu Tyr Glu Leu Val Ser Lys Glu Leu 1235 1240 1245	4
ggt tot gat tgg coa cgt cag gtt goa coa ago tto gat gaa gaa aag 3793 Gly Ser Asp Trp Pro Arg Gln Val Ala Pro Ser Phe Asp Glu Glu Lys 1250 1255 1260	2
gtt gtt ctg ctt gat gac cgt tgg gct tct gcg cgt gag Val Val Leu Leu Asp Asp Arg Trp Ala Ser Ala Arg Glu 1265 1270 1275	1

<210> 54

<211> 1277

<212> PRT

<213> Corynebacterium glutamicum

<400> 54

Gln Trp Leu Asn Arg Tyr Leu Glu Leu Ser Gly Pro Val Asp Gly Gln
1 5 10 15

Trp Ile Asp Ala Ser Trp Ala Ala Arg Phe Ala Gln Met Leu Glu Arg
20 25 30

Ala Glu Ala Arg Leu Ile Glu Gln Asp His Gly Gln Phe Glu Pro Ser 35 40 45

Leu Thr Val Glu Asp Gly Val Asp Lys Leu Val Ala Ala Tyr Pro His
50 55 60

Ala Ala Thr Asp Leu Leu Thr Pro Ala Asp Val Ala Trp Phe Leu Gly 65 70 75 80

Leu Cys Arg Thr Pro Gly Lys Pro Val Asn Phe Val Pro Val Ile Asp 85 90 95

Lys Asp Val Arg Arg Trp Trp Arg Ser Asp Ser Leu Trp Gln Ser His
100 105 110

Asp Asp Arg Tyr Thr Ala Asp Gln Val Ala Ile Ile Pro Gly Val Val 115 120 125

Ala Val Ala Gly Ile Thr Lys Ala Asn Glu Pro Val Ala Asp Leu Leu 130 135 140

Asp Arg Phe Val Asp Ala Thr Ile Glu Arg Ile Asp Glu His Asp Ser 145 150 155 160

Arg Ser Arg Asp Ile Met Gly Lys Val Leu Ser Ser Pro Gly Thr Phe 165 170 175

Trp Ala Gly Arg Asn Ile Pro Ser Val Ile His Ser Leu Gly His Ala 180 185 190

Asp Lys Trp Ser Arg Ser Glu Phe Glu Ala Phe His Ser Pro Thr Gly 195 200 205

Ala Asn Leu Val Tyr Glu Asp Ala Glu His Ala Met Leu Thr Val Pro 210 215 220

Leu Ala Gly Ser Thr Ala Phe Gly Thr Thr Ala Glu Leu Lys Ile Arg 225 230 235 240

Phe Thr Ser Pro Ile Asp Ala Leu Pro Ser Ala Val Pro Leu Val Thr 245 250 255

Gln Glu Asp Ala Glu Ala Ala Met Gly Glu Leu Thr Arg Ile Ala Ala 260 265 270

Gly Gly Thr Leu Ala Thr Val Asn Asn Gly Thr Ala Thr Trp Glu Thr 275 280 285

Ser Val Asp Ala Gly Val Ile Ala Asp Tyr Asn Asn Val Thr Ala Gly 295 . Tyr Leu Pro Ala Ser Val Val Pro Ala His Thr Ala Pro Asp Val Leu Val Gly Arg Ala Trp Pro Ala Val Phe Ala Ala Val Lys Ser Ala Val 330 325 Ile Pro Gly Thr Asp Ser Ala Ser Val Val Glu Gly Met Leu Ser Leu 345 Val His Leu Glu His His Ile Val Leu Lys Ser Asp Val Pro Thr Asp 360 Gly Ala Leu Lys Val Ser Ala Thr Ala Asp Glu Val Val Asp Thr Asp 375 Leu Gly Arg Leu Val Ile Val Arg Ala Glu Ile Ala Asp Ala Glu Gly Asn Leu Ile Ala Thr Leu Ala Glu Arg Phe Ala Ile Arg Gly Arg Lys 415 405 410 Gly Asn Ala Val Ala Arg Thr Asn Thr Ser Ala Leu Pro Thr Thr Val 425 Asp Thr Pro Arg Ser Ala Arg Ala Val Ala Thr Val Val Ala Pro Glu Ser Met Arg Pro Phe Ala Val Ile Ser Gly Asp Arg Asn Pro Ile His 455 Val Ser Asp Val Ala Ala Ser Leu Ala Gly Leu Pro Gly Val Ile Val 470 475 His Gly Met Trp Thr Ser Ala Ile Gly Glu Leu Ile Ala Gly Ala Ala 485 Phe Asn Asp Glu Gln Ile Gln Thr Pro Ala Ala Lys Val Val Glu Tyr 500 505 Thr Ala Thr Met Leu Ala Pro Val Leu Pro Gly Glu Glu Ile Glu Phe 515 520 Ser Val Glu Arg Ser Ala Val Asp Asn Arg Pro Gly Met Gly Glu Val 535 Arg Thr Val Thr Ala Thr Val Asn Gly Asn Leu Val Leu Thr Ala Thr 545 550 Ala Val Val Ala Ala Pro Ser Thr Phe Tyr Ala Phe Pro Gly Gln Gly Ile Gln Ser Gln Gly Met Gly Met Glu Ala Arg Arg Asn Ser Gln Ala 580 585 Ala Arg Ala Ile Trp Asp Arg Ala Asp Ala His Thr Arg Asn Lys Leu 600 Gly Phe Ser Ile Val Glu Ile Val Glu Asn Asn Pro Arg Glu Val Thr

615 620 Val Ala Gly Glu Lys Phe Phe His Pro Asp Gly Val Leu Tyr Leu Thr 630 635 Gln Phe Thr Gln Val Gly Met Ala Thr Leu Gly Val Ala Gln Ile Ala 650. Glu Met Arg Glu Ala His Ala Leu Asn Gln Arg Ala Tyr Phe Ala Gly 665 His Ser Val Gly Glu Tyr Asn Ala Leu Ala Ala Tyr Ala Gly Val Leu Ser Leu Glu Ser Val Leu Glu Ile Val Tyr Arg Arg Gly Leu Thr Met His Arg Leu Val Asp Arg Asp Glu Asn Gly Leu Ser Asn Tyr Ala Leu 710 Ala Ala Leu Arg Pro Asn Lys Met Gly Leu Thr Ala Asp Asn Val Phe Asp Tyr Val Ala Ser Val Ser Glu Ala Ser Gly Glu Phe Leu Glu Ile 740 Val Asn Tyr Asn Leu Ala Gly Leu Gln Tyr Ala Val Ala Gly Thr Gln Ala Gly Leu Ala Ala Leu Arg Ala Asp Val Glu Asn Arg Ala Pro Gly 775 Gln Arg Ala Phe Ile Leu Ile Pro Gly Ile Asp Val Pro Phe His Ser Ser Lys Leu Arg Asp Gly Val Gly Ala Phe Arg Glu His Leu Asp Ser 810 Leu Ile Pro Ala Glu Leu Asp Leu Asp Val Leu Val Gly Arg Tyr Ile 820 Pro Asn Leu Val Ala Arg Pro Phe Glu Leu Thr Glu Glu Phe Val Ala 840 Ser Met Ala Glu Val Val Glu Ser Thr Tyr Val Asn Glu Ile Leu Ala 850 Asp Phe Lys Ala Ala Ser Ala Asp Lys Gln Lys Leu Ala Arg Thr Leu 870 875 Leu Ile Glu Leu Leu Ala Trp Gln Phe Ala Ser Pro Val Arg Trp Ile Glu Thr Gln Asp Leu Leu Ile Lys Gly Leu Gln Ala Glu Arg Phe Val Glu Val Gly Val Gly Ser Ala Pro Thr Leu Ala Asn Met Met Gly Gln 920 Thr Leu Arg Leu Pro Gln Tyr Ala Asp Ala Thr Ile Glu Val Leu Asn

935

Ile Glu Arg Asp Arg Pro Val Val Phe Ala Thr Asp Glu Val Val Arg 945 950 955 960

- Glu Val Ala Val Glu Glu Thr Pro Ala Ala Pro Ala Glu Thr Thr Glu 965 970 975
- Thr Pro Ala Thr Pro Ala Thr Pro Ala Pro Val Ala Ala Ala Pro 980 985 990
- Ala Thr Gly Gly Pro Arg Pro Asp Asp Ile Ser Phe Thr Pro Ser Asp 995 1000 1005
- Ala Thr Glu Met Leu Ile Ala Ile Trp Thr Lys Val Arg Pro Asp Gln 1010 1015 1020
- Met Gly Ala Thr Asp Ser Ile Glu Thr Leu Val Glu Gly Val Ser Ser 1025 1030 1035 1040
- Arg Arg Asn Gln Leu Leu Leu Asp Leu Gly Val Glu Phe Gly Leu Gly
 1045 1050 1055
- Ala Ile Asp Gly Ala Ala Asp Ala Glu Leu Gly Asp Leu Lys Val Thr 1060 1065 1070
- Val Ser Lys Met Ala Lys Gly Tyr Lys Ala Phe Gly Pro Val Leu Ser 1075 1080 1085
- Asp Ala Ala Asp Ala Leu Arg Arg Leu Thr Gly Pro Thr Gly Lys 1090 1095 1100
- Arg Pro Gly Tyr Ile Ala Glu Arg Val Thr Gly Thr Trp Glu Leu Gly 1105 1110 1115 1120
- Gln Gly Trp Ala Asp His Val Val Ala Glu Val Val Ile Gly Ala Arg 1125 1130 1135
- Glu Gly Ala Ser Leu Arg Gly Gly Asp Leu Ala Ser Leu Ser Pro Ala 1140 1145 1150
- Ser Pro Ala Ser Ala Ser Asp Leu Asp Ser Leu Ile Asp Ala Ala Val 1155 1160 1165
- Gln Ala Val Ala Ser Arg Gly Val Ala Val Ser Leu Pro Ser Ala 1170 1175 1180
- Gly Gly Ala Ala Gly Gly Val Val Asp Ser Ala Ala Leu Gly Glu Phe 1185 1190 1195 1200
- Ala Glu Gln Val Thr Gly His Asp Gly Val Leu Ala Gln Ala Arg 1205 1210 1215
- Thr Ile Leu Thr Gln Leu Gly Leu Asp Lys Pro Ala Thr Val Ser Val 1220 1225 1230
- Glu Asp Thr Ala Glu Glu Asp Leu Tyr Glu Leu Val Ser Lys Glu Leu 1235 1240 1245
- Gly Ser Asp Trp Pro Arg Gln Val Ala Pro Ser Phe Asp Glu Glu Lys 1250 1255 1260

Val Val Leu Leu Asp Asp Arg Trp Ala Ser Ala Arg Glu 1265 1270 . 1275

<210> 55 <211> 4953 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(4930) <223> RXA02582 <400> 55 tqqatqtcta ttctcctcaq cctcqttttq gttqagqcqq ataqttttaa tattttttta 60 agtttaagtt gtaatcgage tgaaaggetg aggeetcaat atg gaa cag age caa 115 Met Glu Gln Ser Gln teg teg gat cag aag atg ace gtt-gaa cag gtt ege ace tgg ete egt 163 Ser Ser Asp Gln Lys Met Thr Val Glu Gln Val Arg Thr Trp Leu Arg gat tgg gtt gtc cgc acc acg ggt att ccg gtg gag gaa gtt acg gat Asp Trp Val Val Arg Thr Thr Gly Ile Pro Val Glu Glu Val Thr Asp 30 gac aag gca atg gag acc ttt ggc ctt tcc tct cgc gat gtt gtt 259 Asp Lys Ala Met Glu Thr Phe Gly Leu Ser Ser Arg Asp Val Val Val 40 45 ttg tct ggt gag ctg gaa aac ctg ctg gac acc tcc ttg gat gcc acc Leu Ser Gly Glu Leu Glu Asn Leu Leu Asp Thr Ser Leu Asp Ala Thr atc gct tat gag tac cca acg atc cgt agt ttg gcg cag cgc ctt gtt 355 Ile Ala Tyr Glu Tyr Pro Thr Ile Arg Ser Leu Ala Gln Arg Leu Val 70 qag qqc qag cct cqt cqt qca cat acc cag cqt gaa ttg aat ttc tcc 403 Glu Gly Glu Pro Arg Arg Ala His Thr Gln Arg Glu Leu Asn Phe Ser 90 gcg gtg agc gat tcc cca ggt tcc cac gat att gcg gtt gtc ggt atg Ala Val Ser Asp Ser Pro Gly Ser His Asp Ile Ala Val Val Gly Met 105 gct gcg cgt tac cca ggc gct gag agc ctg gag gat atg tgg aag cta Ala Ala Arg Tyr Pro Gly Ala Glu Ser Leu Glu Asp Met Trp Lys Leu 120 547 ctc gtc gag ggc cgt gac ggt atc tcg gat cta ccg att ggc cgt tgg Leu Val Glu Gly Arg Asp Gly Ile Ser Asp Leu Pro Ile Gly Arg Trp 135 140 595 tot gag tat goa ggc gat gag gtt atg tot cgg aag atg gaa gag ttt Ser Glu Tyr Ala Gly Asp Glu Val Met Ser Arg Lys Met Glu Glu Phe 155

					tac Tyr											643
					ccg Pro											691
					cta Leu											739
					cgt Arg											787
					ggc Gly 235											835
					act Thr											883
			_		gat Asp		-				-			-		931
					ctg Leu	-		-		_	_	-	_		_	979
					gat Asp											1027
					aca Thr 315											1075
					cac His											1123
					gga Gly											1171
					aag Lys											1219
					tcc Ser											1267
					cag Gln 395											1315
acc	acc	gtg	gat	tac	gtt	gag	gct	cac	ggc	acc	ggc	acc	atc	ctg	ggt	1363

Thr	Thr	Val	Asp	Tyr 410	Val	Glu	Ala	His	Gly 415	Thr	Gly	Thr	Ile	Leu 420	Gly	
gac Asp	ccc Pro	att Ile	gaa Glu 425	gca Ala	act Thr	gcc Ala	ctg Leu	ggt Gly 430	gct Ala	gtt Val	ttg Leu	ggc Gly	tat Tyr 435	ggc Gly	cgt Arg	1411
	gca Ala															1459
	act Thr 455															1507
	ttg Leu															1555
	cgc Arg															1603
	cgt Arg															1651
	ttc Phe															1699
	gca Ala 535															1747
	cag Gln															1795
	caa Gln															1843
tgc Cys	gac Asp	cta Leu	acc Thr 585	cca Pro	gta Val	gcc Ala	cgc Arg	gcg Ala 590	ctg Leu	gca Ala	ggc Gly	cgc Arg	aat Asn 595	cat His	ggc Gly	1891
	tcc Ser															1939
	ctg Leu 615															1987
	gat Asp															2035
	tcc Ser															2083

650 655 660

					atc Ile											2131
					atg Met											2179
					cag Gln											2227
					agc Ser 715											2275
					atc Ile											2323
	_	_		_	ctc Leu		_	-		-		-		_		2371
					ctg Leu											2419
					gcg Ala											2467
					gag Glu 795											2515
					cgc Arg											2563
gaa Glu	tct Ser	gaa Glu	gac Asp 825	aag Lys	ttt Phe	gcc Ala	cgc Arg	ctg Leu 830	ctc Leu	aac Asn	gtc Val	aag Lys	ggc Gly 835	gct Ala	ggc Gly	2611
					gaa Glu											2659
					ctt Leu											2707
					tac Tyr 875											2755
					acc Thr											2803

		ea ggc cac aac .a Gly His Asn 910			
		g ggc atg atg t Gly Met Met 925			
		g ctg ttc ago u Leu Phe Ser 940			
		c ctt ctg gcg p Leu Leu Ala 5			
		g ctg tac ggc a Leu Tyr Gly			
		g cac cag cgc s His Gln Arg 990			
	Ala Ser Le	g gat ctg ccg u Asp Leu Pro 1005			
		t tcc acc gca e Ser Thr Ala 1020	Ala Glu Leu		
	Met Glu Al	a gcc gcc atg a Ala Ala Met 035			
		g cgc gac atg u Arg Asp Met		Ser Gly Glu	
acc acc atc Thr Thr Ile	gtg act cg Val Thr Ar 1065	c tcc ttg ggc g Ser Leu Gly 10	Gly Leu Ser	ctg tcc gta Leu Ser Val 1075	tac 3331 Tyr
	Gly Thr Th	c agc act ctt r Ser Thr Leu 1085			
		a gca tct tcc a Ala Ser Ser 1100	Phe Asp Gly		
Gly Phe Asn		c agc gac cag r Ser Asp Gln	Pro Asp Pro		Leu
1110	_	115	1120		1125

Glu	gag Glu	cgc Arg	atg Met 114	Arg	gcc Ala	atc Ile	gtc Val	tcc Ser 11	Glu	gca Ala	atg Met	ggc Gly	Tyr	gac Asp 155	gtg Val	3571
gat Asp	gac Asp	ctc Leu 1160	Pro	cgc Arg	gaa Glu	ctc Leu	cca Pro 11	Leu	att Ile	gac Asp	ctc Leu	Gly	ctc Leu 170	gac Asp	tcc Ser	3619
		ggc Gly 5					Asn				Asn					3667
cca Pro 1190	Pro	ctc Leu	cag Gln	gtc Val	caa Gln 119	Ala	ctc Leu	cgc Arg	gat Asp	Ala	tcc Ser 200	gtc Val	gct Ala	gac Asp	Val	3715 205
gta Val	atc Ile	atg Met	gtg Val	gaa Glu 1210	Asn	atg Met	gtc Val	gct Ala	ggc Gly 121	Arg	tcc Ser	tct Ser	gag Glu	Thr	ctt Leu 220	3763
		gcc Ala		Pro					Glu				Glu			3811
		gag Glu 1240	Ser					Glu				Gly				3859
		cga Arg					Arg				Gly	Thr				3907
						120	,0				12	265				
	Thr	ggc Gly				gct Ala	ggc			Ser	aag	ttg			Ile	3955 285
Leu 1270 gat	Thr) gtc		Ala act	Ala gca	Ala 127 acc Thr	gct Ala 5 gca	ggc Gly att	Val gcc	Thr gag	Ser 12 cgc Arg	aag Lys 280 ctc	ttg Leu	Pro gag	Gln cgt Arg	Ile 12	
Leu 1270 gat Asp	Thr gtc Val	Gly gat	Ala act Thr	gca Ala 1290 agc Ser	Ala 127 acc Thr	gct Ala 5 gca Ala	ggc Gly att Ile	Val gcc Ala gtg	gag Glu 129 ttg Leu	Ser 12 cgc Arg 5 gct	aag Lys 80 ctc Leu	ttg Leu acc Thr	Pro gag Glu acc Thr	Gln cgt Arg 13	tcc Ser 300	285
gat Asp gga Gly	Thr gtc Val att Ile	Gly gat Asp gaa	Ala act Thr atc Ile 1305 gac Asp	gca Ala 1290 agc Ser	Ala 127 acc Thr) act Thr	gct Ala 5 gca Ala gaa Glu	ggc Gly att Ile cag Gln	ycc Ala gtg Val 131 ggc Gly	gag Glu 129 ttg Leu 10	Ser 12 cgc Arg 5 gct Ala	aag Lys 280 ctc Leu gca Ala	ttg Leu acc Thr gaa Glu gaa Glu	gag Glu acc Thr	cgt Arg 13 ctc Leu 315	tcc Ser 300 gaa Glu	285 4003
gat Asp gga Gly cca Pro	Thr gtc Val att Ile ctg Leu	Gly gat Asp gaa Glu tct Ser 1320 cgt Arg	act Thr atc Ile 1305 gac Asp	gca Ala 1290 agc Ser ctg Leu	Ala 127 acc Thr act Thr gtg Val	gct Ala 5 gca Ala gaa Glu cgt Arg	ggc Gly att Ile cag Gln gaa Glu 132 cgt Arg	gcc Ala gtg Val 131 ggc Gly 25	gag Glu 129 ttg Leu 10 ctc Leu	cgc Arg 95 gct Ala gaa Glu	aag Lys 280 ctc Leu gca Ala act Thr	ttg Leu acc Thr gaa Glu gaa Glu 13	gag Glu acc Thr 13 gtt Val 30	cgt Arg 13 ctc Leu 315 cag Gln	tcc Ser 300 gaa Glu ggc Gly	4003 4051
gat Asp gga Gly cca Pro aac Asn	Thr gtc Val att Ile ctg Leu att Ile 1335 ttc Phe	Gly gat Asp gaa Glu tct Ser 1320 cgt Arg	act Thr atc Ile 1305 gac Asp gtg Val	gca Ala 1290 agc Ser ctg Leu ctg	Ala 127 acc Thr act Thr gtg Val cgt Arg	gct Ala 5 gca Ala gaa Glu cgt Arg gga Gly 134 gct Ala	ggc Gly att Ile cag Gln gaa Glu 132 cgt Arg 0	gcc Ala gtg Val 131 ggc Gly 25 gca Ala	gag Glu 129 ttg Leu Ctc Leu gaa Glu	cgc Arg 95 gct Ala gaa Glu ggc Gly	aag Lys 280 ctc Leu gca Ala act Thr	ttg Leu acc Thr gaa Glu gaa Glu 13 acc Thr 45	gag Glu acc Thr 13 gtt Val 30 aag Lys	cgt Arg 13 ctc Leu 315 cag Gln cct Pro	tcc Ser 300 gaa Glu ggc Gly gca Ala	4003 4051 4099
gat Asp gga Gly cca Pro aac Asn gtg Val 1350 cta	gtc Val att Ile ctg Leu att 1335 ttc Phe	gat Asp gaa Glu tct Ser 1320 cgt Arg	Ala act Thr atc Ile 1305 gac Asp gtg Val ttc Phe cgt	gca Ala 1290 agc Ser ctg Leu ctg Leu cac His	Ala 127 acc Thr act Thr gtg Val cgt Arg cca Pro 135 cct Pro	gct Ala 5 gca Ala gaa Glu cgt Arg gga Gly 134 gct Ala 5	ggc Gly att Ile cag Gln gaa Glu 132 cgt Arg 0 ggc Gly	gcc Ala gtg Val 131 ggc Gly 25 gca Ala ggt Gly	gag Glu 129 ttg Leu O ctc Leu gaa Glu tct Ser	cgc Arg 5 gct Ala gaa Glu ggc Gly tcc Ser 13	aag Lys 280 ctc Leu gca Ala act Thr tcc Ser 24g Val 60 tat	ttg Leu acc Thr gaa Glu 13 acc Thr 45 gtc Val	gag Glu acc Thr 13 gtt Val 30 aag Lys tac	cgt Arg 13 ctc Leu 315 cag Gln cct Pro	tcc Ser 300 gaa Glu ggc Gly gca Ala	4003 4051 4099 4147 4195

Leu	Glu	Gly	Asp 138		Ala	Asp	Arg	Ala 13		Ala	Tyr	Val	-	Asp 395	Ile		
aag Lys	aag Lys	tac Tyr 1400	Ser	gat Asp	ggc Gly	ttc Phe	cca Pro 140	Val	gtt Val	ttg Leu	ggt Gly	Gly	tgg Trp 110	agc Ser	ttc Phe	43	39
ggc Gly	ggt Gly 141	Ala	gtt Val	gcc Ala	ttc Phe	gag Glu 142	Val	gcc Ala	cac His	caa Gln	Leu	gtt Val 425	ggc Gly	tcc Ser	gat Asp	43	87
gtt Val 1430	gag Glu O	gta Val	gct Ala	acc Thr	gtg Val 143	Ala	ttg Leu	ctg Leu	gat Asp	Thr	gtg Val 440	cag Gln	cct Pro	tca Ser	Asn	44: 445	35
cca Pro	gca Ala	cca Pro	gat Asp	acc Thr 1450	Ala	gag Glu	gaa Glu	act Thr	cgt Arg 145	Ala	cgc Arg	tgg Trp	act Thr	Arg	tac Tyr 160	441	83
	gac Asp			Lys					Leu				Val			45	31
gaa Glu	atc Ile	ttg Leu 1480	Asp	acc Thr	atc Ile	ggt Gly	gaa Glu 148	Asp	gga Gly	atg Met	ctg Leu	Ser	atg Met 190	atg Met	acc Thr	45	79
gac Asp	ttc Phe 1495	Leu	gcc Ala	aac Asn	acc Thr	gac Asp 150	Ala	tcc Ser	gag Glu	cac His	Gly	ttg Leu 505	tcc Ser	gca Ala	ggt Gly	462	27
gtg Val 1510	ctt Leu)	gaa Glu	cac His	cag Gln	cgc Arg 151	Ala	tct Ser	ttt Phe	gtg Val	Asp	aac Asn 520	cgc Arg	atc Ile	ctg Leu	Ala	46 [.] 525	75
aaa Lys	ctt Leu	aat Asn	ttt Phe	gca Ala 1530	Asp	tgg Trp	gcc Ala	aac Asn	gtt Val 153	Glu	gcc Ala	cct Pro	gtc Val	Ile	ctg Leu 40	47	23
ttc Phe	cgc Arg	gcg Ala	gaa Glu 1545	Arg	atg Met	cat His	gat Asp	gga Gly 155	Ala	atc Ile	gaa Glu	ctt Leu	Glu	cca Pro 555	aac Asn	47	71
tat Tyr	gcc Ala	aag Lys 1560	Ile	gat Asp	caa Gln	gat Asp	gga Gly 156	Gly	tgg Trp	tcc Ser	gga Gly	Ile	gtc Val 570	aac Asn	gat Asp	48	19
ttg Leu	gaa Glu 1575	Ile	gtt Val	cag Gln	ctg Leu	aat Asn 158	Gly	gac Asp	cac His	ctg Leu	Ala	gtt Val 85	gtc Val	gat Asp	gaa Glu	480	67
cca Pro 1590	gaa Glu	atc Ile	ggc Gly	aca Thr	gtc Val 159	Gly	gct Ala	cat His	ttg Leu	Ser	cgc Arg 500	cgc Arg	att Ile	gat Asp	Glu	49: 605	15
	tct Ser					aacg	ıga ç	gagct	gacg	jg aa	ag					49	53

<210> 56

- <211> 1610
- <212> PRT
- <213> Corynebacterium glutamicum

<400> 56

- Met Glu Gln Ser Gln Ser Ser Asp Gln Lys Met Thr Val Glu Gln Val
 1 5 10 15
- Arg Thr Trp Leu Arg Asp Trp Val Val Arg Thr Thr Gly Ile Pro Val 20 25 30
- Glu Glu Val Thr Asp Asp Lys Ala Met Glu Thr Phe Gly Leu Ser Ser 35 40 45
- Arg Asp Val Val Leu Ser Gly Glu Leu Glu Asn Leu Leu Asp Thr 50 55
- Ser Leu Asp Ala Thr Ile Ala Tyr Glu Tyr Pro Thr Ile Arg Ser Leu 65 70 75 80
- Ala Gln Arg Leu Val Glu Gly Glu Pro Arg Arg Ala His Thr Gln Arg
 85 90 95
- Glu Leu Asn Phe Ser Ala Val Ser Asp Ser Pro Gly Ser His Asp Ile 100 105 110
- Ala Val Val Gly Met Ala Ala Arg Tyr Pro Gly Ala Glu Ser Leu Glu 115 120 125
- Asp Met Trp Lys Leu Leu Val Glu Gly Arg Asp Gly Ile Ser Asp Leu 130 135 140
- Pro Ile Gly Arg Trp Ser Glu Tyr Ala Gly Asp Glu Val Met Ser Arg 145 150 155 160
- Lys Met Glu Glu Phe Ser Thr Ile Gly Gly Tyr Leu Ser Asp Ile Ser 165 170 175
- Ser Phe Asp Ala Glu Phe Phe Gly Leu Ser Pro Leu Glu Ala Ala Asn 180 185 190
- Met Asp Pro Gln Gln Arg Ile Leu Leu Glu Leu Thr Trp Glu Ala Leu 195 200 205
- Glu Tyr Ala Arg Ile Ala Pro Asn Thr Leu Arg Gly Glu Ala Val Gly 210 215 220
- Val Phe Ile Gly Ser Ser Asn Asn Asp Tyr Gly Met Met Ile Ala Ala 225 230 235 240
- Asp Pro Ala Glu Ala His Pro Tyr Ala Leu Thr Gly Thr Ser Ser Ala 245 250 255
- Ile Val Ala Asn Arg Ile Asn Tyr Ala Phe Asp Phe Arg Gly Pro Ser 260 265 270
- Val Asn Val Asp Thr Ala Cys Ser Ser Ser Leu Val Ala Val His Gln 275 280 285
- Ala Val Arg Ala Leu Arg Asn Gly Glu Ala Asp His Ala Ile Ala Gly 290 295 300

Gly Val Asn Ile Leu Ala Ser Pro Phe Val Thr Thr Ala Phe Ala Glu 310 315 Leu Gly Val Ile Ser Pro Thr Gly Lys Ile His Ala Phe Ser Asp Asp Ala Asp Gly Phe Val Arg Ser Asp Gly Ala Gly Val Val Leu Lys 345 Arg Val Asp Asp Ala Ile Arg Asp Gly Asp Lys Ile Ile Gly Val Ile 355 360 Lys Gly Ser Ala Val Asn Ser Asp Gly His Ser Asn Gly Leu Thr Ala Pro Asn Pro Asp Ala Gln Val Asp Val Leu Gln Arg Ala Tyr Val Asp 390 395 Ala Gln Val Asp Pro Thr Thr Val Asp Tyr Val Glu Ala His Gly Thr Gly Thr Ile Leu Gly Asp Pro Ile Glu Ala Thr Ala Leu Gly Ala Val 425 Leu Gly Tyr Gly Arg Asp Ala Ser Thr Pro Thr Leu Leu Gly Ser Ala 435 440 Lys Ser Asn Phe Gly His Thr Glu Ser Ala Ala Gly Ile Ala Gly Val 455 Ile Lys Val Leu Leu Ala Leu Gln Asn Lys Thr Leu Pro Pro Thr Val Asn Phe Ala Gly Pro Asn Arg Tyr Ile Asp Phe Asp Ala Glu Arg Leu 490 Glu Val Val Glu Asp Pro Arg Glu Trp Pro Glu Tyr Asn Gly His Ala Val Ala Gly Val Ser Ala Phe Gly Phe Gly Gly Thr Asn Ala His Val 520 Val Ile Ser Glu Tyr Asn Ala Glu Asp Tyr Glu Thr Arg Ala Pro Lys 530 535 Glu Ala Leu Leu Pro Asp Gln Gln Val Ala Leu Pro Val Ser Gly His 550 Leu Pro Ser Arg Arg Gln Ala Ala Ala Asp Leu Ala Asp Phe Leu 570 Glu Gly Arg Lys Asp Cys Asp Leu Thr Pro Val Ala Arg Ala Leu Ala 585 Gly Arg Asn His Gly Arg Ser Arg Ala Val Val Leu Ala Ser Thr Ile 600

Glu Glu Ala Val Lys Arg Leu Arg Gln Val Ala Glu Gly Lys Val Ser

615

610

Val Gly Ile Ser Ala Ala Asp Ser Pro Ala Ala Asn Gly Pro Val Phe 630 Val Tyr Ser Gly Phe Gly Ser Gln His Arg Leu Met Ile Lys Glu Leu Cys Ser Ile Ser Pro Gln Phe Arg Glu Arg Ile Glu Glu Leu Asp Glu 665 Met Val Lys Phe Glu Ser Gly Trp Ser Ile Met Lys Leu Val Leu Asp 680 Asp Glu Gln Thr Tyr Asp Thr Glu Thr Ala Gln Val Val Ile Thr Ala 695 Ile Gln Ile Ala Leu Thr Asp Leu Leu Ala Ser Phe Gly Val Lys Pro 710 Ala Ala Val Met Gly Met Ser Met Gly Glu Ile Ala Ala Ala Tyr Ala Ala Gly Gly Leu Ser Asp Arg Asp Thr Met Leu Ile Ala Ser His Arg 745 Ser Arg Leu Met Gly Glu Gly Glu Lys Ser Leu Ala Glu Asp Gln Leu Gly Ala Met Ala Val Val Glu Phe Ala Ala Ala Asp Leu Asp Lys Phe 770 775 780 Ile Glu Glu Asn Pro Glu Tyr Lys Gly Ile Glu Pro Ala Val Tyr Ala Gly Pro Gly Met Thr Thr Val Gly Gly Pro Arg Asp Ala Val Val Gln Phe Val Glu Lys Leu Glu Ser Glu Asp Lys Phe Ala Arg Leu Leu Asn Val Lys Gly Ala Gly His Thr Ser Ala Val Glu Pro Leu Leu Gly Glu 840 Leu Ala Gly Glu Ile Ala Gly Ile Glu Pro Leu Pro Leu Gln Ile Pro 855 850 Leu Phe Ser Ser Val Asp Gln Gly Val Thr Tyr Pro Val Gly Ala Val 870 Val His Asp Ala Asp Tyr Met Leu Arg Cys Thr Arg Gln Ser Val Tyr Phe Gln Asp Ser Thr Glu Ala Ala Phe Ala Ala Gly His Asn Thr Leu 905 Val Glu Ile Ser Pro Asn Pro Val Ala Leu Met Gly Met Met Asn Thr Ala Phe Thr Val Gly Lys Pro Asp Ala Gln Leu Leu Phe Ser Leu Lys 935 940 Arg Lys Val Pro Glu Ala Glu Ser Leu Arg Asp Leu Leu Ala Lys Leu

945 950 955 960

Tyr Val Asn Gly Ala Asn Val Asp Phe Ser Ala Leu Tyr Gly Glu Gly
965 970 975

Glu Thr Ile Asp Pro Pro His Ile Thr Trp Lys His Gln Arg Phe Trp 980 985 990

Thr Ser Ala Arg Pro Ser Ser Gly Ala Ser Leu Asp Leu Pro Gly Phe 995 1000 1005

Arg Val Asn Leu Pro Asn Asn Thr Val Ala Phe Ser Thr Ala Ala Glu 1010 1015 1020

Leu Ala Pro Ser Ala Val Ala Ile Met Glu Ala Ala Ala Met Ala Val 1025 1030 1035 1040

Thr Pro Gly Ser Ser Val Asp Ala Val Asp Glu Arg Asp Met Leu Pro 1045 1050 1055

Pro Ser Gly Glu Ile Thr Thr Ile Val Thr Arg Ser Leu Gly Gly Leu 1060 1065 1070

Ser Leu Ser Val Tyr Lys Ile Glu Gly Thr Thr Ser Thr Leu Val Ala 1075 1080 1085

Glu Gly Phe Ala Ala Asn Pro Gly Phe Ala Ala Ala Ser Ser Phe Asp 1090 1095 1100

Gly Pro Gly Tyr Asp Gly Phe Asn Thr Asp Tyr Ser Asp Gln Pro Asp 1105 1110 1115 1120

Pro Arg Ser Asp Leu Pro Leu Asp Ile Glu Ala Val Arg Trp Asp Pro 1125 1130 1135

Ala Thr Glu Thr Val Glu Glu Arg Met Arg Ala Ile Val Ser Glu Ala 1140 1145 1150

Met Gly Tyr Asp Val Asp Asp Leu Pro Arg Glu Leu Pro Leu Ile Asp 1155 1160 1165

Leu Gly Leu Asp Ser Leu Met Gly Met Arg Ile Lys Asn Arg Ile Glu 1170 1175 1180

Asn Asp Phe Gln Ile Pro Pro Leu Gln Val Gln Ala Leu Arg Asp Ala 1185 1190 1195 1200

Ser Val Ala Asp Val Val Ile Met Val Glu Asn Met Val Ala Gly Arg 1205 1210 1215

Ser Ser Glu Thr Leu Val Asp Ala Thr Pro Gln Val Pro Ala Glu Ala 1220 1225 1230

Ala Gly Glu Ala Gln Ala Ala Glu Ser Ser Ala Ser Gly Glu Asp Val 1235 1240 1245

Gln Gly Val Gly Val Ala Pro Arg Asp Ala Ser Glu Arg Met Val Phe 1250 1255 1260

Gly Thr Trp Ala Gly Leu Thr Gly Ala Ala Ala Ala Gly Val Thr Ser 1265 1270 1275 1280

Lys Leu Pro Gln Ile Asp Val Asp Thr Ala Thr Ala Ile Ala Glu Arg 1285 1290 1295

- Leu Thr Glu Arg Ser Gly Ile Glu Ile Ser Thr Glu Gln Val Leu Ala 1300 1305 1310
- Ala Glu Thr Leu Glu Pro Leu Ser Asp Leu Val Arg Glu Gly Leu Glu 1315 1320 1325
- Thr Glu Val Gln Gly Asn Ile Arg Val Leu Arg Gly Arg Ala Glu Gly 1330 1340
- Ser Thr Lys Pro Ala Val Phe Met Phe His Pro Ala Gly Gly Ser Ser 1345 1350 1355 1360
- Val Val Tyr Gln Pro Leu Met Arg Arg Leu Pro Glu Asp Val Pro Val 1365 1370 1375
- Tyr Gly Val Glu Arg Leu Glu Gly Asp Leu Ala Asp Arg Ala Ala Ala 1380 1385 1390
- Tyr Val Asp Asp Ile Lys Lys Tyr Ser Asp Gly Phe Pro Val Val Leu 1395 1400 1405
- Gly Gly Trp Ser Phe Gly Gly Ala Val Ala Phe Glu Val Ala His Gln 1410 1415 1420
- Leu Val Gly Ser Asp Val Glu Val Ala Thr Val Ala Leu Leu Asp Thr 1425 1430 1435 1440
- Val Gln Pro Ser Asn Pro Ala Pro Asp Thr Ala Glu Glu Thr Arg Ala 1445 1450 1455
- Arg Trp Thr Arg Tyr Ala Asp Phe Ala Lys Lys Thr Tyr Gly Leu Asp 1460 1465 1470
- Phe Glu Val Pro Phe Glu Ile Leu Asp Thr Ile Gly Glu Asp Gly Met 1475 1480 1485
- Leu Ser Met Met Thr Asp Phe Leu Ala Asn Thr Asp Ala Ser Glu His 1490 1495 1500
- Gly Leu Ser Ala Gly Val Leu Glu His Gln Arg Ala Ser Phe Val Asp 1505 1510 1520
- Asn Arg Ile Leu Ala Lys Leu Asn Phe Ala Asp Trp Ala Asn Val Glu 1525 1530 1535
- Ala Pro Val Ile Leu Phe Arg Ala Glu Arg Met His Asp Gly Ala Ile 1540 1545 1550
- Glu Leu Glu Pro Asn Tyr Ala Lys Ile Asp Gln Asp Gly Gly Trp Ser 1555 1560 1565
- Gly Ile Val Asn Asp Leu Glu Ile Val Gln Leu Asn Gly Asp His Leu 1570 1575 1580
- Ala Val Val Asp Glu Pro Glu Ile Gly Thr Val Gly Ala His Leu Ser 1585 1590 1595 1600

Arg Arg Ile Asp Glu Ile Ser Arg Lys Asn 1605 1610

<210> 57 <211> 930 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(907) <223> RXA02691 <400> 57 cttagggctt atctgttttc cagccttgct ttttactagg cgctcctgtc ccgcttcagt 60 caccaaaacc acaccctgg ttatgaccag atcggctaaa atg aac acc atg cct Met Asn Thr Met Pro gac caa ccg ctc aac cag gac gga ttc cct acc gca tcc aaa ggg gtg 163 Asp Gln Pro Leu Asn Gln Asp Gly Phe Pro Thr Ala Ser Lys Gly Val gaa ccc gac aac ctc ccc gac cgc gtt ctc gtg gac ggc ctt aaa cca 211 Glu Pro Asp Asn Leu Pro Asp Arg Val Leu Val Asp Gly Leu Lys Pro aag cat cag cag ctt cgt gaa att ttg gag gaa atc tgc acc acc cag Lys His Gln Gln Leu Arg Glu Ile Leu Glu Ile Cys Thr Thr Gln ctt cag cct ggg gac atg ctg cct ggt gag cgc atc ctg gaa gaa aag 307 Leu Gln Pro Gly Asp Met Leu Pro Gly Glu Arg Ile Leu Glu Glu Lys tat ggc gtc agc cga att acg gtt cgt cgg gcg att ggt gat ctg gtc 355 Tyr Gly Val Ser Arg Ile Thr Val Arg Arg Ala Ile Gly Asp Leu Val 80 gcg tee gge agg ttg aag ega get ege gge aaa ggt ace tte gtg gee 403 Ala Ser Gly Arg Leu Lys Arg Ala Arg Gly Lys Gly Thr Phe Val Ala cac tog cog ttg att too oge ctg cat ttg goo tog ttt too goa gag 451 His Ser Pro Leu Ile Ser Arg Leu His Leu Ala Ser Phe Ser Ala Glu 105 110 atg gcc gcc cag aag cta tcg gct acc agc agg att ttg agt tct tcc Met Ala Ala Gln Lys Leu Ser Ala Thr Ser Arg Ile Leu Ser Ser Ser 120 125 cgc ggt ccc gcc cca gat gat att gct gat ttc ttt ggt acc gat cgc 547 Arg Gly Pro Ala Pro Asp Asp Ile Ala Asp Phe Phe Gly Thr Asp Arg 135 140 gcg gcc cag cac atc acg ttg cgc ctg cgc ttt gga aat ggt cga 595 Ala Ala Gln His Ile Thr Leu Arg Arg Leu Arg Phe Gly Asn Gly Arg 150

Pro			att Ile													643
			aat Asn 185													691
			gtc Val													739
			gaa Glu													787
			cgt Arg													835
		_	gtt Val		_		-		-	_						883
			cgc Arg 265					tgad	egtga	ac o	catt	ttgg	jt go	gc		930
	D> 58 L> 26															
<21	2> PF 3> Co		ebact	eri	ım gl	Lutan	nicum	π								
<213 <213 <400	3> Ca 0> 58	oryne B	ebact Met		-				Asn 10	Gln	Asp	Gly	Phe	Pro 15	Thr	
<213 <213 <400 Met	3> Co 0> 58 Asn	oryne B Thr		Pro 5	Asp	Gln	Pro	Leu	10			_		15		
<212 <213 <400 Met 1 Ala	3> Cd 3> 58 Asn Ser	Thr	Met Gly	Pro 5 Val	Asp	Gln Pro	Pro Asp	Leu Asn 25	10 Leu	Pro	Asp	Arg	Val 30	15 Leu	Val	
<213 <213 <400 Met 1 Ala	3> Co 3> 58 Asn Ser Gly	Thr Lys Leu 35	Met Gly 20	Pro 5 Val	Asp Glu Lys	Gln Pro His	Pro Asp Gln 40	Leu Asn 25 Gln	10 Leu Leu	Pro Arg	Asp	Arg Ile 45	Val 30 Leu	15 Leu Glu	Val Glu	
<21: <21: <400 Met 1 Ala Asp	3> Co Asn Ser Gly Cys 50	Thr Lys Leu 35	Met Gly 20 Lys	Pro 5 Val Pro Gln	Asp Glu Lys Leu	Gln Pro His Gln 55	Pro Asp Gln 40 Pro	Leu Asn 25 Gln Gly	10 Leu Leu Asp	Pro Arg Met	Asp Glu Leu 60	Arg Ile 45	Val 30 Leu Gly	15 Leu Glu Glu	Val Glu Arg	
<21: <21: <400 Met 1 Ala Asp Ile Ile 65	3> Co Asn Ser Gly Cys 50 Leu	Thr Lys Leu 35 Thr	Met Gly 20 Lys	Pro 5 Val Pro Gln	Asp Glu Lys Leu Tyr 70	Gln Pro His Gln 55	Pro Asp Gln 40 Pro Val	Leu Asn 25 Gln Gly Ser	10 Leu Leu Asp	Pro Arg Met Ile 75	Asp Glu Leu 60	Arg Ile 45 Pro	Val 30 Leu Gly Arg	15 Leu Glu Glu Arg	Val Glu Arg Ala	
<21: <400 Met 1 Ala Asp Ile Ile 65 Ile	3> Co 3> 58 Asn Ser Gly Cys 50 Leu Gly	Thr Lys Leu 35 Thr Glu Asp	Met Gly 20 Lys Thr	Pro 5 Val Pro Gln Lys Val 85	Asp Glu Lys Leu Tyr 70	Gln Pro His Gln 55 Gly Ser	Pro Asp Gln 40 Pro Val	Leu Asn 25 Gln Gly Ser	10 Leu Leu Asp Arg Leu 90	Pro Arg Met Ile 75 Lys	Asp Glu Leu 60 Thr	Arg Ile 45 Pro Val	Val 30 Leu Gly Arg	15 Leu Glu Glu Arg	Val Glu Arg Ala 80 Lys	
<21: <400 Met 1 Ala Asp Ile 65 Ile	3> Co 3> Ser Ser Gly Cys 50 Leu Gly	Thr Lys Leu 35 Thr Glu Asp	Met Gly 20 Lys Thr Glu Leu Val	Pro 5 Val Pro Gln Lys Val 85	Asp Glu Lys Leu Tyr 70 Ala	Gln Pro His Gln 55 Gly Ser	Pro Asp Gln 40 Pro Val Gly Pro	Leu Asn 25 Gln Gly Ser Arg Leu 105	Leu Asp Arg Leu 90	Pro Arg Met Ile 75 Lys	Asp Glu Leu 60 Thr Arg	Arg Ile 45 Pro Val Ala Leu	Val 30 Leu Gly Arg Arg	15 Leu Glu Glu Arg Gly 95 Leu	Val Glu Arg Ala 80 Lys	

Phe 145	Gly	Thr	Asp	Arg	Ala 150	Ala	Gln	His	Ile	Thr 155	Leu	Arg	Arg	Leu	Arg 160	
Phe	Gly	Asn	Gly	Arg 165	Pro	Tyr	Ala	Ile	Asp 170	Asn	Gly	Trp	Tyr	Asn 175	Ser	
Glu	Phe	Ala	Pro 180	Asp	Leu	Leu	Glu	Asn 185	Asp	Val	Tyr	Asn	Ser 190	Val	Tyr	
Ser	Ile	Leu 195	Asp	Arg	Val	Tyr	Gly 200	Val	Pro	Val	Thr	Gln 205	Ala	Glu	Gln	
Thr	Val 210	Thr	Ala	Val	Ala	Ala 215	Asp	Glu	Asp	Thr	Ala 220	Arg	Leu	Leu	Asp	
Val 225	Thr	Pro	Gly	Ala	Pro 230	Leu	Leu	Arg	Ile	Leu 235	Arg	Gln	Ser	Leu	Ser 240	
Gly	Asp	Lys	Pro	Val 245	Glu	Trp	Cys	Val	Ser 250	Leu	Tyr	Arg	Thr	Asp 255	Arg	
Tyr	Ser	Leu	Lys 260	Thr	Leu	Val	Thr	Arg 265	Ser	Glu	Asp	Leu				
<211 <211 <211 <221 <221 <221 <221	0> 1> CI 2> (1 3> R)	968 NA Oryne OS 101) KA00	(1	terii 945)	g muc	lutar	micur	n	-							
	0> 59 atgto		taaa	gata	tg c	ctaa	agat	c tg	acca	aaaa	cgt	gact	aaa	gacg	tgacga	60
cac	aagta	aca (gcca	aatt	aa a	ggaa	aggt [.]	t ga	attt	gacc					aat Asn 5	115
acc Thr	ctg Leu	cag Gln	gaa Glu	tac Tyr 10	act Thr	gaa Glu	cct Pro	gcc Ala	aag Lys 15	Tyr	acc Thr	atc Ile	gga Gly	gaa Glu 20	tct Ser	163
gaa Glu	acc Thr	tgc Cys	ctg Leu 25	acc Thr	gcc Ala	ctt Leu	cta Leu	gat Asp 30	cag Gln	att Ile	aag Lys	act Thr	cga Arg 35	cct Pro	tac Tyr	.211
				agc Ser				Asn					Asn		act Thr	259
							Val					Lys			att	307
tca Ser	gtc Val	ggc Gly	gta Val	gag Glu	cag Gln	gga Gly	gac Asp	cgt Arg	gto Val	gcg Ala	ctg Leu	ctg Leu	tcc	aat Asn	act	355

70 75 80 85

					gtg Val										403
	-				tac Tyr	_				_					451
					ggc Gly										499
					aag Lys										547
		-			cct Pro 155		_	-	_	-					595
					acc Thr										643
					cgc Arg										691
					tct Ser										739
					tgg Trp					Arg					787
					gcg Ala 235	_					-				835
	_			-	ctt Leu	_	-	-			_	-	_	_	883
					tcc Ser										931
					cgc Arg										979
	-	_	-	-	aac Asn	-			-		-	-	 		1027
					atg Met 315										1075

tac Tyr	tcc Ser	atg Met	gct Ala	ctt Leu 330	gat Asp	act Thr	gca Ala	gaa Glu	ggc Gly 335	cca Pro	agc Ser	aag Lys	tcc Ser	cag Gln 340	gtt Val	1123
atg Met	gca Ala	cat His	aaa Lys 345	gcg Ala	ttt Phe	gac Asp	aag Lys	ctg Leu 350	gtg Val	tac Tyr	tcc Ser	aag Lys	atc Ile 355	cgt Arg	gca Ala	1171
gct Ala	gtc Val	ggt Gly 360	ggc Gly	gat Asp	gtg Val	cag Gln	tac Tyr 365	gcc Ala	atc Ile	acc Thr	ggt Gly	ggt Gly 370	tca Ser	gcg Ala	atg Met	1219
Gly	cag Gln 375	gag Glu	ctg Leu	ctg Leu	cac His	ttc Phe 380	ttc Phe	cgc Arg	ggt Gly	gtg Val	ggc Gly 385	atg Met	acc Thr	atc Ile	tac Tyr	1267
gaa Glu 390	ggt Gly	tat Tyr	ggt Gly	ctg Leu	acg Thr 395	gaa Glu	tct Ser	gcg Ala	gct Ala	gct Ala 400	gca Ala	gcg Ala	gtg Val	gac Asp	ttc Phe 405	1315
act Thr	gat Asp	caa Gln	aag Lys	atc Ile 410	ggc Gly	act Thr	gtg Val	ggt Gly	aag Lys 415	ccg Pro	atg Met	ggt Gly	ggc Gly	atg Met 420	acc Thr	1363
atc Ile	aag Lys	atc Ile	aat Asn 425	gaa Glu	gat Asp	ggc Gly	gaa Glu	atc Ile 430	atg Met	cta Leu	aaa Lys	ggc Gly	gag Glu 435	atg Met	ttg Leu	1411
ttc Phe	cag Gln	gga Gly 440	tat Tyr	tgg Trp	aac Asn	aac Asn	cca Pro 445	gaa Glu	gcc Ala	aca Thr	gca Ala	gaa Glu 450	gcc Ala	ctc Leu	cac His	1459
gac Asp	ggt Gly 455	tgg Trp	ttc Phe	aac Asn	acc Thr	ggc Gly 460	gat Asp	ctg Leu	ggt Gly	gag Glu	ctg Leu 465	ttg Leu	gag Glu	tct Ser	gga Gly	1507
cac His 470	ctg Leu	gtg Val	atc Ile	acc Thr	gga Gly 475	cgt Arg	aag Lys	aaa Lys	gat Asp	ctg Leu 480	atc Ile	gtg Val	acc Thr	gcg Ala	ggc Gly 485	1555
ggc	aag Lys	aac Asn	gtt Val	tcc Ser 490	cca Pro	gga Gly	ccc Pro	atg Met	gaa Glu 495	gac Asp	atc Ile	atc Ile	cgc Arg	gca Ala 500	cac His	1603
cca Pro	ctg Leu	gtc Val	agc Ser 505	cag Gln	gcc Ala	atg Met	gtg Val	gtg Val 510	ggc Gly	gat Asp	ggt Gly	aaa Lys	cca Pro 515	Phe	gtt Val	1651
								Asp					Trp		ctg Leu	1699
aac Asn	cac His 535	Asn	att Ile	gcg Ala	gaa Glu	tcc Ser 540	Arg	acg Thr	gtt Val	tct Ser	gag Glu 545	Ile	gct Ala	act Thr	gat Asp	1747
cct Pro 550	Ala	ctg Leu	cgt Arg	gcg Ala	gaa Glu 555	Ile	cag Gln	gat Asp	gca Ala	gto Val 560	Asn	aac Asn	gct Ala	aat Asn	gcc Ala 565	1795

			cat His													1843
			gag Glu 585	-	-	-	-				_	-	_			1891
-		-	gtt Val	-	-	_		-	_	_		-				1939
	cga Arg 615	tga	gtaad	cac a	agaga	accca	aa ti	tt								1968
<21 <21	0> 60 1> 61 2> PI 3> Co	l5 RT	ebact	ceri	ım gl	lutan	nicur	n								
	0> 60 Thr		Pro	Asn 5	Thr	Leu	Gln	Glu	Tyr 10	Thr	Glu	Pro	Ala	Lys 15	Tyr	
Thr	Ile	Gly ·	Glu 20	Ser	Glu	Thr	Cys	Leu 25	Thr	Ala	Leu	Leu	Asp 30	Gln	Ile	
Lys	Thr	Arg 35	Pro	Tyr	Gly	Val	Leu 40	Phe	Ser	Lys	Pro	Ala 45	Asn	Tyr	Glu	
Trp	Val 50	Asn	Val	Thr	Ala	Lys 55	Glu	Phe	Gln	Asp	Glu 60	Val	Phe	Ala	Val	
Ala 65	Lys	Gly	Ile	Ile	Ser 70	Val	Gly	Val	Glu	Gln 75	Gly	Asp	Arg	Val	Ala 80	
Leu	Leu	Ser	Asn	Thr 85	Arg	Tyr	Glu	Trp	Ala 90	Val	Leu	Asp	Phe	Ala 95	Ile	
Trp	Ala	Ala	Gly 100	Ala	Val	Ser	Val	Pro 105	Ile	Tyr	Ser	Ser	Ser 110	Ser	Leu	
Ser	Gln	Ile 115	Glu	Trp	Ile	Ile	Glu 120	Asp	Ser	Gly	Ala	Val 125	Leu	Ala	Ile	
Thr	Glu 130	Thr	Pro	Asp	His	Thr 135	Asp	Leu	Met	Lys	Asn 140	Leu	Val	Ile	Gly	
Glu 145	Asp	Gly	Thr	Pro	Ala 150	Ile	Lys	Gly	Ser	Pro 155	Ser	Lys	Leu	Arg	Arg 160	
Ile	Leu	Glu	Ile	Asn 165	Ser	Ser	Ala	Leu	Glu 170	Thr	Leu	Lys	Phe	Glu 175	Gly	
Arg	Glu	Leu	Ser 180	Asp	Glu	Leu	Val	Trp 185	Glu	Arg	Ile	His	Ala 190	Thr	Lys	
Ala	Ala	Asp 195	Leu	Ala	Ser	Leu	Val 200	Tyr	Thr	Ser	Gly	Thr 205	Thr	Gly	Arg	

Pro Lys Gly Cys Glu Leu Ser His Tyr His Trp Leu Ala Glu Val Arg Ala Leu Ile Thr Asn Asp Ile Gly Ala Ile Ala Met Pro Gly Ser Arg 230 235 Leu Leu Thr Phe Leu Pro Leu Ala His Val Leu Ala Arg Ala Val His Leu Ala Phe Ala Val Thr Gly Ala Thr Gln Ser His Trp Ser Asp Phe 265 Ser Thr Leu Thr Leu Glu Leu Gln Arg Ser Arg Pro Asn Leu Ile Leu Gly Val Pro'Arg Val Phe Glu Lys Val Arg Asn Ala Ala Ala Asn Ala Ala Asp Gly Gly Ala Ile Lys Arg Ile Met Phe Glu Arg Ala Glu 315 Lys Ala Ala Ile Glu Tyr Ser Met Ala Leu Asp Thr Ala Glu Gly Pro 330 Ser Lys Ser Gln Val Met Ala His Lys Ala Phe Asp Lys Leu Val Tyr 340 Ser Lys Ile Arg Ala Ala Val Gly Gly Asp Val Gln Tyr Ala Ile Thr Gly Gly Ser Ala Met Gly Gln Glu Leu Leu His Phe Phe Arg Gly Val 375 Gly Met Thr Ile Tyr Glu Gly Tyr Gly Leu Thr Glu Ser Ala Ala Ala Ala Ala Val Asp Phe Thr Asp Gln Lys Ile Gly Thr Val Gly Lys Pro 410 Met Gly Gly Met Thr Ile Lys Ile Asn Glu Asp Gly Glu Ile Met Leu 420 425 Lys Gly Glu Met Leu Phe Gln Gly Tyr Trp Asn Asn Pro Glu Ala Thr 440 Ala Glu Ala Leu His Asp Gly Trp Phe Asn Thr Gly Asp Leu Gly Glu Leu Leu Glu Ser Gly His Leu Val Ile Thr Gly Arg Lys Asp Leu 475 Ile Val Thr Ala Gly Gly Lys Asn Val Ser Pro Gly Pro Met Glu Asp Ile Ile Arg Ala His Pro Leu Val Ser Gln Ala Met Val Val Gly Asp 505 Gly Lys Pro Phe Val Gly Leu Leu Val Thr Leu Asp Pro Asp Met Leu 520

Lys Arg Trp Lys Leu Asn His Asn Ile Ala Glu Ser Arg Thr Val Ser 530 535 Glu Ile Ala Thr Asp Pro Ala Leu Arg Ala Glu Ile Gln Asp Ala Val Asn Asn Ala Asn Ala Thr Val Ser His Ser Glu Ala Ile Lys Arg Phe 570 Tyr Ile Leu Asp Arg Asp Leu Thr Glu Glu Ala Asp Glu Leu Thr Pro Thr Leu Lys Val Lys Arg Asn Val Val Val Arg Arg Tyr Ala Asp Ala 600 Ile Asp His Ile Tyr Asn Arg 610 <210> 61 <211> 1047 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1024) <223> RXA01060 <400> 61 ttccatttac acatctgttc gactcgcgcc cgaatgatgt cgcatcaaca tgagaagcta 60 cttccatact tttactgatt gataagaatg gacaaagaca atg aac cgc aca ctc Met Asn Arg Thr Leu cga aca ctt ggc tgg ctt gct gcc gta att caa gaa gat ccg gag ccc 163 Arg Thr Leu Gly Trp Leu Ala Ala Val Ile Gln Glu Asp Pro Glu Pro tgg ttc acc act gat ccc gac acc gat tat gtc cct tat gta aat agt 211 Trp Phe Thr Thr Asp Pro Asp Thr Asp Tyr Val Pro Tyr Val Asn Ser 25 30 ttc tca ttt gaa tcc ctt tcc ctc gtt cca gat gct ctg atg ctg ctc 259 Phe Ser Phe Glu Ser Leu Ser Leu Val Pro Asp Ala Leu Met Leu Leu 45 aaa cgt tct ctt cac ctt gcg atg gag caa cag gac ctc cca gtg aag 307 Lys Arg Ser Leu His Leu Ala Met Glu Gln Gln Asp Leu Pro Val Lys 60 gat cta caa gaa gca ctg agg cac gta cta gtt ttc aaa ttc cac ttc 355 Asp Leu Gln Glu Ala Leu Arg His Val Leu Val Phe Lys Phe His Phe 75 agg gaa gaa tgg gag ctg gaa tta gca tgg gac tcc gag cgg acc aag 403 Arg Glu Glu Trp Glu Leu Glu Leu Ala Trp Asp Ser Glu Arg Thr Lys tot gog gtg aga att att gag ago aca aaa gaa tot ott goo gat caa

Ser Al	a Val	Arg 105	Ile	Ile	Glu	Ser	Thr 110	Lys	Glu	Ser	Leu	Ala 115	Asp	Gln	
tac ag Tyr Ar	_				•		_						-	-	499
tca cg Ser Ar 13	g Gly														547
gga ca Gly Gl 150	_	_						-	_		=				595
gtc cc Val Pr	-	-						-		-	-	-	-		643
gga ga Gly As		-	_	-			_	-		_	_				691
gag at Glu Il			_		-						_		-		739
ttt ga Phe As 21	p Phe														787
ctc aa Leu As 230															835
atg co Met Pr	_			_	_		-		_	-					883
cga to Arg Se															931
gca to Ala Se															979
atc ga Ile Gl 29	u Leu		_	_						-		-			1024
taagaa	aacc	tege	ctgc	cc a	ct										1047

<210> 62

Met Asn Arg Thr Leu Arg Thr Leu Gly Trp Leu Ala Ala Val Ile Gln

<211> 308

<212> PRT

<213> Corynebacterium glutamicum

<400> 62

1 5 10 15

Glu Asp Pro Glu Pro Trp Phe Thr Thr Asp Pro Asp Thr Asp Tyr Val 20 25 30

Pro Tyr Val Asn Ser Phe Ser Phe Glu Ser Leu Ser Leu Val Pro Asp 35 40 45

Ala Leu Met Leu Leu Lys Arg Ser Leu His Leu Ala Met Glu Gln Gln 50 55 60

Asp Leu Pro Val Lys Asp Leu Gln Glu Ala Leu Arg His Val Leu Val 65 70 75 80

Phe Lys Phe His Phe Arg Glu Glu Trp Glu Leu Glu Leu Ala Trp Asp
85 90 95

Ser Glu Arg Thr Lys Ser Ala Val Arg Ile Ile Glu Ser Thr Lys Glu 100 105 110

Ser Leu Ala Asp Gln Tyr Arg Asp Tyr Lys Tyr Ala Phe Leu Pro Glu 115 120 125

Leu Ile Phe Gln Glu Ser Arg Gly Ile Phe Asp Phe Glu Leu Glu Gly 130 135 140

Tyr Thr Leu Lys Val Gly Gln Ser Thr Leu Ser Ile Pro Trp Asp Met 145 150 155 160

Ile Ala Asn Gly Tyr Val Pro Ala Ser Leu Arg Asn Phe Gly Glu Leu 165° 170 175

Met Asp Arg Asp Thr Gly Asp Leu Asp Ala Asp Pro Ile Leu Arg Pro 180 185 190

Arg Glu Leu Lys Phe Glu Ile His Asn Cys Pro Asp Leu Asn Pro Trp 195 200 205

Ile Met Arg Glu Thr Phe Asp Phe Met Met Glu Ile Ala Thr Glu Thr 210 215 220

Gly Trp Phe His Ala Leu Asn Pro Ala Tyr Asn Ser Val Tyr Thr Tyr 225 230 235 240

Asp Leu Ile Ser Arg Met Pro Asp Phe Leu Val Glu Gly Ser Phe Arg 245 250 255

Pro His Ser Val Lys Arg Ser Trp Glu Lys Ile Gln Lys Ile Ala Lys 260 265 270

Ala Val Glu Ser Tyr Ala Ser His Asp Tyr Cys Met Ser Thr Leu Thr 275 280 285

His Asp Tyr Arg Ala Ile Glu Leu Ser Leu Thr Pro Thr Lys Thr Glu 290 295 300

Glu Pro Ser Thr 305

<210> 63

<212	<pre><211> 1848 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS</pre>															
<221 <222	.> CE !> (1		. (18 722	325)												
)> 63		cgct	aaaa	ıg ct	gcat	aaaç	, ttt	cgac	gtt	ttca	aagt	tg a	ittgo	ttgca	60
ctgt	cgtt	gc g	gtgto	gcat	g co	ccgg	gctat	tgt:	tgat	tgc				acg Thr		115
														tcc Ser 20		163
gtt Val	cac His	ggt Gly	gat Asp 25	act Thr	ttg Leu	atc Ile	acc Thr	acg Thr 30	tgg Trp	ggc Gly	ggt Gly	gcc Ala	gat Asp 35	ggc Gly	att Ile	211
gaa Glu	caa Gln	gca Ala 40	cag Gln	caa Gln	act Thr	ttt Phe	agt Ser 45	gct Ala	gtg Val	Gly ggg	gct Ala	aga Arg 50	gct Ala	gcg Ala	gct Ala	259
														cag Gln		307
														atg Met		355
														cag Gln 100		403
atg Met	aat Asn	gat Asp	cag Gln 105	att Ile	gtg Val	ttc Phe	att Ile	ctc Leu 110	aat Asn	cac His	tct Ser	gaa Glu	gct Ala 115	gaa Glu	gtg Val	451
gtt Val	atc Ile	gct Ala 120	gat Asp	ccg Pro	cgc Arg	atg Met	gct Ala 125	gaa Glu	caa Gln	ttg Leu	ggt Gly	gag Glu 130	atc Ile	tta Leu	aaa Lys	499
gaa Glu	aca Thr 135	cca Pro	aaa Lys	gtt Val	cgt Arg	gcc Ala 140	gtg Val	gtg Val	ttt Phe	att Ile	gga Gly 145	ccg Pro	aat Asn	gat Asp	ttc Phe	547
														tcc Ser		595
														gag Glu 180	Gln	643
gat	gaa	cgc	act	gct	gct	gca	att	tgc	tat	tcc	acc	ggt	aca	tcg	gga	691

Asp	Glu	Arg	Thr 185		Ala	Ala	Ile	Cys 190	Tyr	Ser	Thr	Gly	Thr 195	Ser	Gly	
		aag Lys 200														739
ttg Leu	agc Ser 215	ttg Leu	cgc Arg	acc Thr	acg Thr	gat Asp 220	tcc Ser	ctc Leu	gca Ala	gtg Val	gaa Glu 225	cac His	ggc Gly	gaa Glu	acg Thr	787
		tgc Cys														835
atc Ile	gca Ala	gcg Ala	ttt Phe	atg Met 250	tcc Ser	ggc Gly	act Thr	ccc Pro	ctg Leu 255	gtg Val	ctt Leu	cct Pro	gga Gly	ccg Pro 260	gat Asp	883
		gcg Ala														931
		cat His 280														979
		aat Asn														1027
ggt Gly 310	tct Ser	gcg Ala	gtg Val	cct Pro	cca Pro 315	atc Ile	gtg Val	atc Ile	acc Thr	atg Met 320	tgg Trp	gag Glu	cag Gln	cgc Arg	tat Tyr 325	1075
		gat Asp														1123
ggt Gly	act Thr	gtg Val	tct Ser 345	cgc Arg	cca Pro	cca Pro	tca Ser	ggt Gly 350	gtt Val	tct Ser	ggt Gly	gaa Glu	agc Ser 355	cgg Arg	tgg Trp	1171
		cga Arg 360														1219
att Ile	gtc Val 375	aac Asn	gac Asp	ggc Gly	cag Gln	gtc Val 380	atg Met	gcg Ala	tcc Ser	acc Thr	gac Asp 385	cgc Arg	aac Asn	gag Glu	ggc Gly	1267
gag Glu 390	att Ile	cag Gln	gtc Val	cgc Arg	ggt Gly 395	ccg Pro	tgg Trp	gtg Val	act Thr	gca Ala 400	agt Ser	tac Tyr	ttc Phe	cac His	ccc Pro 405	1315
		gaa Glu														1363
		gag Glu														1411

425 430 435 acc ggg gac gtt gga tct gtc acc agc gat gga ttc ctc acc atc caa 1459 Thr Gly Asp Val Gly Ser Val Thr Ser Asp Gly Phe Leu Thr Ile Gln 445 450 gac cgc gcc cgc gat gtc atc cgt tct ggc ggc gag tgg att tac tcc 1507 Asp Arg Ala Arg Asp Val Ile Arg Ser Gly Gly Glu Trp Ile Tyr Ser 455 460 gct cag ctg gaa aac ctc atc gtg gct acg gaa gag gtt gtc gaa tgc Ala Gln Leu Glu Asn Leu Ile Val Ala Thr Glu Glu Val Val Glu Cys 475 480 gcc gtc att ggc ttc ccc gat gac aag tgg gtg gaa cgt ccc ctc gca 1603 Ala Val Ile Gly Phe Pro Asp Asp Lys Trp Val Glu Arg Pro Leu Ala 490 495 gtc acc atg ctc tac ccc ggc att gaa cgc acc cgg gaa acc gcc gag Val Thr Met Leu Tyr Pro Gly Ile Glu Arg Thr Arg Glu Thr Ala Glu ege etc ege gat caa ett ege gae ege eta eee aac tgg atg etg eea 1699 Arg Leu Arg Asp Gln Leu Arg Asp Arg Leu Pro Asn Trp Met Leu Pro 520 525 530 gaa tat tgg aca ttt gtt gat gag gtg gat aaa acc tcc gtc ggt aaa 1747 Glu Tyr Trp Thr Phe Val Asp Glu Val Asp Lys Thr Ser Val Gly Lys 535 540 tat gac aag aag gac ctc cgc aac cac ctg cgc aac ggc gat ttc gaa 1795 Tyr Asp Lys Lys Asp Leu Arg Asn His Leu Arg Asn Gly Asp Phe Glu 550 555 560 gta att aag ctt aaa ggg cca ggt gaa aaa taactteeet atttatteeg 1845 Val Ile Lys Leu Lys Gly Pro Gly Glu Lys 570 gct 1848

<210> 64

<211> 575

<212> PRT

<213> Corynebacterium glutamicum

<400> 64

Met Leu Ser Thr Met Gln Asp Val Pro Leu Ser Leu Thr Arg Ile Leu
1 10 15

Glu Tyr Gly Ser Thr Val His Gly Asp Thr Leu Ile Thr Thr Trp Gly
20 25 30

Gly Ala Asp Gly Ile Glu Gln Ala Gln Gln Thr Phe Ser Ala Val Gly
35 40 45

Ala Arg Ala Ala Leu Ala His Ala Leu His Asp Ser Leu Gly Ile 50 55 60

Thr Gly Asp Gln Arg Val Ala Ser Met Leu Tyr Asn Cys Ala Glu His 65 70 75 80

Met Glu Thr Met Phe Ala Val Ala Cys Met Gly Ala Val Phe Asn Pro Leu Asn Lys Gln Leu Met Asn Asp Gln Ile Val Phe Ile Leu Asn His 105 Ser Glu Ala Glu Val Val Ile Ala Asp Pro Arg Met Ala Glu Gln Leu Gly Glu Ile Leu Lys Glu Thr Pro Lys Val Arg Ala Val Val Phe Ile 135 Gly Pro Asn Asp Phe Ser Ser Ala Ala Ala His Met Pro Glu Gly Met Lys Leu Tyr Ser Tyr Glu Ala Leu Leu Asp Gly Arg Ser Thr Val Tyr 170 Asn Trp Pro Glu Gln Asp Glu Arg Thr Ala Ala Ala Ile Cys Tyr Ser 185 190 Thr Gly Thr Ser Gly Pro Pro Lys Gly Val Val Tyr Ser His Arg Ser Leu Tyr Leu Gln Ser Leu Ser Leu Arg Thr Thr Asp Ser Leu Ala Val 215 Glu His Gly Glu Thr Phe Leu Cys Cys Val Pro Ile Tyr His Val Leu Ser Trp Gly Val Pro Ile Ala Ala Phe Met Ser Gly Thr Pro Leu Val 250 Leu Pro Gly Pro Asp Leu Ser Ala Pro Thr Leu Ala Lys Ile Ile Ser 265 Thr Thr Leu Pro Arg Val Ala His Gly Val Pro Thr Leu Trp Ile Gln 280 Leu Met Val His Tyr Leu Lys Asn Pro Pro Glu Arg Met Ser Leu Arg Glu Leu Tyr Val Gly Gly Ser Ala Val Pro Pro Ile Val Ile Thr Met 315 Trp Glu Gln Arg Tyr Gly Val Asp Val Val His Val Trp Gly Met Thr Glu Thr Ser Thr Val Gly Thr Val Ser Arg Pro Pro Ser Gly Val Ser Gly Glu Ser Arg Trp Asn Tyr Arg Val Ser Gln Gly Arg Phe Pro Ala 355 360 365 Ser Leu Gln Tyr Arg Ile Val Asn Asp Gly Gln Val Met Ala Ser Thr Asp Arg Asn Glu Gly Glu Ile Gln Val Arg Gly Pro Trp Val Thr Ala 395

Ser Tyr Phe His Pro Asp Val Glu Lys Glu Gly Gly Thr Ala Ser Thr Phe Arg Asp His Asp Val Glu Glu Glu Asn Asp Glu Leu Phe Thr Ala 425 Asp Gly Trp Leu Arg Thr Gly Asp Val Gly Ser Val Thr Ser Asp Gly Phe Leu Thr Ile Gln Asp Arg Ala Arg Asp Val Ile Arg Ser Gly Gly 455 450 Glu Trp Ile Tyr Ser Ala Gln Leu Glu Asn Leu Ile Val Ala Thr Glu 475 470 Glu Val Val Glu Cys Ala Val Ile Gly Phe Pro Asp Asp Lys Trp Val 490 Glu Arg Pro Leu Ala Val Thr Met Leu Tyr Pro Gly Ile Glu Arg Thr Arg Glu Thr Ala Glu Arg Leu Arg Asp Gln Leu Arg Asp Arg Leu Pro 520 Asn Trp Met Leu Pro Glu Tyr Trp Thr Phe Val Asp Glu Val Asp Lys 535 Thr Ser Val Gly Lys Tyr Asp Lys Lys Asp Leu Arg Asn His Leu Arg 550 555 Asn Gly Asp Phe Glu Val Ile Lys Leu Lys Gly Pro Gly Glu Lys 570 565 <210> 65 <211> 1848 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1825) <223> FRXA01722 <400> 65 ctcattcccc tcgctaaaag ctgcataaag tttcgacgtt ttcaaagttg attgcttgca 60 ctgtcgttgc gtgtcgcatg ccccggctat tgttgattgc atg ctc agc acg atg Met Leu Ser Thr Met cag gac gtc cca ctg tca tta acc aga atc ctc gag tac ggg tcc act 163 Gln Asp Val Pro Leu Ser Leu Thr Arg Ile Leu Glu Tyr Gly Ser Thr 10 gtt cac ggt gat, act ttg atc acc acg tgg ggc ggt gcc gat ggc att Val His Gly Asp Thr Leu Ile Thr Trp Gly Gly Ala Asp Gly Ile 35 25 gaa caa gca cag caa act tit agt gct gtg ggg gct aga gct gcg gct 259 Glu Gln Ala Gln Gln Thr Phe Ser Ala Val Gly Ala Arg Ala Ala Ala

40 45 50 307 ttg gct cat gcg ctg cat gat tct tta ggt att act ggg gat cag cga Leu Ala His Ala Leu His Asp Ser Leu Gly Ile Thr Gly Asp Gln Arg 60 355 gtq gcg tcg atg ctc tat aac tgc gcg gaa cac atg gaa act atg ttt Val Ala Ser Met Leu Tyr Asn Cys Ala Glu His Met Glu Thr Met Phe 75 qca qtc qca tgc atg qgt gcc gtg ttt aat ccg ctg aac aag cag ttg 403 Ala Val Ala Cys Met Gly Ala Val Phe Asn Pro Leu Asn Lys Gln Leu atg aat gat cag att gtg ttc att ctc aat cac tct gaa gct gaa gtg 451 Met Asn Asp Gln Ile Val Phe Ile Leu Asn His Ser Glu Ala Glu Val 105 110 499 gtt atc gct gat ccg cgc atg gct gaa caa ttg ggt gag atc tta aaa Val Ile Ala Asp Pro Arg Met Ala Glu Gln Leu Gly Glu Ile Leu Lys 130 120 gaa aca cca aaa gtt cgt gcc gtg gtg ttt att gga ccg aat gat ttc Glu Thr Pro Lys Val Arg Ala Val Val Phe Ile Gly Pro Asn Asp Phe 140 135 595 tot ago gog gog goc cac atg cog gag gga atg aag otg tat too tat Ser Ser Ala Ala Ala His Met Pro Glu Gly Met Lys Leu Tyr Ser Tyr 150 gaa gcg ctc ctt gac ggc cgt tcc act gtt tac aac tgg ccc gag cag 643 Glu Ala Leu Leu Asp Gly Arg Ser Thr Val Tyr Asn Trp Pro Glu Gln 170 175 gat gaa cgc act gct gca att tgc tat tcc acc ggt aca tcg gga 691 Asp Glu Arg Thr Ala Ala Ala Ile Cys Tyr Ser Thr Gly Thr Ser Gly 190 ccg ccg aag ggt gtg gtg tat tcc cac cgc tcg ctt tat tta cag tcg 739 Pro Pro Lys Gly Val Val Tyr Ser His Arg Ser Leu Tyr Leu Gln Ser 205 ttg agc ttg cgc acc acg gat tcc ctc gca gtg gaa cac ggc gaa acg 787 Leu Ser Leu Arg Thr Thr Asp Ser Leu Ala Val Glu His Gly Glu Thr 220 ttc ctg tgc tgt gtg ccg att tac cac gtc ctc agc tgg ggc gtg ccg 835 Phe Leu Cys Cys Val Pro Ile Tyr His Val Leu Ser Trp Gly Val Pro 235 atc gca gcg ttt atg tcc ggc act ccc ctg gtg ctt cct gga ccg gat 883 Ile Ala Ala Phe Met Ser Gly Thr Pro Leu Val Leu Pro Gly Pro Asp 255 ctt tct gcg ccg aca ttg gca aag atc att tcc acc acg ctg cct cgc 931 Leu Ser Ala Pro Thr Leu Ala Lys Ile Ile Ser Thr Thr Leu Pro Arg 265 270 979 gtg gcg cat ggc gtg cct act ctc tgg att cag ctg atg gtt cac tac Val Ala His Gly Val Pro Thr Leu Trp Ile Gln Leu Met Val His Tyr 285 290

ctg Leu	aaa Lys 295	aat Asn	ccc Pro	cca Pro	gag Glu	cgt Arg 300	atg Met	tct Ser	ctg Leu	cgt Arg	gag Glu 305	cta Leu	tac Tyr	gtg Val	ggc Gly	1027
											tgg Trp					1075
											gaa Glu					1123
											ggt Gly					1171
aat Asn	tat Tyr	cga Arg 360	gtc Val	tcc Ser	cag Gln	ggc Gly	cga Arg 365	ttc Phe	ccc Pro	gcc Ala	tcc Ser	ctg Leu 370	cag Gln	tac Tyr	cgc Arg	1219
											gac Asp 385					1267
											agt Ser					1315
											ttc Phe					1363
											gac Asp					1411
											ttc Phe					1459
							Arg				gag Glu 465					1507
											gag Glu					1555
											gaa Glu				Ala	1603
gtc Val	acc Thr	atg Met	ctc Leu 505	tac Tyr	ccc Pro	ggc Gly	att Ile	gaa Glu 510	cgc Arg	acc Thr	cgg Arg	gaa Glu	acc Thr 515	gcc Ala	gag Glu	1651
			Asp					Arg			aac Asn		Met			1699

			acc tcc gtc ggt a Thr Ser Val Gly L 545	
			aac ggc gat ttc g Asn Gly Asp Phe G 5	
Val Ile Lys Leu Ly			cttccct atttattccg	1845
gct				1848
<210> 66 <211> 575 <212> PRT <213> Corynebacter	rium glutamicu	m		
<400> 66 Met Leu Ser Thr Me	et Gln Asp Val	Pro Leu Ser	Leu Thr Arg Ile L	eu
1	5	10	15	
Glu Tyr Gly Ser Th	nr Val His Gly	Asp Thr Leu 25	Ile Thr Thr Trp G 30	ly
Gly Ala Asp Gly II	le Glu Gln Ala 40		Phe Ser Ala Val G	ly
Ala Arg Ala Ala A 50	la Leu Ala His 55	Ala Leu His	Asp Ser Leu Gly I 60	le
Thr Gly Asp Gln As	cg Val Ala Ser 70	Met Leu Tyr 75	Asn Cys Ala Glu H	is 80
	ne Ala Val Ala 35	Cys Met Gly 90	Ala Val Phe Asn P 95	ro
Leu Asn Lys Gln Le	eu Met Asn Asp	Gln Ile Val 105	Phe Ile Leu Asn H	is ·
Ser Glu Ala Glu Va 115	al Val Ile Ala 120		Met Ala Glu Gln L 125	eu
Gly Glu Ile Leu Ly 130	ys Glu Thr Pro 135	Lys Val Arg	Ala Val Val Phe I 140	le
Gly Pro Asn Asp Pl 145	ne Ser Ser Ala 150	Ala Ala His 155	Met Pro Glu Gly M	et 60
	yr Glu Ala Leu 55	Leu Asp Gly 170	Arg Ser Thr Val T	yr
Asn Trp Pro Glu G	in Asp Glu Aro	Thr Ala Ala 185	Ala Ile Cys Tyr S 190	er
Thr Gly Thr Ser G	ly Pro Pro Lys 200		Tyr Ser His Arg S 205	er
Leu Tyr Leu Gln Se	er Leu Ser Leu	Arg Thr Thr	Asp Ser Leu Ala V	al

210 215 220 Glu His Gly Glu Thr Phe Leu Cys Cys Val Pro Ile Tyr His Val Leu 235 230 Ser Trp Gly Val Pro Ile Ala Ala Phe Met Ser Gly Thr Pro Leu Val Leu Pro Gly Pro Asp Leu Ser Ala Pro Thr Leu Ala Lys Ile Ile Ser Thr Thr Leu Pro Arg Val Ala His Gly Val Pro Thr Leu Trp Ile Gln 275 Leu Met Val His Tyr Leu Lys Asn Pro Pro Glu Arg Met Ser Leu Arg 295 Glu Leu Tyr Val Gly Gly Ser Ala Val Pro Pro Ile Val Ile Thr Met Trp Glu Gln Arg Tyr Gly Val Asp Val Val His Val Trp Gly Met Thr Glu Thr Ser Thr Val Gly Thr Val Ser Arg Pro Pro Ser Gly Val Ser Gly Glu Ser Arg Trp Asn Tyr Arg Val Ser Gln Gly Arg Phe Pro Ala Ser Leu Gln Tyr Arg Ile Val Asn Asp Gly Gln Val Met Ala Ser Thr 375 Asp Arg Asn Glu Gly Glu Ile Gln Val Arg Gly Pro Trp Val Thr Ala 390 Ser Tyr Phe His Pro Asp Val Glu Lys Glu Gly Gly Thr Ala Ser Thr Phe Arg Asp His Asp Val Glu Glu Glu Asn Asp Glu Leu Phe Thr Ala Asp Gly Trp Leu Arg Thr Gly Asp Val Gly Ser Val Thr Ser Asp Gly 440 Phe Leu Thr Ile Gln Asp Arg Ala Arg Asp Val Ile Arg Ser Gly Gly 450 Glu Trp Ile Tyr Ser Ala Gln Leu Glu Asn Leu Ile Val Ala Xaa Glu 475 Glu Val Val Glu Cys Ala Val Ile Gly Phe Pro Asp Asp Lys Trp Val 485 490 495 Glu Arg Pro Leu Ala Val Thr Met Leu Tyr Pro Gly Ile Glu Arg Thr Arg Glu Thr Ala Glu Arg Leu Arg Asp Gln Leu Arg Asp Arg Leu Pro 520

Asn Trp Met Leu Pro Glu Tyr Trp Thr Phe Val Asp Glu Val Asp Lys

535

530

Thr Ser Val Gly Lys Tyr Asp Lys Lys Asp Leu Arg Asn His Leu Arg Asn Gly Asp Phe Glu Val Ile Lys Leu Lys Gly Pro Gly Xaa Lys <210> 67 <211> 1401 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1378) <223> RXA01644 <400> 67 gtaggtagag gcttgtggtc actacttgtg gccacatttt aaaaaaaatgc acaagaagag 60 aaagcaaagc attatgagta acgccgtagc gcaggacctc atg acc atc gcc gac Met Thr Ile Ala Asp atc gtc gag gcc acg acc act gca ccc atc cca ttc cac atc act gcc Ile Val Glu Ala Thr Thr Ala Pro Ile Pro Phe His Ile Thr Ala 10 ttc gat gga agc ttc act ggc cct gaa gat gct ccc tac cag ctg ttt 211 Phe Asp Gly Ser Phe Thr Gly Pro Glu Asp Ala Pro Tyr Gln Leu Phe. 30 gtt gcc aac acg gat gca gta tcc tac atc gca aca gcg cca gga gat 259 Val Ala Asn Thr Asp Ala Val Ser Tyr Ile Ala Thr Ala Pro Gly Asp 40 ttg ggt ttg gca cgt gcc tac ctc atg gga gac ctc atc gtg gaa ggt 307 Leu Gly Leu Ala Arg Ala Tyr Leu Met Gly Asp Leu Ile Val Glu Gly 60 gag cat ccc ggc cat cct tat ggg atc ttt gat gcg ttg aag gag ttc 355 Glu His Pro Gly His Pro Tyr Gly Ile Phe Asp Ala Leu Lys Glu Phe 70 80 tac cgc tgc ttc aaa cgc cca gat gca tcc acc ttg cag atc atg Tyr Arg Cys Phe Lys Arg Pro Asp Ala Ser Thr Thr Leu Gln Ile Met 100 tgg act ctg cgg aaa atg aat gcc tta aaa ttc cag gaa att cca cca 451 Trp Thr Leu Arg Lys Met Asn Ala Leu Lys Phe Gln Glu Ile Pro Pro 105 atg gaa caa gcc cct gca tgg cgt aaa gca ctg atc aac ggg cta gca 499 Met Glu Gln Ala Pro Ala Trp Arg Lys Ala Leu Ile Asn Gly Leu Ala 120 125 tcc agg cac tcg aaa tcc cgc gac aag aaa gcc att agc tac cac tac 547 Ser Arg His Ser Lys Ser Arg Asp Lys Lys Ala Ile Ser Tyr His Tyr 135 140

gac Asp 150	gtg Val	ggc Gly	aat Asn	gag Glu	ttc Phe 155	tac Tyr	tcc Ser	ctg Leu	ttt Phe	tta Leu 160	gat Asp	gat Asp	tcc Ser	atg Met	acc Thr 165	595
							acg Thr									643
							atc Ile									691
							gga Gly 205									739
tac Tyr	gcc Ala 215	gcc Ala	aaa Lys	cac His	ggt Gly	gtg Val 220	aaa Lys	gcc Ala	atc Ile	gga Gly	gtt Val 225	acg Thr	ctg Leu	tct Ser	gaa Glu	787
cag Gln 230	caa Gln	tat Tyr	gag Glu	tgg Trp	ggt Gly 235	caa Gln	gca Ala	gag Glu	atc Ile	aaa Lys 240	cgc Arg	caa Gln	ggt Gly	ttg Leu	gaa Glu 245	835
gac Asp	ctc Leu	gcg Ala	gaa Glu	att Ile 250	cgc Arg	ttc Phe	atg Met	gat Asp	tac Tyr 255	cgc Arg	gat Asp	gtt Val	cca Pro	gaa Glu 260	act Thr	883
gga Gly	ttc Phe	gat Asp	gcg Ala 265	atc Ile	tca Ser	gca Ala	atc Ile	ggc Gly 270	atc Ile	att Ile	gaa Glu	cac His	atc Ile 275	ggt Gly	gtg Val	931
aac Asn	aac Asn	tat Tyr 280	ccc Pro	gac Asp	tac Tyr	ttt Phe	gaa Glu 285	ttg Leu	ctc Leu	agc Ser	agc Ser	aaa Lys 290	ctc Leu	aaa Lys	aca Thr	979
ggc Gly	gga Gly 295	ctg Leu	atg Met	ctc Leu	aac Asn	cac His 300	agc Ser	atc Ile	acc Thr	tac Tyr	cca Pro 305	gac Asp	aac Asn	cgc Arg	ccc Pro	1027
cgc Arg 310	cac His	gca Ala	ggt Gly	gca Ala	ttt Phe 315	att Ile	gat Asp	cgc Arg	tac Tyr	att Ile 320	ttc Phe	ccc Pro	gac Asp	ggt Gly	gaa Glu 325	1075
ctc Leu	act Thr	ggc Gly	tct Ser	ggc Gly 330	acc Thr	ctg Leu	atc Ile	aag Lys	cac His 335	Met	cag Gln	gac Asp	aac Asn	ggt Gly 340		1123
gaa Glu	gtg Val	ctg Leu	cac His 345	Glu	gaa Glu	aac Asn	ctc Leu	cgc Arg 350	Phe	gat Asp	tac Tyr	caa Gln	cgc Arg 355	Thr	ctg Leu	1171
			Cys					Glu					Ala		gaa Glu	1219
ctc Leu	gcc Ala 375	Gly	gaa Glu	ccc Pro	act Thr	gca Ala 380	Arg	ctc Leu	ttt Phe	ggc Gly	Ctg Leu 385	Туг	atç Met	gca Ala	ggt Gly	1267
tcg	gaa	tgg	gga	ttt	gcc	cac	aac	ato	gto	cag	ctg	cac	caa	gta	ctg	1315

Ser Glu Trp Gly Phe Ala His Asn Ile Val Gln Leu His Gln Val Leu 405

ggt gtg aaa ctc gat gag cag gga agt cgc gga gaa gtt cct gaa aga 1363
Gly Val Lys Leu Asp Glu Gln Gly Ser Arg Gly Glu Val Pro Glu Arg 410

atg tgg tgg act atc taaagaaaca atgtttcttt tta

Met Trp Trp Thr Ile 425

<210> 68 <211> 426 <212> PRT <213> Corynebacterium glutamicum

<400> 68
Met Thr Ile Ala Asp Ile Val Glu Ala Thr Thr Ala Pro Ile Pro
1

Phe His Ile Thr Ala Phe Asp Gly Ser Phe Thr Gly Pro Glu Asp Ala 20 25 30

Pro Tyr Gln Leu Phe Val Ala Asn Thr Asp Ala Val Ser Tyr Ile Ala 35 40 45

Thr Ala Pro Gly Asp Leu Gly Leu Ala Arg Ala Tyr Leu Met Gly Asp 50 55 60

Leu Ile Val Glu Gly Glu His Pro Gly His Pro Tyr Gly Ile Phe Asp
65 70 75 80

Ala Leu Lys Glu Phe Tyr Arg Cys Phe Lys Arg Pro Asp Ala Ser Thr 85 90 95

Thr Leu Gln Ile Met Trp Thr Leu Arg Lys Met Asn Ala Leu Lys Phe 100 105 110

Gln Glu Ile Pro Pro Met Glu Gln Ala Pro Ala Trp Arg Lys Ala Leu 115 120 125

Ile Asn Gly Leu Ala Ser Arg His Ser Lys Ser Arg Asp Lys Lys Ala 130 135 140

Ile Ser Tyr His Tyr Asp Val Gly Asn Glu Phe Tyr Ser Leu Phe Leu 145 150 155 160

Asp Asp Ser Met Thr Tyr Thr Cys Ala Tyr Tyr Pro Thr Pro Glu Ser 165 170 175

Ser Leu Glu Glu Ala Gln Glu Asn Lys Tyr Arg Leu Ile Phe Glu Lys 180 185 190

Leu Arg Leu Lys Glu Gly Asp Arg Leu Leu Asp Val Gly Cys Gly Trp
195 200 205

Gly Gly Met Val Arg Tyr Ala Ala Lys His Gly Val Lys Ala Ile Gly 210 215 220

Val Thr Leu Ser Glu Gln Gln Tyr Glu Trp Gly Gln Ala Glu Ile Lys

Arg	Gln	Gly	Leu	Glu 245	Asp	Leu	Ala	Glu	11e 250	Arg	Phe	Met	Asp	Tyr 255	Arg	
Asp	Val	Pro	Glu 260	Thr	Gly	Phe	Asp	Ala 265	Ile	Ser	Ala	Ile	Gly 270	Ile	Ile	
Glu	His	Ile 275	Gly	Val	Asn	Asn	Tyr 280	Pro	Asp	Tyr	Phe	Glu 285	Leu	Leu	Ser	
Ser	Lys 290	Leu	Lys	Thr	Gly	Gly 295	Leu	Met	Leu	Asn	His 300	Ser	Ile	Thr	Tyr	
Pro 305	Asp	Asn	Arg	Pro	Arg 310	His	Ala	Gly	Ala	Phe 315	Ile	Asp	Arg	Tyr	Ile 320	
Phe	Pro	Asp	Gly	Glu 325	Leu	Thr	Gly	Ser	Gly 330	Thr	Leu	Ile	Lys	His 335	Met	
Gln	Asp	Asn	Gly 340	Phe	Glu	Val	Leu	His 345	Glu	Glu	Asn	Leu	Arg 350	Phe	Asp	
Tyr	Gln	Arg 355	Thr	Leu	His	Ala	Trp 360	Cys	Glu	Asn	Leu	Lys 365	Glu	Asn	Trp	
Glu	Glu 370	Ala	Val	Glu	Leu	Ala 375	Gly	Glu	Pro	Thr	Ala 380	Arg	Leu	Phe	Gly	
Leu 385	Tyr	Met	Ala	Gly	Ser 390	Glu	Trp	Gly	Phe	Ala 395	His	Asn	Ile	Val	Gln 400	
Leu	His	Gln	Val	Leu 405	Gly	Val	Lys	Leu	Asp 410	Glu	Gln	Gly	Ser	Arg 415	Gly	
Glu	Val	Pro	Glu 420	Arg	Met	Trp	Trp	Thr 425								·
<213 <213	0> 6 1> 1 2> D 3> C	437 NA	ebac	teri	um g	luta	micu	m							·	
<22	1> C 2> (-	(1 029	414)												
	0> 6 acgt		ctac	tttt	ag c	agtt	aacc	c gc	cgaa	cttt	ctt	gatt	aag	tatt	cattga	60
gcg.	ttct	tgg	cata	aatc	cc a	ctgg	aggt	g ca	tcaa	acgt			gag Glu			115
ttg Leu	cgc Arg	cat His	ctt Leu	gaa Glu 10	Pro	att Ile	gat Asp	gtg Val	gaa Glu 15	Glu	tgg Trp	cct Pro	ggg Gly	gtg Val 20	gcg Ala	163
tca	gtg	ccc	aac	cta	gcg	ttt	gct	ggt	gca	cgc	gca	cgg	caa	gca	gaa	211

Ser Val Pro Asn Leu Ala Phe Ala Gly Ala Arg Ala Arg Gln Ala Glu tat cga ttt gcc aag gcc tgc agc aac gca ggt tta gtt ctg cta gga Tyr Arg Phe Ala Lys Ala Cys Ser Asn Ala Gly Leu Val Leu Leu Gly aat gac ccg gat ctc att att gat cat gag gaa tta ttc tca cgt ttg 307 Asn Asp Pro Asp Leu Ile Ile Asp His Glu Glu Leu Phe Ser Arg Leu gcc gca tcg ggc tgg ctg ggg ctc gct gag agc tac atg gca ggc gag 355 Ala Ala Ser Gly Trp Leu Gly Leu Ala Glu Ser Tyr Met Ala Gly Glu tgg cgc agc gag agg ctt gcc gac gtc ttg acc gct ttg ttg gga act 403 Trp Arg Ser Glu Arg Leu Ala Asp Val Leu Thr Ala Leu Leu Gly Thr ggg ttt aaa ccc cgc ggc aaa cta tct gga tcg ttc acc ctg cca ggg 451 Gly Phe Lys Pro Arg Gly Lys Leu Ser Gly Ser Phe Thr Leu Pro Gly caa gct gtg gat gcc gga ggc gca cta ccc aat gaa ctc att cgt tta 499 Gln Ala Val Asp Ala Gly Gly Ala Leu Pro Asn Glu Leu Ile Arg Leu 125 130 agt tca ggt gat ggc atg agc gca ttt ggt gga gtt ttt gcc tcc ggt Ser Ser Gly Asp Gly Met Ser Ala Phe Gly Gly Val Phe Ala Ser Gly 135 140 gtt cca acc act tta cgt acc gca gtg aaa agc cat gtg ccg gga gct 595 Val Pro Thr Thr Leu Arg Thr Ala Val Lys Ser His Val Pro Gly Ala 155 160 ggt cgc aat agg gag ccc gca tct cac ttt gtg gat atc acc aag atc Gly Arg Asn Arg Glu Pro Ala Ser His Phe Val Asp Ile Thr Lys Ile 170 175 teg gag eet gtg gee gtg gag egt gaa gae ete gge gag get eag ege 691 Ser Glu Pro Val Ala Val Glu Arg Glu Asp Leu Gly Glu Ala Gln Arg 185 cga gca gcg tcc ttt ttg ctt gac ggc gcc aaa gtt aaa gcc gga agc 739 Arg Ala Ala Ser Phe Leu Leu Asp Gly Ala Lys Val Lys Ala Gly Ser 200 cat gtg ttg gag ttt ccc agc agt ggt gga gct tta gct att ttg gct 787 His Val Leu Glu Phe Pro Ser Ser Gly Gly Ala Leu Ala Ile Leu Ala 215 get ega ege eag gga aet gtt gae get tta aeg get gat eee geg eaa 835 Ala Arg Arg Gln Gly Thr Val Asp Ala Leu Thr Ala Asp Pro Ala Gln 230 235 gtt tca age ctg gag gag acg ttt gtg ctc gcc ggt gtg gag gag gat 883 Val Ser Ser Leu Glu Glu Thr Phe Val Leu Ala Gly Val Glu Glu Asp 250 255 att cac atc gag gtc att ccc cag gcg att ccc tcg cca cgc gaa tgg 931 Ile His Ile Glu Val Ile Pro Gln Ala Ile Pro Ser Pro Arg Glu Trp

270 275 265 ggt ggc gcc tac gat tcg ata gtc gcc atg gag aag cta gaa gtg gtg 979 Gly Gly Ala Tyr Asp Ser Ile Val Ala Met Glu Lys Leu Glu Val Val 280 ggc aag cac ggt tcc aag cgg ttt att aaa gct atc gac aga atg ctc 1027 Gly Lys His Gly Ser Lys Arg Phe Ile Lys Ala Ile Asp Arg Met Leu 295 300 acc acc ggc ggc aac gta gcc atg caa tcc ttg gta gct act gac caa 1075 Thr Thr Gly Gly Asn Val Ala Met Gln Ser Leu Val Ala Thr Asp Gln 310 315 1123 tgg agt cct gtg tgt tct gaa gcg att tct ttg ctc aag gcc tat att Trp Ser Pro Val Cys Ser Glu Ala Ile Ser Leu Leu Lys Ala Tyr Ile 330 tgg cct gcg ctg cat tac cca act gtt gat gaa gtt cat cag ctt gtt 1171 Trp Pro Ala Leu His Tyr Pro Thr Val Asp Glu Val His Gln Leu Val 345 350 1219 gat agg gat tot tot otg ogc gtg gtg aag gaa aca cac ttt gog ggo Asp Arg Asp Ser Ser Leu Arg Val Val Lys Glu Thr His Phe Ala Gly 365 cat tac cta aaa agc gtg cag ttg caa cgt gaa gtg ttt gaa ggc cag 1267 His Tyr Leu Lys Ser Val Gln Leu Gln Arg Glu Val Phe Glu Gly Gln 380 ata cgc gaa gcg gca gat ggc ttt gat gcc gtc tac cgc cgc atg Ile Arg Glu Ala Ala Asp Gly Phe Asp Ala Val Tyr Arg Arg Met tgg gtg tat cac tac gcg ctt att gaa gcc ctg tta cgc ctg gga tgt Trp Val Tyr His Tyr Ala Leu Ile Glu Ala Leu Leu Arg Leu Gly Cys 410 415 ctc aat qca qtg caa ttt gcg ttg acg aca aga aac aga agg ggg cgt 1411 Leu Asn Ala Val Gln Phe Ala Leu Thr Thr Arg Asn Arg Gly Arg 430 cga taagcaaaaa tottttagac ctc 1437 Arg

<210> 70

<211> 438

<212> PRT

<213> Corynebacterium glutamicum

<400> 70

Trp Pro Gly Val Ala Ser Val Pro Asn Leu Ala Phe Ala Gly Ala Arg 20 25 30

Ala Arg Gln Ala Glu Tyr Arg Phe Ala Lys Ala Cys Ser Asn Ala Gly
35 40 45

Leu Val Leu Leu Gly Asn Asp Pro Asp Leu Ile Ile Asp His Glu Glu Leu Phe Ser Arg Leu Ala Ala Ser Gly Trp Leu Gly Leu Ala Glu Ser Tyr Met Ala Gly Glu Trp Arg Ser Glu Arg Leu Ala Asp Val Leu Thr Ala Leu Leu Gly Thr Gly Phe Lys Pro Arg Gly Lys Leu Ser Gly Ser 105 Phe Thr Leu Pro Gly Gln Ala Val Asp Ala Gly Gly Ala Leu Pro Asn Glu Leu Ile Arg Leu Ser Ser Gly Asp Gly Met Ser Ala Phe Gly Gly 135 Val Phe Ala Ser Gly Val Pro Thr Thr Leu Arg Thr Ala Val Lys Ser His Val Pro Gly Ala Gly Arg Asn Arg Glu Pro Ala Ser His Phe Val Asp Ile Thr Lys Ile Ser Glu Pro Val Ala Val Glu Arg Glu Asp Leu 185 180 Gly Glu Ala Gln Arg Arg Ala Ala Ser Phe Leu Leu Asp Gly Ala Lys Val Lys Ala Gly Ser His Val Leu Glu Phe Pro Ser Ser Gly Gly Ala 215 Leu Ala Ile Leu Ala Ala Arg Arg Gln Gly Thr Val Asp Ala Leu Thr Ala Asp Pro Ala Gln Val Ser Ser Leu Glu Glu Thr Phe Val Leu Ala Gly Val Glu Glu Asp Ile His Ile Glu Val Ile Pro Gln Ala Ile Pro Ser Pro Arg Glu Trp Gly Gly Ala Tyr Asp Ser Ile Val Ala Met Glu 280 Lys Leu Glu Val Val Gly Lys His Gly Ser Lys Arg Phe Ile Lys Ala Ile Asp Arg Met Leu Thr Thr Gly Gly Asn Val Ala Met Gln Ser Leu 310 315 Val Ala Thr Asp Gln Trp Ser Pro Val Cys Ser Glu Ala Ile Ser Leu Leu Lys Ala Tyr Ile Trp Pro Ala Leu His Tyr Pro Thr Val Asp Glu 345 Val His Gln Leu Val Asp Arg Asp Ser Ser Leu Arg Val Val Lys Glu 360

Thr His Phe Ala Gly His Tyr Leu Lys Ser Val Gln Leu Gln Arg Glu 375 Val Phe Glu Gly Gln Ile Arg Glu Ala Ala Ala Asp Gly Phe Asp Ala 385 395 Val Tyr Arg Arg Met Trp Val Tyr His Tyr Ala Leu Ile Glu Ala Leu 405 Leu Arg Leu Gly Cys Leu Asn Ala Val Gln Phe Ala Leu Thr Thr Arg 425 420 Asn Arg Arg Gly Arg Arg 435 <210> 71 <211> 1140 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1117) <223> RXA01801 <400> 71 tttggattcc tttccgatta tgtcttgatc gcccattctg tcacatccgg gttgtctaaa 60 caccegegaa gattteetgt gatgtgeeae actggttete atg tet aac gta gtg Met Ser Asn Val Val 1 aac act ttt gtc cag aat tcc acc ggt atg gtg gag ctt aat cgt ccc Asn Thr Phe Val Gln Asn Ser Thr Gly Met Val Glu Leu Asn Arg Pro 10 aaa gcg ctc aat tct ctt aat cag gaa atg atc gat ctc gtt cag gaa Lys Ala Leu Asn Ser Leu Asn Gln Glu Met Ile Asp Leu Val Gln Glu 25 get eta ace act tgg get gat gat eag gtg cag eag gtt etc att Ala Leu Thr Thr Trp Ala Asp Asp Asp Gln Val Gln Gln Val Leu Ile 40 307 tac tca tcc tcg gag cgt gca ttt tgt gcc ggc ggt gat gtg cgc gcg Tyr Ser Ser Ser Glu Arg Ala Phe Cys Ala Gly Gly Asp Val Arg Ala 55 65 gtc cgt gag agc gtg ttg gag ggc gat gtt gcg gcc ggc gat aag tat 355 Val Arg Glu Ser Val Leu Glu Gly Asp Val Ala Ala Gly Asp Lys Tyr 75 70 ttc atc gat gag ttc gcg atg aac aac acg ttg gga acc tat ccg aag Phe Ile Asp Glu Phe Ala Met Asn Asn Thr Leu Gly Thr Tyr Pro Lys 95 100 ccg gtc att tct gtg atc aac ggc gtc gcg atg ggt ggc gga atg gga Pro Val Ile Ser Val Ile Asn Gly Val Ala Met Gly Gly Met Gly 110 105

	wo (1/008	805											PCT/	TB00/00926
	tcc Ser														499
	atg Met 135														547
	ttc Phe		-	_	-	_	_	-	-		_		_		595
	acc Thr														643
	acg Thr														691
	gag Glu														739
	agc Ser 215														787
	cac His														835
	gct Ala														883
	gca Ala														931
	acc Thr		_	-	-		_	-		_					979
	atg Met 295														1027
	gat Asp														1075
_	gat Asp	-						_		-	-	-			1117
taaa	aacco	gcc a	aaact	ttt	ga ta	ag									1140

<210> 72 <211> 339 <212> PRT

<213> Corynebacterium glutamicum

<400> 72

Met Ser Asn Val Val Asn Thr Phe Val Gln Asn Ser Thr Gly Met Val $1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15$

Glu Leu Asn Arg Pro Lys Ala Leu Asn Ser Leu Asn Gln Glu Met Ile 20 25 30

Asp Leu Val Gln Glu Ala Leu Thr Thr Trp Ala Asp Asp Asp Gln Val 35 . 40 45

Gln Gln Val Leu Ile Tyr Ser Ser Glu Arg Ala Phe Cys Ala Gly
50 55 60

Gly Asp Val Arg Ala Val Arg Glu Ser Val Leu Glu Gly Asp Val Ala 65 70 75 80

Ala Gly Asp Lys Tyr Phe Ile Asp Glu Phe Ala Met Asn Asn Thr Leu 85 90 95

Gly Thr Tyr Pro Lys Pro Val Ile Ser Val Ile Asn Gly Val Ala Met $100 \hspace{1.5cm} 105 \hspace{1.5cm} 110$

Gly Gly Met Gly Ile Ser Met His Gly Ser His Arg Ile Val Thr 115 120 125

Glu Lys Ala Phe Ala Ser Met Pro Glu Met Ala Ile Gly Tyr Val Pro 130 135 140

Asp Val Gly Phe Thr Tyr Phe Gly Gln Arg Ala Ser Ser Leu Ala Ile 145 150 155 160

Ala Thr Phe Leu Ala Val Thr Gly Trp Arg Met Ser Pro Ala Asp Met 165 170 175

Leu Trp Ala Gly Val Ala Thr His Phe Val Glu Asp Ala Gln Gly Phe 180 185 190

Ile Asp Ala Val Leu Asn Glu Ser Leu Asp Gly Ala Leu Glu Lys Phe 195 200 205

Ser Thr Gln Pro Thr Gly Ser Ser Glu Leu Ala Gly Val Ala Ser Gln 210 215 220

Ile Glu Glu Thr Phe Gly His Ser Ser Trp Ala Leu Ile Asp Ala Ser 225 230 235 240

Leu Arg Ser His Pro Asp Ala Glu Phe Val Ala Lys Val Asp Gly Leu 245 250 255

Met Ala Ser Ala Ala Pro Ala Ser Val Val Ala Thr Val Lys Leu Met 260 265 270

His Gln Asn Ser Glu Ala Thr Thr Leu Arg Glu Gly Leu Asp Asn Glu 275 280 285

Leu Ala Met Ser Leu Tyr Met Ile Arg Gln Pro Asp Phe Ala Glu Gly 290 295 300

Val Arg Ala Val Leu Val Asp Lys Asp Arg Asn Ala Ala Phe Ser Pro

Ala Asn Tyr Glu Asp Val Asp Glu Ser His Phe Val Thr Leu Phe Gln 330 Arg Ser Ser <210> 73 <211> 1086 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1063) <223> RXN02512 <400> 73 gctggaaagt ccccattggc taaggaattt accaaggcac cagcaggtgc gaaggcagat 60 tacagcaaca ccaaataaaa attagccgag ggagcatcgc atg aag ccg aag gat Met Lys Pro Lys Asp ttc tgc aca gcg gaa aat tgg gcg gag aat tta agc gca ctg ggc tat 163 Phe Cys Thr Ala Glu Asn Trp Ala Glu Asn Leu Ser Ala Leu Gly Tyr 10 cta gct ggt tgg cgt ttt gtc cgg atg ctc cct ttg cct att gct cgc 211 Leu Ala Gly Trp Arg Phe Val Arg Met Leu Pro Leu Pro Ile Ala Arg 259 cgg gtg ttt gac ctt ggg gcg gat ctg gcg tcg aaa agc gga aaa ggc Arg Val Phe Asp Leu Gly Ala Asp Leu Ala Ser Lys Ser Gly Lys Gly 307 atg ggg cag cta cgc gct aat ctg gcg cgg gtg gtc ggt gcg gaa aac Met Gly Gln Leu Arg Ala Asn Leu Ala Arg Val Val Gly Ala Glu Asn gtt acg cag gcg ctg gtg aag caa gca acg cgc agc tat gcg cgg tat 355 Val Thr Gln Ala Leu Val Lys Gln Ala Thr Arg Ser Tyr Ala Arg Tyr 75 403 tgg ctg gaa gcg ttc cgg cta ccg gcg atc gcg cga gat cct gag ctg Trp Leu Glu Ala Phe Arg Leu Pro Ala Ile Ala Arg Asp Pro Glu Leu 451 ctt gcg cgg ttg cgt aag gga act gtt ggc cta gat ttg ttg gat gaa Leu Ala Arg Leu Arg Lys Gly Thr Val Gly Leu Asp Leu Asp Glu 110 105 tot ttg got goc ggc aag ggc gta gtt ttg acg ctc cca cac agc ggc 499 Ser Leu Ala Ala Gly Lys Gly Val Val Leu Thr Leu Pro His Ser Gly 120 125 aac tgg gat atg gct ggc gct ttt ctg att agc cat cat ggg caa ttc 547 Asn Trp Asp Met Ala Gly Ala Phe Leu Ile Ser His His Gly Gln Phe

135	140	145	
		g gaa cgc ttg ttt gaa gcg ttc o Glu Arg Leu Phe Glu Ala Phe 160 165	595
	Ser Leu Gly Phe	gag gtg ctg cct ctc acc ggt Glu Val Leu Pro Leu Thr Gly 175	643
	-	g aaa gag cgc ctg aca tct gga n Lys Glu Arg Leu Thr Ser Gly 195	691
		g ac ctg cgg cat tcc ggc gtg g Asp Leu Arg His Ser Gly Val 210	739
		e too atg coa goa gga cot gog Ser Met Pro Ala Gly Pro Ala 225	787
		g ctg cac gtg gtg cat cca tgg a Leu His Val Val His Pro Trp 240 245	835
	Trp Gly Leu Ser	e gta tee gat gee gtg ace gtg val Ser Asp Ala Val Thr Val 255 260	883
		g atc gca cat ctt ttt atg gca g Ile Ala His Leu Phe Met Ala 275	931
		g cat atg ctc caa ccc ctg tgg His Met Leu Gln Pro Leu Trp 290	979
	Pro Glu Arg Le	c aag cgc tct agg gag cag aca u Lys Arg Ser Arg Glu Gln Thr 305	1027
aat gtt cac aaa ccg Asn Val His Lys Pro 310		g gag gac aat taggtgcgaa n Glu Asp Asn 320	1073
ttggaatggt ctg			1086
<210> 74 <211> 321 <212> PRT <213> Corynebacteri	um glutamicum		
<400> 74 Met Lys Pro Lys Asp 1		a Glu Asn Trp Ala Glu Asn Leu 10 15	
Ser Ala Leu Gly Tyr 20	Leu Ala Gly Tr	p Arg Phe Val Arg Met Leu Pro 5 30	

Leu Pro Ile Ala Arg Arg Val Phe Asp Leu Gly Ala Asp Leu Ala Ser 35 40 45

Lys Ser Gly Lys Gly Met Gly Gln Leu Arg Ala Asn Leu Ala Arg Val 50 55 60

Val Gly Ala Glu Asn Val Thr Gln Ala Leu Val Lys Gln Ala Thr Arg 65 70 75 80

Ser Tyr Ala Arg Tyr Trp Leu Glu Ala Phe Arg Leu Pro Ala Ile Ala 85 90 95

Arg Asp Pro Glu Leu Leu Ala Arg Leu Arg Lys Gly Thr Val Gly Leu 100 105 110

Asp Leu Leu Asp Glu Ser Leu Ala Ala Gly Lys Gly Val Val Leu Thr 115 120 125

Leu Pro His Ser Gly Asn Trp Asp Met Ala Gly Ala Phe Leu Ile Ser 130 135 140

His His Gly Gln Phe Thr Thr Val Ala Glu Arg Val Lys Pro Glu Arg 145 150 155 160

Leu Phe Glu Ala Phe Val Glu Phe Arg Glu Ser Leu Gly Phe Glu Val 165 170 175

Leu Pro Leu Thr Gly Gly Glu Arg Pro Pro Phe Glu Lys Leu Lys Glu
180 185 190

Arg Leu Thr Ser Gly Gly Ile Val Cys Leu Leu Gly Glu Arg Asp Leu 195 200 205

Arg His Ser Gly Val Glu Thr Thr Phe Phe Gly Glu Lys Thr Ser Met 210 215 220

Pro Ala Gly Pro Ala Gln Leu Ala Ile Glu Thr Gly Ala Ala Leu His 225 230 235 240

Val Val His Pro Trp Phe Asp Asp Gly Trp Gly Leu Ser Val Ser 245 250 255

Asp Ala Val Thr Val Asp Asn Leu Ser Asp Thr Val Gln Arg Ile Ala 260 265 270

His Leu Phe Met Ala Asn Ile Thr Ala His Pro Ala Asp Trp His Met 275 280 285

Leu Gln Pro Leu Trp Phe Gly Asp Leu Asp Pro Glu Arg Leu Lys Arg 290 295 300

Ser Arg Glu Gln Thr Asn Val His Lys Pro Val Ala Leu Gln Glu Asp 305 310 315 320

Asn

<210> 75

<211> 1057

<212> DNA

<213> Corynebacterium glutamicum

<221> CDS <222> (101)..(1057) <223> FRXA02512 <400> 75 gctggaaagt ccccattggc taaggaattt accaaggcac cagcaggtgc gaaggcagat 60 tacagcaaca ccaaataaaa attagccgag ggagcatcgc atg aag ccg aag gat Met Lys Pro Lys Asp ttc tgc aca gcg gaa aat tgg gcg gag aat tta agc gca ctg ggc tat 163 Phe Cys Thr Ala Glu Asn Trp Ala Glu Asn Leu Ser Ala Leu Gly Tyr 10 15 cta gct ggt tgg cgt ttt gtc cgg atg ctc cct ttg cct att gct cgc Leu Ala Gly Trp Arg Phe Val Arg Met Leu Pro Leu Pro Ile Ala Arg 30 cgg gtg ttt gac ctt ggg gcg gat ctg gcg tcg aaa agc gga aaa ggc 259 Arg Val Phe Asp Leu Gly Ala Asp Leu Ala Ser Lys Ser Gly Lys Gly 40 45 atg ggg cag cta cgc gct aat ctg gcg cgg gtg gtc ggt gcg gaa aac 307 Met Gly Gln Leu Arg Ala Asn Leu Ala Arg Val Val Gly Ala Glu Asn 55 60 355 gtt acg cag gcg ctg gtg aag caa gca acg cgc agc tat gcg cgg tat Val Thr Gln Ala Leu Val Lys Gln Ala Thr Arg Ser Tyr Ala Arg Tyr 70 7.5 tgg ctg gaa gcg ttc cgg cta ccg gcg atc gcg cga gat cct gag ctg 403 Trp Leu Glu Ala Phe Arg Leu Pro Ala Ile Ala Arg Asp Pro Glu Leu 100 90 ctt gcg cgg ttg cgt aag gga act gtt ggc cta gat ttg ttg gat gaa 451 Leu Ala Arg Leu Arg Lys Gly Thr Val Gly Leu Asp Leu Leu Asp Glu 105 110 tet ttg get gee gge aag gge gta gtt ttg acg ete eea cae age gge Ser Leu Ala Ala Gly Lys Gly Val Val Leu Thr Leu Pro His Ser Gly 120 aac tgg gat atg gct ggc gct ttt ctg att agc cat cat ggg caa ttc 547 Asn Trp Asp Met Ala Gly Ala Phe Leu Ile Ser His His Gly Gln Phe 135 acc acc gtt gca gaa agg gtc aag ccg gaa cgc ttg ttt gaa gcg ttc 595 Thr Thr Val Ala Glu Arg Val Lys Pro Glu Arg Leu Phe Glu Ala Phe 155 160 gtg gag ttt cga gaa agc ctt gga ttt gag gtg ctg cct ctc acc ggt 643 Val Glu Phe Arg Glu Ser Leu Gly Phe Glu Val Leu Pro Leu Thr Gly 175 170 ggc gag cgt ccg ccg ttt gaa aag ctg aaa gag cgc ctg aca tct gga 691 Gly Glu Arg Pro Pro Phe Glu Lys Leu Lys Glu Arg Leu Thr Ser Gly 190 185

ggt Gly	atc Ile	gtg Val 200	tgc Cys	ctt Leu	ctt Leu	ggg	gag Glu 205	cgt Arg	gac Asp	ctg Leu	cgg Arg	cat His 210	tcc Ser	ggc Gly	gtg Val	739
			ttt Phe													787
			att Ile													835
			gac Asp					_	_		-	-				883
			tcc Ser 265		-	_	-			_				_	_	931
			gcg Ala													979
			ttg Leu													1027
			aaa Lys			-		_								1057
310					315											
<210 <211 <212	0> 76 L> 31 2> PE 3> Co	L 9 RT	ebact	eri		.utan	nicum	ı								
<210 <211 <211 <211 <400	L> 31 2> PE 3> Co 0> 76	l9 RT oryne	ebact Lys		ım gl				Glu 10	Asn	Trp	Ala	Glu	Asn 15	Leu	
<210 <211 <211 <211 <400 Met	l> 31 2> PE 3> Co 0> 76 Lys	l9 RT bryne S Pro		Asp 5	ım gl Phe	Cys	Thr	Ala	10		_			15		
<210 <211 <211 <211 <400 Met 1 Ser	l> 31 2> PE 3> Co D> 76 Lys	l9 RT pryne Pro Leu	Lys	Asp 5 Tyr	nm gl Phe Leu	Cys Ala	Thr Gly	Ala Trp 25	10 Arg	Phe	Val	Arg	Met 30	15 Leu	Pro	
<210 <211 <211 <211 <400 Met 1 Ser	1> 3: 2> PF 3> Co 0> 76 Lys Ala	L9 RT pryne Pro Leu . Ile .35	Lys Gly 20	Asp 5 Tyr Arg	nm gl Phe Leu Arg	Cys Ala Val	Thr Gly Phe 40	Ala Trp 25 Asp	10 Arg Leu	Phe Gly	Val Ala	Arg Asp 45	Met 30 Leu	15 Leu Ala	Pro Ser	
<210 <211 <211 <400 Met 1 Ser Leu	1> 3: 2> PE 3> Co 1> 76 Lys Ala Pro Ser 50	L9 RT Pryne Fro Leu . Ile . 35	Lys Gly 20 Ala	Asp 5 Tyr Arg Gly	nm gl Phe Leu Arg Met	Cys Ala Val Gly 55	Thr Gly Phe 40 Gln	Ala Trp 25 Asp	10 Arg Leu Arg	Phe Gly Ala	Val Ala Asn 60	Arg Asp 45 Leu	Met 30 Leu Ala	15 Leu Ala Arg	Pro Ser Val	
<210 <211 <211 <400 Met 1 Ser Leu Lys Val 65	l> 31 2> PE 3> Co D> 76 Lys Ala Pro Ser 50	Leu Leu SGly Ala	Lys Gly 20 Ala	Asp 5 Tyr Arg Gly Asn	nm gl Phe Leu Arg Met Val 70	Cys Ala Val Gly 55	Thr Gly Phe 40 Gln Gln	Ala Trp 25 Asp Leu Ala	10 Arg Leu Arg Leu	Phe Gly Ala Val 75	Val Ala Asn 60 Lys	Arg Asp 45 Leu Gln	Met 30 Leu Ala	15 Leu Ala Arg Thr	Pro Ser Val Arg	

Asp Leu Leu Asp Glu Ser Leu Ala Ala Gly Lys Gly Val Val Leu Thr Leu Pro His Ser Gly Asn Trp Asp Met Ala Gly Ala Phe Leu Ile Ser 135 His His Gly Gln Phe Thr Thr Val Ala Glu Arg Val Lys Pro Glu Arg 155 Leu Phe Glu Ala Phe Val Glu Phe Arg Glu Ser Leu Gly Phe Glu Val 165 Leu Pro Leu Thr Gly Gly Glu Arg Pro Pro Phe Glu Lys Leu Lys Glu 185 Arg Leu Thr Ser Gly Gly Ile Val Cys Leu Leu Gly Glu Arg Asp Leu 200 Arg His Ser Gly Val Glu Thr Thr Phe Phe Gly Glu Lys Thr Ser Met 215 Pro Ala Gly Pro Ala Gln Leu Ala Ile Glu Thr Gly Ala Ala Leu His Val Val His Pro Trp Phe Asp Asp Gly Trp Gly Leu Ser Val Ser 250 Asp Ala Val Thr Val Asp Asn Leu Ser Asp Thr Val Gln Arg Ile Ala His Leu Phe Met Ala Asn Ile Thr Ala His Pro Ala Asp Trp His Met 280 Leu Gln Pro Leu Trp Phe Gly Asp Leu Asp Pro Glu Arg Leu Lys Arg 290 295 Ser Arg Glu Gln Thr Asn Val His Lys Pro Val Ala Leu Gln Glu 305 310 315 <210> 77 <211> 1389 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1366) <223> RXA00899 <400> 77 tttqctqctc ccctacqtcq gactcccact gttcctqctt atgggatcqc catacatcaa 60 ccggtgacgc caccgcatcc aacaagaaat caacgacctc atg gaa gac gtc cac Met Glu Asp Val His 1 gac gac gtc ccc gac atc ccc acc gga atg gat gtc tcc gcg gaa gtt Asp Asp Val Pro Asp Ile Pro Thr Gly Met Asp Val Ser Ala Glu Val 10 15

gaa Glu	tct Ser	gtc Val	atc Ile 25	aaa Lys	ctc Leu	aac Asn	cgc Arg	cgc Arg 30	ctc Leu	acc Thr	cgc Arg	atg Met	cca Pro 35	gca Ala	gtg Val	211
acc Thr	ggc Gly	gga Gly 40	aac Asn	aac Asn	ggc Gly	ttc Phe	tac Tyr 45	tcc Ser	gac Asp	tac Tyr	cgt Arg	gaa Glu 50	tcc Ser	ctc Leu	aaa Lys	259
cgg Arg	atg Met 55	acc Thr	gcc Ala	gca Ala	atc Ile	gac Asp 60	gaa Glu	gcc Ala	gaa Glu	gaa Glu	tac Tyr 65	atc Ile	tac Tyr	gtc Val	gag Glu	, 307
atc Ile 70	Tyr	atc Ile	atg Met	gcc Ala	tgg Trp 75	gat Asp	tcc Ser	tac Tyr	acc Thr	caa Gln 80	cca Pro	ttc Phe	ttc Phe	gca Ala	gca Ala 85	355
ctc Leu	gaa Glu	cga Arg	gcc Ala	cac His 90	aac Asn	cgc Arg	ggc Gly	gtc Val	aaa Lys 95	gtc Val	cga Arg	ctc Leu	ctt Leu	ttc Phe 100	gac Asp	403
cac His	gtc Val	ggc Gly	agc Ser 105	tgg Trp	aaa Lys	tac Tyr	ccc Pro	ggc Gly 110	tac Tyr	cac His	cgc Arg	ctc Leu	aaa Lys 115	aaa Lys	gaa Glu	451
ctc Leu	aac Asn	cgc Arg 120	atg Met	ggc Gly	ttc Phe	gcc Ala	tgg Trp 125	tac Tyr	ctc Leu	atg Met	ctc Leu	ccc Pro 130	ctc Leu	caa Gln	ccc Pro	499
tgg Trp	cga Arg 135	cgc Arg	cgc Arg	ttc Phe	cgc Arg	cga Arg 140	ccc Pro	gac Asp	ctg Leu	cgc Arg	aac Asn 145	cac His	cgc Arg	aaa Lys	atg Met	547
ctc Leu 150	atc Ile	atc Ile	gac Asp	ggc Gly	cac His 155	acc Thr	gca Ala	ttc Phe	atg Met	ggc Gly 160	tcc Ser	caa Gln	aat Asn	ctc Leu	atc Ile 165	595
gcc Ala	ccg Pro	agt Ser	tac Tyr	cta Leu 170	caa Gln	aag Lys	aaa Lys	aac Asn	atc Ile 175	aaa Lys	ctc Leu	ggc Gly	cgc Arg	gaa Glu 180	tgg Trp	643
								ggc Gly 190								691
								gtc Val								739
atc Ile	cgc Arg 215	gac Asp	cac	gca Ala	gaa Glu	gcc Ala 220	cac His	ggc Gly	tac Tyr	atc Ile	ggc Gly 225	aac Asn	act Thr	caa Gln	aaa Lys	787
gac Asp 230	tcc Ser	gcc Ala	acc Thr	aac Asn	ctc Leu 235	gtg Val	cag Gln	ctc Leu	atc Ile	ccc Pro 240	tcc Ser	ggc Gly	cct Pro	ggt Gly	tac Tyr 245,	835
acc Thr	aca Thr	gaa Glu	Pro	aac Asn 250	ctg Leu	cgc Arg	atg Met	ttc Phe	aac Asn 255	tcc Ser	atc Ile	gtt Val	cac His	cac His 260	gcc Ala	883
aaa	gaa	cga	ctc	atc	ttg	tgc	agc	ccc	tac	ttc	atc	ccc	gac	gaa	tcc	931

Lys	Glu	Arg	Leu 265	Ile	Leu	Cys	Ser	Pro 270	Tyr	Phe	Ile	Pro	Asp 275	Glu	Ser	
	ctc Leu	-	-	-			-	_		_		-		-	-	979
	ttc Phe 295															1027
	tcc Ser															1075
	ccc Pro															1123
	gac Asp															1171
	gac Asp		-	-						-			-	-		1219
_	aaa Lys 375						-			-			_	-		1267
	aca Thr															1315
	cgg Arg	_	_			-		_	_	_	-		_		_	1363
cag Gln	tag	tttg	gcg (cgtt [,]	tgga	gt go	cg				,					1389

<210> 78

<211> 422

<212> PRT

<213> Corynebacterium glutamicum

<400> 78

Met Glu Asp Val His Asp Asp Val Pro Asp Ile Pro Thr Gly Met Asp $1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15$

Val Ser Ala Glu Val Glu Ser Val Ile Lys Leu Asn Arg Arg Leu Thr 20 25 30

Arg Met Pro Ala Val Thr Gly Gly Asn Asn Gly Phe Tyr Ser Asp Tyr 35 40 45

Arg Glu Ser Leu Lys Arg Met Thr Ala Ala Ile Asp Glu Ala Glu Glu 50 55 60

Tyr 65	Ile	Tyr	Val	Glu	Ile 70	Tyr	Ile	Met	Ala	Trp 75	Asp	Ser	Tyr	Thr	Gln 80
Pro	Phe	Phe	Ala	Ala 85	Leu	Glu	Arg	Ala	His 90	Asn	Arg	Gly	Val	Lys 95	Val
Arg	Leu	Leu	Phe 100	Asp	His	Val	Gly	Ser 105	Trp	Lys	Tyr	Pro	Gly 110	Tyr	His
Arg	Leu	Lys 115	Lys	Glu	Leu	Asn	Arg 120	Met	Gly	Phe	Ala	Trp 125	Tyr	Leu	Met
Leu	Pro 130	Leu	Gln	Pro	Trp	Arg 135	Arg	Arg	Phe	Arg	Arg 140	Pro	Asp	Leu	Arg
Asn 145	His	Arg	Lys	Met	Leu 150	Ile	Ile	Asp	Gly	His 155	Thr	Ala	Phe	Met	Gly 160
Ser	Gln	Asn	Leu	Ile 165	Ala	Pro	Ser	Tyr	Leu 170	Gln	Lys	Lys	Asn	Ile 175	Lys
Leu	Gly	Arg	Glu 180	Trp	Lys	Asp	Leu	Met 185	Val	Glu	Leu	Thr	Gly 190	Pro	Ile
Val	Ser	Ser 195	Met	Glu	Met	Ile	Phe 200	Ala	Gly	Asp	Trp	Tyr 205	Val	Glu	Ser
Asn	Glu 210	Ala	Leu	Asp	Ile	Arg 215	Asp	His	Ala	Glu	Ala 220	His	Gly	Tyr	Ile
Gly 225	Asn	Thr	Gln	Lys	Asp 230	Ser	Ala	Thr	Asn	Leu 235	Val	Gln	Leu	Ile	Pro 240
Ser	Gly	Pro	Gly	Tyr 245	Thr	Thr	Glu	Pro	Asn 250	Leu	Arg	Met	Phe	Asn 255	Ser
Ile	Val	His	His 260	Ala	Lys	Glu	Arg	Leu 265	Ile	Leu	Cys	Ser	Pro 270	Tyr	Phe
Ile	Pro	Asp 275	Glu	Ser	Leu	Leu	Glu 280	Ala	Val	Thr	Ser	Ala 285	Cys	Tyr	Arg
Gly	Val 290	Thr	Val	Glu	Leu	Phe 295	Val	Ser	Glu	Gln	Ala 300	Asp	Gln	Phe	Ala
Ile 305	Asp	His	Ala	Gln	Ser 310	Ser	Tyr	Tyr	Gln	Ala 315	Leu	Leu	Glu	Ala	Gly 320
Val	Lys	Ile	Tyr	Gln 325	Phe	Pro	Lys	Pro	Asp 330	Val	Leu	His	Thr	Lys 335	Tyr
Met	Ile	Ala	Asp 340	Pro	Asp	Asp	Thr	Thr 345	Gly	Asn	Glu	Ala	Leu 350	Gly	Val
Ľeu	Gly	Ser 355	Ser	Asn	Leu	Asp	Ile 360	Arg	Ser	Phe	Gly	Leu 365	Asn	Tyr	Glu
Ile	Ser 370	Leu	Met	Ile	Ala	Lys 375	Gly	Asn	Leu	Ile	His 380	Glu	Leu	Asn	Ala

Leu Thr Asp Arg Tyr Arg Thr Val Ser Phe Lys Leu Thr Leu Asp Lys

395 385 390 Trp Asn Gln Arg Ser Trp Arg Arg Tyr Val Asp Asn Val Met Arg 405 410 Leu Thr Ser Ala Leu Gln 420 <210> 79 <211> 1452 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1429) <223> RXN00819 <400> 79 gatgaggttc gtccgggaat cctcaaagac aatgcggtga aggtacttgg cctagccgct 60 agcactgage geggatetea agcagaaaag gtegtgeaac atg egt gat eee att 115 Met Arg Asp Pro Ile 1 caa ggt gct gtt att cct tct gat ctt ttt ggt ttc gca gaa gtt ctc 163 Gln Gly Ala Val Ile Pro Ser Asp Leu Phe Gly Phe Ala Glu Val Leu 211 acc gaa gcc gaa cgc gca gtt ctt ctg gaa acc cgc agg gtg ctt gag Thr Glu Ala Glu Arg Ala Val Leu Leu Glu Thr Arg Arg Val Leu Glu 259 gaa gag gtg aag cct tat att aat gag gcc tgg gat aag gca gtc ttc Glu Glu Val Lys Pro Tyr Ile Asn Glu Ala Trp Asp Lys Ala Val Phe ccc gat gag atc gtg cag ccc ctc caa gat ctg caa ttg ctt gat ccg 307 Pro Asp Glu Ile Val Gln Pro Leu Gln Asp Leu Gln Leu Leu Asp Pro cct gca ctt cgg gaa gca ggg gag tcg gtt cga gac att ttc act ggt Pro Ala Leu Arg Glu Ala Gly Glu Ser Val Arg Asp Ile Phe Thr Gly tto ego aat tit gaa ete geg ego tgt gae ate aat git ggt ace tat Phe Arg Asn Phe Glu Leu Ala Arg Cys Asp Ile Asn Val Gly Thr Tyr 95 451 tac aac gca tot gct ggt ctc ttc cga acg gcc tgc atg gtt ggt ggc Tyr Asn Ala Ser Ala Gly Leu Phe Arg Thr Ala Cys Met Val Gly Gly 105 110 499 tcc ccg gag cag gcg cag cga ttg gat gcg cag atc aaa tct ggt gag Ser Pro Glu Gln Ala Gln Arg Leu Asp Ala Gln Ile Lys Ser Gly Glu 120 125 547 gtc aag ggc gtt ttt gca ctg acg gaa cct gat cat ggc tct gat atc Val Lys Gly Val Phe Ala Leu Thr Glu Pro Asp His Gly Ser Asp Ile

135 140 145

gca Ala 150	ggt Gly	ggt Gly	ctg Leu	gca Ala	acc Thr 155	acg Thr	gcc Ala	act Thr	aag Lys	gac Asp 160	gca Ala	gac Asp	acc Thr	ggc Gly	gag Glu 165	595
tgg Trp	att Ile	atc Ile	aat Asn	ggt Gly 170	gaa Glu	aaa Lys	cgg Arg	tgg Trp	atc Ile 175	ggt Gly	ggt Gly	gct Ala	tcc Ser	act Thr 180	gct Ala	643
gat Asp	ttg Leu	atc Ile	gct Ala 185	acc Thr	ttc Phe	gcc Ala	agg Arg	gat Asp 190	aca Thr	gcc Ala	gat Asp	aac Asn	cag Gln 195	gtg Val	aaa Lys	691
tgc Cys	ttc Phe	ctc Leu 200	gtg Val	gca Ala	cct Pro	cag Gln	gca Ala 205	gag Glu	ggc Gly	gtg Val	tcc Ser	atg Met 210	gag Glu	att Ile	att Ile	739
gat Asp	cgc Arg 215	aaa Lys	gcc Ala	tca Ser	ctg Leu	cgc Arg 220	atc Ile	atg Met	caa Gln	aat Asn	gca Ala 225	cac His	att Ile	acc Thr	tat Tyr	787
aac Asn 230	aat Asn	gtc Val	cgg Arg	gtg Val	tct Ser 235	ggg Gly	gat Asp	gcg Ala	cgg Arg	ctg Leu 240	cac His	aac Asn	atc Ile	aat Asn	tct Ser 245	835
ttc Phe	aag Lys	gat Asp	gtt Val	tcg Ser 250	gaa Glu	tgc Cys	ctg Leu	cgc Arg	cgt Arg 255	atg Met	cgt Arg	tcc Ser	gat Asp	gtg Val 260	gcg Ala	883
	atg Met															931
tat Tyr	gtg Val	cgc Arg 280	agc Ser	agg Arg	gaa Glu	cag Gln	ttt Phe 285	ggc Gly	cgt Arg	ccg Pro	atc Ile	gcg Ala 290	ggg Gly	ttc Phe	cag Gln	979
ttg Leu	att Ile 295	cag Gln	gaa Glu	aag Lys	ctc Leu	gcg Ala 300	ctc Leu	atg Met	ctg Leu	ggc	aat Asn 305	ctc Leu	acg Thr	gcg Ala	tcg Ser	1027
ctg Leu 310	ggc Gly	atg Met	atg Met	gtc Val	aaa Lys 315	ctc Leu	acc Thr	gat Asp	cag Gln	cag Gln 320	cag Gln	gcg Ala	gga Gly	att Ile	ttc Phe 325	1075
aaa Lys	gag Glu	gaa Glu	aac Asn	tcc Ser 330	gcg Ala	ctg Leu	gcg Ala	aaa Lys	atg Met 335	ttt Phe	acc Thr	tcg Ser	ctc Leu	aaa Lys 340	ctt Leu	1123
cgg Arg	gag Glu	acc Thr	gct Ala 345	agt Ser	tgg Trp	gcg Ala	cgg Arg	gaa Glu 350	atc Ile	tgc Cys	gga Gly	ggc Gly	aac Asn 355	ggc Gly	atc Ile	1171
	ttg Leu															1219
	tca Ser 375															1267

ncc att ctg ggn cnt ctn ttc ttt tta tat tat nac nct ttt gag gag 1315 Xaa Ile Leu Gly Xaa Leu Phe Phe Leu Tyr Tyr Xaa Xaa Phe Glu Glu 390 -395 gat ctt cat gac tac ttc cac cac ccc aaa cca tcg ttt ctt tcg aag Asp Leu His Asp Tyr Phe His His Pro Lys Pro Ser Phe Leu Ser Lys 415 410 acg cac caa ccc tca ccg gcc agg acc tgg gct ttt cgc agt ggc gca 1411 Thr His Gln Pro Ser Pro Ala Arg Thr Trp Ala Phe Arg Ser Gly Ala 1452 ctg tca ccc agg aga tgg tgaacacctt ggcggacgca act Leu Ser Pro Arg Arg Trp 440 <210> 80 <211> 443 <212> PRT <213> Corynebacterium glutamicum <400> 80 Met Arg Asp Pro Ile Gln Gly Ala Val Ile Pro Ser Asp Leu Phe Gly Phe Ala Glu Val Leu Thr Glu Ala Glu Arg Ala Val Leu Leu Glu Thr 20 25 Arg Arg Val Leu Glu Glu Glu Val Lys Pro Tyr Ile Asn Glu Ala Trp 40 Asp Lys Ala Val Phe Pro Asp Glu Ile Val Gln Pro Leu Gln Asp Leu Gln Leu Leu Asp Pro Pro Ala Leu Arg Glu Ala Gly Glu Ser Val Arg Asp Ile Phe Thr Gly Phe Arg Asn Phe Glu Leu Ala Arg Cys Asp Ile Asn Val Gly Thr Tyr Tyr Asn Ala Ser Ala Gly Leu Phe Arg Thr Ala 105 Cys Met Val Gly Gly Ser Pro Glu Gln Ala Gln Arg Leu Asp Ala Gln Ile Lys Ser Gly Glu Val Lys Gly Val Phe Ala Leu Thr Glu Pro Asp His Gly Ser Asp Ile Ala Gly Gly Leu Ala Thr Thr Ala Thr Lys Asp 155 150 Ala Asp Thr Gly Glu Trp Ile Ile Asn Gly Glu Lys Arg Trp Ile Gly 165 170 Gly Ala Ser Thr Ala Asp Leu Ile Ala Thr Phe Ala Arg Asp Thr Ala 190 Asp Asn Gln Val Lys Cys Phe Leu Val Ala Pro Gln Ala Glu Gly Val

195 200 205

Ser Met Glu Ile Ile Asp Arg Lys Ala Ser Leu Arg Ile Met Gln Asn 210 215 220

Ala His Ile Thr Tyr Asn Asn Val Arg Val Ser Gly Asp Ala Arg Leu 225 230 235 240

His Asn Ile Asn Ser Phe Lys Asp Val Ser Glu Cys Leu Arg Arg Met 245 250 255

Arg Ser Asp Val Ala Trp Met Ala Val Gly Ala Gln Ala Gly Ala Tyr 260 265 270

Glu Ala Ala Val Lys Tyr Val Arg Ser Arg Glu Gln Phe Gly Arg Pro 275 280 285

Ile Ala Gly Phe Gln Leu Ile Gln Glu Lys Leu Ala Leu Met Leu Gly 290 295 300

Asn Leu Thr Ala Ser Leu Gly Met Met Val Lys Leu Thr Asp Gln Gln 305 310 315 320

Gln Ala Gly Ile Phe Lys Glu Glu Asn Ser Ala Leu Ala Lys Met Phe 325 330 335

Thr Ser Leu Lys Leu Arg Glu Thr Ala Ser Trp Ala Arg Glu Ile Cys 340 345 350

Gly Gly Asn Gly Ile Ile Leu Asp Asn Asp Val Ala Arg Phe His Ala 355 360 365

Asp Ala Glu Ala Val Tyr Ser Tyr Glu Gly Thr His Glu Ile Asn Ala 370 375 380

Leu Ile Val Gly Arg Xaa Ile Leu Gly Xaa Leu Phe Phe Leu Tyr Tyr 385 390 395 400

Xaa Xaa Phe Glu Glu Asp Leu His Asp Tyr Phe His His Pro Lys Pro 405 410 415

Ser Phe Leu Ser Lys Thr His Gln Pro Ser Pro Ala Arg Thr Trp Ala 420 425 430

Phe Arg Ser Gly Ala Leu Ser Pro Arg Arg Trp 435 440

<210> 81

<211> 1030

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (18)..(1007)

<223> FRXA00819

<400> 81

tetteegaac ggeetgeatg gtt ggt gge tee eeg gag eag geg eag ega ttg 53 Met Val Gly Gly Ser Pro Glu Gln Ala Gln Arg Leu

10 101 gat gcg cag atc aaa tct ggt gag gtc aag ggc gtt ttt gca ctg acg Asp Ala Gln Ile Lys Ser Gly Glu Val Lys Gly Val Phe Ala Leu Thr 15 gaa cct gat cat ggc tct gat atc gca ggt ggt ctg gca acc acg gcc Glu Pro Asp His Gly Ser Asp Ile Ala Gly Gly Leu Ala Thr Thr Ala 30 197 act aag gac gca gac acc ggc gag tgg att atc aat ggt gaa aaa cgg Thr Lys Asp Ala Asp Thr Gly Glu Trp Ile Ile Asn Gly Glu Lys Arg 45 tgg atc ggt ggt gct tcc act gct gat ttg atc gct acc ttc gcc agg Trp Ile Gly Gly Ala Ser Thr Ala Asp Leu Ile Ala Thr Phe Ala Arg 293 gat aca gcc gat aac cag gtg aaa tgc ttc ctc gtg gca cct cag gca Asp Thr Ala Asp Asn Gln Val Lys Cys Phe Leu Val Ala Pro Gln Ala 80 gag ggc gtg tcc atg gag att att gat cgc aaa gcc tca ctg cgc atc 341 Glu Gly Val Ser Met Glu Ile Ile Asp Arg Lys Ala Ser Leu Arg Ile 95 atg caa aat gca cac att acc tat aac aat gtc cgg gtg tct ggg gat 389 Met Gln Asn Ala His Ile Thr Tyr Asn Asn Val Arg Val Ser Gly Asp 110 115 gcg cgg ctg cac aac atc aat tct ttc aag gat gtt tcg gaa tgc ctg 437 Ala Arg Leu His Asn Ile Asn Ser Phe Lys Asp Val Ser Glu Cys Leu 130 cgc cgt atg cgt tcc gat gtg gcg tgg atg gcg gtc ggt gcg cag gca 485 Arg Arg Met Arg Ser Asp Val Ala Trp Met Ala Val Gly Ala Gln Ala 150 ggt gcc tat gaa gca gcc gtg aag tat gtg cgc agc agg gaa cag ttt Gly Ala Tyr Glu Ala Ala Val Lys Tyr Val Arg Ser Arg Glu Gln Phe 160 165 ggc cgt ccg atc gcg ggg ttc cag ttg att cag gaa aag ctc gcg ctc 581 Gly Arg Pro Ile Ala Gly Phe Gln Leu Ile Gln Glu Lys Leu Ala Leu 629 atg ctg ggc aat ctc acg gcg tcg ctg ggc atg atg gtc aaa ctc acc Met Leu Gly Asn Leu Thr Ala Ser Leu Gly Met Met Val Lys Leu Thr 195 gat cag cag gcg gga att ttc aaa gag gaa aac tcc gcg ctg gcg Asp Gln Gln Gln Ala Gly Ile Phe Lys Glu Glu Asn Ser Ala Leu Ala 205 210 215 aaa atg ttt acc tcg ctc aaa ctt cgg gag acc gct agt tgg gcg cgg 725 Lys Met Phe Thr Ser Leu Lys Leu Arg Glu Thr Ala Ser Trp Ala Arg 225 gaa atc tgc gga ggc aac ggc atc att ttg gac aac gat gtt gcc cgg

Glu Ile Cys Gly Gly Asn Gly Ile Ile Leu Asp Asn Asp Val Ala Arg

245

240

ttc cat gcc gat gca gaa gcc gtc tat tca tat gaa ggc acc cac gaa 821

	His														Glu	021
	aat Asn 270															869
	tat Tyr						-				_					917
	aaa Lys															965
	tgg Trp															1007
tga	acaco	ctt d	egeg	gacgo	ca a	ct										1030
<21 <21	0> 82 1> 33 2> Pi 3> Co	30 RT	ebact	ceri	ım gl	Lutan	nicun	n								
	0> 82 Val		Gly	Ser 5	Pro	Glu	Gln	Ala	Gln 10	Arg	Leu	Asp	Ala	Gln 15	Ile	
Lys	Ser	Gly	Glu 20	Val	Lys	Gly	Val	Phe 25	Ala	Leu	Thr	Glu	Pro 30	Asp	His	
Gly	Ser	Asp 35	Ile	Ala	Gly	Gly	Leu 40	Ala	Thr	Thr	Ala	Thr 45	Lys	Asp	Ala	
Asp	Thr 50	Gly	Glu	Trp	Ile	Ile 55	Asn	Gly	Glu	Lys	Arg 60	Trp	Ile	Gly	Gly	
Ala 65	Ser	Thr	Ala	Asp	Leu 70	Ile	Ala	Thr	Phe	Ala 75	Arg	Asp	Thr	Ala	Asp 80	
Asn	Gln	Val	Lys	Cys 85	Phe	Leu	Val	Ala	Pro 90	Gln	Ala	Glu	Gly	Val 95	Ser	
Met	Glu	I·le	Ile 100	Asp	Arg	Lys	Ala	Ser 105	Leu	Arg	Ile	Met	Gln 110	Asn	Ala	
His	Ile	Thr 115	Tyr	Asn	Asn	Val	Arg 120	Val	Ser	Gly	Asp	Ala 125	Arg	Leu	His	
Asn	Ile 130	Asn	Ser	Phe	Lys	Asp 135	Val	Ser	Glu	Суз	Leu 140	Arg	Arg	Met	Arg	
Ser 145	Ąsp	Val	Ala	Trp	Met 150	Ala	Val	Gly	Ala	Gln 155	Ala	Gly	Ala	Tyr	Glu 160	`
Ala	Ala	Val	Lys	Tyr	Val	Arg	Ser	Arg	Glu	Gln	Phe	Gly	Arg	Pro	Ile	

				165					170					175		
Ala	Gly	Phe	Gln 180	Leu	Ile	Gln	Glu	Lys 185	Leu	Ala	Leu	Met	Leu 190	Gly	Asn	
Leu	Thr	Ala 195	Ser	Leu	Gly	Met	Met 200	Val	Lys	Leu	Thr	Asp 205	Gln	Gln	Gln	
Ala	Gly 210	Ile	Phe	Lys	Glu	Glu 215	Asn	Ser	Ala	Leu	Ala 220	Lys	Met	Phe	Thr	
Ser 225	Leu	Lys	Leu	Arg	Glu 230	Thr	Ala	Ser	Trp	Ala 235	Arg	Glu	Ile	Cys	Gly 240	
Gly	Asn	Gly	Ile	Ile 245	Leu	Asp	Asn	Asp	Val 250	Ala	Arg	Phe	His	Ala 255	Asp	
Ala	Glu	Ala	Val 260	Tyr	Ser	Tyr	Glu	Gly 265	Thr	His	Glu	Ile	Asn 270	Ala	Leu	
Ile	Val	Gly 275	Arg	Xaa	Ile	Leu	Gly 280	Xaa	Leu	Phe	Phe	Leu 285	Tyr	Tyr	Xaa	
Xaa	Phe 290	Glu	Glu	Asp	Leu	His 295	Asp	Tyr	Phe	His	His 300	Pro	Lys	Pro	Ser	
Phe 305	Leu	Ser	Lys	Thr	His 310	Gln	Pro	Ser	Pro	Ala 315	Arg	Thr	Trp	Ala	Phe 320	
Arg	Ser	Gly	Ala	Leu 325	Ser	Pro	Arg	Arg	Trp 330							
<211 <212	0> 83 L> 39 2> DN 3> Co	91	ebact	eriu	ım gl	utam	nicum	ı								
<222	l> C[?> (1	os 101). RXA01)1)												
)> 83 gaggt		ıtccg	ıggaa	ıt cc	tcaa	agac	: aat	gegg	ıtga	aggt	actt	gg c	ctaç	geeget	60
agca	ictga	igc g	ıcgga	tctc	a ag	rcaga	aaag	gto	gtgc			cgt Arg				115
caa Gln	ggt Gly	gct Ala	gtt Val	att Ile 10	cct Pro	tct Ser	gat Asp	ctt Leu	ttt Phe 15	ggt Gly	ttc Phe	gca Ala	gaa Glu	gtt Val 20	ctc Leu	163
acc Thr	gaa Glu	gcc Ala	gaa Glu 25	cgc Arg	gca Ala	gtt Val	ctt Leu	ctg Leu 30	gaa Glu	acc Thr	cgc Arg	agg Arg	gtg Val 35	ctt Leu	gag Glu	211
gaa Glu	gag Glu	gtg Val	aag Lys	cct Pro	tat Tyr	att Ile	aat Asn	gag Glu	gcc Ala	tgg Trp	gat Asp	aag Lys	gca Ala	gtc Val	ttc Phe	259

50

40

ccc gat gag atc gtg cag ccc ctc caa gat ctg caa ttg ctt gat ccg 307 Pro Asp Glu Ile Val Gln Pro Leu Gln Asp Leu Gln Leu Leu Asp Pro 55 cct gca ctt cgg gaa gca ggg gag tcg gtt cga gac att ttc act ggt 355 Pro Ala Leu Arg Glu Ala Gly Glu Ser Val Arg Asp Ile Phe Thr Gly 70 75 80 ttc cgc aat ttt gaa ctc gcg cgc tgt gac atc aat 391 Phe Arg Asn Phe Glu Leu Ala Arg Cys Asp Ile Asn <210> 84 <211> 97 <212> PRT <213> Corynebacterium glutamicum Met Arg Asp Pro Ile Gln Gly Ala Val Ile Pro Ser Asp Leu Phe Gly Phe Ala Glu Val Leu Thr Glu Ala Glu Arg Ala Val Leu Leu Glu Thr 20 25 30 Arg Arg Val Leu Glu Glu Glu Val Lys Pro Tyr Ile Asn Glu Ala Trp Asp Lys Ala Val Phe Pro Asp Glu Ile Val Gln Pro Leu Gln Asp Leu 55 Gln Leu Leu Asp Pro Pro Ala Leu Arg Glu Ala Gly Glu Ser Val Arg Asp Ile Phe Thr Gly Phe Arg Asn Phe Glu Leu Ala Arg Cys Asp Ile Asn <210> 85 <211> 1659 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1636) <223> RXN01762 <400> 85 tggagtgatg aattttccta tagaacgttt tttaaacgat tgacttttta aacgtttacg 60 cttttaatga cttcaaacgt gatctaaagc acaaaggaga atg aaa gtg aac ctc 115 Met Lys Val Asn Leu 1 gga ata gga agc tac cca cga cgc agg gca act gtt cga cca gag tcc Gly Ile Gly Ser Tyr Pro Arg Arg Ala Thr Val Arg Pro Glu Ser

10 15 20

act Thr	gca Ala	atc Ile	gaa Glu 25	ttc Phe	gaa Glu	ggc Gly	acc Thr	agc Ser 30	atc Ile	acc Thr	tac Tyr	gga Gly	gaa Glu 35	ttc Phe	agc Ser	211
aaa Lys	cga Arg	gtc Val 40	aat Asn	cgg Arg	ctt Leu	gga Gly	cat His 45	gct Ala	ctt Leu	cta Leu	gac Asp	ctc Leu 50	ggc Gly	gtt Val	gcg Ala	259
cac His	caa Gln 55	gat Asp	cga Arg	gta Val	gct Ala	tat Tyr 60	gtc Val	gga Gly	ttc Phe	aac Asn	cac His 65	cct Pro	gcc Ala	ctg Leu	cta Leu	307
gaa Glu 70	gtg Val	ttc Phe	ttt Phe	tca Ser	acg Thr 75	aac Asn	ctc Leu	att Ile	ggg Gly	gca Ala 80	aca Thr	ccc Pro	gtg Val	ctt Leu	gtt Val 85	355
aac Asn	cct Pro	cgc Arg	cta Leu	tcg Ser 90	gca Ala	aac Asn	gaa Glu	atc Ile	gat Asp 95	tac Tyr	atc Ile	atc Ile	caa Gln	gac Asp 100	agc Ser	403
ggt Gly	gcg Ala	agc Ser	atc Ile 105	gtg Val	ttt Phe	tac Tyr	gga Gly	atc Ile 110	gac Asp	ctc Leu	atc Ile	gag Glu	cac His 115	gcc Ala	act Thr	451
tac Tyr	ctc Leu	caa Gln 120	gaa Glu	ctc Leu	cat His	cca Pro	gag Glu 125	atc Ile	atc Ile	atg Met	gtg Val	gcc Ala 130	gtt Val	gaa Glu	ggc Gly	499
gat Asp	gag Glu 135	ggt Gly	cca Pro	ggt Gly	ttg Leu	cgt Arg 140	cga Arg	aaa Lys	gcg Ala	ctt Leu	att Ile 145	gaa Glu	gcg Ala	gcg Ala	agc Ser	547
gac Asp 150	gcc Ala	gac Asp	atc Ile	gac Asp	cta Leu 155	gaa Glu	gtc Val	agc Ser	gat Asp	gat Asp 160	gac Asp	ctg Leu	gtg Val	ctg Leu	ctc Leu 165	595
atg Met	tac Tyr	acc Thr	tcc Ser	gga Gly 170	acc Thr	act Thr	ggc Gly	cgc Arg	cca Pro 175	aag Lys	ggc Gly	gcc Ala	atg Met	tta Leu 180	tcc Ser	643
cac His	cga Arg	aac Asn	ctc Leu 185	ttc Phe	ttt Phe	aac Asn	tac Tyr	ttc Phe 190	aat Asn	gcc Ala	ctg Leu	ctc Leu	agc Ser 195	cag Gln	gaa Glu	691
att Ile	gaa Glu	caa Gln 200	ggc Gly	gcg Ala	gta Val	ctt Leu	tta Leu 205	tcc Ser	act Thr	gcg Ala	ccg Pro	tta Leu 210	ttc Phe	cac His	atc Ile	739
gcg Ala	ggc Gly 215	ctc Leu	aac Asn	atg Met	acc Thr	acc Thr 220	atc Ile	ccg Pro	gtg Val	atg Met	atg Met 225	aag Lys	ggc Gly	gga Gly	aag Lys	787
gtg Val 230	atc Ile	atc Ile	cac His	cgc Arg	gaa Glu 235	ttc Phe	cgg Arg	gca Ala	gag Glu	cac His 240	gtc Val	ctc Leu	gac Asp	gaa Glu	atc Ile 245	835
gaa Glu	cgc Arg	tcc Ser	Lys	gta Val 250	tcc Ser	gaa Glu	tcc Ser	Phe	atg Met 255	gtg Val	cca Pro	gcg Ala	atg Met	atc Ile 260	gac Asp	883

		cca Pro						931
		ggc Gly						979
		gac Asp						1027
		gcc Ala 315						1075
		ggt Gly						1123
		ggc Gly						1171
		cca Pro						1219
		gca Ala						1267
		gaa Glu 395						1315
		tcc Ser						1363
		gaa Glu						1411
		cga Arg						1459
		ctg Leu						1507
		gtc Val 475						1555
		ctc Leu						1603

aac atc ctg cga gac ttc acc atc ccc gtt tca taaacccccc aacgtcactt 1656 Asn Ile Leu Arg Asp Phe Thr Ile Pro Val Ser 505

tga 1659

<210> 86

<211> 512

<212> PRT

<213> Corynebacterium glutamicum

<400> 86

Met Lys Val Asn Leu Gly Ile Gly Ser Tyr Pro Arg Arg Arg Ala Thr 1 5 10 15

Val Arg Pro Glu Ser Thr Ala Ile Glu Phe Glu Gly Thr Ser Ile Thr
20 25 30

Tyr Gly Glu Phe Ser Lys Arg Val Asn Arg Leu Gly His Ala Leu Leu 35 40 45

Asp Leu Gly Val Ala His Gln Asp Arg Val Ala Tyr Val Gly Phe Asn 50 55 60

His Pro Ala Leu Leu Glu Val Phe Phe Ser Thr Asn Leu Ile Gly Ala 65 70 75 80

Thr Pro Val Leu Val Asn Pro Arg Leu Ser Ala Asn Glu Ile Asp Tyr 85 90 95

Ile Ile Gln Asp Ser Gly Ala Ser Ile Val Phe Tyr Gly Ile Asp Leu 100 105 110

Ile Glu His Ala Thr Tyr Leu Gln Glu Leu His Pro Glu Ile Ile Met
115 120 125

Val Ala Val Glu Gly Asp Glu Gly Pro Gly Leu Arg Arg Lys Ala Leu 130 135 140

Asp Leu Val Leu Leu Met Tyr Thr Ser Gly Thr Thr Gly Arg Pro Lys 165 170 175

Gly Ala Met Leu Ser His Arg Asn Leu Phe Phe Asn Tyr Phe Asn Ala 180 185 190

Leu Leu Ser Gln Glu Ile Glu Gln Gly Ala Val Leu Leu Ser Thr Ala 195 200 205

Pro Leu Phe His Ile Ala Gly Leu Asn Met Thr Thr Ile Pro Val Met 210 215 220

Met Lys Gly Gly Lys Val Ile Ile His Arg Glu Phe Arg Ala Glu His 225 230 235 240

Val Leu Asp Glu Ile Glu Arg Ser Lys Val Ser Glu Ser Phe Met Val 245 250 255

Pro Ala Met Ile Asp Met Leu Ser Asn His Pro Ser Phe Ala Glu Arg 260 265 270

Asp Leu Ser Ser Leu Arg Ala Ile Met Val Gly Gly Ser Pro Leu Ser 275 280 285

Glu Arg Ala Leu Arg Ile Trp Gln Gly Arg Asp Val Lys Ile Val Gln 290 295 300

Gly Phe Gly Met Thr Glu Thr Ala Pro Gly Ala Cys Ile Leu Glu Ala 305 310 315 320

Thr Asp Thr Ser Thr His Leu Gly Thr Ala Gly Arg Ala His Phe Phe 325 330 335

Thr Asp Ile Lys Leu Val Asp Pro Lys Thr Gly Glu Glu Val Pro Thr 340 345 350

Gly Glu Ala Gly Glu Val Leu Ile Arg Gly Pro His Val Met Thr Gly 355 360 365

Tyr Trp Asn Arg Pro Glu Asp Thr Ala Ser Ala Leu Gln Asn Gly Trp 370 375 380

Tyr His Ser Gly Asp Ile Ala Ile Lys Asp Glu Asp Gly Tyr Tyr Thr 385 390 395 400

Ile Lys Asp Arg Ile Lys Asp Met Tyr Ile Ser Gly Gly Glu Asn Ile
405 410 415

Tyr Pro Ala Glu Val Glu Gln Ala Leu Gln Glu Leu Glu Ala Val Leu 420 425 430

Asp Ala Ala Val Ile Gly Val Pro Asp Glu Arg Trp Gly Glu Thr Gly
435 440 445

Ile Ala Phe Val Ser Ile Arg Glu Ser Tyr Leu Thr Asn Pro Pro Thr 450 455 460

Gly Pro Glu Leu Arg Glu Leu Leu Gly Ser Val Leu Ala Arg Tyr Lys 465 470 475 480

Leu Pro Arg Glu Ile His Ile Ile Glu Glu Leu Pro Arg Asn Ala Thr 485 490 495

Gly Lys Ile Gln Lys Asn Ile Leu Arg Asp Phe Thr Ile Pro Val Ser 500 505 510

<210> 87

<211> 1372

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(1363)

<223> FRXA01762

<400> 87 tggagtgatg aattttccta tagaacgttt tttaaacgat tgacttttta aacgtttacg 60 cttttaatga cttcaaacgt gatctaaagc acaaaggaga atg aaa gtg aac ctc Met Lys Val Asn Leu gga ata gga agc tac cca cga cgc agg gca act gtt cga cca gag tcc 163 Gly Ile Gly Ser Tyr Pro Arg Arg Arg Ala Thr Val Arg Pro Glu Ser act gca atc gaa ttc gaa ggc acc agc atc acc tac gga gaa ttc agc 211 Thr Ala Ile Glu Phe Glu Gly Thr Ser Ile Thr Tyr Gly Glu Phe Ser aaa cga gtc aat cgg ctt gga cat gct ctt cta gac ctc ggc gtt gcg 259 Lys Arg Val Asn Arg Leu Gly His Ala Leu Leu Asp Leu Gly Val Ala cac caa gat cga gta gct tat gtc gga ttc aac cac cct gcc ctg cta His Gln Asp Arg Val Ala Tyr Val Gly Phe Asn His Pro Ala Leu Leu gaa gtg ttc ttt tca acg aac ctc att ggg gca aca ccc gtg ctt gtt 355 Glu Val Phe Phe Ser Thr Asn Leu Ile Gly Ala Thr Pro Val Leu Val 75 aac cct cgc cta tcg gca aac gaa atc gat tac atc caa gac agc Asn Pro Arg Leu Ser Ala Asn Glu Ile Asp Tyr Ile Ile Gln Asp Ser 90 ggt gcg agc atc gtg ttt tac gga atc gac ctc atc gag cac gcc act 451 Gly Ala Ser Ile Val Phe Tyr Gly Ile Asp Leu Ile Glu His Ala Thr 105 tac ctc caa gaa ctc cat cca gag atc atc atg gtg gcc gtt gaa ggc Tyr Leu Gln Glu Leu His Pro Glu Ile Ile Met Val Ala Val Glu Gly 120 125 gat gag ggt cca ggt ttg cgt cga aaa gcg ctt att gaa gcg gcg agc Asp Glu Gly Pro Gly Leu Arg Arg Lys Ala Leu Ile Glu Ala Ala Ser 135 gac gcc gac atc gac cta gaa gtc agc gat gat gac ctg gtg ctg ctc Asp Ala Asp Ile Asp Leu Glu Val Ser Asp Asp Leu Val Leu Leu 150 160 atg tac acc tcc gga acc act ggc cgc cca aag ggc gcc atg tta tcc Met Tyr Thr Ser Gly Thr Thr Gly Arg Pro Lys Gly Ala Met Leu Ser 170 cac cga aac ctc ttc ttt aac tac ttc aat gcc ctg ctc agc cag gaa 691 His Arg Asn Leu Phe Phe Asn Tyr Phe Asn Ala Leu Leu Ser Gln Glu 185 190 att gaa caa ggc gcg gta ctt tta tcc act gcg ccg tta ttc cac atc Ile Glu Gln Gly Ala Val Leu Leu Ser Thr Ala Pro Leu Phe His Ile gcg ggc ctc aac atg acc acc atc ccg gtg atg atg aag ggc gga aag

Ala	Gly 215	Leu	Asn	Met	Thr	Thr 220		Pro	Val	Met	Met 225	_	Gly	Gly	Lys	
gt@ Va] 230	. Ile	atc	cac	cgc Arg	gaa Glu 235	ttc Phe	cgg Arg	gca Ala	gag Glu	cac His 240	gtc Val	ctc Leu	gac Asp	gaa Glu	atc Ile 245	835
gaa Glu	cgc Arg	tcc Ser	aag Lys	gta Val 250	tcc Ser	gaa Glu	tcc Ser	ttc Phe	atg Met 255	gtg Val	cca Pro	gcg Ala	atg Met	atc Ile 260	gac Asp	883
atg Met	ttg Leu	tcc Ser	aac Asn 265	cac His	cca Pro	tca Ser	ttt Phe	gcc Ala 270	gaa, Glu	cgc Arg	gac Asp	ctt Leu	tct Ser 275	tcc Ser	ctt Leu	931
cgc Arg	gcc Ala	atc Ile 280	atg Met	gtg Val	ggc Gly	ggc Gly	tct Ser 285	ccc Pro	ctt Leu	agc Ser	gaa Glu	cgt Arg 290	gcg Ala	ctg Leu	cga Arg	979
atc Ile	tgg Trp 295	caa Gln	gga Gly	cgc Arg	gac Asp	gta Val 300	aaa Lys	att Ile	gtc Val	caa Gln	ggc Gly 305	ttc Phe	ggc Gly	atg Met	aca Thr	1027
gaa Glu 310	Thr	gca Ala	ccg Pro	ggc Gly	gcc Ala 315	tgt Cys	atc Ile	ctc Leu	gag Glu	gca Ala 320	aca Thr	gac Asp	aca Thr	agc Ser	aca Thr 325	1075
cac His	ctt Leu	gga Gly	acc Thr	gca Ala 330	ggt Gly	cga Arg	gcc Ala	cac His	ttc Phe 335	ttc Phe	acc Thr	gac [.] Asp	atc Ile	aaa Lys 340	cta Leu	1123
gtg Val	gac Asp	ccg Pro	aaa Lys 345	acc Thr	ggc Gly	gaa Glu	gaa Glu	gtc Val 350	ccc Pro	acc Thr	gga Gly	gag Glu	gcc Ala 355	ggc Gly	gaa Glu	1171
gtt Val	ctc Leu	atc Ile 360	cgc Arg	gga Gly	cca Pro	cat His	gtg Val 365	atg Met	acc Thr	gga Gly	tac Tyr	tgg Trp 370	aac Asn	cga Arg	cca Pro	1219
gaa Glu	gac Asp 375	acc Thr	gcc Ala	agc Ser	gca Ala	cta Leu 380	caa Gln	aat Asn	ggc Gly	tgg Trp	tac Tyr 385	cac His	tcc Ser	gga Gly	gat Asp	1267
atc Ile 390	gcc Ala	atc Ile	aaa Lys	gat Asp	gaa Glu 395	gac Asp	ggc Gly	tac Tyr	tac Tyr	acc Thr 400	atc Ile	aaa Lys	gac Asp	cgc Arg	atc Ile 405	1315
aaa Lys	gac Asp	atg Met	tac Tyr	atc Ile 410	tcc Ser	ggc Gly	ggc Gly	gaa Glu	aac Asn 415	att Ile	tac Tyr	ccc Pro	gca Ala	gaa Glu 420	gtc Val	1363
taaq	gtaco	:C										•				1372
<210)> 88	;														

<210> 88

<211> 421

<212> PRT

<213> Corynebacterium glutamicum

<400> 88

Met Lys Val Asn Leu Gly Ile Gly Ser Tyr Pro Arg Arg Arg Ala Thr

1 5 10 15

Val Arg Pro Glu Ser Thr Ala Ile Glu Phe Glu Gly Thr Ser Ile Thr 20 25 30

Tyr Gly Glu Phe Ser Lys Arg Val Asn Arg Leu Gly His Ala Leu Leu 35 40 45

Asp Leu Gly Val Ala His Gln Asp Arg Val Ala Tyr Val Gly Phe Asn 50 55 60

His Pro Ala Leu Leu Glu Val Phe Phe Ser Thr Asn Leu Ile Gly Ala 65 70 75 80

Thr Pro Val Leu Val Asn Pro Arg Leu Ser Ala Asn Glu Ile Asp Tyr 85 90 95

Ile Ile Gln Asp Ser Gly Ala Ser Ile Val Phe Tyr Gly Ile Asp Leu 100 105 110

Ile Glu His Ala Thr Tyr Leu Gln Glu Leu His Pro Glu Ile Ile Met 115 120 125

Val Ala Val Glu Gly Asp Glu Gly Pro Gly Leu Arg Arg Lys Ala Leu 130 135 140

Ile Glu Ala Ala Ser Asp Ala Asp Ile Asp Leu Glu Val Ser Asp Asp 145 150 155 160

Asp Leu Val Leu Met Tyr Thr Ser Gly Thr Thr Gly Arg Pro Lys 165 170 175

Gly Ala Met Leu Ser His Arg Asn Leu Phe Phe Asn Tyr Phe Asn Ala 180 185 190

Leu Leu Ser Gln Glu Ile Glu Gln Gly Ala Val Leu Leu Ser Thr Ala 195 200 205

Pro Leu Phe His Ile Ala Gly Leu Asn Met Thr Thr Ile Pro Val Met 210 215 220

Met Lys Gly Gly Lys Val Ile Ile His Arg Glu Phe Arg Ala Glu His 225 230 235 240

Val Leu Asp Glu Ile Glu Arg Ser Lys Val Ser Glu Ser Phe Met Val 245 250 255

Pro Ala Met Ile Asp Met Leu Ser Asn His Pro Ser Phe Ala Glu Arg 260 265 270

Asp Leu Ser Ser Leu Arg Ala Ile Met Val Gly Gly Ser Pro Leu Ser 275 280 285

Glu Arg Ala Leu Arg Ile Trp Gln Gly Arg Asp Val Lys Ile Val Gln 290 295 300

Gly Phe Gly Met Thr Glu Thr Ala Pro Gly Ala Cys Ile Leu Glu Ala 305

Thr Asp Thr Ser Thr His Leu Gly Thr Ala Gly Arg Ala His Phe Phe 325 330 335

Thr Asp Ile Lys Leu Val Asp Pro Lys Thr Gly Glu Glu Val Pro Thr Gly Glu Ala Gly Glu Val Leu Ile Arg Gly Pro His Val Met Thr Gly 360 Tyr Trp Asn Arg Pro Glu Asp Thr Ala Ser Ala Leu Gln Asn Gly Trp 370 375 Tyr His Ser Gly Asp Ile Ala Ile Lys Asp Glu Asp Gly Tyr Tyr Thr 390 395 Ile Lys Asp Arg Ile Lys Asp Met Tyr Ile Ser Gly Glu Asn Ile 405 Tyr Pro Ala Glu Val 420 <210> 89 <211> 867 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(844) <223> RXA00681 <400> 89 aagggcaagg ttgtcattgt tgatccagat gcgccacgca tcgaaggacc cggcgcgcac 60 agccatgege acteagtage ageacatggg gtggatacae atg cet agt eea ege 115 Met Pro Ser Pro Arg act gtt ctt atc act ggt gcc gct ggc ggt ttg ggt cgg gca ttc gct Thr Val Leu Ile Thr Gly Ala Ala Gly Gly Leu Gly Arg Ala Phe Ala 10 gaa ggt ttc gca gcc caa gga gac cgt atc gcg gtg gcg gat atc aat 211 Glu Gly Phe Ala Ala Gln Gly Asp Arg Ile Ala Val Ala Asp Ile Asn 25 ctg gat ggg gcg caa gag acc gtt gac aag ctg aaa gca ttg ggc gca 259 Leu Asp Gly Ala Gln Glu Thr Val Asp Lys Leu Lys Ala Leu Gly Ala 40 45 307 gat goo goa goo tit gaa git gat gio acg tot tig gag too acc gag Asp Ala Ala Ala Phe Glu Val Asp Val Thr Ser Leu Glu Ser Thr Glu 55 60 gcc cta gcc gcc ggt gcc gct gag ttt ggc ggt ggc cga att gat gtc Ala Leu Ala Ala Gly Ala Ala Glu Phe Gly Gly Arg Ile Asp Val 70 75 80 ctt att aat aac gca gcg ata tat gcg aca gtg act cgt tca ccg ttt 403 Leu Ile Asn Asn Ala Ala Ile Tyr Ala Thr Val Thr Arg Ser Pro Phe

gag Glu	gat Asp	att Ile	gac Asp 105	cct Pro	gcg Ala	gag Glu	tgg Trp	gat Asp 110	ttg Leu	gtc Val	atg Met	gga Gly	gtc Val 115	aat Asn	ctc Leu	451
aaa Lys	ggc Gly	ccg Pro 120	tgg Trp	ttg Leu	gtg Val	acg Thr	cgt Arg 125	tct Ser	gtg Val	agt Ser	ccg Pro	ttt Phe 130	ttg Leu	tcc Ser	gat Asp	499
aat Asn	gcc Ala 135	cgt Arg	gtg Val	gtc Val	aat Asn	ctt Leu 140	tcc Ser	agc Ser	gcg Ala	act Thr	gtg Val 145	ttt Phe	tca Ser	gga Gly	tct Ser	547
gca Ala 150	cac His	tgg Trp	gcg Ala	cac His	tac Tyr 155	gtg Val	gca Ala	tcc Ser	aaa Lys	ggt Gly 160	ggg Gly	gtc Val	att Ile	gct Ala	tta Leu 165	595
acc Thr	agg Arg	gtg Val	ctt Leu	gct Ala 170	aaa Lys	gag Glu	ctg Leu	ggt Gly	ggt Gly 175	cgt Arg	ggg Gly	atc Ile	acg Thr	gtc Val 180	aat Asn	643
gcg Ala	gtt Val	gcg Ala	cct Pro 185	ggg Gly	ttt Phe	acg Thr	ctg Leu	act Thr 190	gaa Glu	gcc Ala	agc Ser	ttg Leu	gga Gly 195	ctc Leu	atg Met	691
gat Asp	agc Ser	gcg Ala 200	gaa Glu	acg Thr	tac Tyr	ggt Gly	gtc Val 205	gat Asp	cgc Arg	gga Gly	tcc Ser	atc Ile 210	aag Lys	cgc Arg	gca Ala	739
agc Ser	caa Gln 215	ccg Pro	aaa Lys	gac Asp	atc Ile	gtc Val 220	ggc Gly	acc Thr	acc Thr	atg Met	ttt Phe 225	ctt Leu	gca Ala	tcc Ser	cca Pro	787
gaa Glu 230	gcc Ala	gaa Glu	tac Tyr	atc Ile	act Thr 235	ggg Gly	caa Gln	aca Thr	ctc Leu	atc Ile 240	gtt Val	gat Asp	ggt Gly	ggc Gly	cga Arg 245	835
cag Gln	ttc Phe	atc Ile	taag	tact	aa a	agtt	ctaa	g ga	g							867

<210> 90

<211> 248

<212> PRT

<213> Corynebacterium glutamicum

<400> 90

Met Pro Ser Pro Arg Thr Val Leu Ile Thr Gly Ala Ala Gly Gly Leu 1 5 10 15

Gly Arg Ala Phe Ala Glu Gly Phe Ala Ala Gln Gly Asp Arg Ile Ala 20 25 30

Val Ala Asp Ile Asn Leu Asp Gly Ala Gln Glu Thr Val Asp Lys Leu 35 40 45

Lys Ala Leu Gly Ala Asp Ala Ala Ala Phe Glu Val Asp Val Thr Ser 50 55 60

Leu Glu Ser Thr Glu Ala Leu Ala Ala Gly Ala Ala Glu Phe Gly Gly 65 70 .75 80

Gly Arg Ile Asp Val Leu Ile Asn Asn Ala Ala Ile Tyr Ala Thr Val Thr Arg Ser Pro Phe Glu Asp Ile Asp Pro Ala Glu Trp Asp Leu Val 105 110 Met Gly Val Asn Leu Lys Gly Pro Trp Leu Val Thr Arg Ser Val Ser 120 Pro Phe Leu Ser Asp Asn Ala Arg Val Val Asn Leu Ser Ser Ala Thr 130 135 Val Phe Ser Gly Ser Ala His Trp Ala His Tyr Val Ala Ser Lys Gly 150 Gly Val Ile Ala Leu Thr Arg Val Leu Ala Lys Glu Leu Gly Gly Arg 170 Gly Ile Thr Val Asn Ala Val Ala Pro Gly Phe Thr Leu Thr Glu Ala 180 185 Ser Leu Gly Leu Met Asp Ser Ala Glu Thr Tyr Gly Val Asp Arg Gly 200 Ser Ile Lys Arg Ala Ser Gln Pro Lys Asp Ile Val Gly Thr Thr Met 210 215 Phe Leu Ala Ser Pro Glu Ala Glu Tyr Ile Thr Gly Gln Thr Leu Ile 230 235 Val Asp Gly Gly Arg Gln Phe Ile 245 <210> 91 <211> 837 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(814) <223> RXA00802 <400> 91 gccatggtga tcacaccagt gtgggggctg aggctccaca cttggaggaa tggattaaac 60 gegggeacta ageceegaac gattagtagg ettgggeace atg gat ett aaa ett Met Asp Leu Lys Leu ggt ggc caa gtc ata ctt gtt ggt ggc ggt gca gga act att ggt tct 163 Gly Gly Gln Val Ile Leu Val Val Gly Gly Ala Gly Thr Ile Gly Ser gaa gtt gta aaa ctc tta act gaa gaa ggc gca acc gcg gta gcg gcg 211 Glu Val Val Lys Leu Leu Thr Glu Glu Gly Ala Thr Ala Val Ala Ala 30 tcg aga agc acg ccc tta tct att gac gct tcg gat gaa gcg tcc gtc

Ser	Arg	Ser 40	Thr	Pro	Leu	Ser	Ile 45	Asp	Ala	Ser	Asp	Glu 50	Ala	Ser	Val	
	gcg Ala 55															307
	gtt Val															355
	gat Asp															403
	ttt Phe															451
_	cat His		_		-	-				-						499
	agt Ser 135				Ser											547
	aat Asn															595
	agc Ser									-	-	-				643
	aat Asn															691
	tgt Cys															739
	ata Ile 215															787
	cgt Arg								taa	egge	cgt 1	tctg	taa	ag		834
att										•						837

<210> 92

Met Asp Leu Lys Leu Gly Gly Gln Val Ile Leu Val Val Gly Gly Ala

<211> 238

<212> PRT

<213> Corynebacterium glutamicum

<400> 92

1 10 15 Gly Thr Ile Gly Ser Glu Val Val Lys Leu Leu Thr Glu Glu Gly Ala Thr Ala Val Ala Ala Ser Arg Ser Thr Pro Leu Ser Ile Asp Ala Ser Asp Glu Ala Ser Val Arg Ala Gly Ile Asp Gln Val Ile Ala Glu His Gly Arg Leu Asp Gly Leu Val Val Ser Ser Ala Pro Ala Ala Gln Thr Leu Ser Ala Glu Thr Ala Asp Asp Pro Asp Thr Val Leu Ala Ala Ile 90 Glu Gly Lys Ala Ile Thr Phe Met Lys Ala Ala Thr Val Ala Leu Glu 105 Lys Met Arg Glu Ala Gly His Gly Arg Ile Val Ala Leu Ser Gly Met 120 Asn Ser Tyr Lys Thr Leu Ser Thr Thr Ala Ser Ala Arg Asn Ala Ala Leu Asn Val Val Lys Asn Leu Ala Asp Arg His Ala Gly Thr Gly 150 155 Ile Thr Val Asn Ala Ile Ser Pro Gly Phe Val Val Ala Glu Pro Asp 165 170 Ala Glu Val Asn Arg Ala Asn Gly Asp Thr Thr Trp Arg Arg Ser Arg Arg Arg Ser Arg Phe Cys Cys Arg Arg Ala Pro His Gln Phe Leu Glu 195 Arg Leu Phe Arg Trp Asp Ile Arg Arg Arg Ala Ser Ser Phe Leu Ser 215 Ser Arg Glu Leu Pro Lys Arg Lys His Pro Arg Val Arg Ala 230 235 <210> 93 <211> 329 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (1)..(306) <223> RXA02133 <400> 93 gaa aac ccc tac att ggc gga gct gga tac aac gca gca aaa ttc ggt 48 Glu Asn Pro Tyr Ile Gly Gly Ala Gly Tyr Asn Ala Ala Lys Phe Gly

96

gta gca gca ttc aac cgt gtg ctt cgc ttg gaa acc cac cag cag acc

Val Ala Ala Phe Asn Arg Val Leu Arg Leu Glu Thr His Gln Gln Thr ctt cgc gta tct gag atc gat cca ggt cga gtt gcc acg gaa gaa ttc Leu Arg Val Ser Glu Ile Asp Pro Gly Arg Val Ala Thr Glu Glu Phe tcc ctc gtt cgt ttc ggc gga gat aaa gaa cgc gca gaa gca gtc tat Ser Leu Val Arg Phe Gly Gly Asp Lys Glu Arg Ala Glu Ala Val Tyr gac gac gtc ctc aac ctc acc gct gaa gac atc gca gag tct gtg cgt Asp Asp Val Leu Asn Leu Thr Ala Glu Asp Ile Ala Glu Ser Val Arg 65 70 tgg gtc gcg agc ctt cca aag cac atg aac att gac cgc atg cgt att 288 Trp Val Ala Ser Leu Pro Lys His Met Asn Ile Asp Arg Met Arg Ile aca cct cgc gat cag gtc taaaacccgc actcttttga aat 329 Thr Pro Arg Asp Gln Val 100

<210> 94

<211> 102

<212> PRT

<213> Corynebacterium glutamicum

<400> 94

Glu Asn Pro Tyr Ile Gly Gly Ala Gly Tyr Asn Ala Ala Lys Phe Gly
1 5 10 15

Val Ala Ala Phe Asn Arg Val Leu Arg Leu Glu Thr His Gln Gln Thr

Leu Arg Val Ser Glu Ile Asp Pro Gly Arg Val Ala Thr Glu Glu Phe 35 40 45

Ser Leu Val Arg Phe Gly Gly Asp Lys Glu Arg Ala Glu Ala Val Tyr
50 55 60

Asp Asp Val Leu Asn Leu Thr Ala Glu Asp Ile Ala Glu Ser Val Arg 65 70 75 80

Trp Val Ala Ser Leu Pro Lys His Met Asn Ile Asp Arg Met Arg Ile 85 90 95

Thr Pro Arg Asp Gln Val

<210> 95

<211> 1347

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(1324)

<223> RXN01114

<400> 95 ttcggtggaa gatatccgca agctggtgct gccgcagctt ttagaaacgg ctcaagcaat 60 ttcgacagat ctctctgcac tctaaattaa ggatcaaaaa atg aac cct caa gat Met Asn Pro Gln Asp att gtc atc tgt tcc cca ttg cgc acc cca gtt ggt gct tac ggc gga 163 Ile Val Ile Cys Ser Pro Leu Arg Thr Pro Val Gly Ala Tyr Gly Gly 10 15 tcc ttc acc ggc gtc cct gtt gaa gaa ttg gcc acc acc gtg atc aac 211 Ser Phe Thr Gly Val Pro Val Glu Glu Leu Ala Thr Thr Val Ile Asn 30 gcg atc gtt gag gca acc ggc atc acc ggc gac gat gtg gac gat ctg 259 Ala Ile Val Glu Ala Thr Gly Ile Thr Gly Asp Asp Val Asp Asp Leu 40 45 ate etc gge cag gea tee eec aac ggt geg get eea gea etg gge egt 307 Ile Leu Gly Gln Ala Ser Pro Asn Gly Ala Ala Pro Ala Leu Gly Arg gtt gtt gct cta gat tcc aag ctt ggc caa aac gtt cca ggc atg cag 355 Val Val Ala Leu Asp Ser Lys Leu Gly Gln Asn Val Pro Gly Met Gln 70 ctt gat cgc cgc tgt ggt tcc ggc ctg cag gca atc gtc acc gct gct 403 Leu Asp Arg Arg Cys Gly Ser Gly Leu Gln Ala Ile Val Thr Ala Ala 90 100 gca cac gtt gca tcc ggc gct gct gat ctg atc atc gca ggt ggc gca Ala His Val Ala Ser Gly Ala Ala Asp Leu Ile Ile Ala Gly Gly Ala 105 110 115 gaa too atg ago ogo gtt gag tac aco gtg too ggo gat atc ogt tgg Glu Ser Met Ser Arg Val Glu Tyr Thr Val Ser Gly Asp Ile Arg Trp 120 ggt gtc aag ggc ggc gac atg cag ctt cgt gac cgc ctt gca gaa gca 547 Gly Val Lys Gly Gly Asp Met Gln Leu Arg Asp Arg Leu Ala Glu Ala 135 140 cgc gaa acc get ggc gga cgc aac cac ccg atc cct ggt ggc atg atc 595 Arg Glu Thr Ala Gly Gly Arg Asn His Pro Ile Pro Gly Gly Met Ile 155 gag acc gct gag aac ctg cgt cgc gaa tac ggc atc tcc cgc gag gag 643 Glu Thr Ala Glu Asn Leu Arg Arg Glu Tyr Gly Ile Ser Arg Glu Glu 170 175 cag gac aag atc tcc gca gcg tcc cag cag cgt tgg ggc aag gct gct 691 Gln Asp Lys Ile Ser Ala Ala Ser Gln Gln Arg Trp Gly Lys Ala Ala gat gcg ggg ctt ttc gac gac gag atc gtg cca gtc acc gtc cct qcc 739 Asp Ala Gly Leu Phe Asp Asp Glu Ile Val Pro Val Thr Val Pro Ala 205 aag aag cgc ggc cag gag cca acc atc gtt tct cga gac gag cat ggt

Lys	Lys 215	Arg	Gly	Gln	Glu	Pro 220	Thr	Ile	Val	Ser	Arg 225	Asp	Glu	His	Gly	
cga Arg 230	cca Pro	gga Gly	aca Thr	acc Thr	gtc Val 235	gaa Glu	aag Lys	ctt Leu	gct Ala	gct Ala 240	ttg Leu	cgc Arg	ccc Pro	atc Ile	atg Met 245	835
	cgc Arg															883
caa Gln	aat Asn	gat Asp	ggc Gly 265	gct Ala	gct Ala	gcc Ala	gtc Val	atc Ile 270	gtg Val	acc Thr	act Thr	cgc Arg	gcc Ala 275	aag Lys	gcc Ala	931
	gag Glu															979
gct Ala	gct Ala 295	gtt Val	ccc Pro	cca Pro	gag Glu	acc Thr 300	atg Met	ggt Gly	att Ile	gga Gly	cct Pro 305	gtt Val	cct Pro	gcc Ala	acc Thr	1027
aag Lys 310	aag Lys	gtc Val	ctg Leu	gat Asp	cgt Arg 315	ttg Leu	ggc Gly	ctt Leu	acc Thr	ctg Leu 320	gag Glu	gac Asp	atc Ile	ggc Gly	gcg Ala 325	1075
atc Ile	gaa Glu	ctc Leu	aac Asn	gaa Glu 330	gct Ala	ttc Phe	gca Ala	gct Ala	cag Gln 335	gca Ala	ctg Leu	tct Ser	gtg Val	ctg Leu 340	aag Lys	1123
	tgg Trp															1171
	att Ile															1219
gta Val	acc Thr 375	ttg Leu	gct Ala	cac His	cgc Arg	atg Met 380	cag Gln	cgt Arg	gaa Glu	aac Asn	act Thr 385	cag Gln	tac Tyr	gga Gly	ctg Leu	1267
gcc Ala 390	acc Thr	atg Met	tgc Cys	atc Ile	ggt Gly 395	ggc Gly	ggc Gly	cag Gln	ggt Gly	ctt Leu 400	gca Ala	gct Ala	gtc Val	ttt Phe	gaa Glu 405	1315
	gag Glu		taaa	aato	ggc t	attt	tgca	ac aç	gc .							1347

<210> 96

<211> 408

<212> PRT

<213> Corynebacterium glutamicum

<400> 96

Met Asn Pro Gln Asp Ile Val Ile Cys Ser Pro Leu Arg Thr Pro Val 1 $$ 5 $$ 10 $$ 15

Gly Ala Tyr Gly Gly Ser Phe Thr Gly Val Pro Val Glu Glu Leu Ala 20 25 30

- Thr Thr Val Ile Asn Ala Ile Val Glu Ala Thr Gly Ile Thr Gly Asp
 35 40 45
- Asp Val Asp Asp Leu Ile Leu Gly Gln Ala Ser Pro Asn Gly Ala Ala 50 55 60
- Pro Ala Leu Gly Arg Val Val Ala Leu Asp Ser Lys Leu Gly Gln Asn 65 70 75 80
- Val Pro Gly Met Gln Leu Asp Arg Cys Gly Ser Gly Leu Gln Ala 85 90 95
- Ile Val Thr Ala Ala Ala His Val Ala Ser Gly Ala Ala Asp Leu Ile 100 105 110
- Ile Ala Gly Gly Ala Glu Ser Met Ser Arg Val Glu Tyr Thr Val Ser 115 120 125
- Gly Asp Ile Arg Trp Gly Val Lys Gly Gly Asp Met Gln Leu Arg Asp 130 135 140
- Arg Leu Ala Glu Ala Arg Glu Thr Ala Gly Gly Arg Asn His Pro Ile 145 150 155 160
- Pro Gly Gly Met Ile Glu Thr Ala Glu Asn Leu Arg Arg Glu Tyr Gly
 165 170 175
- Ile Ser Arg Glu Glu Gln Asp Lys Ile Ser Ala Ala Ser Gln Gln Arg 180 185 190
- Trp Gly Lys Ala Ala Asp Ala Gly Leu Phe Asp Asp Glu Ile Val Pro 195 200 205
- Val Thr Val Pro Ala Lys Lys Arg Gly Gln Glu Pro Thr Ile Val Ser 210 215 220
- Arg Asp Glu His Gly Arg Pro Gly Thr Thr Val Glu Lys Leu Ala Ala 225 230 235 240
- Leu Arg Pro Ile Met Gly Arg Gln Asp Ala Glu Ala Thr Val Thr Ala 245 250 255
- Gly Asn Ala Ser Gly Gln Asn Asp Gly Ala Ala Ala Val Ile Val Thr 260 265 270
- Thr Arg Ala Lys Ala Glu Glu Lys Gly Leu Arg Pro Val Met Arg Leu 275 280 285
- Ala Gly Trp Ser Val Ala Ala Val Pro Pro Glu Thr Met Gly Ile Gly
 290 295 300
- Pro Val Pro Ala Thr Lyş Lys Val Leu Asp Arg Leu Gly Leu Thr Leu 305 310 315 320
- Glu Asp Ile Gly Ala Ile Glu Leu Asn Glu Ala Phe Ala Ala Gln Ala 325 330 335
- Leu Ser Val Leu Lys Glu Trp Asn Ile Ser Trp Glu Asp Glu Arg Val

340 345 350 Asn Pro Leu Gly Ser Gly Ile Ser Met Gly His Pro Val Gly Ala Thr 360 Gly Ala Arg Met Ala Val Thr Leu Ala His Arg Met Gln Arg Glu Asn 375 Thr Gln Tyr Gly Leu Ala Thr Met Cys Ile Gly Gly Gly Gln Gly Leu 395 Ala Ala Val Phe Glu Lys Glu Asn 405 <210> 97 <211> 815 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (1)..(792) <223> FRXA01114 <400> 97 cgc ctt gca gaa gca cgc gaa acc gct ggc gga cgc aac cac ccg atc Arg Leu Ala Glu Ala Arg Glu Thr Ala Gly Gly Arg Asn His Pro Ile 1 cct ggt ggc atg atc gag acc gct gag aac ctg cgt cgc gaa tac ggc Pro Gly Gly Met Ile Glu Thr Ala Glu Asn Leu Arg Arg Glu Tyr Gly 20 atc tcc cgc gag gag cag gac aag atc tcc gca gcg tcc cag cag cgt Ile Ser Arg Glu Glu Gln Asp Lys Ile Ser Ala Ala Ser Gln Gln Arg 35 40 tgg ggc aag gct gct gat gcg ggg ctt ttc gac gac gag atc gtg cca Trp Gly Lys Ala Ala Asp Ala Gly Leu Phe Asp Asp Glu Ile Val Pro gtc acc gtc cct gcc aag aag cgc ggc cag gag cca acc atc gtt tct 240 Val Thr Val Pro Ala Lys Lys Arg Gly Gln Glu Pro Thr Ile Val Ser cga gac gag cat ggt cga cca gga aca acc gtc gaa aag ctt gct 288 Arg Asp Glu His Gly Arg Pro Gly Thr Thr Val Glu Lys Leu Ala Ala ttg cgc ccc atc atg ggc cgc cag gat gcg gaa gca acc gtc acc gct 336 Leu Arg Pro Ile Met Gly Arg Gln Asp Ala Glu Ala Thr Val Thr Ala 100 ggc aac gcg tcc ggc caa aat gat ggc gct gcc gtc atc gtg acc Gly Asn Ala Ser Gly Gln Asn Asp Gly Ala Ala Ala Val Ile Val Thr 120 act cgc gcc aag gcc gag gag aag ggc ctg cgc cca gtc atg cgt ttg 432 Thr Arg Ala Lys Ala Glu Glu Lys Gly Leu Arg Pro Val Met Arg Leu 130 135

					gct Ala 150											480
					aag Lys											528
					atc Ile											576 ·
					gaa Glu											624
					ggt Gly											672
					gta Val 230											720
					gcc Ala											768
-	-	-		-	aag Lys			taaa	aato	ggc t	att	tgca	ac ag	gc		815
•			260		_											
<210 <211 <212	> 98 > 26 > PF	54 RT	260		ım gl			n								
<210 <211 <212	> 98 > 26 > PF > Co > 98 Leu	54 RT oryne B	260 ebact	cerio Ala	ım g]	lutan Glu	nicum Thr	Ala	_	_	_			Pro 15	Ile	
<210 <211 <212 <213 <400 Arg	> 98 > 26 > PF > Co > 98 Leu	54 RT oryne B Ala	260 ebact	ceriu Ala 5	ım g] Arg	lutan Glu	nicum Thr	Ala	10					15		
<210 <211 <212 <213 <400 Arg 1	> 98 > 26 > PF > Co > 98 Leu	54 RT pryne 3 Ala Gly	260 ebact Glu Met 20	Ala 5 Ile	ım g] Arg	lutan Glu Thr	nicum Thr Ala	Ala Glu 25	10 Asn	Leu	Arg	Arg	Glu 30	15 Tyr	Gly	
<210 <211 <212 <213 <400 Arg 1 Pro	> 98 > 26 > PF > Cc > 98 Leu Gly	Gly Arg 35	260 Clu Met 20 Glu	Ala 5 Ile Glu	am g] Arg Glu	Glu Thr Asp	Thr Ala Lys 40	Ala Glu 25 Ile	10 Asn Ser	Leu	Arg Ala	Arg Ser 45	Glu 30 Gln	15 Tyr Gln	Gly Arg	
<210 <211 <212 <213 <400 Arg 1 Pro	> 98 > 26 > PF > Cc > 98 Leu Gly Ser Gly 50	Gly Arg 35	ebact Glu Met 20 Glu Ala	Ala 5 Ile Glu Ala	Arg Glu Gln Asp	Glu Thr Asp Ala 55	Thr Ala Lys 40 Gly	Ala Glu 25 Ile Leu	10 Asn Ser Phe	Leu Ala Asp	Arg Ala Asp	Arg Ser 45 Glu	Glu 30 Gln Ile	15 Tyr Gln Val	Gly Arg Pro	
<210 <211 <212 <213 <400 Arg 1 Pro Ile Trp	> 98 > 26 > PP > Cc > 98 Leu Gly 50 Thr	Gly Arg 35 Lys	260 ebact Glu Met 20 Glu Ala Pro	Ala 5 Ile Glu Ala	Arg Glu Gln Asp Lys 70	Glu Thr Asp Ala 55 Lys	Thr Ala Lys 40 Gly Arg	Ala Glu 25 Ile Leu Gly	10 Asn Ser Phe Gln	Leu Ala Asp Glu 75	Arg Ala Asp 60 Pro	Arg Ser 45 Glu Thr	Glu 30 Gln Ile	15 Tyr Gln Val	Gly Arg Pro Ser	

Gly Asn Ala Ser Gly Gln Asn Asp Gly Ala Ala Ala Val Ile Val Thr Thr Arg Ala Lys Ala Glu Glu Lys Gly Leu Arg Pro Val Met Arg Leu 135 Ala Gly Trp Ser Val Ala Ala Val Pro Pro Glu Thr Met Gly Ile Gly 150 155 Pro Val Pro Ala Thr Lys Lys Val Leu Asp Arg Leu Gly Leu Thr Leu Glu Asp Ile Gly Ala Ile Glu Leu Asn Glu Ala Phe Ala Ala Gln Ala 185 Leu Ser Val Leu Lys Glu Trp Asn Ile Ser Trp Glu Asp Glu Arg Val 195 200 Asn Pro Leu Gly Ser Gly Ile Ser Met Gly His Pro Val Gly Ala Thr Gly Ala Arg Met Ala Val Thr Leu Ala His Arg Met Gln Arg Glu Asn 225 235 Thr Gln Tyr Gly Leu Ala Thr Met Cys Ile Gly Gly Gln Gly Leu Ala Ala Val Phe Glu Lys Glu Asn 260 <210> 99 <211> 978 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(955) <223> RXA01894 agaatttttt cgaaaatgct ggcaccatca acagtgacat tgttagaaac ttcaaggaga 60 acccatgaat gaaccggagc aacatcaccg gtccatgagg atg ccc aaa ccc aaa Met Pro Lys Pro Lys aat aat gcg ggt cga gat ctc aaa gct gcc att gct gtg ggg atc gga Asn Asn Ala Gly Arg Asp Leu Lys Ala Ala Ile Ala Val Gly Ile Gly ctg ggg gtc ctg gtt ctt ttg ggg att gtc cta agc cca tgg ggt tgg 211 Leu Gly Val Leu Val Leu Leu Gly Ile Val Leu Ser Pro Trp Gly Trp 25 30 tac atc ctc gtt gca ggt ttt atg gct gca gca aca tgg gaa gtt ggt 259 Tyr Ile Leu Val Ala Gly Phe Met Ala Ala Ala Thr Trp Glu Val Gly 40 age aga ett aaa gaa gge gge tat eat ttg eea etg eeg att atg ate

307

Ser	Arg 55	Leu	Lys	Glu	Gly	Gly 60	Tyr	His	Leu	Pro	Leu 65	Pro	Ile	Met	Ile	
									tca Ser							355
									gtg Val 95							403
									gaa Glu							451
									acc Thr							499
		-		-	-	_	_	_	caa Gln					_		547
									tgt Cys							595
									gga Gly 175							643
									ggc Gly							691
									gtt Val							739
									tgt Cys							787
									ttc Phe							835
									cac His 255							883
					-			_	gtg Val	-						931
		agc Ser 280						taaa	igctt	gg g	jcca	gctŧt	a aq	gt		978

<210> 100

<211> 285

<212> PRT

<213> Corynebacterium glutamicum

<400> 100

Met Pro Lys Pro Lys Asn Asn Ala Gly Arg Asp Leu Lys Ala Ala Ile $1 \hspace{1.5cm} 5 \hspace{1.5cm} 10 \hspace{1.5cm} 15$

Ala Val Gly Ile Gly Leu Gly Val Leu Val Leu Gly Ile Val Leu 20 25 30

Ser Pro Trp Gly Trp Tyr Ile Leu Val Ala Gly Phe Met Ala Ala Ala 35 40 45

Thr Trp Glu Val Gly Ser Arg Leu Lys Glu Gly Gly Tyr His Leu Pro 50 55 60

Leu Pro Ile Met Ile Ile Gly Gly Gln Ala Ile Ile Trp Leu Ser Trp 65 70 75 80

Pro Phe Gly Thr Met Gly Ile Leu Ala Ser Phe Val Ala Thr Val Leu 85 90 95

Val Leu Met Tyr Phe Arg Ile Phe Tyr Asn Gly Thr Glu Lys Glu Ala 100 105 110

Arg Asn Tyr Leu Arg Asp Thr Ser Val Gly Ile Phe Val Leu Thr Trp 115 120 125

Ile Pro Leu Phe Gly Ser Phe Ala Ala Met Leu Ser Leu Met Gln Asn 130 135 140

Asn Ser Ile Pro Gly Thr Tyr Phe Ile Leu Thr Phe Met Leu Cys Val 145 150 155 160

Ile Ala Ser Asp Val Gly Gly Tyr Ile Ala Gly Val Phe Phe Gly Ser 165 170 175

His Pro Met Ala Pro Leu Val Ser Pro Lys Lys Ser Trp Glu Gly Phe 180 185 190

Ala Gly Ser Ile Val Leu Gly Ser Val Thr Gly Ala Leu Ser Val His 195 200 205

Phe Leu Leu Asp His His Trp Trp Met Gly Val Ile Leu Gly Cys Ala 210 215 220

Leu Val Val Cys Ala Thr Leu Gly Asp Leu Val Glu Ser Gln Phe Lys 225 230 235 240

Arg Asp Leu Gly Ile Lys Asp Met Ser Asn Leu Leu Pro Gly His Gly 245 250 255

Gly Leu Met Asp Arg Leu Asp Gly Met Leu Pro Ala Ala Met Val Thr 260 265 270

Trp Leu Ile Leu Ser Val Ile Ser Ser Ser Tyr Pro Ser 275 280 285

<210> 101

<21	1> 6 2> D 3> C	NA	ebac	teri	um g	luta	micu	m								
<22	1> C	101)	(5 599	77)												
	0> 1 caag		cata	cgat	gt c	ggag	attg	t gg	cggg	cgtt	gtt	acag	gag (cagt	tgcaac	60
cgg	catt	tgt '	tatg	cact	cc ta	actt	gcgt	a aa	ggag	aatt		gat Asp				115
					ggc Gly											163
					ctc Leu											211
					ttg Leu											259
					atc Ile											307
cct Pro 70	cga Arg	cca Pro	aat Asn	acá Thr	gca Ala 75	gag Glu	.cac His	ttg Leu	gtt Val	gta Val 80	gaa Glu	act Thr	aac Asn	ttt Phe	tca Ser 85	355
					gct Ala											403
					cgg Arg											451
					tct Ser											499
gat Asp	gtg Val 135	ctt Leu	gcc Ala	ggc Gly	tgg Trp	gcc Ala 140	atc Ile	ggt Gly	gcg Ala	ttg Leu	act Thr 145	tca Ser	gtg Val	gtg Val	gtg Val	547
					ctc Leu 155					tgaa	aacca	act o	gctga	aaagt	:g	597
gta																600

<210> 102 <211> 159 <212> PRT

<213> Corynebacterium glutamicum

<400> 102

Met Asp Gln Leu Ile Leu Asp Ala Phe Ile Gly Leu Arg Val Thr Trp

1 5 10 15

Leu Ser Pro Val Ile Ile Leu Phe Thr Gln Leu Thr Gly Pro Thr Leu
20 25 30

Met Phe Val Tyr Ala Leu Val Trp Gly Leu Leu Arg Lys Ser Ala Thr 35 40 45

Ala Pro Ile Ala Val Gly Leu Ala Asn Leu Ile Ser His Phe Leu Lys 50 55 60

Arg Ala Phe Glu Arg Pro Arg Pro Asn Thr Ala Glu His Leu Val Val 65 70 75 80

Glu Thr Asn Phe Ser Phe Pro Ser Gly His Ala Val Gly Ala Ala Ala 85 90 95

Cys Ala Val Ala Val Gly Tyr Ser Val Asn Arg Trp Trp Lys Leu Thr 100 105 110

Leu Trp Val Ile Ala Leu Leu Val Gly Leu Ser Arg Leu Tyr Val Gly
115 120 125

Val His Trp Pro Ser Asp Val Leu Ala Gly Trp Ala Ile Gly Ala Leu 130 135 140

Thr Ser Val Val Val Phe Thr Ser Trp Asn Leu Leu Gln Arg Arg 145 150 155

<210> 103

<211> 999

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(976)

<223> RXN02638

<400> 103

ctctgttgtt gttcctgagg cgcttcgtcc attcgtgggc aaagacgtgc tcaagccagt 60

gaaacaagcc ggttaattaa gcggaaagct cgtggtcgac atg gtc aaa agg ttt 115 Met Val Lys Arg Phe

ggc ttt ttc gta gag gat tcc ctg cct aag gtt ccg ctg cat ccc gaa 163 Gly Phe Phe Val Glu Asp Ser Leu Pro Lys Val Pro Leu His Pro Glu 10 15 20

gag tca cgg gag acg ttt tat ggg cgc atc atc att agt gct gtg cgg $\,$ 211 Glu Ser Arg Glu Thr Phe Tyr Gly Arg Ile Ile Ser Ala Val Arg $\,$ 25 $\,$ 30 $\,$ 35

acg gtg atg aaa gcc cag gat gtg cag att tcc atc ttc ggt gcg gag 259

Thr Val Met Lys Ala Gln Asp Val Gln Ile Ser Ile Phe Gly Ala Glu aac att ccg acc acc ggc ggc gca ctt ttc gca tca acc aca ctg gtt 307 Asn Ile Pro Thr Thr Gly Gly Ala Leu Phe Ala Ser Thr Thr Leu Val att atg act toa tto tgg gtg gta too coo gca tto gtg cgg ggt aag 355 Ile Met Thr Ser Phe Trp Val Val Ser Pro Ala Phe Val Arg Gly Lys 75 cgc ctg gtt cga ttc atg gcg aag aag gaa att ttc gac acc cca gtt 403 Arg Leu Val Arg Phe Met Ala Lys Lys Glu Ile Phe Asp Thr Pro Val gtc ggc acc ctc atg cgc tgg atg aag cac gtc tct gtg gac cgc tcc 451 Val Gly Thr Leu Met Arg Trp Met Lys His Val Ser Val Asp Arg Ser gca ggt gcc ggt tcc atg gaa gat gcg cgg aag cgt ctc gac gcc ggc 499 Ala Gly Ala Gly Ser Met Glu Asp Ala Arg Lys Arg Leu Asp Ala Gly age etc gtc ggt atc ttc ect gag gcg acg gtg tea egg tee ttt gaa 547 Ser Leu Val Gly Ile Phe Pro Glu Ala Thr Val Ser Arg Ser Phe Glu 140 atc aag gaa cta aaa act gge gee gte ege ate gee gae age get aac 595 Ile Lys Glu Leu Lys Thr Gly Ala Val Arg Ile Ala Asp Ser Ala Asn 155 160 gtt ccg ctg cta ctt att att tgg ggc ggc cag cgc atc atc acc Val Pro Leu Pro Leu Ile Ile Trp Gly Gly Gln Arg Ile Ile Thr 170 175 aaa gac atc gag cgc gac ttc ggc cgc tcc cac atc ccc gta ttc atc 691 Lys Asp Ile Glu Arg Asp Phe Gly Arg Ser His Ile Pro Val Phe Ile 185 age gtg ggt gaa eee gte gae gee age gge gat eee gae gaa gea aeg 739 Ser Val Gly Glu Pro Val Asp Ala Ser Gly Asp Pro Asp Glu Ala Thr 200 gaa cgc ctc tac gag gct atg aaa aag ctt ctc gac gaa acc cgc acc 787 Glu Arg Leu Tyr Glu Ala Met Lys Lys Leu Leu Asp Glu Thr Arg Thr 215 gcc tac gaa caa aag tat ggc cca ttc gaa ggt gga gaa ttg tgg cgc 835 Ala Tyr Glu Gln Lys Tyr Gly Pro Phe Glu Gly Gly Glu Leu Trp Arg 230 ccg aaa tcc ctc ggc ggc gcc cca acg ttg gag cag gcg aaa atg 883 Pro Lys Ser Leu Gly Gly Gly Ala Pro Thr Leu Glu Gln Ala Lys Met 250 255 260 ttg gaa atc gcc gaa cgg gaa cgt cga caa gca aaa cgc gcg gca aag 931 Leu Glu Ile Ala Glu Arg Glu Arg Gln Ala Lys Arg Ala Ala Lys 265 270 gtc gcc aag aaa cgc acc ttt ata agg aaa atc ttt aaa aaa 976 Val Ala Lys Lys Arg Thr Thr Phe Ile Arg Lys Ile Phe Lys Lys

280 285 290

tgattgcact gggttcaqcg ccc 999

<210> 104

<211> 292

<212> PRT

<213> Corynebacterium glutamicum

<400> 104

Met Val Lys Arg Phe Gly Phe Phe Val Glu Asp Ser Leu Pro Lys Val 1 5 10 15

Pro Leu His Pro Glu Glu Ser Arg Glu Thr Phe Tyr Gly Arg Ile Ile 20 25 30

Ile Ser Ala Val Arg Thr Val Met Lys Ala Gln Asp Val Gln Ile Ser
35 40 45

Ile Phe Gly Ala Glu Asn Ile Pro Thr Thr Gly Gly Ala Leu Phe Ala
50 55 60

Ser Thr Thr Leu Val Ile Met Thr Ser Phe Trp Val Val Ser Pro Ala 65 70 75 80

Phe Val Arg Gly Lys Arg Leu Val Arg Phe Met Ala Lys Lys Glu Ile 85 90 95

Phe Asp Thr Pro Val Val Gly Thr Leu Met Arg Trp Met Lys His Val 100 105 110

Ser Val Asp Arg Ser Ala Gly Ala Gly Ser Met Glu Asp Ala Arg Lys 115 120 125

Arg Leu Asp Ala Gly Ser Leu Val Gly Ile Phe Pro Glu Ala Thr Val 130 135 140

Ser Arg Ser Phe Glu Ile Lys Glu Leu Lys Thr Gly Ala Val Arg Ile 145 150 155 160

Ala Asp Ser Ala Asn Val Pro Leu Leu Pro Leu Ile Ile Trp Gly Gly
165 170 175

Gln Arg Ile Ile Thr Lys Asp Ile Glu Arg Asp Phe Gly Arg Ser His 180 185 190

Ile Pro Val Phe Ile Ser Val Gly Glu Pro Val Asp Ala Ser Gly Asp 195 200 205

Pro Asp Glu Ala Thr Glu Arg Leu Tyr Glu Ala Met Lys Lys Leu Leu 210 215 220

Asp Glu Thr Arg Thr Ala Tyr Glu Gln Lys Tyr Gly Pro Phe Glu Gly 225 . 230 235 240

Gly Glu Leu Trp Arg Pro Lys Ser Leu Gly Gly Gly Ala Pro Thr Leu 245 250 255

Glu Gln Ala Lys Met Leu Glu Ile Ala Glu Arg Glu Arg Arg Gln Ala 260 265 270

Lys Arg Ala Ala Lys Val Ala Lys Lys Arg Thr Thr Phe Ile Arg Lys 280 Ile Phe Lys Lys 290 <210> 105 <211> 534 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (8)..(511) <223> FRXA02638 <400> 105 atgaagaatg gcg cgg aag cgt ctt aac gcc ggc agc ctc gtc ggt atc Met Ala Arg Lys Arg Leu Asn Ala Gly Ser Leu Val Gly Ile ttc cct gag gcg acg gtg tca cgg tcc ttt gaa atc aag gaa cta aaa 97 Phe Pro Glu Ala Thr Val Ser Arg Ser Phe Glu Ile Lys Glu Leu Lys 15 25 act ggc gcc gtc cgc atc gcc gac agc gct aac gtt ccg ctg cta 145 Thr Gly Ala Val Arg Ile Ala Asp Ser Ala Asn Val Pro Leu Leu Pro ctt att att tgg ggc ggc cag cgc atc atc acc aaa gac atc gag cgc 193 Leu Ile Ile Trp Gly Gly Gln Arg Ile Ile Thr Lys Asp Ile Glu Arg 50 55 gac tto ggc cgc tcc cac atc ccc gta ttc atc agc gtg ggt gaa ccc 241 Asp Phe Gly Arg Ser His Ile Pro Val Phe Ile Ser Val Gly Glu Pro gtc gac gcc agc ggc gat ccc gac gaa gca acg gaa cgc ctc tac gag 289 Val Asp Ala Ser Gly Asp Pro Asp Glu Ala Thr Glu Arg Leu Tyr Glu gct atg aaa aag ctt ctc gac gaa acc cgc acc gcc tac gaa caa aag 337 Ala Met Lys Lys Leu Leu Asp Glu Thr Arg Thr Ala Tyr Glu Gln Lys 100 105 tat ggc cca ttc gaa ggt gga gaa ttg tgg cgc ccg aaa tcc ctc ggc Tyr Gly Pro Phe Glu Gly Gly Glu Leu Trp Arg Pro Lys Ser Leu Gly ggc ggc gcc cca acg ttg gag cag gcg aaa atg ttg gaa atc gcc gaa 433 Gly Gly Ala Pro Thr Leu Glu Gln Ala Lys Met Leu Glu Ile Ala Glu 130 cgg gaa cgt cga caa gca aaa cgc gcg gca aag gtc gcc aag aaa cgc 481 Arg Glu Arg Arg Gln Ala Lys Arg Ala Ala Lys Val Ala Lys Lys Arg 145 150 acc acc ttt ata agg aaa atc ttt aaa aaa tgattgcact gggttcagcg 531 Thr Thr Phe Ile Arg Lys Ile Phe Lys Lys

160 165

ccc 534

<210> 106

<211> 168

<212> PRT

<213> Corynebacterium glutamicum

<400> 106

Met Ala Arg Lys Arg Leu Asn Ala Gly Ser Leu Val Gly Ile Phe Pro 1 5 10 15

Glu Ala Thr Val Ser Arg Ser Phe Glu Ile Lys Glu Leu Lys Thr Gly
20 25 30

Ala Val Arg Ile Ala Asp Ser Ala Asn Val Pro Leu Leu Pro Leu Ile 35 40 45

Ile Trp Gly Gln Arg Ile Ile Thr Lys Asp Ile Glu Arg Asp Phe 50 55 60

Gly Arg Ser His Ile Pro Val Phe Ile Ser Val Gly Glu Pro Val Asp
65 70 75 80

Ala Ser Gly Asp Pro Asp Glu Ala Thr Glu Arg Leu Tyr Glu Ala Met 85 90 95

Lys Lys Leu Leu Asp Glu Thr Arg Thr Ala Tyr Glu Gln Lys Tyr Gly
100 105 110

Pro Phe Glu Gly Gly Glu Leu Trp Arg Pro Lys Ser Leu Gly Gly Gly 115 120 125

Ala Pro Thr Leu Glu Gln Ala Lys Met Leu Glu Ile Ala Glu Arg Glu 130 135 140

Arg Arg Gln Ala Lys Arg Ala Ala Lys Val Ala Lys Lys Arg Thr Thr 145 150 155 160

Phe Ile Arg Lys Ile Phe Lys Lys 165

<210> 107

<211> 637

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(637)

<223> RXA00856

<400> 107

gtttttagga atagagtggg ctcaagcttt gtgacaagtt ttttggagaa atcattacta 60

gtcgtagtct tcaatttggg tgcaggtagg gtggaacacc gtg agt gat gta tca 115 Val Ser Asp Val Ser 1 5

										aat Asn						163
										agc Ser						211
										ggt Gly						259
										att Ile						307
							-	-	-	cgt Arg 80		_	-		-	355
										aag Lys						403
										ttg Leu						451
					-					acc Thr			_			499
Gln										tca Ser						547
				-			_	_	-	ctg Leu 160		-	_			595
	_		-	-			-	_		gtc Val	-		-			637
<211 <212)> 10 .> 17 ?> PF 3> Co	9 RT	ebact	eriu	nm gl	.utam	nicum	1			-					
)> 10 Ser		Val	Ser 5	Ala	Gly	Val	Asn	Gly 10	Ala	Gln	Asp	Pro	Ser 15	Asn	
Gln	Ala	Val	Lys 20	Pro	Ser	Asn	Trp	Asn 25	Leu	Pro	Asn	Phe	Leu 30	Thr	Ser	
Leu	Arg	Ile 35	Ile	Val	Ile	Pro	Leu 40	Phe	Ala	Trp	Leu	Thr 45	Leu	Lys	Gly	

Glu Thr Glu Asn Asn Ala Phe Ala Trp Trp Ala Leu Val Val Phe Ile Leu Leu Met Ile Thr Asp Lys Leu Asp Gly Asp Ile Ala Arg Ala Arg Gly Leu Val Thr Asp Phe Gly Lys Ile Ala Asp Pro Ile Ala Asp Lys 85 Ala Leu Met Thr Thr Ala Phe Val Cys Phe Asn Ile Ile Gly Ile Leu Pro Trp Trp Val Thr Ala Leu Ile Val Leu Arg Glu Phe Gly Ile Thr 115 120 Ile Trp Arg Phe Phe Gln Leu Arg Ala Gly Asn Val Val Pro Ala Ser 135 Lys Gly Gly Lys Leu Lys Thr Ala Leu Gln Thr Val Ala Val Ala Leu 155 Tyr Leu Cys Pro Phe Pro Ser Trp Met Asp Ile Pro Ser Gln Ile Val 170 Met Tyr Ala <210> 109 <211> 780 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(757) <223> RXA02511 <400> 109 ccatgcttgc gcaagcatgg ggcaccattg atggggcacc aggcactgtc gacccaacgc 60 tgacttcagc gatccgtacc gcagcaccga aggagcactg atg ctg gga ctt cat Met Leu Gly Leu His gga cgt aag cct gcg cag gtt att gtt gag cct gtt gcc aaa ttg atg 163 Gly Arg Lys Pro Ala Gln Val Ile Val Glu Pro Val Ala Lys Leu Met atc aag ttg aag gtg acg cct aat cag ctc acc tta gtc agc gct ggc 211 Ile Lys Leu Lys Val Thr Pro Asn Gln Leu Thr Leu Val Ser Ala Gly 25 30 ctc acc gtt ggg gtg gct ttg ctg ctg att cct acg ggg cat ttg att 259 Leu Thr Val Gly Val Ala Leu Leu Leu Ile Pro Thr Gly His Leu Ile 40 45 tgg gcg gca gtt ttg acg ggc ctg ttt gcg gct ttc gac atg att gat Trp Ala Ala Val Leu Thr Gly Leu Phe Ala Ala Phe Asp Met Ile Asp 55 60

ggc acg gtt gct cgc atg caa ggt ggt ggc acc aaa ttt ggt gcc acc Gly Thr Val Ala Arg Met Gln Gly Gly Gly Thr Lys Phe Gly Ala Thr 70 75 80 85	355
ttg gat gcc acg tgt gac cgc atc act gat ggt gca cta ttt ggt gcg Leu Asp Ala Thr Cys Asp Arg Ile Thr Asp Gly Ala Leu Phe Gly Ala 90 95 100	403
att acc tgg tgg ctg gtg tat tcc tac gat gca cca cag gca ttg gtc Ile Thr Trp Trp Leu Val Tyr Ser Tyr Asp Ala Pro Gln Ala Leu Val 105 110 115	451
gct gcc tcc ttg gtt tgt ttg gtt gcc tcc cag gtg atc tct tac gtg Ala Ala Ser Leu Val Cys Leu Val Ala Ser Gln Val Ile Ser Tyr Val 120 125 130	499
aaa gcc agg gga gag gcc tcc gga ttc acc atg gac ggc ggt ctc gtg Lys Ala Arg Gly Glu Ala Ser Gly Phe Thr Met Asp Gly Gly Leu Val 135 140 145	547
gaa cgc cct gag cgt ctg att gtc agc ctt gtt ggt ttg ggg ctg acc Glu Arg Pro Glu Arg Leu Ile Val Ser Leu Val Gly Leu Gly Leu Thr 150 155 160 165	595
gga atg ggc gtt cca tat gcc atc gat gtg gca ctg tgg gcc ctt gca Gly Met Gly Val Pro Tyr Ala Ile Asp Val Ala Leu Trp Ala Leu Ala 170 175 180	643
gct ggc agt att tac act gtt gtg cag cgc ttg gtc atg gct gga aag Ala Gly Ser Ile Tyr Thr Val Val Gln Arg Leu Val Met Ala Gly Lys 185 190 195	691
tcc cca ttg gct aag gaa ttt acc aag gca cca gca ggt gcg aag gca Ser Pro Leu Ala Lys Glu Phe Thr Lys Ala Pro Ala Gly Ala Lys Ala 200 205 210	739
gat tac agc aac acc aaa taaaaattag ccgagggagc atc Asp Tyr Ser Asn Thr Lys 215	780
<210> 110 <211> 219 <212> PRT <213> Corynebacterium glutamicum	
<400> 110 Met Leu Gly Leu His Gly Arg Lys Pro Ala Gln Val Ile Val Glu Pro 1 5 10 15	
Val Ala Lys Leu Met Ile Lys Leu Lys Val Thr Pro Asn Gln Leu Thr 20 25 30	
Leu Val Ser Ala Gly Leu Thr Val Gly Val Ala Leu Leu Leu Ile Pro 35 40 . 45	
Thr Gly His Leu Ile Trp Ala Ala Val Leu Thr Gly Leu Phe Ala Ala 50 55 60	
Phe Asp Met Ile Asp Gly Thr Val Ala Arg Met Gln Gly Gly Gly Thr 65 70 75 80	

Lys Phe Gly Ala Thr Leu Asp Ala Thr Cys Asp Arg Ile Thr Asp Gly Ala Leu Phe Gly Ala Ile Thr Trp Trp Leu Val Tyr Ser Tyr Asp Ala 100 105 Pro Gln Ala Leu Val Ala Ala Ser Leu Val Cys Leu Val Ala Ser Gln Val Ile Ser Tyr Val Lys Ala Arg Gly Glu Ala Ser Gly Phe Thr Met Asp Gly Gly Leu Val Glu Arg Pro Glu Arg Leu Ile Val Ser Leu Val 150 155 Gly Leu Gly Leu Thr Gly Met Gly Val Pro Tyr Ala Ile Asp Val Ala Leu Trp Ala Leu Ala Ala Gly Ser Ile Tyr Thr Val Val Gln Arg Leu 185 Val Met Ala Gly Lys Ser Pro Leu Ala Lys Glu Phe Thr Lys Ala Pro 200 Ala Gly Ala Lys Ala Asp Tyr Ser Asn Thr Lys 210 215 <210> 111 <211> 678 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(655) <223> RXN02836 <400> 111 ccatcactcg gcttcaccgt ctacggtgct gcccgcagga cagagcgccc ccaaaagctc 60 gcttcagacg ggatccaccc cctcgagatg gacgtcaccg atg aca atc gat gaa Met Thr Ile Asp Glu ggc cgt cgc cag ttc gag gtc aat gta ttc ggc gcg atg gcc ctc acc Gly Arg Arg Gln Phe Glu Val Asn Val Phe Gly Ala Met Ala Leu Thr 15 cga ctc gtc ctg ccc cac atg cag aaa caa aag tgg ggg acg atc gtg 211 Arg Leu Val Leu Pro His Met Gln Lys Gln Lys Trp Gly Thr Ile Val 30 aac atc aca tog atg ggc ggg aag atc tac acg cct ctc ggc ggc tgg 259 Asn Ile Thr Ser Met Gly Gly Lys Ile Tyr Thr Pro Leu Gly Gly Trp tat cac ggc acc aag ttc gcc ctc gag gcc ctc tcg gac gcc ctc cgc Tyr His Gly Thr Lys Phe Ala Leu Glu Ala Leu Ser Asp Ala Leu Arg 60 65

					ttc Phe 75											355
					tgg Trp											403
					gca Ala											451
					gcg Ala											499
					gga Gly											547
		_			ttc Phe 155		-		_	_		_	-	-		595
					cag Gln											643
				tgad	cact	ct t	ctgo	gcc	g to	ca						678
vai	Pro	Arg	Asp 185													
<210 <211 <212	> 11 > 18 > PF	.2 85 RT	185	eriu	ım gl	utan	nicum	n								
<210 <211 <212	> 11 > 18 > PF > Co > 11	2 35 RT oryne .2 Ile	185	Glu	_	Arg	Arg	Gln								
<210 <211 <212 <213	> 11 > 18 > PF > Co > 11	12 85 RT oryne 12 Ile	185 ebact	Glu 5	Gly	Arg	Arg	Gln	10					15	_	
<210 <211 <212 <213 <400 Met 1	> 11 > 18 > PF > Co > 11 Thr	2 35 RT Dryne 12 Ile Ala	185 Asp Leu 20	Glu 5 Thr	Gly	Arg Leu	Arg Val	Gln Leu 25	10 Pro	His	Met	Gln	Lys 30	15 Gln	Lys	
<210 <211 <212 <213 <400 Met 1 Ala	7> 11 > 18 > PF 5> Co > 13 Thr Met	12 35 RT Dryne 12 Ile Ala Thr 35	185 ebact Asp Leu 20 Ile	Glu 5 Thr Val	Gly	Arg Leu Ile	Arg Val Thr 40	Gln Leu 25 Ser	10 Pro Met	His Gly	Met	Gln Lys 45	Lys 30 Ile	15 Gln Tyr	Lys Thr	
<210 <211 <212 <213 <400 Met 1 Ala Trp	2> 11 > 18 > PF 5> Co 1> 13 Thr Met Gly Leu 50	12 B5 RT Dryne 12 Ile Ala Thr 35	Asp Leu 20 Ile	Glu 5 Thr Val	Gly Arg Asn	Arg Leu Ile His 55	Arg Val Thr 40 Gly	Gln Leu 25 Ser Thr	10 Pro Met Lys	His Gly Phe	Met Gly Ala 60	Gln Lys 45 Leu	Lys 30 Ile Glu	15 Gln Tyr Ala	Lys Thr Leu	
<210 <211 <212 <213 <400 Met 1 Ala Trp Pro	<pre>/> 18 /> 18 /> PF /> Co /> 13 Thr Met Gly Leu 50 Asp</pre>	12 35 RT Dryne 12 Ile Ala Thr 35 Gly	185 Asp Leu 20 Ile Gly Leu	Glu 5 Thr Val Trp	Gly Arg Asn Tyr Leu 70	Arg Leu Ile His 55 Glu	Arg Val Thr 40 Gly Val	Gln Leu 25 Ser Thr	10 Pro Met Lys Pro	His Gly Phe Phe 75	Met Gly Ala 60 Gly	Gln Lys 45 Leu Ile	Lys 30 Ile Glu Asp	15 Gln Tyr Ala Val	Lys Thr Leu Val 80	

ASP	Ala	115	ser	гуs	Ser	Leu	Arg 120	Ser	Glu	Ala	Asn	Ser 125	Asn	Arg	Asn	
Ser	Pro 130	Pro	Ser	Val	Val	Ala 135	Asp	Ala	Ile	Gly	Lys 140	Ala	Val	Thr	Ala	
Arg 145	His	Pro	Lys	Thr	Arg 150	Tyr	Ala	Ile	Gly	Phe 155	Gly	Ala	Lys	Pro	Leu 160	
Ile	Ala	Ser	Arg	Asn 165	Ile	Leu	Thr	Asp	Arg 170	Gln	Phe	Asp	Pro	Val 175	Ile	
Thr	Arg	Ala	Thr 180	Gly	Val	Pro	Arg	Asp 185								
<21:)> 11 L> 40 ?> DN B> Co) 6 NA	ebact	teri	ım gl	.utan	nicur	n								
<222	.> CE	01).	. (40 2836	06)												
)> 11 cact		gctto	cacco	gt ct	acgç	jtgct	gco	ccgca	agga	caga	agcgo	ccc	ccaaa	agctc	60
gctt	caga	icg g	gato	caco	ec co	tcga	gato	g gad	egtea	accg		aca Thr				115
ggc Gly	cgt Arg	cgc Arg	cag Gln	ttc Phe 10	gag Glu	gtc Val	aat Asn	gta Val	ttc Phe 15	ggc Gly	gcg Ala	atg Met	gcc Ala	ctc Leu 20	acc Thr	163
ega Arg	ctc Leu	gtc Val	ctg Leu 25	ccc Pro	cac His	atg Met	cag Gln	aaa Lys 30	caa Gln	aag Lys	tgg Trp	ggg Gly	acg Thr 35	atc Ile	gtg Val	211
aac Asn	atc Ile	aca Thr 40	tcg Ser	atg Met	ggc Gly	ggg ggg	aag Lys 45	atc Ile	tac Tyr	acg Thr	cct Pro	ctc Leu 50	ggc Gly	ggc Gly	tgg Trp	259
tat Tyr	cac His 55	ggc Gly	acc Thr	aag Lys	ttc Phe	gcc Ala 60	ctc Leu	gag Glu	gcc Ala	ctc Leu	tcg Ser 65	gac Asp	gcc Ala	ctc ·Leu	cgc Arg	307
Ctg Ceu 70	gag Glu	gtc Val	gcc Ala	cca Pro	ttc Phe 75	ggc Gly	atc Ile	gac Asp	gtt Val	gtt Val 80	gtc Val	atc Ile	gaa Glu	ccg Pro	ggc Gly 85	355
ggc	atc Ile	gcc Ala	acc Thr	gag Glu 90	tgg Trp	gga Gly	gga Gly	atc Ile	gct Ala 95	gcc Ala	gac Asp	aat Asn	ctc Leu	gac Asp 100	gca Ala	403
gtg 7al																406

<21 <21	0> 1 1> 1: 2> P: 3> C:	02 RT	ebac	teri	um g	luta	micu	m								
	0> 1 Thr		Asp	Glu 5	Gly	Arg	Arg	Gln	Phe 10	Glu	Val	Asn	Val	Phe 15	Gly	
Ala	Met	Ala	Leu 20	Thr	Arg	Leu	Val	Leu 25	Pro	His	Met	Gln	Lys 30	Gln	Lys	
Trp	Gly	Thr 35	Ile	Val	Asn	Ile	Thr 40	Ser	Met	Gly	Gly	Lys 45	Ile	Tyr	Thr	
Pro	Leu 50	Gly	Gly	Trp	Tyr	His 55	Gly	Thr	Lys	Phe	Ala 60	Leu	Glu	Ala	Leu	-
Ser 65	Asp	Ala	Leu	Arg	Leu 70	Glu	Val	Ala	Pro	Phe 75	Gly	Ile	Asp	Val	Val 80	
Val	Ile	Glu	Pro	Gly 85	Gly	Ile	Ala	Thr	Glu 90	Trp	Gly	Gly	Ile	Ala 95	Ala	
Asp	Asn	Leu	Asp 100	Ala	Val											
<213<213<2213<2213<222		227 NA oryne OS 101).	(12	cerio	g]	lutan	nicur	n								
)> 11 aaaa		iggaa	acago	ca co	accc	gcaat	aat	gagg	jacc	gtt	gcaga	atc q	gctto	cataaa	60
aaca	igeco	ac a	cctt	tccg	go ta	aact	cgca	a tgt	tgaa	aata	_			caa Gln		115
				cgc Arg 10												163
				tcc Ser												211
acc Thr	tcc Ser	gtc Val 40	gac Asp	ccc Pro	gcc Ala	agc Ser	aac Asn 45	atc Ile	ggt Gly	gca Ala	gta Val	ctc Leu 50	gcg Ala	cgt Arg	ttc Phe	259
				gcc Ala												307

cga Arg 70	cgc Arg	cgc Arg	gcc Ala	Gly	caa Gln 75	cca Pro	gtg Val	gga Gly	ctg Leu	tac Tyr 80	Tyr	ctc Leu	aaa Lys	cgc Arg	cta Leu 85	355
gcc Ala	cgc Arg	atc Ile	atg Met	ccc Pro 90	gca Ala	tac Tyr	tgg Trp	gca Ala	acg Thr 95	gtc Val	att Ile	gca Ala	gtc Val	ctg Leu 100	ctg Leu	403
ttt Phe	att Ile	ccc Pro	acc Thr 105	ggc Gly	ccc Pro	tgg Trp	tta Leu	gcc Ala 110	aac Asn	ctg Leu	acg Thr	atg Met	acc Thr 115	caa Gln	atc Ile	451
tac Tyr	tgg Trp	cca Pro 120	gac Asp	ggg Gly	ctc Leu	atg Met	aca Thr 125	ggc Gly	ctc Leu	acc Thr	cac His	ctt Leu 130	tgg Trp	tcc Ser	ctg Leu	499
tgc Cys	gtg Val 135	gaa Glu	gtg Val	gcg Ala	ttt Phe	tac Tyr 140	ctg Leu	gtg Val	atg Met	ccg Pro	ctt Leu 145	ctc Leu	gcg Ala	tgg Trp	gtg Val	547
ttg Leu 150	gat Asp	agg Arg	ttt Phe	ggt Gly	cgg Arg 155	ccg Pro	gtg Val	cgc Arg	atc Ile	ctg Leu 160	ttg Leu	att Ile	gtt Val	ggt Gly	999 Gly 165	595
gca Ala	gtg Val	ttg Leu	agt Ser	ctg Leu 170	gcg Ala	tgg Trp	ccg Pro	tgg Trp	att Ile 175	ccc Pro	ctt Leu	gtg Val	gag Glu	cat His 180	gcg Ala	643
ttg Leu	gac Asp	gag Glu	ggg Gly 185	tgg Trp	gcg Ala	aac Asn	atg Met	cag Gln 190	atc Ile	tgg Trp	cca Pro	ccc Pro	gct Ala 195	tac Tyr	gct Ala	691
tgc Cys	tgg Trp	ttt Phe 200	gca Ala	gtc Val	ggc Gly	atg Met	atc Ile 205	Ala	gca Ala	gaa Glu	att Ile	gaa Glu 210	gga Gly	gtt Val	cga Arg	739
ttc Phe	cca Pro 215	cgg Arg	gtt Val	ccg Pro	agc Ser	ttt Phe 220	gtg Val	tgg Trp	gtg Val	ggt Gly	tta Leu 225	gct Ala	tta Leu	gtg Val	gtc Val	787
gct Ala 230	tgg Trp	atc Ile	gcg Ala	ggc Gly	caa Gln 235	gaa Glu	tgg Trp	ttc Phe	gga Gly	cca Pro 240	cta Leu	ggt Gly	tta Leu	gtg Val	cac His 245	835
ccc Pro	agc Ser	ccc Pro	tgg Trp	gaa Glu 250	ttc Phe	aac Asn	tta Leu	aga Arg	gtc Val 255	ctc Leu	gcg Ala	ggc Gly	aca Thr	ctt Leu 260	ttc Phe	883
gct Ala	gta Val	ttt Phe	ctg Leu 265	gtg Val	gtt Val	ccc Pro	tac Tyr	gcg Ala 270	ctg Leu	ggt Gly	acg Thr	ccc Pro	tct Ser 275	cgg Arg	ctt Leu	931
ctt Leu	gat Asp	tcc Ser 280	agt Ser	tgg Trp	atg Met	aaa Lys	acg Thr 285	ctc Leu	ggc Gly	acc Thr	tgg Trp	tcg Ser 290	tat Tyr	tcc Ser	atc Ile	979
ttc Phe	ctc Leu 295	tgg Trp	cac His	ctt Leu	Pro	gtg Val 300	ctg Leu	acg Thr	att Ile	gtg Val	ttc Phe 305	cca Pro	ctg Leu	ctc Leu	G] À aaa	1027

ttg Leu 310	Pro	tta Leu	ttt Phe	agt Ser	gga Gly 315	Asn	ttc Phe	ctg Leu	ttg Leu	gtg Val 320	Phe	atc Ile	gtg Val	acg Thr	gtc Val 325	1075
ttg Leu	ttg Leu	acg Thr	atc Ile	cca Pro 330	Val	gcc Ala	gcc Ala	atc Ile	agc Ser 335	tac Tyr	acc Thr	ttc Phe	atc Ile	gaa Glu 340	gag Glu	1123
ccc Pro	atc Ile	agc Ser	ggt Gly 345	gga Gly	ccc Pro	ggc Gly	gcg Ala	cca Pro 350	ttc Phe	agg Arg	ctg Leu	Gly	gtc Val 355	gtt Val	agg Arg	1171
att Ile	cac His	cat His 360	ttt Phe	tct Ser	ggg Gly	ggt Gly	agg Arg 365	tct Ser	gga Gly	aaa Lys	tga	tgaa	ttg	gcac	cacgtc	1224
aag																1227
<21 <21	0> 1 1> 3 2> P: 3> C	68 RT	ebacı	teri	um g]	Lutar	nicur	m								
	0> 1		Cln	°-~	Т	71-	Dwa	T1 -	D	112 -	3	61	DI	.		
1	Jei	1111	GIII	5	ıyı	MIG	PIO	11e	10	nis	Arg	GIÀ	rne	Ile 15	ser	
Ser	Leu	Glu	Gly 20	Leu	Arg	Ala	Ile	Ala 25	Ser	Leu	Gly	Val	Leu 30	Ala	Thr	
His	Val	Ala 35	Phe	Gln	Thr	Ser	Val 40	Asp	Pro	Ala	Ser	Asn 45	Ile	Gly	Ala	
Val	Leu 50	Ala	Arg	Phe	Asp	Phe 55	Phe	Val	Ala	Val	Phe 60	Phe	Ala	Leu	Ser	
Ala 65	Phe	Val	Leu	Trp	Arg 70	Arg	Arg	Ala	Gly	Gln 75	Pro	Val	Gly	Leu	Tyr 80	
Tyr	Leu	Lys	Arg	Leu 85	Ala	Arg	Ile	Met	Pro 90		Tyr	Trp	Ala	Thr 95	Val	
Ile	Ala	Val	Leu 100	Leu	Phe	Ile	Pro	Thr 105	Gly	Pro	Trp	Leu	Ala 110	Asn	Leu	
Thr	Met	Thr 115	Gln	Ile	Tyr	Trp	Pro 120	Asp	Gly	Leu	Met	Thr 125	Gly	Leu	Thr	
His	Leu 130	Trp	Ser	Leu	Cys	Val 135	Glu	Val	Ala	Phe	Tyr 140	Leu	Val	Met	Pro	
Leu 145	Leu	Ala	Trp	Val	Leu 150	Asp	Arg	Phe	Gly	Arg 155	Pro	Val	Arg	Ile	Leu 160	
Leu	Ile	Val	Gly	Gly 165	Ala	Val	Leu	Ser	Leu 170	Ala	Trp	Pro	Trp	Ile 175	Pro	
Leu	Val	Glu	His 180	Ala	Leu	Asp	Glu	Gly 185	Trp	Ala	Asn	Met	Gln 190	Ile	Trp	

Pro Pro Ala Tyr Ala Cys Trp Phe Ala Val Gly Met Ile Ala Ala Glu Ile Glu Gly Val Arg Phe Pro Arg Val Pro Ser Phe Val Trp Val Gly 215 Leu Ala Leu Val Val Ala Trp Ile Ala Gly Gln Glu Trp Phe Gly Pro 230 Leu Gly Leu Val His Pro Ser Pro Trp Glu Phe Asn Leu Arg Val Leu 250 Ala Gly Thr Leu Phe Ala Val Phe Leu Val Val Pro Tyr Ala Leu Gly 265 Thr Pro Ser Arg Leu Leu Asp Ser Ser Trp Met Lys Thr Leu Gly Thr 275 Trp Ser Tyr Ser Ile Phe Leu Trp His Leu Pro Val Leu Thr Ile Val 295 Phe Pro Leu Gly Leu Pro Leu Phe Ser Gly Asn Phe Leu Leu Val 310 315 Phe Ile Val Thr Val Leu Leu Thr Ile Pro Val Ala Ala Ile Ser Tyr Thr Phe Ile Glu Glu Pro Ile Ser Gly Gly Pro Gly Ala Pro Phe Arg 345 Leu Gly Val Val Arg Ile His His Phe Ser Gly Gly Arg Ser Gly Lys 355 360 <210> 117 <211> 924 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(901) <223> RXA02150

taaaaagtgg ttttggtagc ttcgcagcaa aatacacatc gtg ggt aac gta ttc Val Gly Asn Val Phe 1 5

tta gaa gtt cct aca gca gta aag cgc gaa gaa ggg gta aac cca aac 163
Leu Glu Val Pro Thr Ala Val Lys Arg Glu Glu Gly Val Asn Pro Asn 10 15 20

atc atg aaa aac aac tgg tat cgg ctt ttc aag tat gtg cta att ggc 211
Ile Met Lys Asn Asn Trp Tyr Arg Leu Phe Lys Tyr Val Leu Ile Gly 25 30 35

gtgtttttcg gtgggctgcg atgacgcatg tccaccaaaa gagccacccc ttaaaqaaat 60

<400> 117

		ttg Leu 40														259
		gca Ala														307
		tcc Ser														355
		aag Lys														403
		tgg Trp					-			-		_	_	_		451
_	-	aat Asn 120	_	_	_		-	_			-		_		_	499
		gga Gly								_			_	_		547
		cgc Arg														595
_		ggt Gly	_		-			-	-	-			-		-	643
		cct Pro						-					-			691
		gga Gly 200														739
		cct Pro														787
		att Ile														835
		gat Asp														883
		gct Ala				taat	cggg	jtc t	tttc	etgtt	a aa	aa				924

<210> 118

<211> 267

<212> PRT

<213> Corynebacterium glutamicum

<400> 118

Val Gly Asn Val Phe Leu Glu Val Pro Thr Ala Val Lys Arg Glu Glu 1 5 10 15

Gly Val Asn Pro Asn Ile Met Lys Asn Asn Trp Tyr Arg Leu Phe Lys
20 25 30

Tyr Val Leu Ile Gly Pro Phe Leu Arg Val Tyr Asn Arg Pro Glu Ile 35 40 45

Glu Gly Lys Glu Asn Ile Pro Ala Glu Gly Ala Ala Ile Met Ala Ser 50 55 60

Asn His Glu Ala Val Met Asp Ser Phe Tyr Phe Pro Leu Leu Cys Pro 65 70 75 80

Arg Gln Leu Thr Phe Pro Ala Lys Ala Glu Tyr Phe Thr Ser Pro Gly 85 90 95

Ile Lys Gly Lys Met Gln Lys Trp Phe Phe Thr Ser Val Gly Gln Val
100 105 110

Pro Leu Asp Arg Thr Ala Asp Asn Ala Met Asp Ser Leu Met Asn Thr 115 120 125

Ala Lys Met Val Leu Asp Arg Gly Asp Leu Phe Gly Ile Tyr Pro Glu 130 135 140

Gly Ser Arg Ser Pro Asp Gly Arg Ile Tyr Lys Gly Lys Thr Gly Met 145 150 155 160

Ala Tyr Val Ala Met Glu Thr Gly Thr Thr Val Ile Pro Val Ala Met 165 '170 175

Ile Gly Ser Arg Asp Ala Asn Pro Ile Gly Ser Trp Phe Pro Lys Pro 180 185 190

Ala Lys Val Arg Ile Lys Val Gly Ser Pro Ile Asp Pro Leu Ala Phe 195 200 205

Val Lys Glu His Gly Leu Lys Pro Gly Thr Tyr Glu Ala Ala Arg Lys 210 215 220

Leu Thr Asp His Val Met Phe Ile Leu Ala Asp Leu Thr Gly Gln Pro 225 230 235 240

Tyr Val Asp Ala Tyr Ser Lys Asp Val Lys Asn Ala Leu Glu Glu Gly 245 250 255

Lys Gly Tyr Pro Glu Ġly Thr Ala Pro Ser Gln 260 265

<210> 119 <211> 504

	2> DI 3> C		ebac	teri	um g	luta	micu	m								
<22	1> Ci 2> (:		(4 607	81)												
	0> 1: tgcca		aacg	ccaa	cg g	ttgaa	accc	g aad	ccaga	aagg	cga	tgaa	gac 1	tggc	ccgaac	60
ccat	tcaad	ccc (cgca	ggcg	at a	acaa	agag	g ago	gcaaa	accg	-			gca Ala	-	115
														caa Gln 20		163
														gca Ala		211
														gaa Glu		259
														ccc Pro		307
														acc Thr		355
														tcc Ser 100		403
														tca Ser		451
						gag Glu				taaa	atggo	cca 1	tggat	tgtto	et	501
cct																504
<211 <212)> 12 .> 12 ?> PF B> Co	27 RT	ebact	eri	ım gl	Lutar	nicum	n								
)> 12 Ile		Ala	Leu 5	Thr	Val	Ala	Ile	Leu 10	Phe	Gly	Gly	Gly	Val 15	Tyr	
Leu	Ile	Gl _i n	Gln 20	Arg	Gly	Met	Val	Arg 25	Ile	Val	Phe	Gly	Met 30	Ser	Leu	

Ile	Gly	His 35	Ala	Ala	Asn	Leu	Thr 40	Ile	Leu	Tyr	Ala	Gly 45	Val	Pro	Thr	
Trp	Arg 50	Gly	Glu	Ala	Phe	Pro 55	Asp	Arg	Thr	Pro	Leu 60	Thr	Asp	Ala	Ala	
Asp 65	Pro	Leu	Pro	Gln	Ala 70	Phe	Val	Leu	Thr	Ala 75	Ile	Val	Ile	Ala	Met 80	
Ala	Thr	Thr	Thr	Ile 85	Met	Leu	Ala	Leu	Ala 90	Ala	Leu	Gly	Arg	Ser 95	Asp	
Asp	Thr	Arg	Ser 100	Ile	Glu	Pro	Asp	Asp 105	Asp	Gln	Ser	Pro	Leu 110	Thr	Thr	
Ser	Ala	Arg 115	Ser	Val	Thr	Asn	Pro 120	Thr	Asp	Gln	Glu	Asp 125	Lys	Ala		
<213	0> 12 1> 11 2> DN 3> Co	l 19 NA	ebact	ceri	ım gl	Lutar	nicur	n								
<222 <223	1> CI 2> (1 3> R)	L01). KA023	(10 397	096)												
	D> 12 tgaat		aactt	gtt	c ct	ggto	catt	t cc	cctad	ctga	acto	gcgct	ta t	gcct	atgct	60
gtgi	.gaat	caa a			ic ct						atg	aat	gat		gaa	60 115
gtg1 taga aca	aaaco aaaco	aa a cag a	agaca gat	aagct cgg		agaaq tct	ggaca aaa	a ggg	ggccg	gcc	atg Met 1	aat Asn gca	gat Asp gcc	ttc Phe cga	gaa Glu 5	
gtgi taga aca Thr	aaaco acc Thr	atc Ile	gat Asp	cgg Arg 10	tt aa	tct Ser gtg	aaa Lys gaa	gaa Glu aca	caa Gln 15 gta	gat Asp	atg Met 1 ccc Pro	aat Asn gca Ala	gat Asp gcc Ala	ttc Phe cga Arg 20	gaa Glu 5 agc Ser	115
gtgi taga aca Thr cgc Arg	acc Thr gtg Val	atc Ile gaa Glu	gat Asp cag Gln 25	cgg Arg 10 ttc Phe	atc Ile	tct Ser gtg Val	aaa Lys gaa Glu	gaa Glu aca Thr 30	caa Gln 15 gta Val	gat Asp cgt Arg	atg Met 1 ccc Pro gca Ala	aat Asn gca Ala cta Leu	gat Asp gcc Ala ccc Pro 35	ttc Phe cga Arg 20 aac Asn	gaa Glu 5 agc Ser ttg Leu	115 163
gtgi taga aca Thr cgc Arg acc Thr	acc Thr gtg acc Thr	atc Ile gaa Glu aaa Lys 40	gat Asp cag Gln 25 caa Gln	cgg Arg 10 ttc Phe ggt Gly	atc Ile att Ile	tct Ser gtg Val tcg Ser	aaa Lys gaa Glu ttg Leu 45	gaa Glu aca Thr 30 gct Ala	caa Gln 15 gta Val atc Ile	ggcc gat Asp cgt Arg caa Gln	atg Met 1 ccc Pro gca Ala ctt Leu	aat Asn gca Ala cta Leu ctt Leu 50	gat Asp gcc Ala ccc Pro 35 gat Asp	ttc Phe cga Arg 20 aac Asn gcg Ala	gaa Glu 5 agc Ser ttg Leu gta Val	115 163 211
gtgi taga aca Thr cgc Arg acc Thr cag Gln	acc Thr gtg Val acc Thr ctc Leu 55	atc Ile gaa Glu aaa Lys 40 gcg Ala	gat Asp cag Gln 25 caa Gln gat Asp	cgg Arg 10 ttc Phe ggt Gly gcg Ala	atc Ile att Ile gca Ala	tct Ser gtg Val tcg Ser gga Gly 60	aaa Lys gaa Glu ttg Leu 45 acc Thr	gaa Glu aca Thr 30 gct Ala aag Lys	caa Gln 15 gta Val atc Ile ggg Gly	ggcc gat Asp cgt Arg caa Gln ggt Gly	atg Met 1 ccc Pro gca Ala ctt Leu gcg Ala 65	aat Asn gca Ala cta Leu ctt Leu 50 tcg Ser	gat Asp gcc Ala ccc Pro 35 gat Asp aca Thr	ttc Phe cga Arg 20 aac Asn gcg Ala agc Ser	gaa Glu 5 agc Ser ttg Leu gta Val aat Asn	115 163 211 259

PCT/IB00/00926 WO 01/00805 cct tct gaa act gcg cac ccg cta atg atc gct atc cct gag att gag Pro Ser Glu Thr Ala His Pro Leu Met Ile Ala Ile Pro Glu Ile Glu 105 att ttt tat cag cac acc gat gtg gag ccg gga agc gat gac gcc gtg 499 Ile Phe Tyr Gln His Thr Asp Val Glu Pro Gly Ser Asp Asp Ala Val 125 gcg ccg gac ttt cag gaa aat cag gat atg tgg cgc agg cgt ctc gga Ala Pro Asp Phe Gln Glu Asn Gln Asp Met Trp Arg Arg Leu Gly tct gtc acc gaa cca aac ctt ata tat aaa gag ttt tcc gga ccc ggc 595 Ser Val Thr Glu Pro Asn Leu Ile Tyr Lys Glu Phe Ser Gly Pro Gly 150 155 160 aaa gcg cag cgt gcc gta gaa atg ctg ggc aat ctg tgg aag atc ggc 643 Lys Ala Gln Arg Ala Val Glu Met Leu Gly Asn Leu Trp Lys Ile Gly 170 175 691 gtg gtg gtg agt agg aat acg gaa agt cgc ctt ggg tta act cgt gtg Val Val Val Ser Arg Asn Thr Glu Ser Arg Leu Gly Leu Thr Arg Val 185 190 gaa tac acc ccc acc cct ggc gaa gta ccc gtg ccg ctg atg tcg gag 739 Glu Tyr Thr Pro Thr Pro Gly Glu Val Pro Val Pro Leu Met Ser Glu 200 205 aag aac tgt tgg tac agc att cgg gtg tct gaa acc att ggt gag aac 787 Lys Asn Cys Trp Tyr Ser Ile Arg Val Ser Glu Thr Ile Gly Glu Asn 215 220 cag gtt ccg gaa att gtg cgc tgc tta ggc gag att ttc tgt ggc tat 835 Gln Val Pro Glu Ile Val Arg Cys Leu Gly Glu Ile Phe Cys Gly Tyr 230 240 ctt ccc cag atg tgg ctc aaa gaa cca gta aag gcc ggc aag ttg cga 883 Leu Pro Gln Met Trp Leu Lys Glu Pro Val Lys Ala Gly Lys Leu Arg 250 atc caa gaa tcg gaa gca gcg tat atc gcg atg gcg cga cta gat 931 Ile Gln Glu Ser Glu Ala Ala Ala Tyr Ile Ala Met Ala Arg Leu Asp 265 270 ctt tcc cca cgc acc ggc aac acc act tgg acc aac agc tat att tcc Leu Ser Pro Arg Thr Gly Asn Thr Thr Trp Thr Asn Ser Tyr Ile Ser 280 acg cgt cct ctc tcc ccc gct ttt agg tgg gac gtg gtg ctg gag gct 1027 Thr Arg Pro Leu Ser Pro Ala Phe Arg Trp Asp Val Val Leu Glu Ala 295 300 tcc cac caa ttg gag aac ctg ctg cgt gga gac aca ggg ccg gtc act 1075 Ser His Gln Leu Glu Asn Leu Leu Arg Gly Asp Thr Gly Pro Val Thr 310 315 gcc aca caa tcq gca gct ggt taaccaaaaq ttcacqtqqa qat 1119 Ala Thr Gln Ser Ala Ala Gly

330

<210> 122

<211> 332

<212> PRT

<213> Corynebacterium glutamicum

<400> 122

Met Asn Asp Phe Glu Thr Thr Ile Asp Arg Ile Ser Lys Glu Gln Asp 1 5 10 15

Pro Ala Ala Arg Ser Arg Val Glu Gln Phe Ile Val Glu Thr Val Arg 20 25 30

Ala Leu Pro Asn Leu Thr Thr Lys Gln Gly Ala Ser Leu Ala Ile Gln 35 40 45

Leu Leu Asp Ala Val Gln Leu Ala Asp Ala Ala Gly Thr Lys Gly Gly 50 55 60

Ala Ser Thr Ser Asn Ala Ser Ser Leu Pro Asp Thr Phe Asp Ala Leu 65 70 . 75 80

Thr Ser Leu Ile Gly Lys Leu Asp Val Arg Ser Asp Ser Glu Trp Arg 85 90 95

Ser Phe Gly Phe Gln Pro Ser Glu Thr Ala His Pro Leu Met Ile Ala 100 105 110

Ile Pro Glu Ile Glu Ile Phe Tyr Gln His Thr Asp Val Glu Pro Gly 115 120 125

Ser Asp Asp Ala Val Ala Pro Asp Phe Gln Glu Asn Gln Asp Met Trp 130 135 140

Arg Arg Arg Leu Gly Ser Val Thr Glu Pro Asn Leu Ile Tyr Lys Glu 145 150 155 160

Phe Ser Gly Pro Gly Lys Ala Gln Arg Ala Val Glu Met Leu Gly Asn 165 170 175

Leu Trp Lys Ile Gly Val Val Val Ser Arg Asn Thr Glu Ser Arg Leu 180 185 190

Gly Leu Thr Arg Val Glu Tyr Thr Pro Thr Pro Gly Glu Val Pro Val 195 200 205

Pro Leu Met Ser Glu Lys Asn Cys Trp Tyr Ser Ile Arg Val Ser Glu 210 215 220

Thr Ile Gly Glu Asn Gln Val Pro Glu Ile Val Arg Cys Leu Gly Glu 225 230 235 240

Ile Phe Cys Gly Tyr Leu Pro Gln Met Trp Leu Lys Glu Pro Val Lys 245 250 255

Ala Gly Lys Leu Arg Ile Gln Glu Ser Glu Ala Ala Ala Tyr Ile Ala 260 265 • 270

Met Ala Arg Leu Asp Leu Ser Pro Arg Thr Gly Asn Thr Thr Trp Thr 275 280 285

Asn Ser Tyr Ile Ser Thr Arg Pro Leu Ser Pro Ala Phe Arg Trp Asp

300

295

290

135

Val Val Leu Glu Ala Ser His Gln Leu Glu Asn Leu Leu Arg Gly Asp 310 320 315 Thr Gly Pro Val Thr Ala Thr Gln Ser Ala Ala Gly 325 <210> 123 <211> 1462 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1462) <223> RXN03110 <400> 123 aatgagtgaa cctgcgcttg aactataccc cctggggtat tactgtagat tctcaatacc 60 ccgaggggta tctagttttt acgttgagaa ggagagctca gtg ctt att gaa cgc Val Leu Ile Glu Arq 1 atc tac gac gaa gac ctt gcg cag gcc agc tat ttc att ggc tgc caa 163 Ile Tyr Asp Glu Asp Leu Ala Gln Ala Ser Tyr Phe Ile Gly Cys Gln 10 gcc cac aac acc gca gtc gtg gtt gat ccg cgt cgc gat att gcc gtc 211 Ala His Asn Thr Ala Val Val Val Asp Pro Arg Asp Ile Ala Val tat ctg gac atg gcc aag aaa aac gga atg gag att gtt gga gtt acc 259 Tyr Leu Asp Met Ala Lys Lys Asn Gly Met Glu Ile Val Gly Val Thr 40 gaa acc cat atc cat gcg gac tat ttg tca gga acc cgt gag tta gct 307 Glu Thr His Ile His Ala Asp Tyr Leu Ser Gly Thr Arg Glu Leu Ala 60 get gea act aat gee ace atg tae gte tea ggg gag gge gge gee gat 355 Ala Ala Thr Asn Ala Thr Met Tyr Val Ser Gly Glu Gly Gly Ala Asp tgg cag tat gaa ttc gac gcc gag cga ata tgc gac ggc agc gag att 403 Trp Gln Tyr Glu Phe Asp Ala Glu Arg Ile Cys Asp Gly Ser Glu Ile cgc ctg gga aat ctg gtg ctc aca gct gtt cac acc cca ggc cat acc 451 Arg Leu Gly Asn Leu Val Leu Thr Ala Val His Thr Pro Gly His Thr 105 115 110 ecg gaa cae tta teg tte etg etg aag gae gge geg tte gea gat gag 499 Pro Glu His Leu Ser Phe Leu Leu Lys Asp Gly Ala Phe Ala Asp Glu 120 cca gga ttc atg ctc act ggc gat ttc gtt ttc gcg ggt gat ctt ggc 547 Pro Gly Phe Met Leu Thr Gly Asp Phe Val Phe Ala Gly Asp Leu Gly

140

cga Arg 150	cca Pro	gat Asp	ttg Leu	ctc Leu	gat Asp 155	gaa Glu	gca Ala	gct Ala	ggg Gly	gga Gly 160	gtg Val	gac Asp	act Thr	cgt Arg	ttt Phe 165	595
gag Glu	ggg Gly	gct Ala	cgc Arg	caa Gln 170	atg Met	ttc Phe	aag Lys	agc Ser	ttg Leu 175	aag Lys	gaa Glu	aaa Lys	ttc Phe	ctg Leu 180	aca Thr	643
ttg Leu	cct Pro	gat Asp	cac His 185	atc Ile	cag Gln	atc Ile	ttc Phe	cct Pro 190	ggt Gly	cat His	ggt Gly	tcc Ser	ggt Gly 195	tcc Ser	gcg Ala	691
tgt Cys	ggc Gly	aaa Lys 200	gcc Ala	ttg Leu	ggt Gly	tcg Ser	gtt Val 205	cct Pro	tca Ser	aca Thr	aca Thr	ctt Leu 210	gga Gly	tat Tyr	gaa Glu	739
cgt Arg	caa Gln 215	ttt Phe	gcg Ala	tgg Trp	tgg Trp	gga Gly 220	aag Lys	tat Tyr	ctg Leu	gag Glu	gca Ala 225	gat Asp	gat Asp	gaa Glu	caa Gln	787
gga Gly 230	ttc Phe	att Ile	gat Asp	gag Glu	ctt Leu 235	ctg Leu	gaa Glu	ggc Gly	caa Gln	cct Pro 240	gat Asp	gca Ala	cet Pro	gca Ala	tac Tyr 245	835
ttc Phe	ggc Gly	agg Arg	atg Met	aag Lys 250	agg Arg	caa Gln	aat Asn	agg Arg	caa Gln 255	Gly ggg	ccc Pro	gca Ala	att Ile	atg Met 260	ggc Gly	883
gct Ala	cgc Arg	gag Glu	ctg Leu 265	ttg Leu	cca Pro	cag Gln	ctg Leu	gaa Glu 270	gct Ala	tct Ser	gat Asp	ctg Leu	cac His 275	gac Asp	gtc Val	931
att Ile	gtt Val	gtt Val 280	gat Asp	acc Thr	cgc Arg	tca Ser	gcc Ala 285	gat Asp	gaa Glu	gtt Val	cac His	cag Gln 290	ggc Gly	act Thr	gta Val	979
gct Ala	ggt Gly 295	gca Ala	gtg Val	aat Asn	att Ile	cct Pro 300	gcg Ala	ggc Gly	aat Asn	tcg Ser	atg Met 305	gcg Ala	aaa Lys	ttt Phe	gly ggc	1027
tcg Ser 310	tgg Trp	acc Thr	gtt Val	gat Asp	ccc Pro 315	gag Glu	aag Lys	gat Asp	tcc Ser	cga Arg 320	gct Ala	ttg Leu	gtt Val	ctg Leu	ctc Leu 325	1075
gcg Ala	gca Ala	agc Ser	caa Gln	att Ile 330	ggt Gly	gcc Ala	atg Met	gag Glu	atg Met 335	tgg Trp	gac Asp	cac His	atg Met	gtt Val 340	cgc Arg	1123
gṫg Val	gga Gly	atc Ile	gat Asp 345	aat Asn	gtt Val	gct Ala	ggt Gly	ttt Phe 350	atc Ile	acc Thr	aac Asn	ttt Phe	gat Asp 355	ggg Gly	gtg Val	1171
gac Asp	cta Leu	gtt Val 360	gca Ala	ccg Pro	caa Gln	act Thr	gtg Val 365	tcc Ser	cca Pro	gat Asp	cag Gln	ctg Leu 370	gat Asp	gaa Glu	ttg Leu	1219
gaa Glu	tac Tyr 375	gat Asp	cta Leu	ctt Leu	ctt Leu	gat Asp 380	gtc Val	cgc Arg	aac Asn	cgc Arg	agt Ser 385	gaa Glu	gtc Val	gaa Glu	gaa Glu	1267

ggc tac atc cca gga gca ctc cat att aat ggt gca tcc gtg ctg tgg 1315 Gly Tyr Ile Pro Gly Ala Leu His Ile Asn Gly Ala Ser Val Leu Trp 395 400 aat ctg gag aaa ctg cca cgt gac gga aag atc gtg agc tac tgc aag 1363 Asn Leu Glu Lys Leu Pro Arg Asp Gly Lys Ile Val Ser Tyr Cys Lys 410 415 agt gga aca cgc agc tca atc gcc gca agc acc ctg cgt aat gct ggt 1411 Ser Gly Thr Arg Ser Ser Ile Ala Ala Ser Thr Leu Arg Asn Ala Gly 425 430 ttt gat gtg gtg gaa ctt caa gga tcc tat gac aac tgg gtc cgg cac 1459 Phe Asp Val Val Glu Leu Gln Gly Ser Tyr Asp Asn Trp Val Arg His 445 aac 1462 Asn

<210> 124

<211> 454

<212> PRT

<213> Corynebacterium glutamicum

<400> 124

Val Leu Ile Glu Arg Ile Tyr Asp Glu Asp Leu Ala Gln Ala Ser Tyr 1 5 10

Phe Ile Gly Cys Gln Ala His Asn Thr Ala Val Val Asp Pro Arg 20 25 30

Arg Asp Ile Ala Val Tyr Leu Asp Met Ala Lys Lys Asn Gly Met Glu 35 40 45

Ile Val Gly Val Thr Glu Thr His Ile His Ala Asp Tyr Leu Ser Gly 50 55 60

Thr Arg Glu Leu Ala Ala Ala Thr Asn Ala Thr Met Tyr Val Ser Gly 65 70 75 80

Glu Gly Gly Ala Asp Trp Gln Tyr Glu Phe Asp Ala Glu Arg Ile Cys
85 90 95

Asp Gly Ser Glu Ile Arg Leu Gly Asn Leu Val Leu Thr Ala Val His 100 105 110

Thr Pro Gly His Thr Pro Glu His Leu Ser Phe Leu Leu Lys Asp Gly
115 120 125

Ala Phe Ala Asp Glu Pro Gly Phe Met Leu Thr Gly Asp Phe Val Phe 130 135 140

Ala Gly Asp Leu Gly Arg Pro Asp Leu Leu Asp Glu Ala Ala Gly Gly 145 150 155 160

Val Asp Thr Arg Phe Glu Gly Ala Arg Gln Met Phe Lys Ser Leu Lys 165 170 175

Glu Lys Phe Leu Thr Leu Pro Asp His Ile Gln Ile Phe Pro Gly His

180 185 190

Gly Ser Gly Ser Ala Cys Gly Lys Ala Leu Gly Ser Val Pro Ser Thr 195 200 205

Thr Leu Gly Tyr Glu Arg Gln Phe Ala Trp Trp Gly Lys Tyr Leu Glu 210 215 220

Ala Asp Asp Glu Gln Gly Phe Ile Asp Glu Leu Leu Glu Gly Gln Pro 225 230 235 240

Asp Ala Pro Ala Tyr Phe Gly Arg Met Lys Arg Gln Asn Arg Gln Gly
245 250 255

Pro Ala Ile Met Gly Ala Arg Glu Leu Leu Pro Gln Leu Glu Ala Ser 260 265 270

Asp Leu His Asp Val Ile Val Val Asp Thr Arg Ser Ala Asp Glu Val 275 280 285

His Gln Gly Thr Val Ala Gly Ala Val Asn Ile Pro Ala Gly Asn Ser 290 295 300

Met Ala Lys Phe Gly Ser Trp Thr Val Asp Pro Glu Lys Asp Ser Arg 305 310 315 320

Ala Leu Val Leu Leu Ala Ala Ser Gln Ile Gly Ala Met Glu Met Trp 325 330 335

Asp His Met Val Arg Val Gly Ile Asp Asn Val Ala Gly Phe Ile Thr 340 345 350

Asn Phe Asp Gly Val Asp Leu Val Ala Pro Gln Thr Val Ser Pro Asp 355 360 365

Gln Leu Asp Glu Leu Glu Tyr Asp Leu Leu Leu Asp Val Arg Asn Arg 370 375 380

Ser Glu Val Glu Glu Gly Tyr Ile Pro Gly Ala Leu His Ile Asn Gly 385 390 395 400

Ala Ser Val Leu Trp Asn Leu Glu Lys Leu Pro Arg Asp Gly Lys Ile 405 410 415

Val Ser Tyr Cys Lys Ser Gly Thr Arg Ser Ser Ile Ala Ala Ser Thr 420 425 430

Leu Arg Asn Ala Gly Phe Asp Val Val Glu Leu Gln Gly Ser Tyr Asp
435
445

Asn Trp Val Arg His Asn 450

<210> 125

<211> 1023

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (1)..(1023) <223> FRXA00660

<400> 125 cca ggc cat acc ccg gaa cac tta tcg ttc ctg ctg aag gac ggc gcg Pro Gly His Thr Pro Glu His Leu Ser Phe Leu Leu Lys Asp Gly Ala ttc gca cat gag cca gga ttc atg ctc act ggc gat ttc gtt ttc gcg 96 Phe Ala His Glu Pro Gly Phe Met Leu Thr Gly Asp Phe Val Phe Ala ggt gat ctt ggc cga cca gat ttg ctc gat gaa gca gct ggg gga gtg Gly Asp Leu Gly Arg Pro Asp Leu Leu Asp Glu Ala Ala Gly Gly Val 35 gac act cgt ttt gag ggg gct cgc caa atg ttc aag agc ttg aag gaa 192 Asp Thr Arg Phe Glu Gly Ala Arg Gln Met Phe Lys Ser Leu Lys Glu 50 aaa ttc ctg aca ttg cct gat cac atc cag atc ttc cct ggt cat ggt Lys Phe Leu Thr Leu Pro Asp His Ile Gln Ile Phe Pro Gly His Gly 65 288 tcc ggt tcc gcg tgt ggc aaa gcc ttg ggt tcg gtt cct tca aca aca Ser Gly Ser Ala Cys Gly Lys Ala Leu Gly Ser Val Pro Ser Thr Thr 85 ctt gga tat gaa cgt caa ttt gcg tgg tgg gga aag tat ctg gag gca 336 Leu Gly Tyr Glu Arg Gln Phe Ala Trp Trp Gly Lys Tyr Leu Glu Ala gat gat gaa caa gga ttc att gat gag ctt ctg gaa ggc caa cct gat 384 Asp Asp Glu Gln Gly Phe Ile Asp Glu Leu Leu Glu Gly Gln Pro Asp gca cct gca tac ttc ggc agg atg aag agg caa aat agg caa ggg ccc 432 Ala Pro Ala Tyr Phe Gly Arg Met Lys Arg Gln Asn Arg Gln Gly Pro 135 gca att atg ggc gct cgc gag ctg ttg cca cag ctg gaa gct tct gat 480 Ala Ile Met Gly Ala Arg Glu Leu Leu Pro Gln Leu Glu Ala Ser Asp 150 155 ctg cac gac gtc att gtt gtt gat acc cgc tca gcc gat gaa gtt cac 528 Leu His Asp Val Ile Val Val Asp Thr Arg Ser Ala Asp Glu Val His 170 cag ggc act gta gct ggt gca gtg aat att cct gcg ggc aat tcg atg Gln Gly Thr Val Ala Gly Ala Val Asn Ile Pro Ala Gly Asn Ser Met 180 185 .624 gcg aaa ttt ggc tcg tgg acc gtt gat ccc gag aag gat tcc cga gct Ala Lys Phe Gly Ser Trp Thr Val Asp Pro Glu Lys Asp Ser Arg Ala 200 ttg gtt ctg ctc gcg gca agc caa att ggt gcc atg gag atg tgg gac Leu Val Leu Leu Ala Ala Ser Gln Ile Gly Ala Met Glu Met Trp Asp 210 215 220

720

cac atg gtt cgc gtg gga atc gat aat gtt gct ggt ttt atc acc aac

His Met Va 225	l Arg		31y : 230	Ile	Asp	Asn		Ala 235	Gly	Phe	Ile	Thr	Asn 240	
ttt gat gg Phe Asp Gl	y Val													768
ctg gat ga Leu Asp Gl														816
gaa gtc ga Glu Val Gl 27	u Glu			Ile										864
tcc gtg ct Ser Val Le 290			Leu (912
agc tac tg Ser Tyr Cy 305		Ser (960
cgt aat go Arg Asn Al	a Gly	-	-			-						_		1008
tgg gtc cg Trp Val Ar	-			,										1023
	nebact	eriu	m gl	utan	nicum	n			·					
<211> 341 <212> PRT			•				Phe 10	Leu	Leu	Lys	Asp	Gly 15	Ala	
<211> 341 <212> PRT <213> Cory <400> 126 Pro Gly Hi	s Thr	Pro (Glu	His	Leu	Ser	10					15		
<211> 341 <212> PRT <213> Cory <400> 126 Pro Gly Hi 1 Phe Ala Hi	s Thr	Pro (Glu Gly	His Phe	Leu Met	Ser Leu 25	10 Thr	Gly	Asp	Phe	Val 30	15 Phe	Ala	
<211> 341 <212> PRT <213> Cory <400> 126 Pro Gly Hi 1 Phe Ala Hi	s Thr s Glu 20 eu Gly	Pro (Pro (Arg)	Glu Gly Pro	His Phe Asp	Leu Met Leu 40	Ser Leu 25 Leu	10 Thr Asp	Gly	Asp Ala	Phe Ala 45	Val 30 Gly	15 Phe Gly	Ala Val	
<211> 341 <212> PRT <213> Cory <400> 126 Pro Gly Hi	s Thr s Glu 20 eu Gly 5	Pro G Arg 1	Glu Gly Pro Gly	His Phe Asp Ala 55	Leu Met Leu 40 Arg	Ser Leu 25 Leu Gln	10 Thr Asp Met	Gly Glu Phe	Asp Ala Lys 60	Phe Ala 45 Ser	Val 30 Gly Leu	15 Phe Gly Lys	Ala Val Glu	
<pre><211> 341 <212> PRT <213> Cory <400> 126 Pro Gly Hi</pre>	s Thr s Glu 20 gu Gly 5 g Phe	Pro (Arg) . Glu (Glu Gly Pro Gly Pro 70	His Phe Asp Ala 55 Asp	Leu Met Leu 40 Arg	Ser Leu 25 Leu Gln	10 Thr Asp Met	Gly Glu Phe Ile 75	Asp Ala Lys 60 Phe	Phe Ala 45 Ser	Val 30 Gly Leu Gly	15 Phe Gly Lys His	Ala Val Glu Gly 80	
<211> 341 <212> PRT <213> Cory <400> 126 Pro Gly Hi	s Thr s Glu 20 gu Gly 5 g Phe gu Thr	Pro (Arg) . Glu (Cys (85)	Glu Gly Pro Gly Pro 70	His Phe Asp Ala 55 Asp	Leu Met Leu 40 Arg His	Ser Leu 25 Leu Gln Ile Leu	10 Thr Asp Met Gln Gly 90	Gly Glu Phe Ile 75 Ser	Asp Ala Lys 60 Phe	Phe Ala 45 Ser Pro	Val 30 Gly Leu Gly Ser	15 Phe Gly Lys His	Ala Val Glu Gly 80 Thr	

Ala Pro Ala Tyr Phe Gly Arg Met Lys Arg Gln Asn Arg Gln Gly Pro Ala Ile Met Gly Ala Arg Glu Leu Leu Pro Gln Leu Glu Ala Ser Asp Leu His Asp Val Ile Val Val Asp Thr Arg Ser Ala Asp Glu Val His 170 165 Gln Gly Thr Val Ala Gly Ala Val Asn Ile Pro Ala Gly Asn Ser Met 185 Ala Lys Phe Gly Ser Trp Thr Val Asp Pro Glu Lys Asp Ser Arg Ala Leu Val Leu Leu Ala Ala Ser Gln Ile Gly Ala Met Glu Met Trp Asp 215 His Met Val Arg Val Gly Ile Asp Asn Val Ala Gly Phe Ile Thr Asn 225 Phe Asp Gly Val Asp Leu Val Ala Pro Gln Thr Val Ser Pro Asp Gln 250 Leu Asp Glu Leu Glu Tyr Asp Leu Leu Asp Val Arg Asn Arg Ser 260 Glu Val Glu Glu Gly Tyr Ile Pro Gly Ala Leu His Ile Asn Gly Ala 280 Ser Val Leu Trp Asn Leu Glu Lys Leu Pro Arg Asp Gly Lys Ile Val 290 300 Ser Tyr Cys Lys Ser Gly Thr Arg Ser Ser Ile Ala Ala Ser Thr Leu 310 315 Arg Asn Ala Gly Phe Asp Val Val Glu Leu Gln Gly Ser Tyr Asp Asn 330 Trp Val Arg His Asn 340 <210> 127 <211> 756 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(733) <223> RXA00801 <400> 127 ggataagttt gtttctgagc gtattggtct tgatgatgtt gaagaggctt tcaacaccat 60 gaaggetgge gacgtgetge gttetgtggt ggagatetaa atg get cae gae gga Met Ala His Asp Gly

ttg Leu	cgc Arg	gta Val	gaa Glu	aac Asn 10	att Ile	gtc Val	acc Thr	tca Ser	ggc Gly 15	atc Ile	ttt Phe	gcc Ala	ctt Leu	gat Asp 20	ggt Gly	163
ggc Gly	gaa Glu	tgg Trp	gaa Glu 25	gtc Val	gac Asp	aac Asn	aac Asn	atc Ile 30	tgg Trp	gtt Val	gtg Val	gga Gly	aat Asn 35	gat Asp	gat Asp	211
gag Glu	gtt Val	ttc Phe 40	atc Ile	atc Ile	gat Asp	gcg Ala	gca Ala 45	cac His	act Thr	gca Ala	gca Ala	ccc Pro 50	atc Ile	atc Ile	gag Glu	259
gct Ala	gtc Val 55	ggt Gly	gga Gly	cgt Arg	gct Ala	gtg Val 60	aag Lys	ggc Gly	att Ile	ttg Leu	tgc Cys 65	acc Thr	cac His	gca Ala	cac His	307
aat Asn 70	gac Asp	cac His	atc Ile	act Thr	gtc Val 75	gca Ala	cca Pro	gag Glu	cta Leu	tcc Ser 80	aag Lys	gaa Glu	ttt Phe	gat Asp	gca Ala 85	355
cca Pro	atc Ile	ttc Phe	gtg Val	cac His 90	cca Pro	ggt Gly	gac Asp	caa Gln	atg Met 95	ctg Leu	tgg Trp	gag Glu	gaa Glu	acc Thr 100	cac His	403
gga Gly	aac Asn	ctg Leu	acc Thr 105	cac His	gag Glu	gat Asp	ttg Leu	gca Ala 110	gat Asp	cag Gln	cag Gln	aag Lys	ttc Phe 115	caa Gln	atc Ile	451
gct Ala	gga Gly	act Thr 120	gaa Glu	ctg Leu	atc Ile	gtg Val	ctt Leu 125	aat Asn	acc Thr	cct Pro	gga Gly	cac His 130	tca Ser	cct Pro	gga Gly	499
tcc Ser	agc Ser 135	tgc Cys	ttc Phe	tac Tyr	ctc Leu	cct Pro 140	gaa Glu	gca Ala	aac Asn	gag Glu	ctc Leu 145	ttc Phe	tct Ser	gga Gly	gac Asp	547
act Thr 150	ttg Leu	ttc Phe	cag Gln	ggt Gly	ggg Gly 155	ccg Pro	gga Gly	gca Ala	act Thr	ggc Gly 160	cgt Arg	aag Lys	tac Tyr	agc Ser	tcc Ser 165	595
ttt Phe	gac Asp	acc Thr	atc Ile	att Ile 170	gag Glu	tcc Ser	ctc Leu	aag Lys	acc Thr 175	tca Ser	att Ile	ttg Leu	gat Asp	cta Leu 180	cca Pro	643
gcg Ala	gaa Glu	acc Thr	acc Thr 185	gtg Val	cgc Arg	act Thr	ggc Gly	cat His 190	ggt Gly	gat Asp	cac His	acc Thr	agt Ser 195	gtg Val	GJ À aaa	691
gct Ala	Glu	gct Ala 200	cca Pro	cac His	ttg Leu	Glu	gaa Glu 205	tgg Trp	att Ile	aaa Lys	cgc Arg	ggg Gly 210	cac His			733
taag	cccc	ga a	cgat	tagt	a gg	C										756

<210> 128

<211> 211

<212> PRT

<213> Corynebacterium glutamicum

<400> 128

Met Ala His Asp Gly Leu Arg Val Glu Asn Ile Val Thr Ser Gly Ile
1 Phe Ala Leu Asp Gly Gly Glu Trp Glu Val Asp Asn Asn Ile Trp Val
20 Val Gly Asn Asp Asp Glu Val Phe Ile Ile Asp Ala Ala His Thr Ala
45 Ala Pro Ile Ile Glu Ala Val Gly Gly Gly Arg Ala Val Lys Gly Ile Leu
50 Phe Ala His Thr Ala

Cys Thr His Ala His Asn Asp His Ile Thr Val Ala Pro Glu Leu Ser 65 70 75 80

Lys Glu Phe Asp Ala Pro Ile Phe Val His Pro Gly Asp Gln Met Leu 85 90 95

Trp Glu Glu Thr His Gly Asn Leu Thr His Glu Asp Leu Ala Asp Gln
100 105 110

Gln Lys Phe Gln Ile Ala Gly Thr Glu Leu Ile Val Leu Asn Thr Pro 115 120 125

Gly His Ser Pro Gly Ser Ser Cys Phe Tyr Leu Pro Glu Ala Asn Glu 130 135 140

Leu Phe Ser Gly Asp Thr Leu Phe Gln Gly Gly Pro Gly Ala Thr Gly 145 150 155 160

Arg Lys Tyr Ser Ser Phe Asp Thr Ile Ile Glu Ser Leu Lys Thr Ser 165 170 175

Ile Leu Asp Leu Pro Ala Glu Thr Thr Val Arg Thr Gly His Gly Asp 180 185 190

His Thr Ser Val Gly Ala Glu Ala Pro His Leu Glu Glu Trp Ile Lys 195 200 205

Arg Gly His 210

<210> 129

<211> 966

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(943)

<223> RXA00821

<400> 129

ttaaaagctt gcttctcgac gcaaaaaccc atccggcgca tcccttcaat gttaggggtg 60

cgctgctatt tttctcccca gttctacgaa atgacttatt gtg act aag ctt gag 115 Val Thr Lys Leu Glu

cgc atg gag cat cct gct tac agc caa ttg cgg ccg gtt acc ccq tcc 163

Arg	Met	Glu	His	Pro 10	Ala	Tyr	Ser	Gln	Leu 15	Arg	Pro	Val	Thr	Pro 20	Ser	
				ttg Leu												211
				gtt Val												259
				cct Pro												307
	_			gtg Val					-			_			-	355
				gca Ala 90												403
				cct Pro												451
				acg Thr												499
				cat His												547
				gag Glu			_				-					595
				cac His 170												643
				aat Asn												691
	_	_		cca Pro	-				-		_	-				739
				tac Tyr												78 7
				gag Glu												835
				tac Tyr												883

250 255 260

gag cag tcc act cat gtg gct att cgt tac ctg cag gct cag gaa gct 933 Glu Gln Ser Thr His Val Ala Ile Arg Tyr Leu Gln Ala Gln Glu Ala 265 270 275

tcc gcc tca aac taaacacttt taactaaaca aca 966 Ser Ala Ser Asn 280

<210> 130

<211> 281

<212> PRT

<213> Corynebacterium glutamicum

<400> 130

Val Thr Lys Leu Glu Arg Met Glu His Pro Ala Tyr Ser Gln Leu Arg

1 5 10 15

Pro Val Thr Pro Ser Ala Ser Val Val Leu Cys Pro Asn Pro Gly Tyr
20 25 30

Ser Ser Leu Glu Gly Thr Asn Ser Trp Val Ile Arg Ala Pro Glu Asp 35 40 45

Pro Arg Ser Ile Val Ile Asp Pro Gly Pro Glu Asp Glu Gly His Leu 50 55 60

Asn Val Leu His Ser Lys Ala Glu Glu Val Gly Leu Ile Leu Leu Thr 65 70 75 80

His Arg His Tyr Asp His Ala Asp Gly Ala Gln Arg Phe Arg Gln Leu 85 90 95

Thr Asn Ala Pro Val Arg Ala Met Asp Pro Ser Tyr Cys Ala Gly Ala
100 105 110

Glu Glu Ile His Asp Gly Glu Ile Ile Thr Ile Asp Gly Val Thr Pro 115 120 125

Gln Ile Glu Val Val Ala Thr Pro Gly His Thr Arg Asp Ser Val Ser 130 135 140

Tyr Phe Ile Trp Ser Gly Val Pro His Glu Ser Thr Leu Glu Gly Ile 145 150 155 160

Val Ser Gly Asp Thr Ile Ala Gly Arg His Thr Thr Met Ile Ser Glu 165 170 175

Thr Asp Gly Asp Leu Gly Glu Tyr Leu Asn Ser Leu Ala Ile Leu Glu 180 185 190

Glu Arg Gly Lys Asp Ile Pro Leu Leu Pro Gly His Gly Pro Asp Gly 195 200 205

Gln Asp Val Ser Ser Phe Ala Arg Lys Tyr Ile Glu Arg Arg Glu Leu 210 215 220

Arg Leu Asn Gln Ile Arg Glu Val Trp Glu Thr Arg Gly Arg Asp Val 225 230 235 240

Ser Met Lys Asp Leu Ile Asp Ala Ile Tyr Asp Asp Val Asp Pro Val Leu Arg Gly Ala Ala Glu Gln Ser Thr His Val Ala Ile Arg Tyr Leu 265 Gln Ala Gln Glu Ala Ser Ala Ser Asn <210> 131 <211> 1530 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1507) <223> RXN02966 <400> 131 aaatataccc cccagggtat cttgacagat taaagctcga tgttttaggc tctacatata 60 ccccacggg tatcccctca actttgatct aaggtgtcac atg ctt ttt gaa cgc Met Leu Phe Glu Arg atc tac gaa gaa ggc ctc gcc caa gcc agc tat ttc att ggc tgc caa Ile Tyr Glu Glu Gly Leu Ala Gln Ala Ser Tyr Phe Ile Gly Cys Gln 10 20 cgc gaa ggc aaa gcg att gtt gtt gat gct cgc cga gat atc cag acc 211 Arg Glu Gly Lys Ala Ile Val Val Asp Ala Arg Arg Asp Ile Gln Thr 25 30 tat ctg gac ctt gca gca aaa aac aac atg gtc att agc gcc gta acc 259 Tyr Leu Asp Leu Ala Ala Lys Asn Asn Met Val Ile Ser Ala Val Thr 40 307 gaa acc cat att cat gcc gat tat ctc tcc ggt act cgc gaa ctt gca Glu Thr His Ile His Ala Asp Tyr Leu Ser Gly Thr Arg Glu Leu Ala 55 60 gct gcc acc ggc gcc gag att ttc ctc tct ggc gaa ggc gga gct gat 355 Ala Ala Thr Gly Ala Glu Ile Phe Leu Ser Gly Glu Gly Gly Ala Asp 75 tgg caa tat ggc ttt aca ggc acc acc ttg atg cac aat tcc acc atc Trp Gln Tyr Gly Phe Thr Gly Thr Thr Leu Met His Asn Ser Thr Ile 90 aag ctg gga aat atc acc atc aca gcc aag cac act ccc gga cac act 451 Lys Leu Gly Asn Ile Thr Ile Thr Ala Lys His Thr Pro Gly His Thr 110 cca gag cac ctg tca ttt ttg att act gat ggt gcg gtc tca aag gat 499 Pro Glu His Leu Ser Phe Leu Ile Thr Asp Gly Ala Val Ser Lys Asp 125 547 ccc ggt ttt atg ctc agc ggt gac ttc gtc ttc gta ggt gac gtg gga

Pro	Gly 135	Phe	Met	Leu	Ser	Gly 140	Asp	Phe	Val	Phe	Val 145	Gly	Asp	Val	Gly	
cgt Arg 150	cca Pro	gat Asp	tta Leu	ctt Leu	gat Asp 155	gag Glu	gca Ala	gct Ala	ggc Gly	ggc Gly 160	gtg Val	gac Asp	acc Thr	cgc Arg	ttc Phe 165	595
					ctc Leu											643
					cag Gln											691
					ggc Gly											739
					tgg Trp											787
					ctt Leu 235											835
					aag Lys											883
					gtg Val											931
					gta Val											979
					gtt Val											1027
					gcg Ala 315											1075
					gct Ala											1123
					gtt Val											1171
					cct Pro											1219
					aac Asn											1267

375 380 385 tee gaa tit gee get gge age att eee gge geg eag eat tet gga Ser Glu Phe Ala Ala Gly Ser Ile Pro Gly Ala Gln Gln Leu Ser Gly 395 400 ggt tcg gcc atg tgg cgc ctc aat gag ctg cct gcg ggt ggc act ttg 1363 Gly Ser Ala Met Trp Arg Leu Asn Glu Leu Pro Ala Gly Gly Thr Leu 410 415 gta acc ttc tgc caa tca gga gcg cga aat acc gtg gta gcc aat gct 1411 Val Thr Phe Cys Gln Ser Gly Ala Arg Asn Thr Val Val Ala Asn Ala 425 430 ttg cga cgc gcc gga ttc acc gtt atc gag ctc gag ggc agc tac gcc 1459 Leu Arg Arg Ala Gly Phe Thr Val Ile Glu Leu Glu Gly Ser Tyr Ala 445 gcg tgg gaa aaa tca gct gcc aat cct aaa aac ttg cag act gcc gtc 1507 Ala Trp Glu Lys Ser Ala Ala Asn Pro Lys Asn Leu Gln Thr Ala Val 455 460 tagttttaga tccggcgctg tat 1530 <210> 132 <211> 469 <212> PRT <213> Corynebacterium glutamicum <400> 132 Met Leu Phe Glu Arg Ile Tyr Glu Glu Gly Leu Ala Gln Ala Ser Tyr Phe Ile Gly Cys Gln Arg Glu Gly Lys Ala Ile Val Val Asp Ala Arg Arg Asp Ile Gln Thr Tyr Leu Asp Leu Ala Ala Lys Asn Asn Met Val Ile Ser Ala Val Thr Glu Thr His Ile His Ala Asp Tyr Leu Ser Gly 50 Thr Arg Glu Leu Ala Ala Ala Thr Gly Ala Glu Ile Phe Leu Ser Gly Glu Gly Gly Ala Asp Trp Gln Tyr Gly Phe Thr Gly Thr Thr Leu Met 85 90 His Asn Ser Thr Ile Lys Leu Gly Asn Ile Thr Ile Thr Ala Lys His 100 Thr Pro Gly His Thr Pro Glu His Leu Ser Phe Leu Ile Thr Asp Gly 120 Ala Val Ser Lys Asp Pro Gly Phe Met Leu Ser Gly Asp Phe Val Phe 130 135

155

Val Gly Asp Val Gly Arg Pro Asp Leu Leu Asp Glu Ala Ala Gly Gly

Val Asp Thr Arg Phe Ala Gly Ala Gln Gln Leu Phe His Ser Leu Lys 170 Glu Gln Phe Leu Ala Leu Pro Asp His Ile Gln Val Tyr Pro Gly His 185 Gly Ala Gly Ser Pro Cys Gly Lys Ala Leu Gly Ala Ile Pro Ser Thr 200 Thr Val Gly Tyr Glu Lys Ala Asn Ala Trp Trp Ala Pro Tyr Leu Arg Ser Asp Asp Glu Ala Gly Phe Val Glu Glu Leu Leu Asp Gly Gln Pro 230 Asp Ala His Ala Tyr Phe Ala Arg Met Lys Lys Gln Asn Lys Gln Gly Pro Ala Val Leu Ser Thr Leu Ser Pro Leu Val Lys Leu Glu Ala Glu 265 Glu Val Val Glu Lys Leu Gly Ser Glu Ala Val Phe Val Asp Thr Arg 275 280 Glu Gln Asn Gln Val His Leu Gly Thr Val Val Gly Ala Leu Asn Ile 295 Pro Arg Gly Ala Lys Ala Ser Asn Phe Ala Ala Trp Val Ile Asp Pro Gln Lys Asp Ala Gln Asp Leu Ile Val Leu Ala Pro Asp Ala Asn Thr 325 330 Ala Ala Asp Phe Arg Asp Ala Leu Leu Arg Val Gly Ile Asp Thr Val Arg Tyr Phe Thr Asn Ser Ile Asp Gly Leu Pro Thr Phe Val Pro Glu Leu Ile Ser Pro Ala Glu Leu Ala Glu Thr Asn Tyr Asp Ala Leu Ile 375 Asp Ile Arg Ala Lys Ser Glu Phe Ala Ala Gly Ser Ile Pro Gly Ala 390 Gln Gln Leu Ser Gly Gly Ser Ala Met Trp Arg Leu Asn Glu Leu Pro Ala Gly Gly Thr Leu Val Thr Phe Cys Gln Ser Gly Ala Arg Asn Thr Val Val Ala Asn Ala Leu Arg Arg Ala Gly Phe Thr Val Ile Glu Leu 440 Glu Gly Ser Tyr Ala Ala Trp Glu Lys Ser Ala Ala Asn Pro Lys Asn 455 460 Leu Gln Thr Ala Val 465

<211 <212	> 15 > 15 ?> DN }> Co	30 1A	ebact	eriu	ım gl	lutan	nicum	n								
<222	.> CE	01).	. (15 .833	507)												
)> 13	_	ccag	ggta	at ct	tgac	cagat	: taa	aagct	cga	tgtt	ttaç	ggc t	ctac	atata	60
cccc	caco	ggg t	atco	cct	ca ad	ettte	gatct	aaç	ggtgt	cac	-			gaa Glu	-	115
					ctc Leu											163
					att Ile											211
					gca Ala											259
					gcc Ala											307
					gag Glu 75											355
					aca Thr				_	_						403
_	_	-			acc Thr			_	-							451
					ttt Phe											499
					agc Ser											547
					gat Asp 155											595
					ctc Leu											643

	wo (1/008	805												PCT	/ IB 00/00
					cag Gln											691
					ggc Gly											739
					tgg Trp											787
				_	ctt Leu 235		_	-	_		-			_		835
					aag Lys											883
					gtg Val											931
			-	-	gta Val			-		_					-	979
					gtt Val											1027
					gcg Ala 315											1075
			-	_	gct Ala	-	-	-			-		-		-	1123
					gtt Val											1171
					cct Pro											1219
					aac Asn											1267
					ggc Gly 395											1315
					cgc Arg											1363
gta	acc	ttc	tgc	caa	tca	gga	gcg	cga	aat	acc	gtg	gta	gcc	aat	gct	1411

PCT/IB00/00926

Val Thr Phe Cys Gln Ser Gly Ala Arg Asn Thr Val Val Ala Asn Ala 430 ttg cga cgc gcc gga ttc acc gtt atc gag ctc gag ggc agc tac gcc 1459 Leu Arg Arg Ala Gly Phe Thr Val Ile Glu Leu Glu Gly Ser Tyr Ala 445 1507 gcg tgg gaa aaa tca gct gcc aat cct aaa aac ttg cag act gcc gtc Ala Trp Glu Lys Ser Ala Ala Asn Pro Lys Asn Leu Gln Thr Ala Val 460 1530 tagttttaga tccggcgctg tat <210> 134 <211> 469 <212> PRT <213> Corynebacterium glutamicum <400> 134 Met Leu Phe Glu Arg Ile Tyr Glu Glu Gly Leu Ala Gln Ala Ser Tyr Phe Ile Gly Cys Gln Arg Glu Gly Lys Ala Ile Val Val Asp Ala Arg Arg Asp Ile Gln Thr Tyr Leu Asp Leu Ala Ala Lys Asn Asn Met Val Ile Ser Ala Val Thr Glu Thr His Ile His Ala Asp Tyr Leu Ser Gly Thr Arg Glu Leu Ala Ala Ala Thr Gly Ala Glu Ile Phe Leu Ser Gly Glu Gly Gly Ala Asp Trp Gln Tyr Gly Phe Thr Gly Thr Thr Leu Met His Asn Ser Thr Ile Lys Leu Glu Asn Ile Thr Ile Thr Ala Lys His Thr Pro Gly His Thr Pro Glu His Leu Ser Phe Leu Ile Thr Asp Gly 120 115 Ala Val Ser Lys Asp Pro Gly Phe Met Leu Ser Gly Asp Phe Val Phe 130 135 Val Gly Asp Val Gly Arg Pro Asp Leu Leu Asp Glu Ala Ala Gly Gly 155 Val Asp Thr Arg Phe Ala Gly Ala Gln Gln Leu Phe His Ser Leu Lys 170 Glu Gln Phe Leu Ala Leu Pro Asp His Ile Gln Val Tyr Pro Gly His 185 Gly Ala Gly Ser Pro Cys Gly Lys Ala Leu Gly Ala Ile Pro Ser Thr 200 Thr Val Gly Tyr Glu Lys Ala Asn Ala Trp Trp Ala Pro Tyr Leu Arg 210 220 215

Ser Asp Asp Glu Ala Gly Phe Val Glu Glu Leu Leu Asp Gly Gln Pro 230 Asp Ala His Ala Tyr Phe Ala Arg Met Lys Lys Gln Asn Lys Gln Gly Pro Ala Val Leu Ser Thr Leu Ser Pro Leu Val Lys Leu Glu Ala Glu 265 Glu Val Val Glu Lys Leu Gly Ser Glu Ala Val Phe Val Asp Thr Arg Glu Gln Asn Gln Val His Leu Gly Thr Val Val Gly Ala Leu Asn Ile 295 Pro Arg Gly Ala Lys Ala Ser Asn Phe Ala Ala Trp Val Ile Asp Pro 310 315 Gln Lys Asp Ala Gln Asp Leu Ile Val Leu Ala Pro Asp Ala Asn Thr 325 Ala Ala Asp Phe Arg Asp Ala Leu Leu Arg Val Gly Ile Asp Thr Val 345 Arg Tyr Phe Thr Asn Ser Ile Asp Gly Leu Pro Thr Phe Val Pro Glu Leu Ile Ser Pro Ala Glu Leu Ala Glu Thr Asn Tyr Asp Ala Leu Ile Asp Ile Arg Ala Lys Ser Glu Phe Ala Ala Gly Ser Ile Pro Gly Ala 395 Gln Gln Leu Ser Gly Gly Ser Ala Met Trp Arg Leu Asn Glu Leu Pro 410 Ala Gly Gly Thr Leu Val Thr Phe Cys Gln Ser Gly Ala Arg Asn Thr 425 Val Val Ala Asn Ala Leu Arg Arg Ala Gly Phe Thr Val Ile Glu Leu Glu Gly Ser Tyr Ala Ala Trp Glu Lys Ser Ala Ala Asn Pro Lys Asn 455 460 Leu Gln Thr Ala Val 465 <210> 135 <211> 675 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(652) <223> RXA01853

<400> 135

gaat	gtc	caa d	gtca	aaaa	aa at	tctt	ttct	ato	cctaa	accg	tato	ettea	aca d	cctt	gaggga	60
atga	atggo	ggg _. a	agcgo	ccgct	t ac	egcad	ctaca	a cto	gttta		atg Met 1					115
ttc Phe	gcg Ala	gct Ala	ggt Gly	ccg Pro 10	tat Tyr	aaa Lys	aca Thr	aat Asn	tgc Cys 15	tat Tyr	gtg Val	gtg Val	cgc Arg	ggg Gly 20	gag Glu	163
			gcg Ala 25													211
			atc Ile													259
			cac His													307
			gcg Ala													355
			aag Lys													403
			gtg Val 105													451
			atc Ile													499
			tca Ser													547
			gat Asp													595
			gat Asp													643
	cca Pro		tgat	gato	gca t	tgca	agatt	c tt	tc							675

<210> 136

<211> 184

<212> PRT

<213> Corynebacterium glutamicum

<400> 136

Met Glu Ile Leu Gly Phe Ala Ala Gly Pro Tyr Lys Thr Asn Cys Tyr

Val Val Arg Gly Glu Asn Glu Val Ala Ile Ile Asp Pro Gly Met His 25 Ala His Asp Asp Leu Val Glu Tyr Ile Thr Thr Asn Asn Leu Ser Val Asp Lys Ile Val Leu Thr His Gly His Ile Asp His Thr Arg Asp Ala Gly Val Val Ala Lys Arg Phe Asn Ala Pro Val Tyr Ile His Pro Asp 70 Asp Ala Phe Phe Leu Glu Val Tyr Lys Gly Ser Gly Thr Lys Thr Ala Met Leu Phe Asp Ala Asp Asn Met Val Ser Pro Asp Pro Glu Ser Leu Arg Asp Leu Val Asp Gly Glu Thr Ile Thr Leu Ala Gly Glu Glu Phe Thr Leu Lys His Ala Pro Gly His Ser Pro Gly Cys Thr Leu Ile Val 135 Gly Lys Glu Tyr Cys Phe Ser Gly Asp Val Leu Phe Lys Gly Ser Ile 150 155 Gly Arg Thr Asp Phe Glu Trp Ser Asp Ala Asp Ala Met Asn Glu Ser 170 Leu Arg Thr Ala Val Leu Pro Leu <210> 137 <211> 723 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(700) <223> RXN02424 <400> 137 agccaatgct caactgccct tcaaaatcga tttttgtcgc ttcaaaaaat acaccttcga 60 acatagcate gaacaaggtg tttccgctag tctgaaccac atg act aac gag ctc Met Thr Asn Glu Leu 1 163 act ctt cac cat att tcc gtg tcc caa atg gac aac aat tgc tac ctt Thr Leu His His Ile Ser Val Ser Gln Met Asp Asn Asn Cys Tyr Leu ttg gcc gca aat ggc aac ggt tta ctc att gat gct gca gat gac gca Leu Ala Ala Asn Gly Asn Gly Leu Leu Ile Asp Ala Ala Asp Asp Ala 30

										ggt Gly						259
										gtc Val						307
										gcg Ala 80						355
					-	-	-	-	-	ctg Leu				-		403
										agc Ser						451
										atc Ile						499
										ggt Gly						547
	-		_		-	_	_			gat Asp 160	-			_		595
										tgg Trp						643
										ctg Leu						691
_	_	tgg Trp 200		geget	ttt t	ctca	aacca	ag go	ca							723
<211 <212	0> 13 1> 20 2> PI 3> Co	00 RT	ebact	teri	um g	lutar	micur	n								
	0> 1: Thr		Glu	Leu 5	Thr	Leu	His	His	Ile 10	Ser	Val	Ser	Gln	Met 15	Asp	
Asn	Asn	Cys	Tyr 20	Leu	Leu	Ala	Ala	Asn 25	Gly	Asn	Gly	Leu	Leu 30	Ile	Asp	
Ala	Ala	Asp	Asp	Ala	Ala	Ala	Leu	Leu	Lys	Leu	Ala	Glu 15	Asp	Ala	Gly	

Val Thr Ile Thr Lys Val Leu Thr Thr His Arg His Ala Asp His Val 55 Arg Ala Leu Pro Glu Val Leu Gln Lys Thr Gly Ala Thr His Tyr Ala 75 Pro Phe Leu Glu Val Pro Ala Leu Pro Ser Ala Val Asp Val Glu Leu His His Gly Asp Ser Ile Glu Phe Glu Gly His Val Phe Pro Ile Ser Ile Leu Arg Gly His Thr Pro Gly Gly Ala Val Leu Thr Ala Glu Ile 115 . 120 Asp Gly Lys Thr His Leu Phe Val Gly Asp Ser Leu Phe Pro Gly Gly 135 Leu Gly Lys Thr Ser Ser Glu Gly Asp Phe Val Arg Leu Phe Asn Asp 150 155 Val Lys Glu Arg Ile Phe Asp Thr Tyr Asp Asp Ser Ile Val Trp 170 Pro Gly His Gly Lys Glu Thr Thr Leu Gly Ala Glu Arg Pro Gln Leu Glu Ile Trp Trp Glu Arg Arg Trp 195 <210> 139 <211> 404 <212> DNA <213> Corynebacterium glutamicum · · <220> <221> CDS <222> (1)..(381) <223> FRXA02424 <400> 139 acc gga gca act cac tac gcg cct ttc ctt gag gtg cca gct ttg ccc 48 Thr Gly Ala Thr His Tyr Ala Pro Phe Leu Glu Val Pro Ala Leu Pro 1 tcc gct gtt gat gtg gaa ctg cat cat ggt gat tca att gaa ttt gag 96 Ser Ala Val Asp Val Glu Leu His His Gly Asp Ser Ile Glu Phe Glu 20 25 ggt cat gta ttc cct atc agc att ctg cgc ggc cac acc cca ggc ggt Gly His Val Phe Pro Ile Ser Ile Leu Arg Gly His Thr Pro Gly Gly 35 gca gta ctc acc gct gag atc gac ggt aaa act cac ctt ttc gtg ggt 192 Ala Val Leu Thr Ala Glu Ile Asp Gly Lys Thr His Leu Phe Val Gly 50 gac age etc tte eec gge ggt ttg gge aaa ace age age gaa gge gae 240 . Asp Ser Leu Phe Pro Gly Gly Leu Gly Lys Thr Ser Ser Glu Gly Asp 70

ttc gtc cga ctg ttc aac gat gtc aaa gag cgc atc ttt gac acc tac 288 Phe Val Arg Leu Phe Asn Asp Val Lys Glu Arg Ile Phe Asp Thr Tyr gac gat gac agc atc gtg tgg cca ggt cac ggc aag gaa acc acc ctt Asp Asp Asp Ser Ile Val Trp Pro Gly His Gly Lys Glu Thr Thr Leu gga gcc gag cgt cca cag ctg gaa atc tgg tgg gag cgt cgc tgg 381 Gly Ala Glu Arg Pro Gln Leu Glu Ile Trp Trp Glu Arg Arg Trp 120 taagcgcttt tctcaaccag gca 404 <210> 140 <211> 127 <212> PRT <213> Corynebacterium glutamicum <400> 140 Thr Gly Ala Thr His Tyr Ala Pro Phe Leu Glu Val Pro Ala Leu Pro Ser Ala Val Asp Val Glu Leu His His Gly Asp Ser Ile Glu Phe Glu 20 25 Gly His Val Phe Pro Ile Ser Ile Leu Arg Gly His Thr Pro Gly Gly Ala Val Leu Thr Ala Glu Ile Asp Gly Lys Thr His Leu Phe Val Gly Asp Ser Leu Phe Pro Gly Gly Leu Gly Lys Thr Ser Ser Glu Gly Asp Phe Val Arg Leu Phe Asn Asp Val Lys Glu Arg Ile Phe Asp Thr Tyr 90 Asp Asp Ser Ile Val Trp Pro Gly His Gly Lys Glu Thr Thr Leu 100 Gly Ala Glu Arg Pro Gln Leu Glu Ile Trp Trp Glu Arg Arg Trp 120 <210> 141 <211> 882 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(859) <223> RXN00419 <400> 141 gctggttgaa gactcgaaat gagatcgacc caaccggagt ctttgcatct gacatgtccc 60 gccgacttga gctttcttaa gaaagggctt gaactaaaca atg ctt aac gca gtg

Met Leu Asn Ala Val ggc aaa gcc caa aac att ctc ctt ctt ggt gga acc tct gag atc ggt 163 Gly Lys Ala Gln Asn Ile Leu Leu Gly Gly Thr Ser Glu Ile Gly 10 att tcc att gtc tcc cgc ttc ctc aag cag ggt cca tcc cat gtg acc 211 Ile Ser Ile Val Ser Arg Phe Leu Lys Gln Gly Pro Ser His Val Thr ttg gca gcg cgt aaa gat tcc cca cgc gtg gac gca gca gtc gca gag Leu Ala Ala Arg Lys Asp Ser Pro Arg Val Asp Ala Ala Val Ala Glu atc aaa gca gct ggc gct gct tcc gtt gct gtt gtt gat ttc gat gcg 307 Ile Lys Ala Ala Gly Ala Ala Ser Val Ala Val Val Asp Phe Asp Ala ctc gac acc gaa tcc cac cct gca gcc atc gac gca gcc ttt gaa aac 355 Leu Asp Thr Glu Ser His Pro Ala Ala Ile Asp Ala Ala Phe Glu Asn 80 ggc gac gtt gac gta gca atc gtg gct ttc ggc atc ctc ggc gac aac 403 Gly Asp Val Asp Val Ala Ile Val Ala Phe Gly Ile Leu Gly Asp Asn gaa gca cag tgg cgc gac caa gca cta gca gtg gaa gca acc acc gtg 451 Glu Ala Gln Trp Arg Asp Gln Ala Leu Ala Val Glu Ala Thr Thr Val 105 110 aac tac acc gcc ggc gtt tcc gta ggt gta ctg ctg ggc cag aaa ttt 499 Asn Tyr Thr Ala Gly Val Ser Val Gly Val Leu Leu Gly Gln Lys Phe 120 gag cag cag ggc cac ggc acc atc gtg gca ttg tcc tct gtg gca ggc 547 Glu Gln Gln Gly His Gly Thr Ile Val Ala Leu Ser Ser Val Ala Gly 135 140 cag cga gtc cgc cgc tcc aac ttt gtc tac ggc tcc gcc aag gca ggt 595 Gln Arg Val Arg Arg Ser Asn Phe Val Tyr Gly Ser Ala Lys Ala Gly 150 155 ttc gac ggt ttc tac acc cag ctc ggc gaa gcc ctg cgt gga tcc ggt 643 Phe Asp Gly Phe Tyr Thr Gln Leu Gly Glu Ala Leu Arg Gly Ser Gly 170 175 gcc aac gta ttg gtg gtt cgc cca ggc cag gta cgc acc aag atg tcc Ala Asn Val Leu Val Val Arg Pro Gly Gln Val Arg Thr Lys Met Ser 185 gca gat ggt ggc gaa gcc cca ctg acc gtc aac cgc gaa gac gtg gca 739 Ala Asp Gly Glu Ala Pro Leu Thr Val Asn Arg Glu Asp Val Ala 200 gat gct gtt tat gat gca gtg gtg aac aag aag gac atc atc ttt gtc Asp Ala Val Tyr Asp Ala Val Val Asn Lys Lys Asp Ile Ile Phe Val 215 cac cca ctg ttc cag tac gtc tct ttt gcg ttc caa ttc att ccg cga His Pro Leu Phe Gln Tyr Val Ser Phe Ala Phe Gln Phe Ile Pro Arg

230 235 240 245

gca atc ttc cgc aag ctg ccg ttc taacggaagt tacggaagtt acg 882
Ala Ile Phe Arg Lys Leu Pro Phe
250

<210> 142

<211> 253

<212> PRT

<213> Corynebacterium glutamicum

<400> 142

Met Leu Asn Ala Val Gly Lys Ala Gln Asn Ile Leu Leu Gly Gly 1 5 10 15

Thr Ser Glu Ile Gly Ile Ser Ile Val Ser Arg Phe Leu Lys Gln Gly 20 25 30

Pro Ser His Val Thr Leu Ala Ala Arg Lys Asp Ser Pro Arg Val Asp 35 40 45

Ala Ala Val Ala Glu Ile Lys Ala Ala Gly Ala Ala Ser Val Ala Val 50 55 60

Val Asp Phe Asp Ala Leu Asp Thr Glu Ser His Pro Ala Ala Ile Asp 65 70 75 80

Ala Ala Phe Glu Asn Gly Asp Val Asp Val Ala Ile Val Ala Phe Gly 85 90 95

Ile Leu Gly Asp Asn Glu Ala Gln Trp Arg Asp Gln Ala Leu Ala Val 100 105 110

Glu Ala Thr Thr Val Asn Tyr Thr Ala Gly Val Ser Val Gly Val Leu 115 120 125

Leu Gly Gln Lys Phe Glu Gln Gln Gly His Gly Thr Ile Val Ala Leu 130 135 140

Ser Ser Val Ala Gly Gln Arg Val Arg Arg Ser Asn Phe Val Tyr Gly 145 150 155 160

Ser Ala Lys Ala Gly Phe Asp Gly Phe Tyr Thr Gln Leu Gly Glu Ala 165 170 175

Leu Arg Gly Ser Gly Ala Asn Val Leu Val Val Arg Pro Gly Gln Val 180 185 190

Arg Thr Lys Met Ser Ala Asp Gly Gly Glu Ala Pro Leu Thr Val Asn 195 200 205

Arg Glu Asp Val Ala Asp Ala Val Tyr Asp Ala Val Val Asn Lys Lys 210 215 220

Asp Ile Ile Phe Val His Pro Leu Phe Gln Tyr Val Ser Phe Ala Phe 225 230 235 240

Gln Phe Ile Pro Arg Ala Ile Phe Arg Lys Leu Pro Phe 245 250

<21 <21	0> 1 1> 4 2> D 3> C	85 NA	ebac	teri	um g	luta	micu	m								
<22	1> C 2> (DS 1) RXAO)												
gac	0> 1 aac Asn	gaa	gca Ala	cag Gln 5	tgg Trp	cgc Arg	gac Asp	caa Gln	gca Ala 10	cta Leu	gca Ala	gtg Val	gaa Glu	gca Ala 15	acc Thr	48
acc Thr	gtg Val	aac Asn	tac Tyr 20	acc Thr	gcc Ala	ggc Gly	gtt Val	tcc Ser 25	gta Val	ggt Gly	gta Val	ctg Leu	ctg Leu 30	ggc Gly	cag Gln	96
aaa Lys	ttt Phe	gag Glu 35	cag Gln	cag Gln	ggc Gly	cac His	ggc Gly 40	acc Thr	atc Ile	gtġ Val	gca Ala	ttg Leu 45	tcc Ser	tct Ser	gtg Val	144
gca Ala	ggc Gly 50	cag Gln	cga Arg	gtc Val	cgc Arg	cgc Arg 55	tcc Ser	aac Asn	ttt Phe	gtc Val	tac Tyr 60	ggc Gly	tcc Ser	gcc Ala	aag Lys	192
gca Ala 65	ggt Gly	ttc Phe	gac Asp	ggt Gly	ttc Phe 70	tac Tyr	acc Thr	cag Gln	ctc Leu	ggc Gly 75	gaa Glu	gcc Ala	ctg Leu	cgt Arg	gga Gly 80	240
tcc Ser	ggt Gly	gcc Ala	aac Asn	gta Val 85	ttg Leu	gtg Val	gtt Val	cgc Arg	cca Pro 90	ggc Gly	cag Gln	gta Val	cgc Arg	acc Thr 95	aag Lys	288
atg Met	tcc Ser	gca Ala	gat Asp 100	ggt Gly	ggc Gly	gaa Glu	gcc Ala	cca Pro 105	ctg Leu	acc Thr	gtc Val	aac Asn	cgc Arg 110	gaa Glu	gac Asp	336
gtg Val	Ala	gat Asp 115	Ala	Val	Tyr	gat Asp	Ala	Val	Val	Asn	aag Lys	Lys	Asp	atc Ile	atc Ile	384
ttt Phe	gtc Val 130	cac His	cca Pro	ctg Leu	ttc Phe	cag Gln 135	tac Tyr	gtc Val	tct Ser	ttt Phe	gcg Ala 140	ttc Phe	caa Gln	ttc Phe	att Ile	432
ccg Pro 145	cga Arg	gca Ala	atc Ile	ttc Phe	cgc Arg 150	aag Lys	ctg Leu	ccg Pro	ttc Phe	taac	eggaa	igt t	acgo	gaagt	:t	482
acg									•							485
<211 <212)> 14 .> 15 !> PR	4 T	bact	eriu	ım gl	.utan	icum	ı								
	> 14				J -											

Asp Asn Glu Ala Gln Trp Arg Asp Gln Ala Leu Ala Val Glu Ala Thr Thr Val Asn Tyr Thr Ala Gly Val Ser Val Gly Val Leu Leu Gly Gln Lys Phe Glu Gln Gln Gly His Gly Thr Ile Val Ala Leu Ser Ser Val 40 Ala Gly Gln Arg Val Arg Arg Ser Asn Phe Val Tyr Gly Ser Ala Lys Ala Gly Phe Asp Gly Phe Tyr Thr Gln Leu Gly Glu Ala Leu Arg Gly Ser Gly Ala Asn Val Leu Val Val Arg Pro Gly Gln Val Arg Thr Lys Met Ser Ala Asp Gly Gly Glu Ala Pro Leu Thr Val Asn Arg Glu Asp 105 Val Ala Asp Ala Val Tyr Asp Ala Val Val Asn Lys Lys Asp Ile Ile Phe Val His Pro Leu Phe Gln Tyr Val Ser Phe Ala Phe Gln Phe Ile 135 Pro Arg Ala Ile Phe Arg Lys Leu Pro Phe 150 <210> 145 <211> 259 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(259) <223> FRXA00421 <400> 145 gctggttgaa gactcgaaat gagatcgacc caaccggagt ctttgcatct gacatgtccc 60 gccgacttga gctttcttaa gaaagggctt gaactaaaca atg ctt aac gca gtg Met Leu Asn Ala Val ggc aaa gcc caa aac att ctc ctt ctt ggt gga acc tct gag atc ggt Gly Lys Ala Gln Asn Ile Leu Leu Leu Gly Gly Thr Ser Glu Ile Gly att too att gto too ogo tto oto aag cag ggt coa too cat gtg acc 211 Ile Ser Ile Val Ser Arg Phe Leu Lys Gln Gly Pro Ser His Val Thr 259 ttg gca gcg cgt aaa gat tcc cca cgc gtg gac gca gca gtc gca gag Leu Ala Ala Arg Lys Asp Ser Pro Arg Val Asp Ala Ala Val Ala Glu 45

<21 <21	0> 1 1> 5 2> P 3> C	3	ebac	teri	um g	luta	micu	m								
		46 Asn	Ala	Val 5	Gly	Lys	Ala	Gln	Asn 10	Ile	Leu	Leu	Leu	Gly 15	Gly	
Thr	Ser	Glu	Ile 20	Gly	Ile	Ser	Ile	Val 25	Ser	Arg	Phe	Leu	Lys 30	Gln	Gly	
Pro	Ser	His 35	Val	Thr	Leu	Ala	Ala 40	Arg	Lys	Asp	Ser	Pro 45	Arg	Val	Asp	
Ala	Ala 50	Val	Ala	Glu			,									
<21 <21	0> 1 1> 8 2> DI 3> Co	61	ebact	teri	ım gl	Lutan	nicur	n								
<22	1> CI 2> (:	DS 101) KN029		38)												
	0> 1 tcta		gaa	ggaat	ic ca	ecgga	agcgo	c gca	atcga	aga	cato	cgtto	gtg d	gtgaa	atgaag	60
acg	gttgi	tga a	aacc	ctcaa	ac aa	accaç	gecea	a ago	gaact	gcg				ctt Leu		115
		gga Gly														163
		gaa Glu					gct	act								
			Asp 25	Val	Val	Leu	Ala		cgt Arg							211
		gcg Ala 40	25 gaa	gat	ctt	cga	cag	Ala 30 cgc	Arg ggt	Arg gcc	Pro	Glu tct	Ala 35 gtt	Ala	Gln gtt	211 259
Gly ttg	Leu agc	gcg Ala	25 gaa Glu gac	gat Asp gcc	ctt Leu caa	cga Arg gta	cag Gln 45 cta	Ala 30 cgc Arg	Arg ggt Gly acg	Arg gcc Ala cac	Pro aca Thr	Glu tct Ser 50 gaa	Ala 35 gtt Val	Ala cat His	Gln gtt Val aag	
Gly ttg Leu aaa	agc Ser 55	gcg Ala 40 ttt	25 gaa Glu gac Asp	gat Asp gcc Ala	ctt Leu caa Gln gct	cga Arg gta Val 60 ggc	cag Gln 45 cta Leu	Ala 30 cgc Arg gac Asp	ggt Gly acg Thr	Arg gcc Ala cac His	Pro aca Thr cga Arg 65	tct Ser 50 gaa Glu	Ala 35 gtt Val ctt Leu	Ala cat His gtg Val	Gln gtt Val aag Lys	259
ttg Leu aaa Lys 70	agc Ser 55 aca Thr	gcg Ala 40 ttt Phe	25 gaa Glu gac Asp gag Glu	gat Asp gcc Ala cta Leu	ctt Leu caa Gln gct Ala 75	cga Arg gta Val 60 ggc Gly	cag Gln 45 cta Leu gag Glu	Ala 30 cgc Arg gac Asp att Ile	ggt Gly acg Thr tcc Ser	Arg gcc Ala cac His ctt Leu 80 acc	Pro aca Thr cga Arg 65 gcc Ala	tct Ser 50 gaa Glu gtg Val	Ala 35 gtt Val ctt Leu gtt Val	Ala cat His gtg Val gct Ala cat	Gln gtt Val aag Lys ttt Phe 85	259 307

Val	Glu	Ile	Ala 105	Thr	Val	Asp	Tyr	Thr 110	Ala	Gln	Val	Ser	Met 115	Leu	Thr	
							gca Ala 125									499
							tgg Trp									547
							ctc Leu									595
							gtg Val									643
							acg Thr									691
gtg Val	tat Tyr	cca Pro 200	cga Arg	gat Asp	gtt Val	gcc Ala	gca Ala 205	gct Ala	gtt Val	gtt Val	agt Ser	gct Ala 210	tat Tyr	acc Thr	tct Ser	739
aag Lys	aag Lys 215	agg Arg	agc Ser	acg Thr	acc Thr	ttg Leu 220	tgg Trp	att Ile	ccg Pro	gga Gly	cgt Arg 225	ctg Leu	cgg Arg	gtt Val	ctc Leu	787
_			_		_	-	cct Pro	_	_	-			_	_		835
cgc Arg	taga	atac	ccg	ttca	gccc	tc a	ca									861

<210> 148 <211> 246 <212> PRT

<213> Corynebacterium glutamicum

<400> 148
Leu Ser Ile Leu Leu Gly Gly Thr Ser Asp Ile Ala Gly Glu Ile
1 5 10 15

Ala Thr Leu Thr Cys His Gly Glu Asp Val Val Leu Ala Ala Arg Arg 20 25 30

Pro Glu Ala Ala Gln Gly Leu Ala Glu Asp Leu Arg Gln Arg Gly Ala 35 40 45

Thr Ser Val His Val Leu Ser Phe Asp Ala Gln Val Leu Asp Thr His 50 55 60

Arg Glu Leu Val Lys Lys Thr Gln Glu Leu Ala Gly Glu Ile Ser Leu 65 70 75 80

Ala	Val	Val	Ala	Phe 85	Gly	Ile	Leu	Gly	Asp 90	Gln	Glu	Arg	Ala	Glu 95	Thr	
Asp	Glu	Thr	His 100	Ala	Val	Glu	Ile	Ala 105	Thr	Val	Asp	Tyr	Thr 110	Ala	Gln	
Val	Ser	Met 115	Leu	Thr	Val	Leu	Ala 120	Asp	Glu	Leu	Arg	Ala 125	Gln	Thr	Thr	
Pro	Ala 130	Ala	Ile	Val	Ala	Phe 135	Ser	Ser	Ile	Ala	Gly 140	Trp	Arg	Ala	Arg	
Arg 145	Pro	Asn	Tyr	Val	Tyr 150	Gly	Ser	Thr	Lys	Ala 155	Gly	Leu	Asp	Ala	Phe 160	
Cys	Gln	Gly	Leu	Ala 165	Asp	Ser	Leu	His	Gly 170	Thr	His	Val	Arg	Leu 175	Ile	
Ile	Ala	Arg	Pro 180	Gly	Phe	Val	Ile	Gly 185	Ser	Met	Thr	Thr	Gly 190	Met	Lys	
Pro	Ala	Pro 195	Met	Ser	Val	Tyr	Pro 200	Arg	Asp	Val	Ala	Ala 205	Ala	Val	Val	
Ser	Ala 210	Tyr	Thr	Ser	Lys	Lys 215	Arg	Ser	Thr	Thr	Leu 220	Trp	Ile	Pro	Gly	•
Arg 225	Leu	Arg	Val	Leu	Ala 230	Trp	Ile	Met	Arg	Met 235	Val	Pro	Arg	Pro	Val 240	
Trp	Arg	Lys	Met	Pro 245	Arg		•									
<212 <212	0> 14 l> 12 2> DN 3> Co	203 IA	bact	eri	ım g]	lutan	nicum	n								
<222)> L> CE 2> (1 B> RX	01).		.80)												
)> 14 accgc	-	gcaa	igcta	ac co	geeta	ggcg	g ctc	ggaa	ictc	caco	gcca	act a	ıttga	ıtctca	60
gtto	cata	itc c	gcco	aact	a gt	ttco	cago	g gag	jccca	ctc	_			ccg Pro		115
	atc Ile															163
	gcg Ala															211
	ctt Leu															259

40 45 50

ggc Gly	ggt Gly 55	ttg Leu	ggt Gly	ttt Phe	agc Ser	ctt Leu 60	cca Pro	gaa Glu	gca Ala	ttt Phe	gag Glu 65	gtg Val	ctg Leu	gtg Val	gca Ala	307
	gcc Ala															355
	gca Ala															403
	tgg Trp															451
ttg Leu	act Thr	gaa Glu 120	gtg Val	gga Gly	aac Asn	aag Lys	cca Pro 125	ggt Gly	gag Glu	ctg Leu	aaa Lys	acc Thr 130	aag Lys	atc Ile	cga Arg	499
	gaa Glu 135															547
	agt Ser															595
	caa Gln															643
	gtg Val															691
	agc Ser					-		-	-		_	-		_		739
	gat Asp 215														cat His	787
cat His 230	ttg Leu	tct Ser	acg Thr	ttg Leu	act Thr 235	ggt Gly	att Ile	tcg Ser	cag Gln	gca Ala 240	atc Ile	acc Thr	cgt Arg	gac Asp	att Ile 245	835
	acc Thr															883
	ctt Leu															931
	gcc Ala															979

		gat Asp														1027
		ctg Leu														1075
		cct Pro														1123
		gcc Ala														1171
	ttg Leu	tca Ser 360	tgaç	gccaa	aga a	attt	tgaç	go da	t							1203
<212 <212	0> 15 l> 36 2> PE 3> Co	50	ebact	eriu	ım gl	utam	nicum	ı								
)> 15															
Met 1	Ile	Ser	Pro	Gln 5	Thr	Ile	Ile	Asp	Asn 10	Leu	Ala	Pro	Val	Leu 15	Ala	
Glu	Ile	Ala	Ala 20	Thr	Ala	Ala	Gln	Arg 25	Glu	Gln	Asp	Arg	Glu 30	Phe	Ser	
Arg	Asp	Leu 35	Ala	Lys	Gln	Leu	Ser 40	Ala	Gly	Gly	Phe	Thr 45	Lys	Leu	Arg	
Ile	Pro 50	Val	Glu	Phe	Gly	Gly 55	Leu	Gly	Phe	Ser	Leu 60	Pro	Glu	Ala	Phe	
Glu 65	Val	Leu	Val	Ala	Ala 70		Ala		_	75	Asn			Gln	Gly 80	
Leu	Arg	Pro	His	Phe 85	Leu	Ala	Val	Glu	Ser 90	Leu	Leu	Ile	Ala	Pro 95	Tyr	
Ser	Glu	His	Arg 100	Thr	Lys	Trp	Leu	Arg 105	Lys	Ile	Ala	Glu	Lys 110	Gly	Val	
Val	Ile	Gly 115	Asn	Ala	Leu	Thr	Glu 120	Val	Gly	Asn	Lys	Pro 125	Gly	Glu	Leu	
Lys	Thr 130	Lys	Ile	Arg	Lys	Glu 135	Gly	Glu	Ser	Tyr	Val 140	Leu	Ser	Asp	Thr	
Lys 145	Phe	Tyr	Ser	Thr	Gly 150	Ser	Leu	Tyr	Ala	Asp 155	Trp	Ile	Gln	Val	His 160	
Ala	Lys	Asp	Glu	Glu 165	Asp	Gln	Asp	Val	Phe 170	Ala	Phe	Val	Asp	Arg 175	Asp	

Ala Ser Gly Val Val Leu Val Asp Tyr Trp Asp Glu Phe Gly Gln Gln 180 185 Leu Phe Ala Ser Gly Thr Ser Phe Phe Glu Lys Val Val Val Asp Pro 195 200 Leu Asp Ile Val Thr Arg Asp Tyr Thr Ala Pro Ser Ala Phe Gln Ala Leu Ala Gln Ser His His Leu Ser Thr Leu Thr Gly Ile Ser Gln Ala 230 Ile Thr Arg Asp Ile Val Thr Tyr Val Gln Asn Arg Thr Arg Ile Phe Ser His Gly Ser Gly Asp Leu Pro Arg Phe Asp Pro Gln Val Gln 260 265 Val Val Gly Glu Val Lys Ala Lys Ser Tyr Ala Val Glu Lys Ile Phe 280 Gln Gly Phe Ala Gln Glu Leu Asp Leu Val Val Asp Lys Ala Lys Ala 290 295 300 Gly Thr Ala Thr Glu Val Asp Leu Ala Ala Val Asp Leu Ser Ala Tyr 315 Gln Ala Gln Leu Ala Val Ala Pro Leu Val Leu Ser Gln Ala Thr Gln Ala Phe Glu Val Gly Ala Asp Ala Leu Asn Gly Gly His Val Ala Ala Gln Tyr Thr Ile Gly Ser Leu Ser <210> 151 <211> 516 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(493) <223> RXN03065 <400> 151 gacggcgcca actotycatt ottogcotca gcgtgcgtgg cagtgtttgc actgatcgtg 60 ggcttctttg taaagaggcc agcccgctaa gctaggtcgc atg atc agc att gga Met Ile Ser Ile Gly ace gae etc gtt cae att teg geg tte gea gag eag ett gea eag eeg Thr Asp Leu Val His Ile Ser Ala Phe Ala Glu Gln Leu Ala Gln Pro 10 15 gga agt tcc ttc atg gag gtg ttt tcc gca ggg gag cgt cgt aaa gca Gly Ser Ser Phe Met Glu Val Phe Ser Ala Gly Glu Arg Arg Lys Ala 25 30 35

	-	-	-	_	agc Ser	-		-			_					259
					ttt Phe											307
					gcc Ala 75											355
					tgg Trp											403
					cgg Arg											451
					ggc Gly											493
tgad	ctato	cca q	gtago	cac	gg ag	ja										516
<211	0> 15 l> 13 2> PF	31														
<213	3> Cc	ryne	ebact	eri	ım gl	lutan	nicum	n								
<400)> 15	52			ım gl Thr				His	Ile	Ser	Ala	Phe	Ala	Glu	
<400 Met)> 15 Ile	52 Ser	Ile	Gly 5	Thr	Asp	Leu	Val	10					15		
<400 Met)> 15 Ile	52 Ser	Ile	Gly 5		Asp	Leu	Val	10					15		
<400 Met 1 Gln)> 15 Ile Leu	Ser Ala	Ile Gln 20	Gly 5 Pro	Thr	Asp Ser	Leu Ser	Val Phe 25	10 Met	Glu	Val	Phe	Ser 30	15 Ala	Gly	
<400 Met 1 Gln Glu)> 15 Ile Leu Arg	Ser Ala Arg 35	Ile Gln 20 Lys	Gly 5 Pro Ala	Thr	Asp Ser Glu	Leu Ser Arg 40	Val Phe 25 Gln	10 Met Ala	Glu Ser	Val Arg	Phe Tyr 45	Ser 30 Ala	15 Ala Glu	Gly	
<400 Met 1 Gln Glu Leu)> 15 Ile Leu Arg Ala 50	S2 Ser Ala Arg 35 Gly	Ile Gln 20 Lys Arg	Gly 5 Pro Ala Trp	Thr Gly Asn	Asp Ser Glu Ala 55	Leu Ser Arg 40 Lys	Val Phe 25 Gln Glu	10 Met Ala Ser	Glu Ser Phe	Val Arg Ile 60	Phe Tyr 45 Lys	Ser 30 Ala Ala	15 Ala Glu Trp	Gly His Ser	
<400 Met 1 Gln Glu Leu Gln 65	D> 15 Ile Leu Arg Ala 50 Ala	S2 Ser Ala Arg 35 Gly	Ile Gln 20 Lys Arg	Gly 5 Pro Ala Trp	Thr Gly Asn Ala	Asp Ser Glu Ala 55 Pro	Leu Ser Arg 40 Lys	Val Phe 25 Gln Glu Val	10 Met Ala Ser Ile	Glu Ser Phe Ala 75	Val Arg Ile 60 Glu	Phe Tyr 45 Lys	Ser 30 Ala Ala	15 Ala Glu Trp Val	Gly His Ser Val	
<400 Met l Gln Glu Leu Gln 65	D> 15 Ile Leu Arg Ala 50 Ala Arg	Ser Ala Arg 35 Gly Ile Asp	Ile Gln 20 Lys Arg Tyr	Gly 5 Pro Ala Trp Gly Glu 85	Thr Gly Asn Ala Gln 70	Asp Ser Glu Ala 55 Pro	Leu Ser Arg 40 Lys Pro	Val Phe 25 Gln Glu Val Asp	10 Met Ala Ser Ile Ala 90	Glu Ser Phe Ala 75	Val Arg Ile 60 Glu Gly	Phe Tyr 45 Lys Glu Arg	Ser 30 Ala Ala Ala	15 Ala Glu Trp Val	Gly His Ser Val 80	
<400 Met 1 Gln Glu Leu Gln 65 Trp	Leu Arg Ala 50 Ala Arg	S2 Ser Ala Arg 35 Gly Ile Asp	Ile Gln 20 Lys Arg Tyr Ile Pro 100	Gly 5 Pro Ala Trp Gly Glu 85 Glu	Thr Gly Asn Ala Gln 70 Val	Asp Ser Glu Ala 55 Pro Arg	Leu Ser Arg 40 Lys Pro Ala	Val Phe 25 Gln Glu Val Asp Val 105	10 Met Ala Ser Ile Ala 90 Val	Glu Ser Phe Ala 75 Trp Arg	Val Arg Ile 60 Glu Gly Glu	Phe Tyr 45 Lys Glu Arg	Ser 30 Ala Ala Ala Val Ile 110	15 Ala Glu Trp Val Ala 95 Gly	Gly His Ser Val 80 Ile	

<212	0> 15 L> 54 2> DN 3> Co	13 NA	ebact	teri	um gl	lutar	micur	n								
<222	l> CI 2> (1		(52 132	20)												
)> 15 cttat		ataca	ataa	aa ad	cacaa	ataaa	a aad	ccgca	acac	gcg	gcgaa	aac t	tcaa	ataaat	60
ccct	agad	ctg d	caaaa	aaat	gg tt	aggo	ctaad	c cti	attt	cca	-			aat Asn		115
					acc Thr											163
					gac Asp											211
					cag Gln											259
					cac His											307
					gag Glu 75											355
					ctt Leu											403
				Pro	gac Asp											451
					acc Thr	Thr										499
					aca Thr		tgad	egeti	tcc a	aggc	gcca	cc go	eg			543
<211 <212	0> 15 l> 14 2> PF B> Co	0 RT	ebact	ceri	ım gi	Lutar	nicur	n								
)> 15				3 -											

Met 1		vai	Asn	Gln 5		Leu	Gly	Ala	Arg 10	Thr	Ala	Met	Asn	His 15	Pro	
Glu	Thr	Ala	Thr 20	Val	Leu	Arg	Ser	11e 25	Ser	Asp	Met	Val	Ser 30	Thr	Glu	
Thr	Asn	Pro 35	Arg	Arg	Lys	Ser	Arg 40	Leu	Glu	Gln	Leu	Ile 45	Tyr	Ala	Thr	
Ala	Ser 50		Trp	Pro	His	Tyr 55	Pro	Ile	Ala	His	Ala 60	Ala	Gln	Ala	Ala	
Val 65	Gln	Leu	Ala	Arg	Pro 70	Met	Arg	Val	Phe	Glu 75	Leu	Gln	Ser	Phe	Glu 80	
Gly	Val	Lys	His	Ala 85	Leu	His	His	Ile	Asp 90	Leu	Arg	Pro	Ala	Leu 95	Glu	
Trp	Asp	Ile	Met 100	Gly	Phe	Pro	Glu	Ser 105	Pro	Asp	Thr	Leu	Pro 110	Ile	Leu	
Leu	Ser	Asp 115	Leu	Arg	Asp	Pro	Pro 120	Tyr	Ala	Thr	Thr	Ala 125	Val	Pro	Pro	
Gln	Ser 130	Thr	Pro	Arg	Ser	Ala 135	His	Arg	Ser	Thr	His 140					
<21: <22: <22: <22:	0> 1> CI 2> (1	oryne OS	ebact (438) 157		um g]	lutan	nicur	n								
	O> 15											٠				
ggc Gly 1	His	Leu	gac Asp	Ile	Val	Thr	Arg	gcc Ala	Ala	Ala	caa Gln	ttt Phe	agc Ser	gaa Glu 15	gtc Val	48
			gtc Val 20													96
			cgc Arg													144
			gta Val													192
			atc Ile													240
			gag Glu													288

85 90 gta gac acc ttc ttc ctc ctc acc gac gag aaa tac ggc tac gtc agc 336 Val Asp Thr Phe Phe Leu Leu Thr Asp Glu Lys Tyr Gly Tyr Val Ser 100 105 tcc aca ctg tgc aaa gaa gtt gcc cgc ttc ggt ggc gat gtc tcc ggc Ser Thr Leu Cys Lys Glu Val Ala Arg Phe Gly Gly Asp Val Ser Gly 125 ctc cta cct gag gta gtg gca aaa gcc gtg aca gaa aaa tac agc aac 432 Leu Leu Pro Glu Val Val Ala Lys Ala Val Thr Glu Lys Tyr Ser Asn 130 135 cag cac tagtttcttt tgcatcaagc gtc 461 Gln His 145 <210> 156 <211> 146 <212> PRT <213> Corynebacterium glutamicum <400> 156 Gly His Leu Asp Ile Val Thr Arg Ala Ala Gln Phe Ser Glu Val Thr Ile Leu Val Thr Ala Asn Pro Asn Lys Asn Ser Gly Leu Phe Thr 20 25 Val Ala Glu Arg Met Asp Leu Ile Arg Glu Ser Thr Ala His Leu Asp 40 Asn Val Lys Val Asp Thr Trp Ala Ser Leu Leu Val Asp Tyr Thr Thr Glu His Gly Ile Gly Ala Leu Val Lys Gly Leu Arg Ser Ser Leu Asp Tyr Glu Tyr Glu Leu Pro Met Ala Gln Met Asn Arg Arg Leu Thr Gly Val Asp Thr Phe Phe Leu Leu Thr Asp Glu Lys Tyr Gly Tyr Val Ser Ser Thr Leu Cys Lys Glu Val Ala Arg Phe Gly Gly Asp Val Ser Gly 120 Leu Leu Pro Glu Val Val Ala Lys Ala Val Thr Glu Lys Tyr Ser Asn 130 135 140 Gln His 145

<210> 157 <211> 1206 <212> DNA <213> Corynebacterium glutamicum

<220>

<221> CDS <222> (101)..(1183) <223> RXN00934 <400> 157 ccaacccctg tggtttggtg atttggatcc ggagcgtctc aagcgctcta gggagcagac 60 aaatgttcac aaaccggtgg cattacagga ggacaattag gtg cga att gga atg Val Arg Ile Gly Met gtc tgc ccg tac tcc ttc gat gag ccg ggc ggt gtt caa gcg cat atc 163 Val Cys Pro Tyr Ser Phe Asp Glu Pro Gly Gly Val Gln Ala His Ile ctt gac tta gcg cga acc ttc att gcc caa ggc cat gag gtt cag gtg 211 Leu Asp Leu Ala Arg Thr Phe Ile Ala Gln Gly His Glu Val Gln Val 25 ctt ggt ccg tgt agt gcg gat acg cag gtg ccc gat ttc gtg gtg cgc 259 Leu Gly Pro Cys Ser Ala Asp Thr Gln Val Pro Asp Phe Val Val Arq ggt ggt ggc agc atc ccg att ccg tac aat ggc tcg gtt gcc cgc ttg Gly Gly Gly Ser Ile Pro Ile Pro Tyr Asn Gly Ser Val Ala Arg Leu 55 age ttt ggg ccg aaa atg tte aag gce gtg cge acg tte ete cge gaa 355 Ser Phe Gly Pro Lys Met Phe Lys Ala Val Arg Thr Phe Leu Arg Glu 70 ggc aac ttc gat gtg ctg cat atc cat gaa ccg aat tca cca agt ttt 403 Gly Asn Phe Asp Val Leu His Ile His Glu Pro Asn Ser Pro Ser Phe tee atg geg geg eta ege tit geg gaa gge eee ate git get act tae Ser Met Ala Ala Leu Arg Phe Ala Glu Gly Pro Ile Val Ala Thr Tyr 105 cac gcc tcc agt agc gga tcg aag ctg ctc aag gct ttc tta cca gtg 499 His Ala Ser Ser Ser Gly Ser Lys Leu Leu Lys Ala Phe Leu Pro Val 125 ctt tcg ccc atg ctg gag aaa gtg cgc gca ggc atc gcc gtg tct gaa 547 Leu Ser Pro Met Leu Glu Lys Val Arg Ala Gly Ile Ala Val Ser Glu 140 atg gct cgg cgc tgg cag gtg gag caa gtc ggc ggc gat ccc gtg ctg 595 Met Ala Arg Arg Trp Gln Val Glu Gln Val Gly Gly Asp Pro Val Leu 155 atc ccc aac ggg gta gag acc tcc atg ttc aaa gcc gcg cgc caa atc Ile Pro Asn Gly Val Glu Thr Ser Met Phe Lys Ala Ala Arg Gln Ile 170 gaa ccg aat gat cct gta gag atc gtc ttt ttg ggt cgc ctc gat gag 691 Glu Pro Asn Asp Pro Val Glu Ile Val Phe Leu Gly Arg Leu Asp Glu 185 190 too ogo aaa qqo oto gao ato oto otq oqo qot otq aco agq otq qat

Ser Arg Lys (200	Gly Leu	Asp Ile	Leu I 205	Leu <i>P</i>	Arg	Ala	Leu	Thr 210	Arg	Leu	Asp		
cgc ccg ttt a Arg Pro Phe 5 215												787	
gcc ggc atc a Ala Gly Ile A 230	Asn Phe				Ser		-					835	
atc tta ggt of Ile Leu Gly A				Val A								883	
agc ttc ggc a Ser Phe Gly 1			Glu A									931	
gtc gcc agc o Val Ala Ser 1 280												979	
gca cag cca o Ala Gln Pro i 295												1027	
gcc aaa aaa 6 Ala Lys Lys 1 310	Leu Gln											1075	
ctt atc gcc (Leu Ile Ala 2				Ala A								1123	
gta tcc acc Val Ser Thr			Val '									1171	
gtg agg ctt Val Arg Leu 360		ccttgt (tacc	tcct	c at	c						1206	
<210> 158 <211> 361 <212> PRT <213> Corynebacterium glutamicum													
<400> 158 Val Arg Ile	Gly Met 5	Val Cys	Pro	Tyr	Ser 10	Phe	Asp	Glu	Pro	Gly 15	Gly		
Val Gln Ala	His Ile 20	Leu Asp	Leu	Ala 25	Arg	Thr	Phe	Ile	Ala 30	Gln	Gly		
His Glu Val 35	Gln Val	Leu Gly	Pro 40	Cys	Ser	Ala	Asp	Thr 45	Gln	Val	Pro		
Asp Phe Val 50	Val Arg	Gly Gly 55	Gly	Ser	Ile	Pro	Ile 60	Pro	Tyr	Asn	Gly		

Ser Val Ala Arg Leu Ser Phe Gly Pro Lys Met Phe Lys Ala Val Arg
65 70 75 80

Thr Phe Leu Arg Glu Gly Asn Phe Asp Val Leu His Ile His Glu Pro 85 90 95

Asn Ser Pro Ser Phe Ser Met Ala Ala Leu Arg Phe Ala Glu Gly Pro 100 105 110

Ile Val Ala Thr Tyr His Ala Ser Ser Ser Gly Ser Lys Leu Leu Lys 115 120 125

Ala Phe Leu Pro Val Leu Ser Pro Met Leu Glu Lys Val Arg Ala Gly 130 135 140

Ile Ala Val Ser Glu Met Ala Arg Arg Trp Gln Val Glu Gln Val Gly
145 150 155 160

Gly Asp Pro Val Leu Ile Pro Asn Gly Val Glu Thr Ser Met Phe Lys 165 170 175

Ala Ala Arg Gln Ile Glu Pro Asn Asp Pro Val Glu Ile Val Phe Leu 180 185 190

Gly Arg Leu Asp Glu Ser Arg Lys Gly Leu Asp Ile Leu Leu Arg Ala 195 200 205

Leu Thr Arg Leu Asp Arg Pro Phe Thr Cys Thr Val Ile Gly Gly Gly 210 215 220

Thr Pro Arg Glu Val Ala Gly Ile Asn Phe Val Gly Arg Val Ser Asp 225 230 235 240

Glu Glu Lys Ala Ala Ile Leu Gly Arg Ala Asp Ile Tyr Val Ala Pro 245 250 255

Asn Thr Gly Gly Glu Ser Phe Gly Ile Val Leu Val Glu Ala Met Ala 260 265 270

Ala Gly Cys Ala Val Val Ala Ser Asp Leu Glu Ala Phe Ser Leu Val 275 280 285

Thr Asp Ser Glu Ala Ala Gln Pro Ala Gly Val Leu Phe Lys Thr Gly 290 295 300

Ser Asp Ala Asp Leu Ala Lys Lys Leu Gln Ala Leu Ile Asp Asp Pro 305 310 315 320

Ser Ser Arg Ser Thr Leu Ile Ala Ala Gly Leu Lys Arg Ala Asn Ala 325 330 335

Tyr Asp Trp Ser Thr Val Ser Thr Gln Val Met Ala Val Tyr Glu Thr 340 345 350

Ile Ala Ile Asp Lys Val Arg Leu Gly 355 360

<210> 159 <211> 1320

<212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1297) <223> RXN00792 <400> 159 cacctttggt gctgagccag gccacccagg cctttgaggt tggcgcagat gccttaaacg 60 gcggccacgt ggctgcccaa tacacgatcg gatccttgtc atg agc caa gaa att Met Ser Gln Glu Ile ttg age cat ttt gea eee gea tta gag ege att ega age gge gee gte 163 Leu Ser His Phe Ala Pro Ala Leu Glu Arg Ile Arg Ser Gly Ala Val gag cgc gaa cag cag cgc gcc ttg cca gtg gaa gag att aaa gag ctg 211 Glu Arg Glu Gln Gln Arg Ala Leu Pro Val Glu Glu Ile Lys Glu Leu 30 gta gag cta ggt ttt act ggg ctt cga gtg ccc gaa gaa cta ggc ggt 259 Val Glu Leu Gly Phe Thr Gly Leu Arg Val Pro Glu Glu Leu Gly Gly 307 gcg ggc gct tcc ctg gaa agc gta gtt gag tta ctg atc gag atc gcg Ala Gly Ala Ser Leu Glu Ser Val Val Glu Leu Leu Ile Glu Ile Ala 60 355 gge gee gat tee aat ate gee caa gee etg ege gga cat tit gee tie Gly Ala Asp Ser Asn Ile Ala Gln Ala Leu Arg Gly His Phe Ala Phe 75 gtg gaa cta ctc ctg gaa gcg ccg gag agc gaa ttc cgc acc cat tgg Val Glu Leu Leu Glu Ala Pro Glu Ser Glu Phe Arg Thr His Trp 90 95 ctg cgc gaa gtc gcc acc gga aga ctt gtg ggc aac gcc gaa agt gag 451 Leu Arg Glu Val Ala Thr Gly Arg Leu Val Gly Asn Ala Glu Ser Glu 105 110 115 aaa cgc ggc gtt tac ggc gat ccg cag acc ttc atc gat gag gtg gag 499 Lys Arg Gly Val Tyr Gly Asp Pro Gln Thr Phe Ile Asp Glu Val Glu 120 125 547 act gaa aac gga ccg att ttc gtg ctc aac ggc act aag ttt tat acc Thr Glu Asn Gly Pro Ile Phe Val Leu Asn Gly Thr Lys Phe Tyr Thr 135 140 acc ggc acc tat ttt gcg gac tac acc tgg acc acc gcg ctg ctg cgc 595 Thr Gly Thr Tyr Phe Ala Asp Tyr Thr Trp Thr Thr Ala Leu Leu Arg 150 155 aac ctt aac ggc caa gaa act ttg gtc agt ttg ccg gtc gat ctg cac Asn Leu Asn Gly Gln Glu Thr Leu Val Ser Leu Pro Val Asp Leu His 170 175 180 gcg ccg ggc gtg gat gtt gct gat gat tgg agc ggg ttt ggg caa aag 691 Ala Pro Gly Val Asp Val Ala Asp Asp Trp Ser Gly Phe Gly Gln Lys

WO 01/00805	PCT/IB00/00926

185 190 195

ctc Leu	acc Thr	gcc Ala 200	tct Ser	gga Gly	acg Thr	acc Thr	acg Thr 205	ttt Phe	aaa Lys	gac Asp	ctg Leu	gag Glu 210	gtg Val	gat Asp	ccg Pro	739
								gcg Ala								787
ctg Leu 230	cag Gln	ctg Leu	agc Ser	ctg Leu	ctg Leu 235	acc Thr	gtg Val	ctg Leu	gtt Val	ggc Gly 240	agt Ser	gcc Ala	gca Ala	gca Ala	gct Ala 245	835
								caa Gln								883
								gat Asp 270								931
								gtt Val								979
								gcc Ala								1027
								gca Ala								1075
								aac Asn								1123
								att Ile 350								1171
cgt Àrg	acc Thr	gtg Val 360	tcc Ser	tca Ser	aac Asn	aac Asn	ccg Pro 365	gtg Val	ttc Phe	ctg Leu	gcc Ala	aag Lys 370	aat Asn	gca Ala	gtg Val	1219
Gly Ggg	gag Glu 375	tat Tyr	gcc Ala	ctc Leu	aac Asn	ggc Gly 380	act Thr	cct Pro	gtg Val	ggt Gly	acc Thr 385	aac Asn	att Ile	ggt Gly	aaa Lys	1267
								agc Ser		taga	ecgto	jtg a	ttto	gcto	1g	1317
ttt																1320

<210> 160

<211> 399

<212> PRT

<213> Corynebacterium glutamicum

<400> 160

Met Ser Gln Glu Ile Leu Ser His Phe Ala Pro Ala Leu Glu Arg Ile 1 5 10 15

Arg Ser Gly Ala Val Glu Arg Glu Gln Gln Arg Ala Leu Pro Val Glu 20 25 30

Glu Ile Lys Glu Leu Val Glu Leu Gly Phe Thr Gly Leu Arg Val Pro 35 40 45

Glu Glu Leu Gly Gly Ala Gly Ala Ser Leu Glu Ser Val Val Glu Leu 50 55 60

Leu Ile Glu Ile Ala Gly Ala Asp Ser Asn Ile Ala Gln Ala Leu Arg 65 70 75 80

Gly His Phe Ala Phe Val Glu Leu Leu Glu Ala Pro Glu Ser Glu 85 90 95

Phe Arg Thr His Trp Leu Arg Glu Val Ala Thr Gly Arg Leu Val Gly
100 105 110

Asn Ala Glu Ser Glu Lys Arg Gly Val Tyr Gly Asp Pro Gln Thr Phe 115 120 125

Ile Asp Glu Val Glu Thr Glu Asn Gly Pro Ile Phe Val Leu Asn Gly 130 135 140

Thr Lys Phe Tyr Thr Thr Gly Thr Tyr Phe Ala Asp Tyr Thr Trp Thr 145 150 155 160

Thr Ala Leu Leu Arg Asn Leu Asn Gly Gln Glu Thr Leu Val Ser Leu 165 170 175

Pro Val Asp Leu His Ala Pro Gly Val Asp Val Ala Asp Asp Trp Ser 180 185 190

Gly Phe Gly Gln Lys Leu Thr Ala Ser Gly Thr Thr Thr Phe Lys Asp 195 200 205

Leu Glu Val Asp Pro Arg Trp Ile Ile Pro Arg Thr Asp Ala Pro Thr 210 215 220

Leu Val Trp Thr Tyr Leu Gln Leu Ser Leu Leu Thr Val Leu Val Gly 225 230 235 240

Ser Ala Ala Ala Val Asp Glu Val Val Ala Arg Ala Gln Ser Ser 245 250 255

Thr Arg Asn Ala Trp Asn Pro Gly Val Glu Arg Arg Ser Asp Pro Ala 260 265 270

Ala Thr Ile Ala Ile Gly Asp Ala Arg Ser Arg Val Thr Val Ile Arg 275 280 285

Gly Ala Leu Leu Asp Ala Thr Arg His Val Ser Asn Ala Ala Thr Ile 290 295 300

Val Thr Pro Glu Ala Phe Asn Glu Ala Asp Ala Ile Val Ala Ala Leu 305 310 315 320

Trp Pro Ile Val Ser Gly Gln Ala Leu Val Val Thr Ser Asn Val Phe 330 Asp Ala Val Gly Ala Ser Ala Val Leu Gly Glu His Ser Ile Asp Arg 340 345 His Trp Arg Asn Val Arg Thr Val Ser Ser Asn Asn Pro Val Phe Leu Ala Lys Asn Ala Val Gly Glu Tyr Ala Leu Asn Gly Thr Pro Val Gly 375 Thr Asn Ile Gly Lys Ala Leu Ser Arg Pro Val Ser Leu Ser Ser 390 <210> 161 <211> 969 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(946) <223> RXN00931 <400> 161 cegtaaceta ategttgaaa cateacetta ttgetggget ttgeacgeta etetttgtga 60 gtaacctcac cgaagtgcat aaattaattg ggagtgatca gtg aaa act att gaa Val Lys Thr Ile Glu . 1 gat att ttg acc ttg gaa gaa atc gac cgc gat att tac cgt ggt ccc 163 Asp Ile Leu Thr Leu Glu Glu Ile Asp Arg Asp Ile Tyr Arg Gly Pro gtt atc gaa tct tat tta gcc agg act ttc ggt ggc cag gtc gcc 211 Val Ile Glu Ser Tyr Leu Ala Arg Thr Phe Gly Gly Gln Val Ala Ala 30 caa gct tta gta gca gca acg cat act gtt gat aaa gcc ttt act gtg 259 Gln Ala Leu Val Ala Ala Thr His Thr Val Asp Lys Ala Phe Thr Val 307 cat tot ttg cat ggc tac ttt ata gct cct ggt gat cca aca gca ccc His Ser Leu His Gly Tyr Phe Ile Ala Pro Gly Asp Pro Thr Ala Pro gca att tat tta gtg gat cga gtt cgc gac gga aaa agc tac gtc acc 355 Ala Ile Tyr Leu Val Asp Arg Val Arg Asp Gly Lys Ser Tyr Val Thr cgc tcg gtg çgt ggc atc caa gac ggc gaa gta atc ttc agc atg cag 403 Arg Ser Val Arg Gly Ile Gln Asp Gly Glu Val Ile Phe Ser Met Gln 90 100 gcc agc ttt cat cgt ggg gat gaa ggc att gag cac atg gac aag atg 451 Ala Ser Phe His Arg Gly Asp Glu Gly Ile Glu His Met Asp Lys Met 105 110 115

cgt aaa gtt Arg Lys Val 120	cca gct cct Pro Ala Pro	gat gag atc Asp Glu Ile 125	aag gga aca Lys Gly Thr	gta gaa cgt Val Glu Arg 130	atg 499 Met										
			gaa tgg gcg Glu Trp Ala 145												
			ctc agc gat Leu Ser Asp 160												
			gct gat ctt Ala Asp Leu 175												
			ctg tcc gat Leu Ser Asp												
			gag aaa atg Glu Lys Met												
			ccc ttc cgc Pro Phe Arg 225												
			gcc tca agt Ala Ser Ser 240												
		·	gga gat ttg Gly Asp Leu 255	•	-										
			cac gag ggt His Glu Gly												
ccg atg cgc Pro Met Arg 280	-	aatgcag cgaa	cttgaa gat		969										
<210> 162 <211> 282 <212> PRT <213> Coryne	<211> 282														
<400> 162 Val Lys Thr 1	Ile Glu Asp 5	Ile Leu Thr	Leu Glu Glu 10	Ile Asp Arg	Asp										
Ile Tyr Arg	Gly Pro Val 20	Ile Glu Ser 25	Tyr Leu Ala	Arg Thr Phe	Gly										
Gly Gln Val 35	Ala Ala Gln	Ala Leu Val 40	Ala Ala Thr	His Thr Val	Asp										

PCT/IB00/00926 WO 01/00805

Lys Ala Phe Thr Val His Ser Leu His Gly Tyr Phe Ile Ala Pro Gly 55 Asp Pro Thr Ala Pro Ala Ile Tyr Leu Val Asp Arg Val Arg Asp Gly Lys Ser Tyr Val Thr Arg Ser Val Arg Gly Ile Gln Asp Gly Glu Val Ile Phe Ser Met Gln Ala Ser Phe His Arg Gly Asp Glu Gly Ile Glu 105 His Met Asp Lys Met Arg Lys Val Pro Ala Pro Asp Glu Ile Lys Gly Thr Val Glu Arg Met Pro Ile Ser Ser Arg Arg Val Leu Asp Glu Trp 135 Ala Glu Trp Asp Ile Arg Val Ile Pro Gln Asp Gln Leu Glu Leu Ser 150 155 Asp Phe Thr Ala Thr Glu Gln Ala Val Trp Ile Arg Cys Thr Ala Asp Leu Pro Asp Asn Pro Thr Phe His Gln Cys Ser Leu Thr Tyr Leu Ser 185 Asp Met Thr Leu Leu His Ser Ala Leu Val Pro His Pro Gly Glu Lys 195 Met Gln Met Ala Ser Leu Asp His Ala Val Trp Phe Leu Arg Pro Phe 215 Arg Val Asp Glu Trp Leu Leu Tyr Asp Gln Arg Ser Pro Ser Ala Ser 225 Ser Gly Arg Ala Leu Thr His Gly Arg Leu Phe Asn Gln Gly Asp 245 250 Leu Val Ala Ile Val Asn Gln Glu Gly Met Thr Arg Thr Leu His Glu 265 270 Gly Ala Gln Ser Ile Pro Met Arg Lys Asp 275 280 <210> 163 <211> 969 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS

<222> (101)..(946)

<223> FRXA00931 <400> 163 ccgtaaccta atcgttgaaa catcacctta ttgctgggct ttgcacgcta ctctttgtga 60 115 gtaacctcac cgaagtgcat aaattaattg ggagtgatca gtg aaa act att gaa Val Lys Thr Ile Glu

gat att ttg acc ttg gaa gaa atc gac cgc gat att tac cgt ggt ccc 163 Asp Ile Leu Thr Leu Glu Glu Ile Asp Arg Asp Ile Tyr Arg Gly Pro 211 gtt atc gaa tot tat tta gcc agg act ttc ggt ggc cag gtc gcc Val Ile Glu Ser Tyr Leu Ala Arg Thr Phe Gly Gly Gln Val Ala Ala 25 259 caa get tta gta gea gea aeg eat aet gtt gat aaa gee ttt aet gtg Gln Ala Leu Val Ala Ala Thr His Thr Val Asp Lys Ala Phe Thr Val 40 cat tot ttg cat ggc tac ttt ata gct cct ggt gat cca aca gca ccc His Ser Leu His Gly Tyr Phe Ile Ala Pro Gly Asp Pro Thr Ala Pro 55 355 gca att tat tta gtg gat cga gtt cgc gac gga aaa agc tac gtc acc Ala Ile Tyr Leu Val Asp Arg Val Arg Asp Gly Lys Ser Tyr Val Thr 75 80 cgc tcg gtg cgt ggc atc caa gac ggc gaa gta atc ttc agc atg cag 403 Arg Ser Val Arg Gly Ile Gln Asp Gly Glu Val Ile Phe Ser Met Gln gcc agc ttt cat cgt ggg gat gaa ggc att gag cac atg gac aag atg 451 Ala Ser Phe His Arg Gly Asp Glu Gly Ile Glu His Met Asp Lys Met 110 499 cgt aaa gtt cca gct cct gat gag atc aag gga aca gta gaa cgt atg Arg Lys Val Pro Ala Pro Asp Glu Ile Lys Gly Thr Val Glu Arg Met ccg atc tca agt agg cga gtg ctt gat gaa tgg gcg gaa tgg gat atc 547 Pro Ile Ser Ser Arg Arg Val Leu Asp Glu Trp Ala Glu Trp Asp Ile 140 cgc gtt att ccg cag gat caa tta gaa ctc agc gat ttc acc gct act 595 Arg Val Ile Pro Gln Asp Gln Leu Glu Leu Ser Asp Phe Thr Ala Thr 160 155 gag caa gct gtg tgg att cgg tgc acc gct gat ctt ccg gat aat ccc 643 Glu Gln Ala Val Trp Ile Arg Cys Thr Ala Asp Leu Pro Asp Asn Pro 175 acc ttc cac cag tgc tca ctg act tat ctg tcc gat atg act ttg ctg Thr Phe His Gln Cys Ser Leu Thr Tyr Leu Ser Asp Met Thr Leu Leu 185 190 739 cat agt gcc ctg gtg cca cac cca ggt gag aaa atg cag atg gcc tca His Ser Ala Leu Val Pro His Pro Gly Glu Lys Met Gln Met Ala Ser 200 ctt gat cac gct gtg tgg ttc ctg cgt ccc ttc cgc gtc gat gaa tgg Leu Asp His Ala Val Trp Phe Leu Arg Pro Phe Arg Val Asp Glu Trp 220 215 835 ttg ctt tat gat cag cgc tct cca tcg gcc tca agt ggg cga gcc ttg

240

Leu Leu Tyr Asp Gln Arg Ser Pro Ser Ala Ser Ser Gly Arg Ala Leu

235

230

act cac ggg cgg ctt ttc aac cag cag gga gat ttg gtc gct att gtc 883 Thr His Gly Arg Leu Phe Asn Gln Gln Gly Asp Leu Val Ala Ile Val 250 255 aat caa gag gga atg acc cgc aca ctc cac gag ggt gcg caa tca att Asn Gln Glu Gly Met Thr Arg Thr Leu His Glu Gly Ala Gln Ser Ile 270 ccg atg cgc aaa gac taaaatgcag cgaacttgaa gat 969 Pro Met Arg Lys Asp 280 <210> 164 <211> 282 <212> PRT <213> Corynebacterium glutamicum <400> 164 Val Lys Thr Ile Glu Asp Ile Leu Thr Leu Glu Glu Ile Asp Arg Asp Ile Tyr Arg Gly Pro Val Ile Glu Ser Tyr Leu Ala Arg Thr Phe Gly Gly Gln Val Ala Ala Gln Ala Leu Val Ala Ala Thr His Thr Val Asp Lys Ala Phe Thr Val His Ser Leu His Gly Tyr Phe Ile Ala Pro Gly 55 Asp Pro Thr Ala Pro Ala Ile Tyr Leu Val Asp Arg Val Arg Asp Gly Lys Ser Tyr Val Thr Arg Ser Val Arg Gly Ile Gln Asp Gly Glu Val Ile Phe Ser Met Gln Ala Ser Phe His Arg Gly Asp Glu Gly Ile Glu His Met Asp Lys Met Arg Lys Val Pro Ala Pro Asp Glu Ile Lys Gly Thr Val Glu Arg Met Pro Ile Ser Ser Arg Arg Val Leu Asp Glu Trp 135 Ala Glu Trp Asp Ile Arg Val Ile Pro Gln Asp Gln Leu Glu Leu Ser 145 150 155 Asp Phe Thr Ala Thr Glu Gln Ala Val Trp Ile Arg Cys Thr Ala Asp Leu Pro Asp Asn Pro Thr Phe His Gln Cys Ser Leu Thr Tyr Leu Ser 185 Asp Met Thr Leu Leu His Ser Ala Leu Val Pro His Pro Gly Glu Lys Met Gln Met Ala Ser Leu Asp His Ala Val Trp Phe Leu Arg Pro Phe 215 220

Arg 225	Val	Asp	Glu	Trp	Leu 230	Leu	Tyr	Asp	Gln	Arg 235	Ser	Pro	Ser	Ala	Ser 240	
Ser	Gly	Arg	Ala	Leu 245	Thr	His	Gly	Arg	Leu 250	Phe	Asn	Gln	Gln	Gly 255	Asp	
Leu	Val	Ala	Ile 260	Val	Asn	Gln	Glu	Gly 265	Met	Thr	Arg	Thr	Leu 270	His	Glú	
Gly	Ala	Gln 275	Ser	Ile	Pro	Met	Arg 280	Lys	Asp							
<211 <212	<210> 165 <211> 510 <212> DNA <213> Corynebacterium glutamicum															
<221 <222	<220> <221> CDS <222> (101)(487) <223> RXN01421															
	<400> 165 ttgatgcacg tgcagaaatc gtcggcggtc cgtggcaccc atctgttaag ggagactcgg 60															60
ttac	etgea	agg d	gatco	ctgc	ga ga	itcga	agtaa	a acq	geeta	aaag		-	-	aaa Lys	-	115
	agc Ser															163
	gcg Ala															211
	tat Tyr															259
	ccc Pro 55															307
	gga Gly		_						_	_		-		_	_	355
	gtg Val	-			-	-	-	-			_				_	403
	ttg Leu															451
	aca Thr						-		_	-			agct	gtg		497

120 125

gctgcggaat gcg 510

<210> 166

<211> 129

<212> PRT

<213> Corynebacterium glutamicum

<400> 166

Met Thr Ser Lys Ser Ile Ser Gly Lys Arg Pro Asn Leu Pro Ser Leu 1 5 10 15

Thr Gly Ala Arg Trp Leu Ala Ala Leu Ala Val Tyr Phe Leu His Ala 20 25 30

Leu Val Phe Leu Ser Val Tyr Pro Phe Gln Gln Ser Glu Leu Phe Ala 35 40 45

Thr Ile His Lys Phe Val Pro Met Gln Leu Gly Ser Ala Gly Val Thr 50 55 60

Phe Phe Phe Ile Leu Ser Gly Phe Leu Ile Tyr Trp Ser Asn Ser Gln 65 70 75 80

Leu Lys Gly Met Lys Asn Val Leu Tyr Tyr Cys Lys Arg Arg Ile Thr 85 90 95

Lys Ile Tyr Pro Met His Leu Ile Ala Leu Pro Met Phe Ile Glu Ala 100 105 110

Ser Ala Lys Phe Thr Thr Gly Ile Thr Trp Val Leu Ile Leu Arg 115 120 125

Glu

<210> 167

<211> 930

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(907)

<223> RXN02342

<400> 167

caggttcgtg ctgcgtgcgg gtagttttta aaggtaaaac tttttgggcg tgtcgccctt 60

aaagcgcgct tttcgacgcg accccactac attggcttcc atg aac gtt gac att 115 Met Asn Val Asp Ile 1 5

tca cga tcc aga gag ccg cta aac gtt gag ctc ctg aag gaa aaa ttg 163 Ser Arg Ser Arg Glu Pro Leu Asn Val Glu Leu Leu Lys Glu Lys Leu 10 15 20

ctc caa aac ggt gac ttt ggc cag gtc att tac gaa aaa gtg aca ggc 211

Leu	Gln	Asn	Gly 25	Asp	Phe	Gly	Gln	Val 30	Ile	Tyr	Glu	Lys	Val 35	Thr	Gly	
tcc Ser	act Thr	aat Asn 40	gct Ala	gac Asp	ttg Leu	ctg Leu	gca Ala 45	ctt Leu	gca Ala	ggt Gly	tct Ser	ggc Gly 50	gct Ala	cca Pro	aac Asn	259
tgg Trp	acg Thr 55	gtg Val	aaa Lys	act Thr	gtc Val	gag Glu 60	ttt Phe	caa Gln	gat Asp	cat His	gcg Ala 65	cgt Arg	ggg Gly	cga Arg	ctc Leu	307
ggc Gly 70	cgc Arg	ccg Pro	tgg Trp	tct Ser	gcc Ala 75	cct Pro	gag Glu	ggt Gly	tcc Ser	caa Gln 80	aca Thr	atc Ile	gtg Val	tct Ser	gtg Val 85	355
ctc Leu	gtt Val	caa Gln	cta Leu	tct Ser 90	att Ile	gat Asp	caa Gln	gtg Val	gac Asp 95	cgg Arg	att Ile	ggc Gly	act Thr	att Ile 100	cca Pro	403
ctc Leu	gcg Ala	gcg Ala	gga Gly 105	ctc Leu	gct Ala	gtc Val	atg Met	gat Asp 110	gcg Ala	ttg Leu	aat Asn	gac Asp	ctc Leu 115	ggt Gly	gtg Val	451
gaa Glu	ggt Gly	gcc Ala 120	gga Gly	ctg Leu	aaa Lys	tgg Trp	ccc Pro 125	aac Asn	gat Asp	gtt Val	caa Gln	atc Ile 130	cac His	ggc Gly	aag Lys	499
aaa Lys	ctc Leu 135	tgc Cys	ggc	atc Ile	ctg Leu	gtg Val 140	gaa Glu	gcc Ala	acc Thr	Gly	ttt Phe 145	gat Asp	tcc Ser	acc Thr	cca Pro	547
aca Thr 150	Val	gtc Val	atc Ile	ggt Gly	tgg Trp 155	ggc Gly	act Thr	aat Asn	atc Ile	agc Ser 160	Leu	act Thr	aaa Lys	gag Glu	gag Glu 165	595
ctt Leu	cct Pro	gtt Val	cct Pro	cat His 170	gca Ala	act Thr	tcc Ser	ctc Leu	gca Ala 175	ttg Leu	gaa Glu	ggt Gly	gtt Val	gaa Glu 180	Val	643
gac Asp	aga Arg	acc Thr	aca Thr 185	ttc Phe	ctt Leu	att Ile	aat Asn	atg Met 190	ctc Leu	aca Thr	cat His	ctg Leu	cat His 195	Thr	cga Arg	691
ctg Leu	gac Asp	cag Gln 200	Trp	cag Gln	ggt Gly	cca Pro	agt Ser 205	Val	gat Asp	tgg Trp	ctc Leu	gat Asp 210	Asp	tac Tyr	cgt Arg	739
gcg Ala	gta Val 215	. Cys	tcc Ser	agt Ser	att Ile	ggc Gly 220	Gln	gat Asp	gtt Val	cga Arg	gtg y Val 225	Leu	cta Leu	cct Pro	ggg	787
gat Asp 230	Lys	gaa Glu	ctc	tta Leu	ggt Gly 235	Glu	gcg Ala	atc Ile	ggt: Gly	gto Val 240	l Ala	g act	ggc Gly	gga Gly	gaa Glu 245	835
att Ile	cgt Arç	gtt Val	. cgc . Arg	gat Asp 250	Ala	tcg Ser	. Glð	acc Thr	gtt Val 255	. His	c acc	cto Lev	aac Asr	gco n Ala 260	ggt Gly	883
				ctt Leu					ggtç	gacg	gtat	gggg	gaa t	tc	,	930

<210> 168

<211> 269

<212> PRT

<213> Corynebacterium glutamicum

<400> 168

Met Asn Val Asp Ile Ser Arg Ser Arg Glu Pro Leu Asn Val Glu Leu 1 5 10 15

Leu Lys Glu Lys Leu Leu Gln Asn Gly Asp Phe Gly Gln Val Ile Tyr
20 25 30

Glu Lys Val Thr Gly Ser Thr Asn Ala Asp Leu Leu Ala Leu Ala Gly
35 40 45

Ser Gly Ala Pro Asn Trp Thr Val Lys Thr Val Glu Phe Gln Asp His 50 55

Ala Arg Gly Arg Leu Gly Arg Pro Trp Ser Ala Pro Glu Gly Ser Gln 65 70 75 80

Thr Ile Val Ser Val Leu Val Gln Leu Ser Ile Asp Gln Val Asp Arg 85 90 95

Ile Gly Thr Ile Pro Leu Ala Ala Gly Leu Ala Val Met Asp Ala Leu
100 105 110

Asn Asp Leu Gly Val Glu Gly Ala Gly Leu Lys Trp Pro Asn Asp Val 115 120 125

Gln Ile His Gly Lys Lys Leu Cys Gly Ile Leu Val Glu Ala Thr Gly 130 135 140

Phe Asp Ser Thr Pro Thr Val Val Ile Gly Trp Gly Thr Asn Ile Ser 145 150 155 160

Leu Thr Lys Glu Glu Leu Pro Val Pro His Ala Thr Ser Leu Ala Leu 165 170 175

Glu Gly Val Glu Val Asp Arg Thr Thr Phe Leu Ile Asn Met Leu Thr 180 185 190

His Leu His Thr Arg Leu Asp Gln Trp Gln Gly Pro Ser Val Asp Trp 195 200 205

Leu Asp Asp Tyr Arg Ala Val Cys Ser Ser Ile Gly Gln Asp Val Arg 210 215 220

Val Leu Leu Pro Gly Asp Lys Glu Leu Leu Gly Glu Ala Ile Gly Val 225 230 235 240

Ala Thr Gly Gly Glu Ile Arg Val Arg Asp Ala Ser Gly Thr Val His
245 250 255 *

Thr Leu Asn Ala Gly Glu Ile Thr His Leu Arg Leu Gln 265

<210> 169 <211> 2762 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (1)..(2739) <223> RXN00563 <400> 169 48 tto tac aaq qat oto tac qoa cqt too qoa cqc qqc acq goa goa ctg Phe Tyr Lys Asp Leu Tyr Ala Arg Ser Ala Arg Gly Thr Ala Ala Leu 96 tgg atc gtg gcg gct aac ttg agc tcc tac tca gac atc gac gcc atc Trp Ile Val Ala Ala Asn Leu Ser Ser Tyr Ser Asp Ile Asp Ala Ile 20 144 atc aac tgg gtc gga tcc gag cag acc acc gtc aac ggc gca tcc Ile Asn Trp Val Gly Ser Glu Gln Thr Thr Thr Val Asn Gly Ala Ser 192 aag ctg gtc aag cca gct ttg gtc cct acc ttg ctg ttc cca ttc gcg Lys Leu Val Lys Pro Ala Leu Val Pro Thr Leu Leu Phe Pro Phe Ala 240 gca cct cgc gtg tcc gga tcc atg gca gat gca ggc cca cag gca gaa Ala Pro Arg Val Ser Gly Ser Met Ala Asp Ala Gly Pro Gln Ala Glu 70 tcc cag atg cga ctt ctg ctc tgg tct gtt gag cgc ctc atc gca ggt Ser Gln Met Arg Leu Leu Trp Ser Val Glu Arg Leu Ile Ala Gly ctt gcg cca ttg ggc tcc tcc atc aac gtg ggt cac cgc ctg cac gtg Leu Ala Pro Leu Gly Ser Ser Ile Asn Val Gly His Arg Leu His Val 105 384 gtc atc cca ggt tca cca aac cgt gga cgc ttc ggt ggc gat ggt gca Val Ile Pro Gly Ser Pro Asn Arg Gly Arg Phe Gly Gly Asp Gly Ala 120 tac ggt gaa tcc aag gca gct ctc gac gcc gtg gtt acc cgt tgg aac 432 Tyr Gly Glu Ser Lys Ala Ala Leu Asp Ala Val Val Thr Arg Trp Asn gca gag caa gct gca tgg gga gca cac acc tcc ctc gtg cac gct cac Ala Glu Gln Ala Ala Trp Gly Ala His Thr Ser Leu Val His Ala His 155 150 145 ate gqt tgq qtt eqe qqe ace ggc ete atg ggc ggc aac gat eet ttg 528 Ile Gly Trp Val Arg Gly Thr Gly Leu Met Gly Gly Asn Asp Pro Leu 165 .gtc aag gca gct gaa gaa gca ggc gtg gaa acc tac tcc acc caa gaa Val Lys Ala Ala Glu Glu Ala Gly Val Glu Thr Tyr Ser Thr Gln Glu 185 190 180 att gca gag aaa ctg ctg tcc cag gca act tcc act gtt cgc gag cag 624 Ile Ala Glu Lys Leu Leu Ser Gln Ala Thr Ser Thr Val Arg Glu Gln

200 195 205 gea gea tee geg cea ate ace gte gae tte act gge gga ett ggt gaa Ala Ala Ser Ala Pro Ile Thr Val Asp Phe Thr Gly Gly Leu Gly Glu 215 tct gat ctg aac ctg gcg gaa atg gca cgt gca gaa gca gct aag gca 720 Ser Asp Leu Asn Leu Ala Glu Met Ala Arg Ala Glu Ala Ala Lys Ala 230 768 gct aac gca cca gtg gtt gag gct cca cgc aca gtg gca gca ctg cca Ala Asn Ala Pro Val Val Glu Ala Pro Arg Thr Val Ala Ala Leu Pro 245 act cct tac cga cca gtg gtt caa acc acc cct gat ttc gca ggt caa Thr Pro Tyr Arg Pro Val Val Gln Thr Thr Pro Asp Phe Ala Gly Gln 260 gtc acc caa aac ctt gac gag atg gtc gtc atc gtt ggc gcc ggc gag 864 Val Thr Gln Asn Leu Asp Glu Met Val Val Ile Val Gly Ala Gly Glu 275 280 285 ctc ggc cca ctg ggt tct gca cgt acg cgt ttc gac gcc gaa ctc aac 912 Leu Gly Pro Leu Gly Ser Ala Arg Thr Arg Phe Asp Ala Glu Leu Asn 290 ggt tee ete tee gee geg ggt gte ate gaa ett gea tgg aeg atg gga 960 Gly Ser Leu Ser Ala Ala Gly Val Ile Glu Leu Ala Trp Thr Met Gly 305 310 ctt atc cac tgg gat gaa gat cca aag cca ggc tgg tac gac gac tcc 1008 Leu Ile His Trp Asp Glu Asp Pro Lys Pro Gly Trp Tyr Asp Asp Ser 325 gac qac qca qtq qcc qaa qaa qac atc ttc qac cqc tac cac qac qaa 1056 Asp Asp Ala Val Ala Glu Glu Asp Ile Phe Asp Arg Tyr His Asp Glu 340 345 gtc atg gca cgc gtt ggt gtc cgc aag tac aat gac atg cct gag tac 1104 Val Met Ala Arg Val Gly Val Arg Lys Tyr Asn Asp Met Pro Glu Tyr 360 ggc atg atc gac aac ttt gca cca gag ctg acc acc gtc tac ctc gac Gly Met Ile Asp Asn Phe Ala Pro Glu Leu Thr Thr Val Tyr Leu Asp 375 cag gac ctc acc ttc aac gtg gga tcc cgc gaa gag gca ctg acc tac 1200 Gln Asp Leu Thr Phe Asn Val Gly Ser Arg Glu Glu Ala Leu Thr Tyr 390 395 gtc gac tcc gag cca gaa ctc acc ttt gct tct ttc gac gaa gca gca Val Asp Ser Glu Pro Glu Leu Thr Phe Ala Ser Phe Asp Glu Ala Ala 405 ggg gag tgg aag gtc act cgc aag gca ggc tcc gca atc cgc gta cct 1296 Gly Glu Trp Lys Val Thr Arg Lys Ala Gly Ser Ala Ile Arg Val Pro 420 cgc cgc atg gcg atg acc cgc ttc gtt ggt gga cag gtt cct aag gac Arg Arg Met Ala Met Thr Arg Phe Val Gly Gly Gln Val Pro Lys Asp

445

440

435

ttc Phe	gac Asp 450	Pro	gct Ala	gtg Val	tgg Trp	ggc Gly 455	att Ile	cca Pro	gct Ala	gac Asp	atg Met 460	gtg Val	gac Asp	aac Asn	ctg Leu	1392
gac Asp 465	Thr	gtc Val	gcg Ala	ctg Leu	tgg Trp 470	aac Asn	att Ile	gtc Val	tgt Cys	act Thr 475	gtc Val	gac Asp	gcc Ala	ttc Phe	ctg Leu 480	1440
tcc Ser	gct Ala	gga Gly	ttc Phe	acc Thr 485	cca Pro	gca Ala	gag Glu	ctg Leu	ctț Leu 490	gct Ala	tcc Ser	gtt Val	cac His	cca Pro 495	gca Ala	1488
cgc Arg	gtg Val	tcc Ser	tct Ser 500	acc Thr	caa Gln	ggc Gly	acc Thr	ggc Gly 505	atg Met	ggc Gly	ggc Gly	atg Met	gaa Glu 510	tcc Ser	ctc Leu	1536
cgt Arg	ggc Gly	atc Ile 515	tac Tyr	gtc Val	gac Asp	cgc Arg	att Ile 520	ctg Leu	gca Ala	gag Glu	cca Pro	cgc Arg 525	gcc Ala	aac Asn	gac Asp	1584
gtt Val	ctg Leu 530	cag Gln	gaa Glu	gca Ala	ctg Leu	ccc Pro 535	aac Asn	gtt Val	gtt Val	gca Ala	gct Ala 540	cac His	gtc Val	atg Met	cag Gln	1632
tcc Ser 545	tac Tyr	gtc Val	ggt Gly	ggc Gly	tac Tyr 550	gga Gly	cag Gln	atg Met	atc Ile	cac His 555	cca Pro	gtc Val	gca Ala	gct Ala	tgt Cys 560	1680
gca Ala	acc Thr	gca Ala	gct Ala	gtt Val 565	tct Ser	gtg Val	gaa Glu	gaa Glu	gca Ala 570	ctg Leu	gac Asp	aag Lys	atc Ile	cgc Arg 575	atc Ile	1728
ggc Gly	aag Lys	tcc Ser	gac Asp 580	ttc Phe	gtt Val	gtc Val	gca Ala	ggt Gly 585	ggc ggc	ttc Phe	gat Asp	gcc Ala	ctg Leu 590	tcc Ser	gtt Val	1776
gaa Glu	ggc Gly	atc Ile 595	acc Thr	ggc Gly	ttc Phe	ggc Gly	gac Asp 600	atg Met	gca Ala	gca Ala	acc Thr	gcc Ala 605	gac Asp	tcc Ser	gca Ala	1824
gag Glu	atg Met 610	gaa Glu	ggc Gly	aag Lys	gga Gly	att Ile 615	gag Glu	cac His	cgc Arg	ttc Phe	ttc Phe 620	tcc Ser	cgc Arg	gcc Ala	aac Asn	1872
gac Asp 625	cgg Arg	cgc Arg	cgc Arg	ggt Gly	gga Gly 630	ttc Phe	atc Ile	gaa Glu	tcc Ser	gaa Glu 635	ggt Gly	ggc Gly	gga Gly	acc Thr	gtc Val 640	1920
ctt Leu	ctg Leu	gca Ala	cgc Arg	gga Gly 645	tca Ser	ctc Leu	gca Ala	gct Ala	gac Asp 650	ctg Leu	ggc Gly	ctt Leu	cca Pro	gta Val 655	ctc Leu	1968
ggt Gly	gtc Val	Ile	gga Gly 660	ttc Phe	gca Ala	gag Glu	tcc Ser	ttt Phe 665	gca Ala	gat Asp	ggt Gly	gcc Ala	cac His 670	acc Thr	tcc Ser	2016
atc Ile	cca Pro	gcc Ala 675	cca Pro	ggc Gly	ctc Leu	ggt Gly	gcc Ala 680	ctt Leu	ggt Gly	gct Ala	gct Ala	cgc Arg 685	gat Asp	ggt Gly	gtg Val	2064

									gtc Val				2112
									tcc Ser 715				2160
									gca Ala				2208
									cag Gln				2256
									atg Met				2304
									cgc Arg				2352
-		_	_		_				gtc Val 795	 _	-	-	2400
									ggt Gly				2448
									att Ile				2496
									gct Ala				2544
									gca Ala				2592
									gaa Glu 875				2640
									gaa Glu				2688
									ggt Gly				2736
ggc Gly	tagt	tggt	ta t	tgc	gttga	ig co	c						2762

- <210> 170
- <211> 913
- <212> PRT
- <213> Corynebacterium glutamicum

<400> 170

Phe Tyr Lys Asp Leu Tyr Ala Arg Ser Ala Arg Gly Thr Ala Ala Leu 1 5 10

Trp Ile Val Ala Ala Asn Leu Ser Ser Tyr Ser Asp Ile Asp Ala Ile
20 25 30

Ile Asn Trp Val Gly Ser Glu Gln Thr Thr Thr Val Asn Gly Ala Ser 35 40 45

Lys Leu Val Lys Pro Ala Leu Val Pro Thr Leu Leu Phe Pro Phe Ala 50 55 60

Ala Pro Arg Val Ser Gly Ser Met Ala Asp Ala Gly Pro Gln Ala Glu 65 70 75 80

Ser Gln Met Arg Leu Leu Trp Ser Val Glu Arg Leu Ile Ala Gly
85 90 95

Leu Ala Pro Leu Gly Ser Ser Ile Asn Val Gly His Arg Leu His Val
100 105 110

Val Ile Pro Gly Ser Pro Asn Arg Gly Arg Phe Gly Gly Asp Gly Ala 115 120 125

Tyr Gly Glu Ser Lys Ala Ala Leu Asp Ala Val Val Thr Arg Trp Asn 130 135 140

Ala Glu Gln Ala Ala Trp Gly Ala His Thr Ser Leu Val His Ala His 145 150 155 160

Ile Gly Trp Val Arg Gly Thr Gly Leu Met Gly Gly Asn Asp Pro Leu 165 170 175

Val Lys Ala Ala Glu Glu Ala Gly Val Glu Thr Tyr Ser Thr Gln Glu 180 185 190

Ile Ala Glu Lys Leu Leu Ser Gln Ala Thr Ser Thr Val Arg Glu Gln
195 200 205

Ala Ala Ser Ala Pro Ile Thr Val Asp Phe Thr Gly Gly Leu Gly Glu 210 215 220

Ser Asp Leu Asn Leu Ala Glu Met Ala Arg Ala Glu Ala Ala Lys Ala 225 230 235 240

Ala Asn Ala Pro Val Val Glu Ala Pro Arg Thr Val Ala Ala Leu Pro 245 250 255

Thr Pro Tyr Arg Pro Val Val Gln Thr Thr Pro Asp Phe Ala Gly Gln 260 265 270

Val Thr Gln Asn Leu Asp Glu Met Val Val Ile Val Gly Ala Gly Glu 275 280 285

Leu Gly Pro Leu Gly Ser Ala Arg Thr Arg Phe Asp Ala Glu Leu Asn

290 295 300 Gly Ser Leu Ser Ala Ala Gly Val Ile Glu Leu Ala Trp Thr Met Gly 310 315 Leu Ile His Trp Asp Glu Asp Pro Lys Pro Gly Trp Tyr Asp Asp Ser Asp Asp Ala Val Ala Glu Glu Asp Ile Phe Asp Arg Tyr His Asp Glu 345 Val Met Ala Arg Val Gly Val Arg Lys Tyr Asn Asp Met Pro Glu Tyr 360 Gly Met Ile Asp Asn Phe Ala Pro Glu Leu Thr Thr Val Tyr Leu Asp Gln Asp Leu Thr Phe Asn Val Gly Ser Arg Glu Glu Ala Leu Thr Tyr 390 · Val Asp Ser Glu Pro Glu Leu Thr Phe Ala Ser Phe Asp Glu Ala Ala 410 Gly Glu Trp Lys Val Thr Arg Lys Ala Gly Ser Ala Ile Arg Val Pro Arg Arg Met Ala Met Thr Arg Phe Val Gly Gly Gln Val Pro Lys Asp

Arg Arg Met Ala Met Thr Arg Phe Val Gly Gly Gln Val Pro Lys Asp 435 440 445

Phe Asp Pro Ala Val Trp Gly Ile Pro Ala Asp Met Val Asp Asn Leu 450 455 460

Asp Thr Val Ala Leu Trp Asn Ile Val Cys Thr Val Asp Ala Phe Leu 465 470 475 480

Ser Ala Gly Phe Thr Pro Ala Glu Leu Leu Ala Ser Val His Pro Ala 485 490 495

Arg Val Ser Ser Thr Gln Gly Thr Gly Met Gly Gly Met Glu Ser Leu 500 505 510

Arg Gly Ile Tyr Val Asp Arg Ile Leu Ala Glu Pro Arg Ala Asn Asp 515 520 525

Val Leu Gln Glu Ala Leu Pro Asn Val Val Ala Ala His Val Met Gln 530 540

Ser Tyr Val Gly Gly Tyr Gly Gln Met Ile His Pro Val Ala Ala Cys 545 550 555 560

Ala Thr Ala Ala Val Ser Val Glu Glu Ala Leu Asp Lys Ile Arg Ile 565 570 575

Gly Lys Ser Asp Phe Val Val Ala Gly Gly Phe Asp Ala Leu Ser Val 580 585 590

Glu Gly Ile Thr Gly Phe Gly Asp Met Ala Ala Thr Ala Asp Ser Ala 595 600 605

Glu Met Glu Gly Lys Gly Ile Glu His Arg Phe Phe Ser Arg Ala Asn 610 615 620

Asp Arg Arg Gly Gly Phe Ile Glu Ser Glu Gly Gly Thr Val Leu Leu Ala Arg Gly Ser Leu Ala Ala Asp Leu Gly Leu Pro Val Leu 645 Gly Val Ile Gly Phe Ala Glu Ser Phe Ala Asp Gly Ala His Thr Ser 665 Ile Pro Ala Pro Gly Leu Gly Ala Leu Gly Ala Ala Arg Asp Gly Val Glu Ser Arg Leu Ala Val Ala Leu Arg Ser Val Gly Val Ser Ala Asp 695 Glu Ile Ser Ile Ile Ser Lys His Asp Thr Ser Thr Asn Ala Asn Asp Pro Asn Glu Ser Asp Leu His Glu Arg Ile Ala Ser Ala Ile Gly Arg 730 Ala Asp Gly Asn Pro Met Tyr Val Ile Ser Gln Lys Ser Leu Thr Gly 745

His Ala Lys Gly Gly Ala Ala Phe Gln Met Ile Gly Leu Thr Gln

Val Leu Arg Ser Gly Leu Val Pro Ala Asn Arg Ala Leu Asp Cys Val 775

Asp Pro Val Leu Ser Lys His Ser His Leu Val Trp Leu Arg Lys Pro

Leu Asp Leu Arg Ala Lys Ala Pro Lys Ala Gly Leu Val Thr Ser Leu

Gly Phe Gly His Val Ser Ala Leu Val Ala Ile Val His Pro Asp Ala 820 825

Phe Tyr Glu Ala Val Arg Val Ala Arg Gly Ala Glu Ala Ala Asp Val

Trp Arg Ala Ser Ala Ile Ala Arg Glu Glu Ala Gly Leu Arg Thr Ile

Val Ala Gly Met His Gly Gly Val Leu Tyr Glu Arg Pro Val Glu Arg

Asn Leu Gly Val His Gly Asp Ala Ala Lys Glu Val Glu Ala Ala Val 890

Leu Leu Asp Ser Arg Ala Arg Leu Val Asp Gly Val Leu Arg Ala Glu 905

Gly

<210> 171 <211> 2937

<212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(2914) <223> RXN02168 <400> 171 agggtttagt catctatttc ggctacgctc acgtaaccta cgcattcgta agtggtcatg 60 ggtccaagaa gcccattcca agacttagga gctttatttc gtg agt att tct tca 115 Val Ser Ile Ser Ser 1 ctg aca ccg ctg cac tct ttc aaa gag cca gca att ctg tac gcc ggt 163 Leu Thr Pro Leu His Ser Phe Lys Glu Pro Ala Ile Leu Tyr Ala Gly 10 cag get tet gee tgg cag cag gtg ate get gat tee age gaa gae cae 211 Gln Ala Ser Ala Trp Gln Gln Val Ile Ala Asp Ser Ser Glu Asp His 259 atc acc gca acg cac ctg cgc gag ctc ctg tct cgc tcc cgt gca aag Ile Thr Ala Thr His Leu Arg Glu Leu Leu Ser Arg Ser Arg Ala Lys 40 45 307 act gca cet tte get ege caa ate ace gee ate gtg eet gge tea ett Thr Ala Pro Phe Ala Arg Gln Ile Thr Ala Ile Val Pro Gly Ser Leu gct cgt ctt gag gaa ctg acc cgc gaa gac gca caa atc ggt gca gac 355 Ala Arg Leu Glu Glu Leu Thr Arg Glu Asp Ala Gln Ile Gly Ala Asp atc gac gca cag cct gcc gtt tcc att cca ggc att ctg ctg gga cag 403 Ile Asp Ala Gln Pro Ala Val Ser Ile Pro Gly Ile Leu Leu Gly Gln atc gct gca acc cgt cag ctg cgt gac ctc gga ctc gat gtc gca gca 451 Ile Ala Ala Thr Arg Gln Leu Arg Asp Leu Gly Leu Asp Val Ala Ala 110 gct tcc cgc ctt gga cac tcc cag ggc att ttg ggc gtt gaa gca gta 499 Ala Ser Arg Leu Gly His Ser Gln Gly Ile Leu Gly Val Glu Ala Val 120 125 gac aat gaa gaa gac gtt tta gct ttc gcc atc ctg ctg ggc gca gca 547 Asp Asn Glu Glu Asp Val Leu Ala Phe Ala Ile Leu Leu Gly Ala Ala 135 140 595 get tee cag tte get gge aag gge gea cat atg ete tet gtt ege gge Ala Ser Gln Phe Ala Gly Lys Gly Ala His Met Leu Ser Val Arg Gly 150 155 ctg tcc cgt gag atc atc cag gac acc atc gct ggt gtc gat ggg gta 643 Leu Ser Arg Glu Ile Ile Gln Asp Thr Ile Ala Gly Val Asp Gly Val 170 175 180 gag gtc tcc ctg cgc aac gct cgt gca cac ttt gtt gtc tct ggt aag 691 Glu Val Ser Leu Arg Asn Ala Arg Ala His Phe Val Val Ser Gly Lys

185 190 195

cca Pro	a gag OGlu	gca Ala 200	Leu	aag Lys	aag Lys	gct Ala	gct Ala 205	Ala	gct	cta Leu	cag Gln	cgc Arg 210	Ala	gct Ala	gat Asp	739
gtt Val	tac Tyr 215	Asn	gaa Glu	gac Asp	ato	aac Asn 220	gaa Glu	aag Lys	cgc	aag Lys	ggt Gly 225	gga Gly	tcc Ser	ctg Leu	gca Ala	787
gag Glu 230	cct Pro	aag Lys	ttt Phe	gac Asp	tac Tyr 235	ttg Leu	gat Asp	gtg Val	gcc	att Ile 240	cct Pro	ttc Phe	cac His	cac His	tcc Ser 245	835
tcc Ser	atg Met	cag Gln	gac Asp	gca Ala 250	gcc Ala	gac Asp	ttg Leu	gct Ala	gtc Val 255	gag Glu	tgg Trp	gca Ala	acc Thr	acc Thr 260	tgt Cys	883
ggc Gly	cta Leu	aac Asn	gtc Val 265	aac Asn	gcg Ala	cgc Arg	gcg Ala	ttg Leu 270	gca Ala	gaa Glu	gca Ala	att Ile	cta Leu 275	gtt Val	aac Asn	931
cca Pro	gct Ala	gac Asp 280	tgg Trp	gtt Val	gag Glu	cag Gln	atc Ile 285	gca Ala	aac Asn	ctc Leu	aag Lys	gct Ala 290	gat Asp	tac Tyr	gtt Val	979
ctt Leu	tcc Ser 295	ctc Leu	gat Asp	gca Ala	ggc	gtc Val 300	agc Ser	cgt Arg	ttc Phe	acc Thr	gct Ala 305	cca Pro	ttg Leu	cta Leu	gac Asp	1027
ggt Gly 310	cgc Arg	gga Gly	atc Ile	tct Ser	ttg Leu 315	gtt Val	cct Pro	gcg Ala	ttc Phe	tcc Ser 320	gct Ala	gca Ala	gag Glu	cgc Arg	gac Asp 325	1075
aac Asn	ttg Leu	gct Ala	cgc Arg	cct Pro 330	ggc Gly	ttc Phe	cac His	gtt Val	cct Pro 335	acc Thr	gct Ala	gag Glu	gat Asp	tgg Trp 340	tcc Ser	1123
gag Glu	ttc Phe	gct Ala	cca Pro 345	aag Lys	ctg Leu	gtt Val	aag Lys	ctt Leu 350	cca Pro	aac Asn	ggt Gly	gag Glu	cac His 355	aag Lys	gtt Val	1171
ctc Leu	acc Thr	ggg Gly 360	ttc Phe	tcc Ser	cgc Arg	ctg Leu	act Thr 365	ggt Gly	tat Tyr	tcc Ser	cca Pro	atc Ile 370	gtc Val	ctg Leu	gct Ala	1219
ggc Gly	atg Met 375	acc Thr	cca Pro	acc Thr	acc Thr	gtt Val 380	gat Asp	cct Pro	gag Glu	atc Ile	gtt Val 385	gca Ala	gct Ala	gca Ala	gcg Ala	1267
aac Asn 390	gct Ala	gga Gly	cac His	tgg Trp	gcc Ala 395	gaa Glu	atg Met	gcc Ala	ggt Gly	ggc Gly 400	gga Gly	cag Gln	tac Tyr	tct Ser	gaa Glu 405	1315
gaa Glu	gtc Val	ttc Phe	acc Thr	aag Lys 410	aac Asn	aag Lys	gaa Glu	aag Lys	ctc Leu 415	gtt Val	tcc Ser	ctg Leu	ctc Leu	aag Lys 420	gtt Val	1363
gga Gly	cgc Arg	Ser	gca Ala 425	cag Gln	ttc Phe	aac Asn	Ser	atg Met 430	ttc Phe	ttc Phe	gac Asp	cgc Arg	tac Tyr 435	atg Met	tgg Trp	1411

	cag Gln 440									1459
	tcc Ser									1507
	gca Ala									1555
-	gca Ala	_			-	_	_	-	-	1603
	gct Ala	Ala								1651
	cac His 520									1699
	acc Thr									1747
	ggt Gly									1795
	gaa Glu									1843
	ctc Leu									1891
	cag Gln 600									1939
	gct Ala									1987
	ggt Gly									2035
	gct Ala									2083
	gat Asp									2131

WO 01/00805 PCT/

											act Thr						2179
											cag Gln						2227
P											gaa Glu 720						2275
											cca Pro						2323
											ctt Leu						2371
											gcc Ala						2419
											tgg Trp						2467
P											acc Thr 800						2515
											gtt Val						2563
											cca Pro						2611
Ç	gc ly	cgc Arg	ttc Phe 840	gaa Glu	gct Ala	gcc Ala	tgc Cys	gtt Val 845	gac Asp	gct Ala	ctc Leu	gac Asp	ggc Gly 850	gag Glu	cca Pro	gaa Glu	2659
											aac Asn						2707
I	tg Leu 170	gct Ala	acc Thr	cca Pro	cac His	atc Ile 875	gtg Val	tgg Trp	cac His	ggc Gly	aac Asn 880	ctg Leu	atc Ile	gac Asp	aac Asn	cca Pro 885	2755
											ctc Leu						2803
											tac Tyr						2851
ç	jtt	gag	cag	cgc	cca	tac	ctg	gtt	cag	cat	gtt	gac	atc	cca	gtt	gag	2899

Val Glu Gln Arg Pro Tyr Leu Val Gln His Val Asp Ile Pro Val Glu 920 925 930

ctg ggt gac gct ggt tgaaccggtg gtttcccaat tgg Leu Gly Asp Ala Gly 935 2937

<210> 172

<211> 938

<212> PRT

<213> Corynebacterium glutamicum

<400> 172

Val Ser Ile Ser Ser Leu Thr Pro Leu His Ser Phe Lys Glu Pro Ala 1 5 10 15

Ile Leu Tyr Ala Gly Gln Ala Ser Ala Trp Gln Gln Val Ile Ala Asp

Ser Ser Glu Asp His Ile Thr Ala Thr His Leu Arg Glu Leu Leu Ser 35 40 45

Arg Ser Arg Ala Lys Thr Ala Pro Phe Ala Arg Gln Ile Thr Ala Ile 50 55 60

Val Pro Gly Ser Leu Ala Arg Leu Glu Glu Leu Thr Arg Glu Asp Ala 65 70 75 80

Gln Ile Gly Ala Asp Ile Asp Ala Gln Pro Ala Val Ser Ile Pro Gly 85 90 95

Ile Leu Leu Gly Gln Ile Ala Ala Thr Arg Gln Leu Arg Asp Leu Gly
100 105 110

Leu Asp Val Ala Ala Ala Ser Arg Leu Gly His Ser Gln Gly Ile Leu 115 120 125

Gly Val Glu Ala Val Asp Asn Glu Glu Asp Val Leu Ala Phe Ala Ile 130 135 140

Leu Leu Gly Ala Ala Ala Ser Gln Phe Ala Gly Lys Gly Ala His Met 145 150 155 160

Leu Ser Val Arg Gly Leu Ser Arg Glu Ile Ile Gln Asp Thr Ile Ala 165 170 175

Gly Val Asp Gly Val Glu Val Ser Leu Arg Asn Ala Arg Ala His Phe 180 185 190

Val Val Ser Gly Lys Pro Glu Ala Leu Lys Lys Ala Ala Ala Ala Leu 195 200 205

Gln Arg Ala Ala Asp Val Tyr Asn Glu Asp Ile Asn Glu Lys Arg Lys 210 215 220

Gly Gly Ser Leu Ala Glu Pro Lys Phe Asp Tyr Leu Asp Val Ala Ile 225 230 235 240

Pro Phe His His Ser Ser Met Gln Asp Ala Ala Asp Leu Ala Val Glu 245 250 255

Trp Ala Thr Thr Cys Gly Leu Asn Val Asn Ala Arq Ala Leu Ala Glu 265 Ala Ile Leu Val Asn Pro Ala Asp Trp Val Glu Gln Ile Ala Asn Leu 280 Lys Ala Asp Tyr Val Leu Ser Leu Asp Ala Gly Val Ser Arg Phe Thr Ala Pro Leu Leu Asp Gly Arg Gly Ile Ser Leu Val Pro Ala Phe Ser Ala Ala Glu Arg Asp Asn Leu Ala Arg Pro Gly Phe His Val Pro Thr 330 Ala Glu Asp Trp Ser Glu Phe Ala Pro Lys Leu Val Lys Leu Pro Asn 345 Gly Glu His Lys Val Leu Thr Gly Phe Ser Arg Leu Thr Gly Tyr Ser Pro Ile Val Leu Ala Gly Met Thr Pro Thr Thr Val Asp Pro Glu Ile 375 Val Ala Ala Ala Asn Ala Gly His Trp Ala Glu Met Ala Gly Gly 385 Gly Gln Tyr Ser Glu Glu Val Phe Thr Lys Asn Lys Glu Lys Leu Val Ser Leu Leu Lys Val Gly Arg Ser Ala Gln Phe Asn Ser Met Phe Phe 425 Asp Arg Tyr Met Trp Asn Leu Gln Phe Gly Ala Gln Arg Ile Val Ser Lys Ala Arg Ala Thr Gly Thr Ser Ile Asn Gly Val Val Val Ser Ala 450 Gly Ile Pro Glu Val Glu Glu Ala Thr Glu Leu Ile Asn Asp Leu Asn Ala Asp Gly Phe Pro Tyr Val Ala Phe Lys Pro Gly Thr Val Asp Gln Ile Arg Ala Thr Leu Lys Ile Ala Asp Ala Asn Pro Glu Thr Lys Ile Ile Ile Gln Ile Glu Asp Gly His Ala Gly Gly His His Ser Trp Val 520 Asn Leu Asp Asp Leu Leu Leu Thr Thr Tyr Ala Glu Leu Arg Ser Arg 530 535 Lys Asn Val Val Met Ile Gly Gly Gly Ile Gly Thr Pro Ala Lys 555 Ala Ala Tyr Tyr Leu Thr Gly Glu Trp Ser Thr Asp Leu Gly Phe Pro

Ala Met Pro Val Asp Gly Ile Leu Val Gly Thr Ala Ala Met Ala Thr 585 Lys Glu Ala Thr Thr Ser Pro Gln Val Lys Gln Ala Leu Val Asp Thr 600 Pro Gly Val Asp Pro His Asp Ala Gly Gly Trp Val Gly Arg Gly Asp Ala Arg Gly Gly Val Thr Ser Gly Leu Ser His Leu His Ala Asp Met 630 635 Tyr Glu Leu Asp Asn Asp Ser Ala Ala Ala Ser Arg Leu Ile Ser Ser Ile Asp Ser Asp Asp Tyr Ala Asp His Arg Glu Glu Leu Ile Glu Ala Ile Asn Lys Thr Ala Lys Pro Phe Phe Gly Glu Val Glu Met Thr 675 680 Tyr Ala Glu Trp Ile Gln Arg Trp Val Glu Leu Ala Tyr Pro Thr Gln 695 Asp Pro Thr Trp Asp Asp Arg Phe Leu Asp Leu Val His Arg Ile Glu 715 Ala Arg Leu Asn Glu Ala Glu His Gly Ala Ile Thr Thr Leu Phe Pro Asp His Ala Ser Val Glu Asn Glu Glu Glu Ala Val Glu Lys Leu Leu 745 Ala Ala Tyr Pro Gln Ala Arg Glu Ile Gln Val Ser Ala Arg Asp Ala Ala Trp Phe Ile Gly Leu Cys Arg Lys His His Lys Pro Met Pro Trp 775 Val Pro Ala Ile Asp Ala Asp Leu Ala Arg Trp Trp Gly Leu Asp Thr Leu Trp Gln Ser Gln Asn Glu Arg Tyr Gly Ala Asn Ser Val Arg Val Ile Pro Gly Pro Val Ser Val Ala Gly Ile Asp Arg Val Asp Glu Pro Val Ala Glu Leu Leu Gly Arg Phe Glu Ala Ala Cys Val Asp Ala Leu Asp Gly Glu Pro Glu Glu Ile Phe Ala Arg Leu Asn Glu Ser Lys Asn 850 855 Glu Arg Glu Phe Leu Leu Ala Thr Pro His Ile Val Trp His Gly Asn 870 Leu Ile Asp Asn Pro Ala His Val Leu Asn Glu Gly Ala Phe Glu Leu

Ile Glu Glu Asp Gly Tyr Trp Val Ile Arg Ile Leu Ala Asp Ser Tyr

900 905 910

Phe Asp Asp Leu Pro Val Glu Gln Arg Pro Tyr Leu Val Gln His Val 915 920 925

Asp Ile Pro Val Glu Leu Gly Asp Ala Gly 930 935

<210> 173

<211> 921

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(898)

<223> RXN01090

<400> 173

gccggtttgg gctggttgga gctctagatc gtaagtggtg tcgtacccat gacgtaccat 60

taaccacgaa cgttttaaag aagccacgaa ggagcctgac atg gcg tta cca cta 115 Met Ala Leu Pro Leu 1 5

ccc agc aag agc gct cga gca ctt gtt act ggg gca agc caa ggc att $$ 163 Pro Ser Lys Ser Ala Arg Ala Leu Val Thr Gly Ala Ser Gln Gly Ile $$ 10 $$ 15 $$ 20

ggc ctc gcc atc gcc aaa gat ttg gcg cgg tat ggg cac aac ctc att 211 Gly Leu Ala Ile Ala Lys Asp Leu Ala Arg Tyr Gly His Asn Leu Ile 25 30 35

ttg gtt gct cgc cgc gag gat gtc ctc aaa gag atc gcc gca gat cta 259 Leu Val Ala Arg Arg Glu Asp Val Leu Lys Glu Ile Ala Ala Asp Leu 40 45 50

gag aag aag cac ggc gtg atc gtt gag gtc cgc ccg gtg gat ttg agt 307 Glu Lys Lys His Gly Val Ile Val Glu Val Arg Pro Val Asp Leu Ser 55 60 65

gat gag cca gcc cgc aag gtg ttg atc gat gag atc aag aca agg gaa 355
Asp Glu Pro Ala Arg Lys Val Leu Ile Asp Glu Ile Lys Thr Arg Glu
70 75 80 85

atc aac atc atc att aac tct gct ggc atc gca agc ttt ggg ccg ttc 403
Ile Asn Ile Ile Ile Asn Ser Ala Gly Ile Ala Ser Phe Gly Pro Phe
90 95 100

aag gac cag gat tgg tct tat gag act gcc cag ttc tca ctt aat gcc 451 Lys Asp Gln Asp Trp Ser Tyr Glu Thr Ala Gln Phe Ser Leu Asn Ala 105 110 115

aca gcc gtt ttt gag ctc acc cac gcg gtg ttg ggt ggc atg att gac 499
Thr Ala Val Phe Glu Leu Thr His Ala Val Leu Gly Gly Met Ile A'sp
120 125 130

cgt ggc acg ggc gct att tgc aat gtg gga tct gcg gct ggc aat gtg 547 Arg Gly Thr Gly Ala Ile Cys Asn Val Gly Ser Ala Ala Gly Asn Val 135 140 145

150	atc Ile	ccc Pro	aac Asn	aac Asn	gcc Ala 155	acg Thr	tat Tyr	gtg Val	ctc Leu	acc Thr 160	aag Lys	gct Ala	ggc Gly	gtg Val	aac Asn 165	595
gcg Ala	ttc Phe	acc Thr	gag Glu	gca Ala 170	atg Met	cat His	tat Tyr	gag Glu	ctg Leu 175	cgc Arg	gga Gly	act Thr	ggt Gly	gtg Val 180	gcg Ala	643
tgt Cys	act Thr	ttg Leu	ctc Leu 185	gca Ala	ccg Pro	gga Gly	cct Pro	gtc Val 190	cgt Arg	gag Glu	gcg Ala	gag Glu	atc Ile 195	cct Pro	gag Glu	691
	gag Glu															739
	tat Tyr 215															787
cag Gln 230	cgt Arg	cgc Arg	gtt Val	gtt Val	cca Pro 235	ggt Gly	ccg Pro	ctg Leu	tcc Ser	aag Lys 240	gcc Ala	atg Met	aat Asn	ttt Phe	gtg Val 245	835
	tct Ser															883
	aag Lys				tagt	tttt	aa a	ıagtç	įtetę	ja at	:c					921
<21 <21	0> 1 ⁻ 1> 26 2> Pi 3> Co	56 RT	ebact	eriu	nm gl	utaπ	nicum	1								-
<21 <21 <21 <40	1> 20 2> PE 3> Co 0> 13 Ala	56 RT oryne 74 Leu		Leu	Pro	Ser		Ser			Ala	Leu	Val	Thr 15	Gly	-
<21 <21 <21 <40 Met 1	1> 20 2> PE 3> Co 0> 13 Ala	56 RT oryne 74 Leu	Pro	Leu 5	Pro	Ser	Lys	Ser	10					15		-
<21 <21 <21 <400 Met 1 Ala	1> 26 2> PE 3> Co 0> 17 Ala	66 RT Dryne 74 Leu Gln	Pro Gly 20	Leu 5 Ile	Pro Gly	Ser Leu	Lys Ala	Ser Ile 25	10 Ala	Lys	Asp	Leu	Ala 30	15 Arg	Tyr	
<21 <21 <21 <400 Met 1 Ala	1> 20 2> PE 3> Co 0> 10 Ala	S6 RT oryne 74 Leu Gln Asn 35	Pro Gly 20 Leu	Leu 5 Ile Ile	Pro Gly Leu	Ser Leu Val	Lys Ala Ala 40	Ser Ile 25 Arg	10 Ala Arg	Lys Glu	Asp Asp	Leu Val 45	Ala 30 Leu	15 Arg Lys	Tyr Glu	
<21 <21: <21: <400 Met 1 Ala Gly	1> 20 2> PH 3> Co 0> 17 Ala Ser His	Gln Asn 35	Pro Gly 20 Leu Asp	Leu 5 Ile Ile Leu	Pro Gly Leu Glu	Ser Leu Val Lys 55	Lys Ala Ala 40 Lys	Ser Ile 25 Arg	10. Ala Arg Gly	Lys Glu Val	Asp Asp Ile 60	Leu Val 45 Val	Ala 30 Leu Glu	15 Arg Lys Val	Tyr Glu Arg	-
<21: <21: <21: <40: Met 1 Ala Gly Ile Pro 65	1> 20 2> PH 3> Co 0> 17 Ala Ser His	Gln Asn 35 Ala Asp	Pro Gly 20 Leu Asp	Leu 5 Ile Ile Leu Ser	Pro Gly Leu Glu Asp 70	Ser Leu Val Lys 55 Glu	Lys Ala Ala 40 Lys	Ser Ile 25 Arg His	10. Ala Arg Gly Arg	Lys Glu Val Lys 75	Asp Asp Ile 60 Val	Leu Val 45 Val Leu	Ala 30 Leu Glu Ile	15 Arg Lys Val Asp	Tyr Glu Arg Glu 80	

Phe Ser Leu Asn Ala Thr Ala Val Phe Glu Leu Thr His Ala Val Leu 120 Gly Gly Met Ile Asp Arg Gly Thr Gly Ala Ile Cys Asn Val Gly Ser 135 Ala Ala Gly Asn Val Pro Ile Pro Asn Asn Ala Thr Tyr Val Leu Thr 150 155 Lys Ala Gly Val Asn Ala Phe Thr Glu Ala Met His Tyr Glu Leu Arg 170 Gly Thr Gly Val Ala Cys Thr Leu Leu Ala Pro Gly Pro Val Arg Glu 185 Ala Glu Ile Pro Glu Ser Glu Lys Ser Ile Val Asp Lys Val Val Pro 200' . Asp Phe Leu Trp Thr Thr Tyr Glu Ser Cys Ser Ala Glu Thr Leu Arg 215 Ala Leu Ser Lys Asn Gln Arg Arg Val Val Pro Gly Pro Leu Ser Lys 230 235 Ala Met Asn Phe Val Ser Ser Val Ala Pro Thr Ala Val Leu Ser Pro 245 250 Val Met Gly Trp Val Tyr Lys Lys Met Gly 260 <210> 175 <211> 1293 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1270) <223> RXN02062 <400> 175 ttgtctaaac atcgttttgg ggtccgaatg atagcccctt ttaatgcccc catttcggta 60 tegetgegea actgttttta gatggetaat etttgaaatt atg aga gte gga atg Met Arg Val Gly Met 1 atg aca aga gag tat cca cca gag gtt tac ggc ggc gct ggc gtg cac Met Thr Arg Glu Tyr Pro Pro Glu Val Tyr Gly Gly Ala Gly Val His 10 gtc acc gaa ttg acc cga ttc atg cgt gag atc gct gaa gtt gat gtt 211 Val Thr Glu Leu Thr Arg Phe Met Arg Glu Ile Ala Glu Val Asp Val cac tgc atg ggt gca cct cgc gat atg gag gga gtt ttc gtc cac ggc His Cys Met Gly Ala Pro Arg Asp Met Glu Gly Val Phe Val His Gly 45 307 gtc gat cct gcc ttg gaa agc gcg aac cct gcg att aag aca ctg tcc

Val	Asp 55	Pro	Ala	Leu	Glu	Ser 60	Ala	Asn	Pro	Ala	Ile 65	Lys	Thr	Leu	Ser	
				atg Met												355
				tat Tyr 90												403
				cac His												451
				gag Glu												499
				gcc Ala												547
				gat Asp												595
				gtt Val 170												643
				ttc Phe												691
_				cag Gln				-			-		_			739
				gtc Val												787
-			_	ctt Leu			-	-				-			-	835
				acc Thr 250												883
gaa Glu	ggc Gly	att Ile	ttc Phe 265	tgg Trp	gtt Val	cag Gln	gac Asp	atg Met 270	ctg Leu	Gly	aag Lys	gac Asp	aaa Lys 275	atc Ile	caa Gln	931
				gct Ala												979
				gtg Val												1027

295 300 305

gtc gca tcc gac gtt gga ggc atc cct gag gtt gtt gtc gac ggc acc Val Ala Ser Asp Val Gly Gly Ile Pro Glu Val Val Asp Gly Thr 315 320 acc ggc gcc ctc gtt cac tac gac gaa aat gat gtc gaa acc ttc gag 1123 Thr Gly Ala Leu Val His Tyr Asp Glu Asn Asp Val Glu Thr Phe Glu 330 335 cgc gat atc gcc gaa gcg gtg aat aaa atg gtc gct gat cga gag acc 1171 Arg Asp Ile Ala Glu Ala Val Asn Lys Met Val Ala Asp Arg Glu Thr 345 350 gca gcc aaa ttt ggt ctc gca ggg cgc gaa cgt gct atc aat gat ttc 1219 Ala Ala Lys Phe Gly Leu Ala Gly Arg Glu Arg Ala Ile Asn Asp Phe 360 365 tcc tgg gca acg att gct cag cag acc att gat gtg tac aaa tcc ttg 1267 Ser Trp Ala Thr Ile Ala Gln Gln Thr Ile Asp Val Tyr Lys Ser Leu 380 385

atg taaaaccgaa agccggggaa cct 1293 Met 390

<210> 176

<211> 390

<212> PRT

<213> Corynebacterium glutamicum

<400> 176

Met Arg Val Gly Met Met Thr Arg Glu Tyr Pro Pro Glu Val Tyr Gly
1 5 10 15

Gly Ala Gly Val His Val Thr Glu Leu Thr Arg Phe Met Arg Glu Ile
20 25 30

Ala Glu Val Asp Val His Cys Met Gly Ala Pro Arg Asp Met Glu Gly 35 40 45

Val Phe Val His Gly Val Asp Pro Ala Leu Glu Ser Ala Asn Pro Ala 50 55 60

Ile Lys Thr Leu Ser Thr Gly Léu Arg Met Ala Glu Ala Ala Asn Asn 65 70 75 80

Val Asp Val Val His Ser His Thr Trp Tyr Ala Gly Leu Gly Gly His 90 95

Leu Ala Ala Arg Leu His Gly Ile Pro His Val Ala Thr Ala His Ser 100 105 110

Leu Glu Pro Asp Arg Pro Trp Lys Arg Glu Gln Leu Gly Gly Gly Tyr
115 120 125

Asp Val Ser Ser Trp Ser Glu Lys Asn Ala Met Glu Tyr Ala Asp Ala 130 135 140

Val Ile Ala Val Ser Ala Arg Met Lys Asp Ser Ile Leu Ala Ala Tyr

145 150 155 160 Pro Arg Ile Glu Pro Asp Asn Val Arg Val Val Leu Asn Gly Ile Asp Thr Glu Leu Trp Gln Pro Arg Pro Thr Phe Asp Asp Ala Glu Asp Ser 185 Val Leu Arg Ser Leu Gly Val Asp Pro Gln Arg Pro Ile Val Ala Phe 200 Val Gly Arg Ile Thr Arg Gln Lys Gly Val Glu His Leu Ile Lys Ala Ala Ala Leu Phe Asp Glu Ser Val Gln Leu Val Leu Cys Ala Gly Ala 230 235 Pro Asp Thr Pro Glu Ile Ala Ala Arg Thr Thr Ala Leu Val Glu Glu 245 Leu Gln Ala Lys Arg Glu Gly Ile Phe Trp Val Gln Asp Met Leu Gly 265 Lys Asp Lys Ile Gln Glu Ile Leu Thr Ala Ala Asp Thr Phe Val Cys 275 280 Pro Ser Ile Tyr Glu Pro Leu Gly Ile Val Asn Leu Glu Ala Met Ala Cys Asn Thr Ala Val Val Ala Ser Asp Val Gly Gly Ile Pro Glu Val 305 315 Val Val Asp Gly Thr Thr Gly Ala Leu Val His Tyr Asp Glu Asn Asp Val Glu Thr Phe Glu Arg Asp Ile Ala Glu Ala Val Asn Lys Met Val 345 Ala Asp Arg Glu Thr Ala Ala Lys Phe Gly Leu Ala Gly Arg Glu Arg Ala Ile Asn Asp Phe Ser Trp Ala Thr Ile Ala Gln Gln Thr Ile Asp 375 380 Val Tyr Lys Ser Leu Met 385 390 <210> 177 <211> 1266 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1243) <223> RXN02148 <400> 177

gcctcagact acggaatece tgtgcaggtg gtatetgttg atteageace gttttatggt 60 -

gcgcgtcgct actaa	agaaat agtto	gtcag gaga			gca tcc Ala Ser		. 5
aaa act ctc gtt Lys Thr Leu Val							i3
caa agc tat ttg Gln Ser Tyr Leu 25							.1
gtg gtg ttt gcg Val Val Phe Ala 40							, 9
aag act ttg gac Lys Thr Leu Asp 55		Ile Arg					7
ccc acc cca aca Pro Thr Pro Thr 70						-	,5
gag atc gat aat Glu Ile Asp Asn)3
gca ggc aca gcg Ala Gly Thr Ala 105							1
cat ggg cat gag His Gly His Glu 120							9
ttg cgc aaa atc Leu Arg Lys Ile 135		Val Asp	Val Leu		_	_	17
tac acg ctg cgc Tyr Thr Leu Arg 150							3 5
gaa cat ttg cct Glu His Leu Pro		Asp Val				-	13
cca gag gac aaa Pro Glu Asp Lys 185) 1
acc ccg gtt att Thr Pro Val Ile 200							39
gac tcg ctg atc Asp Ser Leu Ile 215		Pro Gln	Val Ile			_	37
gcg cag ttg ctc	att gtg ggd	agt ggg	cga tac	gag tcg	act ttg	cgg 83	35

Ala 230		Leu	Leu	Ile	Val 235	Gly	Ser	Gly	Arg	Tyr 240	Glu	Ser	Thr	Leu	Arg 245	
											ttc Phe					883
											gca Ala					931
											gtt Val					979
											ccg Pro 305					1027
											gca Ala					1075
											ctt Leu					1123
											gct Ala					1171
											ggg Gly					1219
						cca Pro 380		tgat	ggtt	gg a	cago	tgtt	:gat	a		1266
<212 <212	0> 17 l> 38 2> PF B> Co	81 RT	bact	eriu	ım gl	.utam	nicum	1								
)> 17 Ser		Ser	Arg 5	Lys	Thr	Leu	Val	Val 10	Thr	Asn	Asp	Phe	Pro 15	Pro	
Arg	Ile	Gly	Gly 20	Ile	Gln	Ser	Tyr	Leu 25	Arg	Asp	Phe	Ile	Ala 30	Thr	Gļn	
Asp	Pro	Glu 35	Ser	Ile	Val	Val	Phe 40	Ala	Ser	Thr	Gĺn	Asn 45	Ala	Glu	Glu	
Ala	His 50	Ala	Tyr	ĄżĄ	Lys	Thr 55	Leu	Asp	Tyr	Glu	Val 60	Ile	Arg	Trp	Pro	
Arg 65	Ser	Val	Met	Leu	Pro 70	Thr	Pro	Thr	Thr	Ala 75	His	Ala	Met	Ala	Glu 80	

Ile Ile Arg Glu Arg Glu Ile Asp Asn Val Trp Phe Gly Ala Ala 85 90 95

Pro Leu Ala Leu Met Ala Gly Thr Ala Lys Gln Ala Gly Ala Ser Lys
100 105 110

Val Ile Ala Ser Thr His Gly His Glu Val Gly Trp Ser Met Leu Pro 115 120 125

Gly Ser Arg Gln Ser Leu Arg Lys Ile Gly Thr Glu Val Asp Val Leu 130 135 140

Thr Tyr Ile Ser Gln Tyr Thr Leu Arg Arg Phe Lys Ser Ala Phe Gly 145 150 155 160

Ser His Pro Thr Phe Glu His Leu Pro Ser Gly Val Asp Val Lys Arg 165 170 175

Phe Thr Pro Ala Thr Pro Glu Asp Lys Ser Ala Thr Arg Lys Leu 180 185 190

Gly Phe Thr Asp Thr Thr Pro Val Ile Ala Cys Asn Ser Arg Leu Val 195 200 205

Pro Arg Lys Gly Gln Asp Ser Leu Ile Lys Ala Met Pro Gln Val Ile 210 215 220

Ala Ala Arg Pro Asp Ala Gln Leu Leu Ile Val Gly Ser Gly Arg Tyr 225 230 235 240

Glu Ser Thr Leu Arg Arg Leu Ala Thr Asp Val Ser Gln Asn Val Lys
245 250 255

Phe Leu Gly Arg Leu Glu Tyr Gln Asp Met Ile Asn Thr Leu Ala Ala 260 265 270

Ala Asp Ile Phe Ala Met Pro Ala Arg Thr Arg Gly Gly Leu Asp 275 280 285

Val Glu Gly Leu Gly Ile Val Tyr Leu Glu Ala Gln Ala Cys Gly Val 290 295 300

Pro Val Ile Ala Gly Thr Ser Gly Gly Ala Pro Glu Thr Val Thr Pro 305 310 315 320

Ala Thr Gly Leu Val Val Glu Gly Ser Asp Val Asp Lys Leu Ser Glu
325 330 335

Leu Leu Ile Glu Leu Leu Asp Asp Pro Ile Arg Arg Ala Ala Met Gly 340 345 350

Ala Ala Gly Arg Ala His Val Glu Ala Glu Trp Ser Trp Glu Ile Met 355 360 365

Gly Glu Arg Leu Thr Asn Ile Leu Gln Ser Glu Pro Arg 370 375 380

<210> 179

<211> 1287

<212> DNA

1 /

<213> Corynebacterium glutamicum

<220> <221> CDS <222> (101)..(1264) <223> RXN02595 <400> 179 gtgggtaaag gggactccga ggaagtccac gtcgtcttct ttcgcggcgc tgaggatggt 60 ttcgcggatt tgtgcggggg agtgggtggg agagaaaacg gtg atc gtt gtg gcc Val Ile Val Val Ala 1 atg gct tcc att atg gct tgt tta aaa gca gct aga ctg aat aac cct 163 Met Ala Ser Ile Met Ala Cys Leu Lys Ala Ala Arg Leu Asn Asn Pro 10 atg aag atc ctt ttg ttg tgc tgg cgt gat acc act cat cct caa ggt Met Lys Ile Leu Leu Cys Trp Arg Asp Thr Thr His Pro Gln Gly 25 30 ggc gga agt gaa cgc tat ctg gag cgg gtg ggt gag.ttt ttg gcg gat 259 Gly Gly Ser Glu Arg Tyr Leu Glu Arg Val Gly Glu Phe Leu Ala Asp 40 cag ggc cat gag gtg gtg ttt cgt act gct ggg cac acg gat gcg cca 307 Gln Gly His Glu Val Val Phe Arg Thr Ala Gly His Thr Asp Ala Pro 55 cgg cgt tct ttc cgc gat ggt gtg agg tat tcc agg agc ggt ggg aag Arg Arg Ser Phe Arg Asp Gly Val Arg Tyr Ser Arg Ser Gly Gly Lys 70 ttt agt gtg tat ccc aag gcg tgg gtg gcc atg atg ttg ggt cgt gtg 403 Phe Ser Val Tyr Pro Lys Ala Trp Val Ala Met Met Leu Gly Arg Val ggg att ggc acg ttt tcc aag gtt gat gtg gtg gtg gat acg caq aat 451 Gly Ile Gly Thr Phe Ser Lys Val Asp Val Val Asp Thr Gln Asn 105 110 ggc att ccg ttt ttt gga aag ttt ttc tcc ggt aag ccg act gtg ttg 499 Gly Ile Pro Phe Phe Gly Lys Phe Phe Ser Gly Lys Pro Thr Val Leu 125 ctc acg cat cat tgc cat aag gag cag tgg ccg gtg gtg ggt cgg gtg 547 Leu Thr His His Cys His Lys Glu Gln Trp Pro Val Val Gly Arg Val 140 ctg gcg aag gtt ggt tgg ctg att gag agc cag atc gcg ccg cgc gct 595 Leu Ala Lys Val Gly Trp Leu Ile Glu Ser Gln Ile Ala Pro Arg Ala 150 155 160 tac aaa act gcg ccg tat gtg act gtt tca gag ccg agc gct gag gag Tyr Lys Thr Ala Pro Tyr Val Thr Val Ser Glu Pro Ser Ala Glu Glu 170 180 ctc att gcg ttg ggt gtg gat cag cag cgg att cat atc gtg cgc aat Leu Ile Ala Leu Gly Val Asp Gln Gln Arg Ile His Ile Val Arg Asn 185 190

ggc gtg gat ccc Gly Val Asp Pro 200					739
cag cat gcg gtg Gln His Ala Val 215		Arg Leu Val			787
cat gcg atg gat His Ala Met Asp 230	gtc gtc gcc Val Val Ala 235	g gcg ctc gac Ala Leu Asp	ggc gtg gtg Gly Val Val 240	ctg gat gta Leu Asp Val 245	835
gtc gaa agc ggt Val Glu Ser Gly					883
ctg ggt gtg agc Leu Gly Val Ser 265					931
cac aag cac gcc His Lys His Ala 280					979
cgc aag gaa ggc Arg Lys Glu Gly 295		ı Ala Val Thr			1027
gtt ccg acg atc Val Pro Thr Ile 310					1075
gtc gac ggc gaa Val Asp Gly Glu					1123
tca gcc acc aaa Ser Ala Thr Lys 345	Thr Leu Le				1171
ggc gcc agc gcg Gly Ala Ser Ala 360					1219
gga gcg cag ttc Gly Ala Gln Phe 375		ı Leu Leu Gly			1264
tagtcccagc ggca	acgcca tcc				1287
<210> 180	terium gluta		٠		
<400> 180	Δla Me+ λl-	Ser Ile Met	Ala Cus Ion	Ive his his	
Val Ile Val Val 1	5	a Ser lle Met 10		Lys Ala Ala 15	

Arg Leu Asn Asn Pro Met Lys Ile Leu Leu Leu Cys Trp Arg Asp Thr Thr His Pro Gln Gly Gly Gly Ser Glu Arg Tyr Leu Glu Arg Val Gly Glu Phe Leu Ala Asp Gln Gly His Glu Val Val Phe Arg Thr Ala Gly His Thr Asp Ala Pro Arg Arg Ser Phe Arg Asp Gly Val Arg Tyr Ser Arg Ser Gly Gly Lys Phe Ser Val Tyr Pro Lys Ala Trp Val Ala Met Met Leu Gly Arg Val Gly Ile Gly Thr Phe Ser Lys Val Asp Val Val Val Asp Thr Gln Asn Gly Ile Pro Phe Phe Gly Lys Phe Phe Ser Gly Lys Pro Thr Val Leu Leu Thr His His Cys His Lys Glu Gln Trp Pro 135 Val Val Gly Arg Val Leu Ala Lys Val Gly Trp Leu Ile Glu Ser Gln Ile Ala Pro Arg Ala Tyr Lys Thr Ala Pro Tyr Val Thr Val Ser Glu Pro Ser Ala Glu Glu Leu Ile Ala Leu Gly Val Asp Gln Gln Arg Ile His Ile Val Arg Asn Gly Val Asp Pro Val Pro Leu His Thr Pro Lys 200 Leu Asp Arg Asp Gly Gln His Ala Val Thr Leu Ser Arg Leu Val Pro His Lys Gln Ile Glu His Ala Met Asp Val Val Ala Ala Leu Asp Gly Val Val Leu Asp Val Val Glu Ser Gly Trp Trp Gln Lys Glu Leu Val 245 Asp Tyr Ala Arg Thr Leu Gly Val Ser Asp Arg Val Val Phe His Gly Gln Val Ala Glu Asp His Lys His Ala Leu Leu Glu Arg Ala Thr Ile His Leu Met Pro Ser Arg Lys Glu Gly Trp Gly Leu Ala Val Thr Glu 295 Ala Ala Gln His Gly Val Pro Thr Ile Gly Tyr, Arg Ser Ser Gly Gly Leu Arg Asp Ser Val Val Asp Gly Glu Thr Gly Leu Leu Val Asp Ser 325 330 Lys Ala Glu Leu Ile Ser Ala Thr Lys Thr Leu Leu Ile Asp Ala Ser

340 345 350 Leu Arg Ser Lys Leu Gly Ala Ser Ala Lys Gln Arg Ala Glu Asn Tyr 355 360 Lys Trp Asp Thr Ala Gly Ala Gln Phe Glu Glu Leu Leu Gly Leu 370 375 Ala Ser Lys Lys 385 <210> 181 <211> 2334 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(2311) <223> RXS00148 <400> 181 ctttgagggc agcgcgcatg cgcccgatgg ttatttgaac atgacaattg atgccgcggc 60 gacgctggct gacctgctag atgctttggg agcttaaatc atg acg tcg atc cct 115 Met Thr Ser Ile Pro aat ttt tca gac atc cca ttg act gct gag aca cgt gca tcg gag tca 163 Asn Phe Ser Asp Ile Pro Leu Thr Ala Glu Thr Arg Ala Ser Glu Ser cac aac gtt gac gcc ggc aag gtg tgg aac act ccc gaa ggc att gat His Asn Val Asp Ala Gly Lys Val Trp Asn Thr Pro Glu Gly Ile Asp 25 30 259 gtc aag cgc gta ttc acg cag gct gac cgc gac gag gcg caa gcg gcg Val Lys Arg Val Phe Thr Gln Ala Asp Arg Asp Glu Ala Gln Ala Ala 40 45 gga cat ccg gtg gat tct ttg cca ggt caa aag cca ttt atg cgc ggg Gly His Pro Val Asp Ser Leu Pro Gly Gln Lys Pro Phe Met Arg Gly 55 ccg tac cca act atg tac acc aat cag ccg tgg acg att cgc cag tac 355 Pro Tyr Pro Thr Met Tyr Thr Asn Gln Pro Trp Thr Ile Arg Gln Tyr 70 75 gca qgc ttt tca acc gcc gcg gaa tcc aat gcg ttt tat cgg agg aac Ala Gly Phe Ser Thr Ala Ala Glu Ser Asn Ala Phe Tyr Arg Arg Asn 100 ctt gct gcg ggt caa aaa ggt ttg tcg gtt gcg ttc gat cta gcg acc Leu Ala Ala Gly Gln Lys Gly Leu Ser Val Ala Phe Asp Leu Ala Thr 105 110 cac cgc ggt tat gac tcg gat aat gag cgc gtg gtc ggc gat gtg ggt His Arg Gly Tyr Asp Ser Asp Asn Glu Arg Val Val Gly Asp Val Gly

125

120

						gat Asp 140										547
						agc Ser										595
						gcg Ala										643
						ctt Leu										691
						aac Asn										739
						atc Ile 220										787
						att Ile										835
gcg Ala	act Thr	gcc Ala	gat Asp	ttg Leu 250	gag Glu	ctg Leu	gcc Ala	tac Tyr	act Thr 255	ctg Leu	gcg Ala	gat Asp	ggt Gly	att Ile 260	gaa Glu	883
						gag Glu										931
						tgg Trp										979
atc Ile	gca Ala 295	aag Lys	ctg Leu	cgt Arg	gcg Ala	gga Gly 300	cga Arg	ctg Leu	ctg Leu	tgg Trp	agc Ser 305	gag Glu	ttg Leu	gtg Val	gca Ala	1027
aaa Lys 310	ttc Phe	gat Asp	ccg Pro	aaa Lys	aac Asn 315	gcc Ala	aag Lys	tcc Ser	cag Gln	tcg Ser 320	ctg Leu	cgc Arg	acg Thr	cac His	tcg Ser 325	1075
						ttg Leu										1123
						gcg Ala										1171
						ctt Leu										1219
ttc	tct	gct	cgt	atc	gcc	cga	aac	acc	cag	ctg	ttg	ctg	cag	cag	gaa	1267

Ph€	Ser 375	Ala	Arg	Ile	Ala	Arg 380	Asn	Thr	Gln	Leu	Leu 385	Leu	Gln	Gln	Glu	
tct Ser 390	ggc Gly	acg Thr	gtg Val	cgt Arg	cca Pro 395	gtt Val	gat Asp	cca Pro	tgg Trp	gcg Ala 400	ggc Gly	tcc Ser	tat Tyr	tac Tyr	gtg Val 405	1315
	tgg Trp															1363
	gtg Val															1411
	aag Lys															1459
gat Asp	tcc Ser 455	ggc Gly	cgc Arg	cag Gln	gcg Ala	ctg Leu 460	atc Ile	ggc	gtg Val	aat Asn	cgc Arg 465	tac Tyr	gtg Val	gcg Ala	gaa Glu	1507
	gat Asp										Asn					1555
	gaa Glu															1603
	gaa Glu															1651
	cat															1699
	gat Asp 535															1747
	gaa Glu															1795
	gtg Val															1843
	cgc Arg															1891
cgc Arg	cca Pro	cgt Arg 600	atc Ile	ttt Phe	att Ile	gcc Ala	aag Lys 605	atg Met	ggc Gly	cag Gln	gat Asp	gga Gly 610	cat His	gac Asp	cgt Arg	1939
	cag Gln															1987

615 620 625 gat gtt gga ccg ctg ttt caa act cca gcc gaa gct gcc cgc gcc gcc Asp Val Gly Pro Leu Phe Gln Thr Pro Ala Glu Ala Ala Arg Ala Ala 635 640 gtg gac gcc gat gtt cac gtg gtg ggt atg tct tcg ctg gca gca ggc 2083 Val Asp Ala Asp Val His Val Val Gly Met Ser Ser Leu Ala Ala Gly 650 655 cac ctc acc ttg ctg ccc gag ctg aag aaa gaa ctt gca gct ctt ggc 2131 His Leu Thr Leu Leu Pro Glu Leu Lys Lys Glu Leu Ala Ala Leu Gly ege gat gac att etg gte ace gtg gge gge gte att eeg eeg gge gat 2179 Arg Asp Asp Ile Leu Val Thr Val Gly Gly Val Ile Pro Pro Gly Asp 680 685 ttc cag gat ctc tac gat atg ggt gcc gcc gcg att tac cct tca gga 2227 Phe Gln Asp Leu Tyr Asp Met Gly Ala Ala Ala Ile Tyr Pro Ser Gly 695 acc gtc atc gcg gag tcg gcg atc gat ctg atc acc cga ctc gcc gca 2275 Thr Val Ile Ala Glu Ser Ala Ile Asp Leu Ile Thr Arg Leu Ala Ala 710 715 720 cac ctg ggc ttt gac ctg gat gtg gat gtg aat gaa tgatcacqqt 2321 His Leu Gly Phe Asp Leu Asp Val Asp Val Asn Glu 730 ttcctagaag aca 2334 <210> 182 <211> 737 <212> PRT <213> Corynebacterium glutamicum <400> 182 Met Thr Ser Ile Pro Asn Phe Ser Asp Ile Pro Leu Thr Ala Glu Thr 10 Arg Ala Ser Glu Ser His Asn Val Asp Ala Gly Lys Val Trp Asn Thr 20 25 Pro Glu Gly Ile Asp Val Lys Arg Val Phe Thr Gln Ala Asp Arg Asp Glu Ala Gln Ala Ala Gly His Pro Val Asp Ser Leu Pro Gly Gln Lys 50 Pro Phe Met Arg Gly Pro Tyr Pro Thr Met Tyr Thr Asn Gln Pro Trp Thr Ile Arg Gln Tyr Ala Gly Phe Ser Thr Ala Ala Glu Ser Asn Ala Phe Tyr Arg Arg Asn Leu Ala Ala Gly Gln Lys Gly Leu Ser Val Ala 100 105 110

Phe Asp Leu Ala Thr His Arg Gly Tyr Asp Ser Asp Asn Glu Arg Val

115 120 125

Val Gly Asp Val Gly Met Ala Gly Val Ala Ile Asp Ser Ile Leu Asp 130 135 140

Met Arg Gln Leu Phe Asp Gly Ile Asp Leu Ser Ser Val Ser Val Ser 145 150 155 160

Met Thr Met Asn Gly Ala Val Leu Pro Ile Leu Ala Phe Tyr Ile Val 165 170 175

Ala Ala Glu Glu Gln Gly Val Gly Pro Glu Gln Leu Ala Gly Thr Ile 180 185 190

Gln Asn Asp Ile Leu Lys Glu Phe Met Val Arg Asn Thr Tyr Ile Tyr 195 200 205

Pro Pro Lys Pro Ser Met Arg Ile Ile Ser Asn Ile Phe Glu Tyr Thr 210 215 220

Ser Leu Lys Met Pro Arg Phe Asn Ser Ile Ser Ile Ser Gly Tyr His 225 230 235 240

Ile Gln Glu Ala Gly Ala Thr Ala Asp Leu Glu Leu Ala Tyr Thr Leu 245 250 255

Ala Asp Gly Ile Glu Tyr Ile Arg Ala Gly Lys Glu Val Gly Leu Asp 260 265 270

Val Asp Lys Phe Ala Pro Arg Leu Ser Phe Phe Trp Gly Ile Ser Met 275 280 285

Tyr Thr Phe Met Glu Ile Ala Lys Leu Arg Ala Gly Arg Leu Leu Trp 290 295 300

Ser Glu Leu Val Ala Lys Phe Asp Pro Lys Asn Ala Lys Ser Gln Ser 305 310 315 320

Leu Arg Thr His Ser Gln Thr Ser Gly Trp Ser Leu Thr Ala Gln Asp 325 330 335

Val Tyr Asn Asn Val Ala Arg Thr Ala Ile Glu Ala Met Ala Ala Thr 340 345 350

Gln Gly His Thr Gln Ser Leu His Thr Asn Ala Leu Asp Glu Ala Leu 355 360 365

Ala Leu Pro Thr Asp Phe Ser Ala Arg Ile Ala Arg Asn Thr Gln Leu 370 375 380

Leu Leu Gln Gln Glu Ser Gly Thr Val Arg Pro Val Asp Pro Trp Ala 385 390 395 400

Gly Ser Tyr Tyr Val Glu Trp Leu Thr Asn Glu Leu Ala Asn Arg Ala 405 410 415

Arg Lys His Ile Asp Glu Val Glu Glu Ala Gly Gly Met Ala Gln Ala 420 425 430

Thr Ala Gln Gly Ile Pro Lys Leu Arg Ile Glu Glu Ser Ala Ala Arg 435 440 445

Thr Gln Ala Arg Ile Asp Ser Gly Arg Gln Ala Leu Ile Gly Val Asn 450 455 460

Arg Tyr Val Ala Glu Glu Asp Glu Glu Ile Glu Val Leu Lys Val Asp 465 470 475 480

Asn Thr Lys Val Arg Ala Glu Gln Leu Ala Lys Leu Ala Gln Leu Lys 485 490 495

Ala Glu Arg Asn Asp Ala Glu Val Lys Ala Ala Leu Asp Ala Leu Thr 500 505 510

Ala Ala Arg Asn Glu His Lys Glu Pro Gly Asp Leu Asp Gln Asn 515 520 525

Leu Leu Lys Leu Ala Val Asp Ala Ala Arg Ala Lys Ala Thr Ile Gly 530 540

Glu Ile Ser Asp Ala Leu Glu Val Val Phe Gly Arg His Glu Ala Glu 545 550 555 560

Ile Arg Thr Leu Ser Gly Val Tyr Lys Asp Glu Val Gly Lys Glu Gly 565 570 575

Thr Val Ser Asn Val Glu Arg Ala Ile Ala Leu Ala Asp Ala Phe Glu 580 585 590 .

Ala Glu Glu Gly Arg Arg Pro Arg Ile Phe Ile Ala Lys Met Gly Gln 595 600 605

Asp Gly His Asp Arg Gly Gln Lys Val Val Ala Ser Ala Tyr Ala Asp 610 615 620

Leu Gly Met Asp Val Asp Val Gly Pro Leu Phe Gln Thr Pro Ala Glu 625 630 635 640

Ala Ala Arg Ala Ala Val Asp Ala Asp Val His Val Val Gly Met Ser 645 650 655

Ser Leu Ala Ala Gly His Leu Thr Leu Leu Pro Glu Leu Lys Lys Glu 660 665 670

Leu Ala Ala Leu Gly Arg Asp Asp Ile Leu Val Thr Val Gly Gly Val 675 680 685

Ile Pro Pro Gly Asp Phe Gln Asp Leu Tyr Asp Met Gly Ala Ala 690 695 700

Ile Tyr Pro Ser Gly Thr Val Ile Ala Glu Ser Ala Ile Asp Leu Ile 705 710 715 720

Thr Arg Leu Ala Ala His Leu Gly Phe Asp Leu Asp Val Asp Val Asn 725 730 735

Glu

<210> 183 <211> 1971

<212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1948) <223> RXS00149 <400> 183 ttttcgtagg taaacacagg tgaaggcttt acaagcttgt gaactcccta cacaaaagca 60 atccaatage tatccataag caagagaaag taagtctacg ttg act gat ctc aca 115 Leu Thr Asp Leu Thr 1 aag act gcg gtg ccc gag gaa ctt tca gag aac ctc gaa act tgg tac Lys Thr Ala Val Pro Glu Glu Leu Ser Glu Asn Leu Glu Thr Trp Tyr aag gct gtg gcc ggt gtt ttc gcg cgc aca cag aaa aaa gac atc ggc 211 Lys Ala Val Ala Gly Val Phe Ala Arg Thr Gln Lys Lys Asp Ile Gly gac att gcc gta gat gtg tgg aag aaa ctc atc gtc act aca ccg gat Asp Ile Ala Val Asp Val Trp Lys Lys Leu Ile Val Thr Thr Pro Asp ggt gtt gat atc aat ccg ctg tac acc aga gca gat gag tcc cag agg 307 Gly Val Asp Ile Asn Pro Leu Tyr Thr Arg Ala Asp Glu Ser Gln Arg aaa ttc act gag gtt cct ggt gag ttt ccc ttc act agg gga acc act 355 Lys Phe Thr Glu Val Pro Gly Glu Phe Pro Phe Thr Arg Gly Thr Thr gtt gat ggt gaa cgc gtt ggt tgg ggt gtt act gag act ttc qga cat Val Asp Gly Glu Arg Val Gly Trp Gly Val Thr Glu Thr Phe Gly His gac age ceg aag aat ate aac get geg gtg etg aat get etg aat tet 451 Asp Ser Pro Lys Asn Ile Asn Ala Ala Val Leu Asn Ala Leu Asn Ser 105 110 ggc acc aca ttg ggt ttt gag ittc tct gag gaa ttc acg gca gct Gly Thr Thr Leu Gly Phe Glu Phe Ser Glu Glu Phe Thr Ala Ala 120 125 gat ctt aaa gtt gct ctc gaa ggc gtg tat ctc aac atg gct ccg ttg 547 Asp Leu Lys Val Ala Leu Glu Gly Val Tyr Leu Asn Met Ala Pro Leu 135 140 145 ctg att cat gcg ggt gga tcc acg tca gag gtt gca gcg gcg ttg tat Leu Ile His Ala Gly Gly Ser Thr Ser Glu Val Ala Ala Ala Leu Tyr 150 155 165 acg ttg gcg gag gaa gcc gga acg ttt ttt gct gcg ttg acc ttg ggt Thr Leu Ala Glu Glu Ala Gly Thr Phe Phe Ala Ala Leu Thr Leu Gly 170 tet egt eet tig aeg geg eag git gat ggt teg eac agt gae aec att Ser Arg Pro Leu Thr Ala Gln Val Asp Gly Ser His Ser Asp Thr Ile

185 190 195

gaa Glu	gaa Glu	gca Ala 200	gtt Val	cag Gln	ttg Leu	gca Ala	gtg Val 205	aat Asn	gct Ala	tcc Ser	aag Lys	cgt Arg 210	gcg Ala	aat Asn	gtg Val	739
										tcc Ser						787
gat Asp 230	gct Ala	caa Gln	gaa Glu	att Ile	ggt Gly 235	cta Leu	agt Ser	atc Ile	gcc Ala	gcc Ala 240	ggt Gly	gtg Val	gat Asp	tat Tyr	gtc Val 245	835
										gaa Glu						883
										cag Gln						931
										agg Arg						979
										cat His						1027
										aat Asn 320						1075
										gca Ala						1123
										gtt Val						1171
aat Asn	ttc Phe	gct Ala 360	cac His	cgc Arg	atc Ile	gcg Ala	cgc Arg 365	aat Asn	act Thr	aat Asn	ttg Leu	ttg Leu 370	ttg Leu	cta Leu	gaa Glu	1219
gag Glu	tca Ser 375	cat His	ctt Leu	ggt Gly	cac His	gtg Val 380	gtt Val	gat Asp	cct Pro	gct Ala	ggt Gly 385	gga Gly	tca Ser	tat Tyr	ttc Phe	1267
										aag Lys 400						1315
										gca Ala						1363
										gag Glu						1411

gtg gcg tcg aga a Val Ala Ser Arg I 440	aag aag aag Lys Lys Lys	ctc act gga Leu Thr Gly 445	att aat gag Ile Asn Glu 450	ttc ccg Phe Pro	aac 1459 Asn
ttg gcg gag tct o Leu Ala Glu Ser I 455	ccg ctg cca Pro Leu Pro 460	gct gat cgt Ala Asp Arg	cgg gta gaa Arg Val Glu 465	cct gca Pro Ala	ggt 1507 Gly
gtg cgt cga tgg c Val Arg Arg Trp <i>I</i> 470					
gct ttc ttg gaa a Ala Phe Leu Glu I					
ctg gga ccg ttg t Leu Gly Pro Leu S 505	ccc aag cac Ser Lys His	Asn Ile Arg 510	act ggt ttt Thr Gly Phe	act tcc Thr Ser 515	aac 1651 Asn
ctg ttg gct tcc g Leu Leu Ala Ser G 520					
ccc ggc act gac o Pro Gly Thr Asp A 535	gct ttt gca Ala Phe Ala 540	gaa gct gca Glu Ala Ala	cag gcc gca Gln Ala Ala 545	ggc att Gly Ile	gta 1747 Val
gtg gtg tgt gga a Val Val Cys Gly 1 550	acg gac caa Thr Asp Gln 555	gag tat gcc Glu Tyr Ala	gaa acg ggg Glu Thr Gly 560	gag gga Glu Gly	gcc 1795 Ala 565
gtc gaa aag ctc c Val Glu Lys Leu A					
gcg ccg aag agc t Ala Pro Lys Ser E 585	tt gag ggc Phe Glu Gly	agc gcg cat Ser Ala His 590	gcg ccc gat Ala Pro Asp	ggt tat Gly Tyr 595	ttg 1891 Leu
aac atg aca att c Asn Met Thr Ile A 600	gat gcc gcg Asp Ala Ala	gcg acg ctg Ala Thr Leu 605	gct gac ctg Ala Asp Leu 610	cta gat Leu Asp	gct 1939 Ala
ttg gga gct taaat Leu Gly Ala 615	catga cgtc	gatece taa			1971
<210> 184 <211> 616 <212> PRT <213> Corynebacte	erium glutan	micum			
<400> 184 Leu Thr Asp Leu T 1	Thr Lys Thr 5	Ala Val Pro	Glu Glu Leu	Ser Glu 15	Asn
Leu Glu Thr Trp 1	Tyr Lys Ala	Val Ala Gly 25	Val Phe Ala	Arg Thr	Gln

Lys Lys Asp Ile Gly Asp Ile Ala Val Asp Val Trp Lys Lys Leu Ile Val Thr Thr Pro Asp Gly Val Asp Ile Asn Pro Leu Tyr Thr Arg Ala Asp Glu Ser Gln Arg Lys Phe Thr Glu Val Pro Gly Glu Phe Pro Phe Thr Arg Gly Thr Thr Val Asp Gly Glu Arg Val Gly Trp Gly Val Thr Glu Thr Phe Gly His Asp Ser Pro Lys Asn Ile Asn Ala Ala Val Leu Asn Ala Leu Asn Ser Gly Thr Thr Thr Leu Gly Phe Glu Phe Ser Glu Glu Phe Thr Ala Ala Asp Leu Lys Val Ala Leu Glu Gly Val Tyr Leu Asn Met Ala Pro Leu Leu Ile His Ala Gly Gly Ser Thr Ser Glu Val 150 155 Ala Ala Ala Leu Tyr Thr Leu Ala Glu Glu Ala Gly Thr Phe Phe Ala 165 Ala Leu Thr Leu Gly Ser Arg Pro Leu Thr Ala Gln Val Asp Gly Ser 185 His Ser Asp Thr Ile Glu Glu Ala Val Gln Leu Ala Val Asn Ala Ser 195 200 205 Lys Arg Ala Asn Val Arg Ala Ile Leu Val Asp Gly Ser Ser Phe Ser 215 Asn Gln Gly Ala Ser Asp Ala Gln Glu Ile Gly Leu Ser Ile Ala Ala 225 Gly Val Asp Tyr Val Arg Arg Leu Val Asp Ala Gly Leu Ser Thr Glu Ala Ala Leu Lys Gln Val Ala Phe Arg Phe Ala Val Thr Asp Glu Gln 265 Phe Ala Gln Ile Ser Lys Leu Arg Val Ala Arg Arg Leu Trp Ala Arg Val Cys Glu Val Leu Gly Phe Pro Glu Leu Ala Val Ala Pro Gln His 295 300 Ala Val Thr Ala Arg Ala Met Phe Ser Gln Arg Asp Pro Trp Val Asn 305 Met Leu Arg Ser Thr Val Ala Ala Phe Ala Ala Gly Val Gly Gly Ala 325 330 Thr Asp Val Glu Val Arg Thr Phe Asp Asp Ala Ile Pro Asp Gly Val

Pro Gly Val Ser Arg Asn Phe Ala His Arg Ile Ala Arg Asn Thr Asn 355 360 365

Leu Leu Leu Glu Glu Ser His Leu Gly His Val Val Asp Pro Ala 370 375 380

Gly Gly Ser Tyr Phe Val Glu Ser Phe Thr Asp Asp Leu Ala Glu Lys 385 390 395 400

Ala Trp Ala Val Phe Ser Gly Ile Glu Ala Glu Gly Gly Tyr Ser Ala 405 410 415

Ala Cys Ala Ser Gly Thr Val Thr Ala Met Leu Asp Gln Thr Trp Glu 420 425 430

Gln Thr Arg Ala Asp Val Ala Ser Arg Lys Lys Lys Leu Thr Gly Ile 435 440 445

Asn Glu Phe Pro Asn Leu Ala Glu Ser Pro Leu Pro Ala Asp Arg Arg 450 455 460

Val Glu Pro Ala Gly Val Arg Arg Trp Ala Ala Asp Phe Glu Ala Leu 465 470 475 480

Arg Asn Arg Ser Asp Ala Phe Leu Glu Lys Asn Gly Ala Arg Pro Gln
485 490 495

Ile Thr Met Ile Pro Leu Gly Pro Leu Ser Lys His Asn Ile Arg Thr 500 505 510

Gly Phe Thr Ser Asn Leu Leu Ala Ser Gly Gly Ile Glu Ala Ile Asn 515 520 525

Pro Gly Gln Leu Val Pro Gly Thr Asp Ala Phe Ala Glu Ala Ala Gln 530 535 540

Ala Ala Gly Ile Val Val Cys Gly Thr Asp Gln Glu Tyr Ala Glu 545 550 555 560

Thr Gly Glu Gly Ala Val Glu Lys Leu Arg Glu Ala Gly Val Glu Arg 565 570 575

Ile Leu Leu Ala Gly Ala Pro Lys Ser Phe Glu Gly Ser Ala His Ala 580 585 590

Pro Asp Gly Tyr Leu Asn Met Thr Ile Asp Ala Ala Thr Leu Ala 595 600 605

Asp Leu Leu Asp Ala Leu Gly Ala 610 615

<210> 185

<211> 1179

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(1156)

<223> RXS02106

<400> 185 ggtcgccgct tttcgacgcc cgcctgcggc gggatgactg tgatggaggg gcgcgtcgac 60 aagcaaaatc tctttagcaa attcggttac tgtggggcgc atg aat aac cat ttt Met Asn Asn His Phe gag ctc aaa gta cct ggt gga aag ctt gtc gtc gtt gat gtg acc acc 163 Glu Leu Lys Val Pro Gly Gly Lys Leu Val Val Asp Val Thr Thr gat ctg gat tcc att gct gac gtg aag att tcc ggc gat ttc ttc ctc 211 Asp Leu Asp Ser Ile Ala Asp Val Lys Ile Ser Gly Asp Phe Phe Leu gaa ccc gat gag gca ttc ttc gcc ctt ggc cgg gcg ctg cag ggg gcg 259 Glu Pro Asp Glu Ala Phe Phe Ala Leu Gly Arg Ala Leu Gln Gly Ala tcg gtg ggt gat aac act gat cgt ttg cag gca aag ttg gat gca qcg 307 Ser Val Gly Asp Asn Thr Asp Arg Leu Gln Ala Lys Leu Asp Ala Ala ttg gcg gaa tat gat gac gtt gag cta cac ggc ttt agc act gcg gat 355 Leu Ala Glu Tyr Asp Asp Val Glu Leu His Gly Phe Ser Thr Ala Asp att gct tta gct gtg cgt cgg gca gtc acc ggc gcg caa gat ttc acc 403 Ile Ala Leu Ala Val Arg Arg Ala Val Thr Gly Ala Gln Asp Phe Thr 95 gat tat gaa tgg gaa atc ctg cac cca ggg gtg ctt cct acc cca ctt Asp Tyr Glu Trp Glu Ile Leu His Pro Gly Val Leu Pro Thr Pro Leu 105 110 aac gtt gcg ttg gat gag ctc ctt ttg gac caa gtt gcc agt ggt cag 499 Asn Val Ala Leu Asp Glu Leu Leu Leu Asp Gln Val Ala Ser Gly Gln 120 125 cgt ggc ccg acg atg cgc att tgg gat tgg gat gat cgc gcc aca gtg 547 Arg Gly Pro Thr Met Arg Ile Trp Asp Trp Asp Asp Arg Ala Thr Val 135 140 atc ggt agt ttc cag tca tat gtc aat gaa atc aac caa gaa ggc gtt 595 Ile Gly Ser Phe Gln Ser Tyr Val Asn Glu Ile Asn Gln Glu Gly Val 150 aat gaa cat ggt gtg acc gtg gta cga cgc atg tct ggt ggc ggt gca Asn Glu His Gly Val Thr Val Val Arg Arg Met Ser Gly Gly Gly Ala 170 180 atg ttt atg gag ggc ggc aac tgc atc acc tat tcc ctg tat gca ccg Met Phe Met Glu Gly Gly Asn Cys Ile Thr Tyr Ser Leu Tyr Ala Pro 185 190 195 gaa tot oto gtt got ggt ttg ago tat gag cag too tat gaa tat ttg Glu Ser Leu Val Ala Gly Leu Ser Tyr Glu Gln Ser Tyr Glu Tyr Leu 200 210 gat cgt tgg gtg att gct gcg ctg aag aca cac gat gtt gac gct tgg 787

Asp Arg Trp Val Ile Ala Ala Leu Lys Thr His Asp Val Asp Ala Trp 835 tac gtg cct atc aat gac atc acc tcc acc ggc gga aaa atc ggt ggc Tyr Val Pro Ile Asn Asp Ile Thr Ser Thr Gly Gly Lys Ile Gly Gly 230 gct gca cag aaa cgt cgc agt ggc gca gtc ctc cac cac gtg acc atg 883 Ala Ala Gln Lys Arg Arg Ser Gly Ala Val Leu His His Val Thr Met 255 tcc tat gac atc gat gcg gac atg atg acc cag gtg ttg cgc att gga 931 Ser Tyr Asp Ile Asp Ala Asp Met Met Thr Gln Val Leu Arg Ile Gly 979 aag gtg aag att too gac aag ggt ott ogc ago goa aag aag ogc gtt Lys Val Lys Ile Ser Asp Lys Gly Leu Arg Ser Ala Lys Lys Arg Val 280 285 gat cet etg ege ege caa aca ggt gea tea egt gag eaa ate ate gae 1027 Asp Pro Leu Arg Arg Gln Thr Gly Ala Ser Arg Glu Gln Ile Ile Asp 300 1075 acc cta aag tcc aca ttc agt gct agg tac ggc gcg caa gaa gta gag Thr Leu Lys Ser Thr Phe Ser Ala Arg Tyr Gly Ala Gln Glu Val Glu 310 315 320 ctc agc gat gaa gat ttc gcg gca ggc cac gac cta gta aaa acc aaa 1123 Leu Ser Asp Glu Asp Phe Ala Ala Gly His Asp Leu Val Lys Thr Lys 330 tac gcc acc gag gag tgg act aag cga gtt caa tagtttctat ggatctgcac 1176 Tyr Ala Thr Glu Glu Trp Thr Lys Arg Val Gln 345 1179 aag <210> 186 <211> 352 <212> PRT <213> Corynebacterium glutamicum <400> 186 Met Asn Asn His Phe Glu Leu Lys Val Pro Gly Gly Lys Leu Val Val 5 Val Asp Val Thr Thr Asp Leu Asp Ser Ile Ala Asp Val Lys Ile Ser Gly Asp Phe Phe Leu Glu Pro Asp Glu Ala Phe Phe Ala Leu Gly Arg 35 40 Ala Leu Gln Gly Ala Ser Val Gly Asp Asn Thr Asp Arg Leu Gln Ala Lys Leu Asp Ala Ala Leu Ala Glu Tyr Asp Asp Val Glu Leu His Gly Phe Ser Thr Ala Asp Ile Ala Leu Ala Val Arg Arg Ala Val Thr Gly 85

Ala Gln Asp Phe Thr Asp Tyr Glu Trp Glu Ile Leu His Pro Gly Val 100 105 110

Leu Pro Thr Pro Leu Asn Val Ala Leu Asp Glu Leu Leu Leu Asp Gln
115 120 125

Val Ala Ser Gly Gln Arg Gly Pro Thr Met Arg Ile Trp Asp Trp Asp 130 135 140

Asp Arg Ala Thr Val Ile Gly Ser Phe Gln Ser Tyr Val Asn Glu Ile 145 150 155 160

Asn Gln Glu Gly Val Asn Glu His Gly Val Thr Val Val Arg Arg Met 165 170 175

Ser Gly Gly Gly Ala Met Phe Met Glu Gly Gly Asn Cys Ile Thr Tyr 180 185 190

Ser Leu Tyr Ala Pro Glu Ser Leu Val Ala Gly Leu Ser Tyr Glu Gln 195 200 205

Ser Tyr Glu Tyr Leu Asp Arg Trp Val Ile Ala Ala Leu Lys Thr His 210 215 220

Asp Val Asp Ala Trp Tyr Val Pro Ile Asn Asp Ile Thr Ser Thr Gly 225 230 235 240

Gly Lys Ile Gly Gly Ala Ala Gln Lys Arg Arg Ser Gly Ala Val Leu 245 250 255

His His Val Thr Met Ser Tyr Asp Ile Asp Ala Asp Met Met Thr Gln 260 265 270

Val Leu Arg Ile Gly Lys Val Lys Ile Ser Asp Lys Gly Leu Arg Ser 275 280 285

Ala Lys Lys Arg Val Asp Pro Leu Arg Arg Gln Thr Gly Ala Ser Arg 290 295 300

Glu Gln Ile Ile Asp Thr Leu Lys Ser Thr Phe Ser Ala Arg Tyr Gly 305 310 315 320

Ala Gln Glu Val Glu Leu Ser Asp Glu Asp Phe Ala Ala Gly His Asp 325 330 335

Leu Val Lys Thr Lys Tyr Ala Thr Glu Glu Trp Thr Lys Arg Val Gln 340 345 350

<210> 187

<211> 876

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(853)

<223> RXS01746

<400> 187 aaaccgccac teceetttea etggggagtg geggttttgt egttteatge atgeagtgtg 60 115 tgacttatca accttgttag ggctagggtg gatatctatc atg act gca cca aga Met Thr Ala Pro Arg 1 gat cct ttt ttc ccc gca gat ctt tct atc cgc gcg tct gca gag ccc Asp Pro Phe Pro Ala Asp Leu Ser Ile Arg Ala Ser Ala Glu Pro 211 att gaa att cag cgg ttg ggt ttg atc gat tat caa gag gcc tgg gat Ile Glu Ile Gln Arg Leu Gly Leu Ile Asp Tyr Gln Glu Ala Trp Asp tat caa gca gag ctt gct acc cgt agg gct aat gat gaa atc cct gat Tyr Gln Ala Glu Leu Ala Thr Arg Arg Ala Asn Asp Glu Ile Pro Asp cag ctg ctt att ttg gag cac ccg tcg gtg tat acc gca ggt aag cgc 307 Gln Leu Leu Ile Leu Glu His Pro Ser Val Tyr Thr Ala Gly Lys Arg ace cag ceg gaa gat ett eee ace aac gga etg eeg gtg ate aat get Thr Gln Pro Glu Asp Leu Pro Thr Asn Gly Leu Pro Val Ile Asn Ala 403 gat cgt ggt ggt cgc atc acg tgg cat ggt cct ggc caa ttg gtg atc Asp Arg Gly Gly Arg Ile Thr Trp His Gly Pro Gly Gln Leu Val Ile tat ccg atc atc aaa tta gcc gat ccg atc gat gtg gtt gat tac gta 451 Tyr Pro Ile Ile Lys Leu Ala Asp Pro Ile Asp Val Val Asp Tyr Val 499 aga ege etc gag gaa geg etc atc caa gtt gte gge gat atg ggt gtt Arg Arg Leu Glu Glu Ala Leu Ile Gln Val Val Gly Asp Met Gly Val 120 125 547 gcc ggc gct ggg cgc att gat ggg cgt tcg ggt gtg tgg gtg cca gct Ala Gly Ala Gly Arg Ile Asp Gly Arg Ser Gly Val Trp Val Pro Ala 135 cat gat ggt tgg gtg gac agc aag gtt gcg gcc atc ggc att cga ata 595 His Asp Gly Trp Val Asp Ser Lys Val Ala Ala Ile Gly Ile Arg Ile 150 155 160 643 act cgt ggt gtt gca atg cac ggt gtg gcc atc aac tgc aac aac acg Thr Arg Gly Val Ala Met His Gly Val Ala Ile Asn Cys Asn Asn Thr 170 175 180 ttg gat ttc tat gag cac atc att ccg tgt ggc att gct gat gca ggc Leu Asp Phe Tyr Glu His Ile Ile Pro Cys Gly Ile Ala Asp Ala Gly 185 190 ttg agc aca ctc tcg agg gaa ctg aaa agg gac gtt tca gtt gag gaa Leu Ser Thr Leu Ser Arg Glu Leu Lys Arg Asp Val Ser Val Glu Glu 200

tta qtc gag cca tcg atc cgc gca ttg gat gat gct ttg gct ggt cgg 787 Leu Val Glu Pro Ser Ile Arg Ala Leu Asp Asp Ala Leu Ala Gly Arg ctg gtt gtt tet gat cat tet tte gge age geg eee gae eea aet aag 835 Leu Val Val Ser Asp His Ser Phe Gly Ser Ala Pro Asp Pro Thr Lys aat ctc cct aaa cgg ggg tagtacgagg aattttgtcg gtg 876 Asn Leu Pro Lys Arg Gly 250 <210> 188 <211> 251 <212> PRT <213> Corynebacterium glutamicum <400> 188 Met Thr Ala Pro Arg Asp Pro Phe Phe Pro Ala Asp Leu Ser Ile Arg Ala Ser Ala Glu Pro Ile Glu Ile Gln Arg Leu Gly Leu Ile Asp Tyr Gln Glu Ala Trp Asp Tyr Gln Ala Glu Leu Ala Thr Arg Arg Ala Asn Asp Glu Ile Pro Asp Gln Leu Leu Ile Leu Glu His Pro Ser Val Tyr Thr Ala Gly Lys Arg Thr Gln Pro Glu Asp Leu Pro Thr Asn Gly Leu Pro Val Ile Asn Ala Asp Arg Gly Gly Arg Ile Thr Trp His Gly Pro Gly Gln Leu Val Ile Tyr Pro Ile Ile Lys Leu Ala Asp Pro Ile Asp 100 105 Val Val Asp Tyr Val Arg Arg Leu Glu Glu Ala Leu Ile Gln Val Val Gly Asp Met Gly Val Ala Gly Ala Gly Arg Ile Asp Gly Arg Ser Gly 130 Val Trp Val Pro Ala His Asp Gly Trp Val Asp Ser Lys Val Ala Ala Ile Gly Ile Arg Ile Thr Arg Gly Val Ala Met His Gly Val Ala Ile Asn Cys Asn Asn Thr Leu Asp Phe Tyr Glu His Ile Ile Pro Cys Gly 180 185 Ile Ala Asp Ala Gly Leu Ser Thr Leu Ser Arg Glu Leu Lys Arg Asp 200 Val Ser Val Glu Glu Leu Val Glu Pro Ser Ile Arg Ala Leu Asp Asp

215

210

Ala Leu Ala Gly Arq Leu Val Val Ser Asp His Ser Phe Gly Ser Ala 230 235

Pro Asp Pro Thr Lys Asn Leu Pro Lys Arg Gly 245

120

135

<210> 189 <211> 1167 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1144) <223> RXS01747 <400> 189 cgaagtagag ccgattgcag aatcggcgga atgagacgtc gaaaagcgtt taagctttcc 60 ctaaaaatat cactaactcg aaagatgtaa ggttgcattt gtg act atc gca cct Val Thr Ile Ala Pro gaa gga cga cga ctg cta cgc gtc gaa gct cga aac tca gaa acc ccg Glu Gly Arg Arg Leu Leu Arg Val Glu Ala Arg Asn Ser Glu Thr Pro 10 att gag acg aag cct cga tgg att aga aac cag gtc aaa aac gga cct Ile Glu Thr Lys Pro Arg Trp Ile Arg Asn Gln Val Lys Asn Gly Pro 25 30 gag tat cag gat atg aag gaa cgt gtc gct ggc gca tca cta cac act Glu Tyr Gln Asp Met Lys Glu Arg Val Ala Gly Ala Ser Leu His Thr 40 gtg tgt cag gag gct ggc tgt cct aat atc cat gag tgt tgg gaa tcc Val Cys Gln Glu Ala Gly Cys Pro Asn Ile His Glu Cys Trp Glu Ser cgt gag gca acc ttc ctc att ggt ggc gcc aac tgc tct cgc cgc tgt Arg Glu Ala Thr Phe Leu Ile Gly Gly Ala Asn Cys Ser Arg Arg Cys 70 75 gat ttc tgc atg atc aac tcg gct cgc cct gag cca ctc gac cgc ggt Asp Phe Cys Met Ile Asn Ser Ala Arg Pro Glu Pro Leu Asp Arg Gly 100 gag cca ctg cgt gtc gct gag tct gtt cgt gag atg cag ctg aat tac Glu Pro Leu Arg Val Ala Glu Ser Val Arg Glu Met Gln Leu Asn Tyr 105 110 tcc acc atc acc ggt gtt acc cgt gat gat ctg gat gat gaa ggc gca Ser Thr Ile Thr Gly Val Thr Arg Asp Asp Leu Asp Asp Glu Gly Ala

125

tgg ctg tac tca gaa gtg gtt cgt aag atc cac gag ctg aac cca cac

Trp Leu Tyr Ser Glu Val Val Arg Lys Ile His Glu Leu Asn Pro His

acc ggt gtg gaa aac ctg gtg cct gat ttc tcc ggc aag aag gat ctg

313

163

259

355

499

547

595

130

Thr 150	Gly	Val	Glu	Asn	Leu 155	Val	Pro	Asp	Phe	Ser 160	Gly	Lys	Lys	Asp	Leu 165	
					gaa Glu											643
					att Ile											691
					gtg Val											739
					att Ile											787
					gat Asp 235											835
					cgt Arg											. 883
					gag Glu											931
					gtt Val											979
					tac Tyr											1027
					gcg Ala 315											1075
					aca Thr											1123
					ttc Phe		taaç	leceā	jaa ç	įttt	ttaa	ic cg	ic			1167
<211 <212)> 19 .> 34 !> PR !> Co	8 .T	bact	eriu	ım gl	utaπ	icum	ı								
)> 19 Thr		Ala	Pro 5	Glu	Gly	Arg	Arg	Leu 10	Leu	Arg	Val	Glu	Ala 15	Arg	

WO 01/00805	PCT/IB00/00926

Asn Ser Glu Thr Pro Ile Glu Thr Lys Pro Arg Trp Ile Arg Asn Gln
20 25 30

- Val Lys Asn Gly Pro Glu Tyr Gln Asp Met Lys Glu Arg Val Ala Gly
 35 40 45
- Ala Ser Leu His Thr Val Cys Gln Glu Ala Gly Cys Pro Asn Ile His 50 55 60
- Glu Cys Trp Glu Ser Arg Glu Ala Thr Phe Leu Ile Gly Gly Ala Asn 65 70 75 80
- Cys Ser Arg Arg Cys Asp Phe Cys Met Ile Asn Ser Ala Arg Pro Glu 85 90 95
- Pro Leu Asp Arg Gly Glu Pro Leu Arg Val Ala Glu Ser Val Arg Glu
 100 105 110
- Met Gln Leu Asn Tyr Ser Thr Ile Thr Gly Val Thr Arg Asp Asp Leu 115 120 125
- Asp Asp Glu Gly Ala Trp Leu Tyr Ser Glu Val Val Arg Lys Ile His 130 135 140
- Glu Leu Asn Pro His Thr Gly Val Glu Asn Leu Val Pro Asp Phe Ser 145 150 155 160
- Gly Lys Lys Asp Leu Leu Gln Glu Val Phe Glu Ser Arg Pro Glu Val 165 170 175
- Phe Ala His Asn Val Glu Thr Val Pro Arg Ile Phe Lys Arg Ile Arg 180 185 190
- Pro Ala Phe Arg Tyr Glu Arg Ser Leu Asp Val Ile Arg Gln Ala Arg 195 , 200 205
- Asp Phe Gly Leu Val Thr Lys Ser Asn Leu Ile Leu Gly Met Gly Glu 210 215 220
- Thr Lys Glu Glu Ile Thr Glu Ala Leu Gln Asp Leu His Asp Ala Gly 225 230 235 240
- Cys Asp Ile Ile Thr Ile Thr Gln Tyr Leu Arg Pro Gly Pro Leu Phe 245 250 255
- His Pro Ile Glu Arg Trp Val Lys Pro Glu Glu Phe Leu Glu His Ala 260 265 270
- Asp Ala Ala Lys Glu Met Gly Phe Ala Ala Val Met Ser Gly Pro Leu 275 280 285
- Val Arg Ser Ser Tyr Arg Ala Gly Arg Leu Tyr Ala Gln Ala Met Glu 290 295 300
- Phe Arg Gly Glu Glu Ile Pro Ala His Leu Ala His Leu Lys Asp Thr 305 . 310 315 320
- Ser Gly Gly Ser Thr Ala Gln Glu Ala Ser Thr Leu Leu Glu Arg Tyr 325 330 335
- Gly Ala Ser Glu Asp Thr Pro Val Val Ser Phe Asn

. 340 345

<210> 191

<211> 903 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(880) <223> RXC01748 <400> 191 atcaccaaat gtggcggttt tgcgtcgaaa agcgtgctct ttctacacct ctttgaggtt 60 cattttcgcg gtttcctcac aatcgcctat tgttaagtac atg gca gac gcg aaa 115 Met Ala Asp Ala Lys aag cag gcg gat aaa gcc gcc aag aag cag gta aga gca gcc aag aag 163 Lys Gln Ala Asp Lys Ala Ala Lys Lys Gln Val Arg Ala Ala Lys Lys 15 211 gca cag cgc aag gag act cgc tca caa atg tgg cag gtc ttc aac atg Ala Gln Arg Lys Glu Thr Arg Ser Gln Met Trp Gln Val Phe Asn Met 25 30 caa cgc aag cag gat aag gct ctt att ccg ctt ctg ttg ctc gct att 259 Gln Arg Lys Gln Asp Lys Ala Leu Ile Pro Leu Leu Leu Ala Ile 40 45 ctt ggt atc ccg ctg gtc ctt ttc ctc atc ggt ttg att tgg ggt ggt 307 Leu Gly Ile Pro Leu Val Leu Phe Leu Ile Gly Leu Ile Trp Gly Gly 55 60 cag tgg tgg atg ctt ccg atc ggc att gct gca ggt gtt gta gct gca 355 Gln Trp Trp Met Leu Pro Ile Gly Ile Ala Ala Gly Val Val Ala Ala 70 atg ttt att ttc acc cgt cgc gtt gag cgt gac gtg tac aag cgc gcc 403 Met Phe Ile Phe Thr Arg Arg Val Glu Arg Asp Val Tyr Lys Arg Ala 90 100 gaa ggt cag cag ggt qct gct ggt tgg gct gtg gag aac ctc cgc tct 451 Glu Gly Gln Gln Gly Ala Ala Gly Trp Ala Val Glu Asn Leu Arg Ser 105 ggc gtg ggc atg acc tgg cgc acc aag acc gct gtt gca gtg acc act 499 Gly Val Gly Met Thr Trp Arg Thr Lys Thr Ala Val Ala Val Thr Thr 120 125 130 cag atg gat gca gtg cac cgc gtc att ggt ctg tgt ggt gtt qtq ctg 547 Gln Met Asp Ala Val His Arq Val Ile Gly Leu Cys Gly Val Val Leu 135 140 595 gtc ggc qaq gqc tcc cct cac cqc ctq aag cca atg ctt qcq caq caa Val Gly Glu Gly Ser Pro His Arg Leu Lys Pro Met Leu Ala Gln Gln 150 155 aag aag cgc ctg aac cgc qtg qca cct ggt gtt cca gtg tat qaa atc

Lys Lys Arg Leu Asn Arg Val Ala Pro Gly Val Pro Val Tyr Glu Ile 170 175 atc acg ggc aac ggc gaa ggc cag acc cct atc gcg aag ctg cag cgt 691 Ile Thr Gly Asn Gly Glu Gly Gln Thr Pro Ile Ala Lys Leu Gln Arg 190 gaa ctg gtc aag ctg cct cgc aac tac aag aag aac gac gtc gcc Glu Leu Val Lys Leu Pro Arg Asn Tyr Lys Lys Asn Asp Val Ala Ala 200 ctg gcc gct cgc att gag gct atg gac aat gtc gga aac gct cct ggc 787 Leu Ala Ala Arg Ile Glu Ala Met Asp Asn Val Gly Asn Ala Pro Gly 220 gga tot ttg cot aag ggt coa ttg coa aag ggc gca agc atg too ggt 835 Gly Ser Leu Pro Lys Gly Pro Leu Pro Lys Gly Ala Ser Met Ser Gly atg aac ege ege get ege ega eag get gaa ege aag gge gag get 880 Met Asn Arg Arg Ala Arg Arg Gln Ala Glu Arg Lys Gly Glu Ala 255 taaagccttt tcgctttcgc gtc 903 <210> 192 <211> 260 <212> PRT <213> Corynebacterium glutamicum <400> 192 Met Ala Asp Ala Lys Lys Gln Ala Asp Lys Ala Ala Lys Lys Gln Val Arg Ala Ala Lys Lys Ala Gln Arg Lys Glu Thr Arg Ser Gln Met Trp 20 Gln Val Phe Asn Met Gln Arg Lys Gln Asp Lys Ala Leu Ile Pro Leu Leu Leu Ala Ile Leu Gly Ile Pro Leu Val Leu Phe Leu Ile Gly Leu Ile Trp Gly Gly Gln Trp Trp Met Leu Pro Ile Gly Ile Ala Ala Gly Val Val Ala Ala Met Phe Ile Phe Thr Arg Arg Val Glu Arg Asp 90 Val Tyr Lys Arg Ala Glu Gly Gln Gln Gly Ala Ala Gly Trp Ala Val 100 105 Glu Asn Leu Arg Ser Gly Val Gly Met Thr Trp Arg Thr Lys Thr Ala Val Ala Val Thr Thr Gln Met Asp Ala Val His Arg Val Ile Gly Leu 130 135 Cys Gly Val Val Leu Val Gly Glu Gly Ser Pro His Arg Leu Lys Pro 145 150

Met Leu Ala Gln Gln Lys Lys Arg Leu Asn Arg Val Ala Pro Gly Val 165 Pro Val Tyr Glu Ile Ile Thr Gly Asn Gly Glu Gly Gln Thr Pro Ile Ala Lys Leu Gln Arg Glu Leu Val Lys Leu Pro Arg Asn Tyr Lys Lys 200 Asn Asp Val Ala Ala Leu Ala Ala Arg Ile Glu Ala Met Asp Asn Val Gly Asn Ala Pro Gly Gly Ser Leu Pro Lys Gly Pro Leu Pro Lys Gly 230 235 Ala Ser Met Ser Gly Met Asn Arg Arg Ala Arg Arg Gln Ala Glu Arg 245 250 Lys Gly Glu Ala <210> 193 <211> 936 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(913) <223> RXC00354 <400> 193 ggcttgtcgg taaggctgca gggtagcggg agtttccttc agattggaag ttctttaatt 60 ttctcgatta tgtacctcat ttacgcgtaa agtttggggc atg gga aag tta ctt Met Gly Lys Leu Leu ttc gta gac atc ggt ggc aca ctg ctg gat tac tca aat gaa gtt ccg 163 Phe Val Asp Ile Gly Gly Thr Leu Leu Asp Tyr Ser Asn Glu Val Pro 10 cgt tcg gcc gtt gac gcg atc cgt aag gca cgc gcc aaa gga cac cgc Arg Ser Ala Val Asp Ala Ile Arg Lys Ala Arg Ala Lys Gly His Arg 25 35 gtg tac ttg agc tct ggt cga agc agc gct gag gtg act tct cag ttg 259 Val Tyr Leu Ser Ser Gly Arg Ser Ser Ala Glu Val Thr Ser Gln Leu 40 tgg gat atc gga gtg gat ggc ctc att ggc gca aat ggt gga tat gtg 307 Trp Asp Ile Gly Val Asp Gly Leu Ile Gly Ala Asn Gly Gly Tyr Val 55 60 gaa ago goa cag gag tot gtg tto cac cgc cgt ttg tog ggt gag gag 355 Glu Ser Ala Gln Glu Ser Val Phe His Arg Arg Leu Ser Gly Glu Glu 75 acc cgc cac att gtg gag tgg ctc tac aac cgt qqt ttq qag ttt tat 403

Thr	Arg	His	Ile	Val 90	Glu	Trp	Leu	Tyr	Asn 95	Arg	Gly	Leu	Glu	Phe 100	Tyr	
ctc Leu	gag Glu	tcc Ser	aac Asn 105	aac Asn	ggt Gly	ttg Leu	tat Tyr	gca Ala 110	agc Ser	cgt Arg	ggt Gly	ttc Phe	cgt Arg 115	gag Glu	gct Ala	451
tct Ser	aag Lys	cca Pro 120	gtg Val	ctg Leu	tct Ser	cgc Arg	ctt Leu 125	tcg Ser	gag Glu	aag Lys	Thr	gac Asp 130	gtg Val	aca Thr	gtc Val	499
gat Asp	agc Ser 135	atg Met	tac Tyr	ccg Pro	gat Asp	atg Met 140	ttc Phe	tgg Trp	ggc	gcg Ala	agc Ser 145	ctt Leu	gat Asp	cgt Arg	gac Asp	547
gat Asp 150	gtg Val	aac Asn	aag Lys	atc	agt Ser 155	tac Tyr	atc Ile	ttc Phe	aat Asn	tct Ser 160	cag Gln	gaa Glu	gat Asp	ttg Leu	gac Asp 165	595
gca Ala	gcg Ala	cgt Arg	gag Glu	gcg Ala 170	ttc Phe	cct Pro	aac Asn	ctg Leu	gag Glu 175	cac His	acc Thr	acg Thr	tgg Trp	ggt Gly 180	ggt Gly	643
cag Gln	acg Thr	ggt Gly	gcg Ala 185	ttg Leu	ttc Phe	ggc Gly	acg Thr	atc Ile 190	ggt Gly	gtg Val	tct Ser	gtc Val	aac Asn 195	aag Lys	aag Lys	691
atc Ile	ggc Gly	gtg Val 200	gat Asp	cgc Arg	ctg Leu	ctg Leu	aag Lys 205	tac Tyr	ctg Leu	aac Asn	gca Ala	gat Asp 210	cgc Arg	gca Ala	aac Asn	739
acc Thr	att Ile 215	gcg Ala	ttc Phe	ggc Gly	gac Asp	agc Ser 220	gat Asp	gag Glu	gat Asp	ctc Leu	tcc Ser 225	cta Leu	ttt Phe	gag Glu	gcg Ala	787
agc Ser 230	gct Ala	tac Tyr	ggc Gly	gtc Val	gcg Ala 235	atg Met	ggc Gly	gag Glu	gcc Ala	acc Thr 240	gaa Glu	tcg Ser	ctc Leu	aag Lys	gct Ala 245	835
gct Ala	gct Ala	gac Asp	ctg Leu	gtc Val 250	acg Thr	gat Asp	gct Ala	gtt Val	ggg Gly 255	cag Gln	gac Asp	ggc Gly	ttg Leu	cgc Arg 260	aat Asn	883
gcg Ala	ttt Phe	tta Leu	aag Lys 265	ctt Leu	gag Glu	ctt Leu	atc Ile	gac Asp 270	gcc Ala	tgad	ccca	itc a	aaga	actt	c·	933
cca																936
<210 <211 <212 <213	> 27 > PR	1 T	bact	eriu	m gl	utam	icum	1								
<400 Met			Leu	Leu	Phe	۷al	Asn	Tle	Gly	، دارو	ሞ⊳∽	I ou	T ove	λ	Ψ	
, T				5					10					15		
Ser /	Asn (Glu	Val 20	Pro	Arg	Ser	Ala	Val 25	Asp	Ala	Ile	Arg	Lys	Ala	Arg	

Ala Lys Gly His Arg Val Tyr Leu Ser Ser Gly Arg Ser Ser Ala Glu
35 40 45

Val Thr Ser Gln Leu Trp Asp Ile Gly Val Asp Gly Leu Ile Gly Ala 50 55 60

Asn Gly Gly Tyr Val Glu Ser Ala Gln Glu Ser Val Phe His Arg Arg 65 70 75 80

Leu Ser Gly Glu Glu Thr Arg His Ile Val Glu Trp Leu Tyr Asn Arg 85 90 95

Gly Leu Glu Phe Tyr Leu Glu Ser Asn Asn Gly Leu Tyr Ala Ser Arg 100 105 110

Gly Phe Arg Glu Ala Ser Lys Pro Val Leu Ser Arg Leu Ser Glu Lys 115 120 125

Thr Asp Val Thr Val Asp Ser Met Tyr Pro Asp Met Phe Trp Gly Ala 130 135 140

Ser Leu Asp Arg Asp Asp Val Asn Lys Ile Ser Tyr Ile Phe Asn Ser 145 150 155 160

Gln Glu Asp Leu Asp Ala Ala Arg Glu Ala Phe Pro Asn Leu Glu His 165 170 175

Thr Thr Trp Gly Gly Gln Thr Gly Ala Leu Phe Gly Thr Ile Gly Val

Ser Val Asn Lys Lys Ile Gly Val Asp Arg Leu Leu Lys Tyr Leu Asn 195 200 205

Ala Asp Arg Ala Asn Thr Ile Ala Phe Gly Asp Ser Asp Glu Asp Leu 210 215 220

Ser Leu Phe Glu Ala Ser Ala Tyr Gly Val Ala Met Gly Glu Ala Thr 225 230 235 240

Glu Ser Leu Lys Ala Ala Ala Asp Leu Val Thr Asp Ala Val Gly Gln 245 250 255

Asp Gly Leu Arg Asn Ala Phe Leu Lys Leu Glu Leu Ile Asp Ala 260 265 270

<210> 195

<211> 1740

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(1717)

<223> RXC01749

<400> 195

ggtttttgcg tgctctggtt tagggactgg ttttgggaac gtgcccagtt ccacatcaaa 60

taacgctgag gtcgtactta atccatgaga tcatgaatgg gtg agc ttc ctt gta 115

Val Ser Phe Leu Val gaa aat caa tta ctc gcg ttg gtt gtc atc atg acg gtc gga cta ttg Glu Asn Gln Leu Leu Ala Leu Val Val Ile Met Thr Val Gly Leu Leu ctc ggc cgc atc aaa att ttc ggg ttc cgt ctc ggc gtc gcc gct gta 211 Leu Gly Arg Ile Lys Ile Phe Gly Phe Arg Leu Gly Val Ala Ala Val ctg ttt gta ggt cta gcg cta tcc acc att gag ccg gat att tcc gtc 259 Leu Phe Val Gly Leu Ala Leu Ser Thr Ile Glu Pro Asp Ile Ser Val cca tcc ctc att tac gtg gtt gga ctg tcg ctt ttt gtc tac acg atc 307 Pro Ser Leu Ile Tyr Val Val Gly Leu Ser Leu Phe Val Tyr Thr Ile ggt ctg gaa gcc ggc cct gga ttc ttc acc tcc atg aaa acc act ggt 355 Gly Leu Glu Ala Gly Pro Gly Phe Phe Thr Ser Met Lys Thr Thr Gly ctg cgc aac aac gca ctg acc ttg ggc gcc atc atc gcc acc acg gca 403 Leu Arg Asn Asn Ala Leu Thr Leu Gly Ala Ile Ile Ala Thr Thr Ala 90 ctc gca tgg gca ctc atc aca gtt ttg aac atc gat gcc gcc tcc ggc Leu Ala Trp Ala Leu Ile Thr Val Leu Asn Ile Asp Ala Ala Ser Gly 110 gcc ggc atg ctc acc ggc gcg ctc acc acc cca gcc atg gcc qca 499 Ala Gly Met Leu Thr Gly Ala Leu Thr Asn Thr Pro Ala Met Ala Ala 120 125 gtt gtt gac gca ctt cct tcg ctt atc gac gac acc ggc cag ctt cac Val Val Asp Ala Leu Pro Ser Leu Ile Asp Asp Thr Gly Gln Leu His 135 140 ctc atc gcc gag ctg ccc gtc gtc gca tat tcc ttg gca tac ccc ctc Leu Ile Ala Glu Leu Pro Val Val Ala Tyr Ser Leu Ala Tyr Pro Leu 150 155 ggt gtg ctc atc gtt att ctc tcc atc gcc atc ttc agc tct gtg ttc Gly Val Leu Ile Val Ile Leu Ser Ile Ala Ile Phe Ser Ser Val Phe 170 aaa gtc gac cac aac aaa gaa gcc gaa gaa gcg ggc gtt gcg gtc cag Lys Val Asp His Asn Lys Glu Ala Glu Glu Ala Gly Val Ala Val Gln gaa ctc aaa ggc cgt cgc atc cgc gtc acc gtc gct gat ctt cca gcc 739 Glu Leu Lys Gly Arg Arg Ile Arg Val Thr Val Ala Asp Leu Pro Ala 200 ctg gag aac atc cca gag ctg ctc aac ctc cac gtc att gtg tcc cga 787 Leu Glu Asn Ile Pro Glu Leu Leu Asn Leu His Val Ile Val Ser Arg 215 220 gtg gaa cga gac ggt gag caa ttc atc ccg ctt tat ggc gaa cac gca Val Glu Arg Asp Gly Glu Gln Phe Ile Pro Leu Tyr Gly Glu His Ala

230					235					240					245	
cgc Arg	atc Ile	ggc	gat Asp	gtc Val 250	tta Leu	aca Thr	gtg Val	gtg Val	ggt Gly 255	gcc Ala	gat Asp	gaa Glu	gaa Glu	ctc Leu 260	aac Asn	883
cgc Arg	gcg Ala	gaa Glu	aaa Lys 265	gcc Ala	atc Ile	ggt Gly	gaa Glu	ctc Leu 270	att Ile	gac Asp	ggc Gly	gac Asp	ccc Pro 275	tac Tyr	agc Ser	931
aat Asn	gtg Val	gaa Glu 280	ctt Leu	gat Asp	tac Tyr	cga Arg	cgc Arg 285	atc Ile	ttc Phe	gtc Val	tca Ser	aac Asn 290	aca Thr	gca Ala	gtc Val	979
gtg Val	ggc Gly 295	act Thr	ccc Pro	cta Leu	tcc Ser	aag Lys 300	ctc Leu	cag Gln	cca Pro	ctg Leu	ttt Phe 305	aaa Lys	gac Asp	atg Met	ctg Leu	1027
					cgc Arg 315											1075
atg Met	act Thr	ttg Leu	cag Gln	ctc Leu 330	ggt Gly	gac Asp	cgt Arg	gtc Val	cgc Arg 335	gtt Val	gtc Val	gca Ala	cca Pro	gca Ala 340	gaa Glu	1123
					acc Thr											1171
tcc Ser	gat Asp	ttc Phe 360	aac Asn	ctg Leu	ctc Leu	cca Pro	ctc Leu 365	gct Ala	gcc Ala	ggc Gly	ctc Leu	atg Met 370	atc Ile	ggt Gly	gtg Val	1219
ctt Leu	gtc Val 375	ggc	atg Met	gtg Val	gag Glu	ttc Phe 380	cca Pro	cta Leu	cca Pro	ggt Gly	gga Gly 385	agc Ser	tcc Ser	ctg Leu	aaa Lys	1267
	Gly	Asn	Ala	Gly	gga Gly 395	Pro	Leu	Val	Val	Ala	Leu	Leu	Leu	Gly	Met	1315
					aag Lys											1363
ctt Leu	gcc Ala	ctt Leu	cgc Arg 425	caa Gln	ctg Leu	ggc Gly	atc Ile	aca Thr 430	cta Leu	ttt Phe	ttg Leu	gct Ala	gcc Ala 435	atc Ile	ggt Gly	1411
acc Thr	tca Ser	gcg Ala 440	Gly	gca Ala	gga Gly	ttt Phe	cga Arg 445	tca Ser	gcg Ala	atc Ile	agc Ser	gac Asp 450	ccc Pro	caa Gln	tca Ser	1459
ctc Leu	acc Thr 455	atc Ile	atc Ile	ggc Gly	ttc Phe	ggt Gly 460	gcg Ala	ctg Leu	ctc Leu	act Thr	ttg Leu 465	ttc Phe	atc Ile	tcc Ser	atc Ile	1507
acg Thr 470	gtg Val	ctg Leu	ttc Phe	gtt Val	ggc Gly 475	cac His	aaa Lys	ctg Leu	atg Met	aaa Lys 480	atc Ile	ccc Pro	ttc Phe	ggt Gly	gaa Glu 485	1555

acc gct ggc atc ctc gcc ggt acg caa acc cac cct gct gtg ctg agt 1603 Thr Ala Gly Ile Leu Ala Gly Thr Gln Thr His Pro Ala Val Leu Ser 490 495 tat gtg tca gat gcc tcc cgc aac gag ctc cct gcc atg ggt tat acc Tyr Val Ser Asp Ala Ser Arg Asn Glu Leu Pro Ala Met Gly Tyr Thr 510 tet gtg tat eeg etg geg atg ate gea aag ate etg gee gee eaa aeg Ser Val Tyr Pro Leu Ala Met Ile Ala Lys Ile Leu Ala Ala Gln Thr 525 ttg ttg ttc cta ctt atc tagcattgac cccttaagcg cag 1740 Leu Leu Phe Leu Leu Ile 535 <210> 196 <211> 539 <212> PRT <213> Corynebacterium glutamicum <400> 196 Val Ser Phe Leu Val Glu Asn Gln Leu Leu Ala Leu Val Val Ile Met 10 Thr Val Gly Leu Leu Gly Arg Ile Lys Ile Phe Gly Phe Arg Leu Gly Val Ala Ala Val Leu Phe Val Gly Leu Ala Leu Ser Thr Ile Glu 40 Pro Asp Ile Ser Val Pro Ser Leu Ile Tyr Val Val Gly Leu Ser Leu 55 Phe Val Tyr Thr Ile Gly Leu Glu Ala Gly Pro Gly Phe Phe Thr Ser 70 Met Lys Thr Thr Gly Leu Arg Asn Asn Ala Leu Thr Leu Gly Ala Ile Ile Ala Thr Thr Ala Leu Ala Trp Ala Leu Ile Thr Val Leu Asn Ile 105 Asp Ala Ala Ser Gly Ala Gly Met Leu Thr Gly Ala Leu Thr Asn Thr 115 Pro Ala Met Ala Ala Val Val Asp Ala Leu Pro Ser Leu Ile Asp Asp Thr Gly Gln Leu His Leu Ile Ala Glu Leu Pro Val Val Ala Tyr Ser 145 150 155 Leu Ala Tyr Pro Leu Gly Val Leu Ile Val Ile Leu Ser Ile Ala Ile Phe Ser Ser Val Phe Lys Val Asp His Asn Lys Glu Ala Glu Glu Ala 185

Gly Val Ala Val Gln Glu Leu Lys Gly Arg Arg Ile Arg Val Thr Val

Ala Asp Leu Pro Ala Leu Glu Asn Ile Pro Glu Leu Leu Asn Leu His 215 220

Val Ile Val Ser Arg Val Glu Arg Asp Gly Glu Gln Phe Ile Pro Leu

Tyr Gly Glu His Ala Arg Ile Gly Asp Val Leu Thr Val Val Gly Ala

Asp Glu Glu Leu Asn Arg Ala Glu Lys Ala Ile Gly Glu Leu Ile Asp

Gly Asp Pro Tyr Ser Asn Val Glu Leu Asp Tyr Arg Arg Ile Phe Val 280

Ser Asn Thr Ala Val Val Gly Thr Pro Leu Ser Lys Leu Gln Pro Leu 295 300

Phe Lys Asp Met Leu Ile Thr Arg Ile Arg Arg Gly Asp Thr Asp Leu

Val Ala Ser Ser Asp Met Thr Leu Gln Leu Gly Asp Arg Val Arg Val 330

Val Ala Pro Ala Glu Lys Leu Arg Glu Ala Thr Gln Leu Leu Gly Asp

Ser Tyr Lys Lys Leu Ser Asp Phe Asn Leu Leu Pro Leu Ala Ala Gly

Leu Met Ile Gly Val Leu Val Gly Met Val Glu Phe Pro Leu Pro Gly 375

Gly Ser Ser Leu Lys Leu Gly Asn Ala Gly Gly Pro Leu Val Val Ala 390 395

Leu Leu Gly Met Ile Asn Arg Thr Gly Lys Phe Val Trp Gln Ile 405

Pro Tyr Gly Ala Asn Leu Ala Leu Arg Gln Leu Gly Ile Thr Leu Phe

Leu Ala Ala Ile Gly Thr Ser Ala Gly Ala Gly Phe Arg Ser Ala Ile

Ser Asp Pro Gln Ser Leu Thr Ile Ile Gly Phe Gly Ala Leu Leu Thr

Leu Phe Ile Ser Ile Thr Val Leu Phe Val Gly His Lys Leu Met Lys 470 475

Ile Pro Phe Gly Glu Thr Ala Gly Ile Leu Ala Gly Thr Gln Thr His 485

Pro Ala Val Leu Ser Tyr Val Ser Asp Ala Ser Arg Asn Glu Leu Pro 505

Ala Met Gly Tyr Thr Ser Val Tyr Pro Leu Ala Met Ile Ala Lys Ile 515 520

Leu Ala Ala Gln Thr Leu Leu Phe Leu Leu Ile 530 535

<21 <21	0> 1 1> 1 2> D 3> C	023 NA	ebac	teri	um g	luta	micu	m								
<22	1> C 2> ((1 268	000)												
	0> 1 atcg	-	gtgc	ttcg	ag t	tggg,	attg	t ta	tgtg	ggga	gac	gtcg	ata .	agca	aaacac	60
ttg	ccga	gcg	caag	ccgg	cc t	acgg	cgct	a gt	gtga	gcac				gaa Glu		115
tct Ser	ggt Gly	ttg Leu	ttc Phe	aag Lys 10	cgc Arg	gcg Ala	att Ile	aca Thr	cgt Arg 15	Gly ggg	gtg Val	gct Ala	aag Lys	gtg Val 20	cgc Arg	163
cgg Arg	aat Asn	ccg Pro	cgc Arg 25	gag Glu	gat Asp	ttt Phe	gcg Ala	gag Glu 30	gaa Glu	ttc Phe	acc Thr	caa Gln	gaa Glu 35	ctc Leu	tac Tyr	211
gat Asp	cac His	gca Ala 40	aca Thr	aat Asn	atc Ile	acc Thr	ctg Leu 45	ccc Pro	ctg Leu	acg Thr	gcg Ala	cgg Arg 50	ctg Leu	aag Lys	ccg Pro	259
aat Asn	ggg Gly 55	ttt Phe	ttc Phe	cag Gln	gat Asp	gat Asp 60	tgg Trp	cgg Arg	gcg Ala	cga Arg	cca Pro 65	agt Ser	ggt Gly	gcg Ala	cga Arg	307
ccg Pro 70	tgg Trp	ccg Pro	atc Ile	gtg Val	cta Leu 75	att Ile	cac His	gga Gly	tcc Ser	ggg Gly 80	gcc Ala	agc Ser	aag Lys	ggt Gly	tca Ser 85	355
tgg Trp	gag Glu	gaa Glu	atg Met	ggc Gly 90	gct Ala	gag Glu	ctg Leu	cgc Arg	agc Ser 95	aaa Lys	ggt Gly	tgg Trp	gcc Ala	gtg Val 100	ttt Phe	403
gcc Ala	cct Pro	gac Asp	ttt Phe 105	gga Gly	acg Thr	cgt Arg	gcc Ala	acc Thr 110	gag Glu	cca Pro	att Ile	gcg Ala	gcg Ala 115	tcg Ser	gct Ala	451
gcc Ala	caa Gln	att Ile 120	ggt Gly	gcg Ala	tat Tyr	att Ile	gat Asp 125	gcc Ala	gtt Val	ttg Leu	ttg Leu	gtg Val 130	acg Thr	ggc Gly	gct Ala	499
gcg Ala	cag Gln 135	att 'Ile	gtg Val	ctg Leu	gtt Val	ggg Gly 140	cat His	tcg Ser	caa Gln	ggc Gly	ggt Gly 145	gtc Val	gtg Val	gcg Ala	cgg Arg	547
tat Tyr 150	tgg Trp	atg Met	cgc Arg	acc Thr	tac Tyr 155	ggc Gly	gga Gly	tac Tyr	atg Met	aag Lys 160	gtc Val	agg Arg	cac His	atg Met	att Ile 165	595

	atc Ile															643
	atg Met															691
	aga Arg															739
	atc Ile 215															787
	acc Thr															835
	gcc Ala							-	-							883
	att Ile															931
	atg Met															979
	cgg Arg 295						taaq	gttgg	igg a	cato	ggtt	ga co	gc			1023
<213 <212	0> 19 L> 30 2> PF 3> Co	O RT	ebact	eriu	ım gl	lutan	nicum	n								
)> 19 Ser		Glu	Asn 5	Ser	Gly	Leu	Phe	Lys 10	Arg	Ala	Ile	Thr	Arg 15	Gly	
Val	Ala	Lys	Val 20	Arg	Arg	Asn	Pro	Arg 25	Glu	Asp	Phe	Ala	Glu 30	Glu	Phe	
Thr	Gln	Glu 35	Leu	Tyr	Asp	His	Ala 40	Thr	Asn	Ile	Thr	Leu 45	Pro	Leu	Thr	
Ala	Arg 50	Leu	Lys	Pro	Asn	Gly 55	Phe	Phe	Gln	Asp	Asp 60	Trp	Arg	Ala	Arg	

Pro Ser Gly Ala Arg Pro Trp Pro Ile Val Leu Ile His Gly Ser Gly

Ala Ser Lys Gly Ser Trp Glu Glu Met Gly Ala Glu Leu Arg Ser Lys 85 90 95

Gly Trp Ala Val Phe Ala Pro Asp Phe Gly Thr Arg Ala Thr Glu Pro 100 Ile Ala Ala Ser Ala Ala Gln Ile Gly Ala Tyr Ile Asp Ala Val Leu Leu Val Thr Gly Ala Ala Gln Ile Val Leu Val Gly His Ser Gln Gly 135 Gly Val Val Ala Arg Tyr Trp Met Arg Thr Tyr Gly Gly Tyr Met Lys 150 155 160 Val Arg His Met Ile Ser Ile Ser Thr Pro Asn His Gly Thr Leu Met 165 170 Gly Gly Ile Leu Asn Pro Met Thr Lys Val Lys Ser Gly Glu Gly Thr 180 185 Ile Glu Lys Leu Met His Arg Leu Phe Gly Pro Thr Gly Phe Glu Gln Leu Arg Gly His Asp Ile Ile Glu Phe Leu Ala Asp Gly Gly Asp Leu 215 Asp Pro Gly Val Thr Tyr Thr Cys Ile Gly Thr His Phe Asp Pro Phe 235 Ile Gln Pro Pro Glu Val Ala Phe Leu Glu Val Asn Glu Asp Asp Asp 245 250 Pro Asn Arg Val His Asn Ile Trp Val Glu Asp Glu His Pro Arg Ala 260 265 Met Ile Ala His Asn Asp Met Val Arg Asp Pro Arg Val Ile Glu Ile 280 Val Arg Ala Glu Leu Asp Arg Val Ala Arg Leu Gly 290 <210> 199 <211> 1095 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1072) <223> RXA02269 <400> 199 cgcaatgatt gcccacaacg atatggtgcg cgatcccagg gtgatcgaaa tcgtacgcgc 60 agagetegae egggtggeae geeteggeta agttggggae atg gtt gae gee etc Met Val Asp Ala Leu aat gat ctc cgc cga gaa ctc aca aac gcg tta agg tcc gtg tgg aaa Asn Asp Leu Arg Arg Glu Leu Thr Asn Ala Leu Arg Ser Val Trp Lys

15

10

			aac Asn									211
			gcg Ala									259
		_	gac Asp		-		-	_	_		 _	307
-	-		ctt Leu 75	-	-	-		-	-	-		355
			cca Pro									403
			gac Asp									451
			gaa Glu									499
			att Ile									547
			gtc Val 155									595
			atg Met									643
			gct Ala									691
			atc Ile									739
			tgg Trp									787
			aac Asn 235									835
			tgc Cys									883

ecc cet gaa ace tge tte eta gag gee eqq aac eec gaa gaa ete aag Pro Pro Glu Thr Cys Phe Leu Glu Ala Arg Asn Pro Glu Glu Leu Lys cgg gtc caa aac atc tgg gtg gaa aac ctc gac ccc aat tca gtc gtg Arg Val Gln Asn Ile Trp Val Glu Asn Leu Asp Pro Asn Ser Val Val 280 285 ctc cac gaa gca atg cct tac gat ccc cgc gta cgc gca ctg gtc agg 1027 Leu His Glu Ala Met Pro Tyr Asp Pro Arg Val Arg Ala Leu Val Arg 300 1072 gcg gat ttg agc aaa ttg gtg gag att tcc gag act gcg gag aac Ala Asp Leu Ser Lys Leu Val Glu Ile Ser Glu Thr Ala Glu Asn 315 320 1095 taggggtttt ggtggttgtc taa <210> 200 <211> 324 <212> PRT <213> Corynebacterium glutamicum <400> 200 Met Val Asp Ala Leu Asn Asp Leu Arg Arg Glu Leu Thr Asn Ala Leu Arg Ser Val Trp Lys Asn Leu Pro Thr Asp Asn Ala Pro Gln Ala Asp 25 Ala Leu Pro Asp Asp Val Val Glu Glu Ile Ala Ile Asn Phe Tyr Arg Asp Pro Lys Asn Arg Gly Lys Leu Asn Glu Asp Lys Thr Asp Ser Leu Pro Met Leu Ala Arg Ile Arg Ser Arg Gly Leu Phe Glu Asp Asp Trp 70 75 65 Arg Ala Arg Pro Thr Glu Asp Arg Pro Trp Pro Val Val Leu Val His Gly Thr Gly Ser Thr Lys Gly Asp Trp Gln Asp Leu Gly Ala Asp Leu Arg Arg Asp Gly Trp Ala Val Phe Ala Pro Glu Phe Gly Gln Arg Ala . 120 Thr Gly Ser Val Ala Glu Ser Ser Ala Gln Ile Gly Ala Tyr Ile Asp Thr Val Leu Leu Ala Thr Gly Ala Ser Lys Val Ile Val Val Gly His 150 155 145 Ser Gln Gly Gly Val Leu Leu Afg Tyr Trp Met Arg Val Leu Gly Gly 170 Ala Ser Lys Val Lys His Met Val Ser Leu Ala Val Pro Asn His Gly 180

Thr Thr Met Gly Gly Ile Val Ser Pro Leu Ile Arg Asn Asn Arg Gly Glu Ser Val Val Asn Ser Val Val Gln Ser Trp Phe Gly Glu Ala Gly 215 Phe Glu Met Ile Arg Gly His Asp Thr Ile Asn Ala Ile Asn Glu Gly 230 Gly Asp Leu Asp Pro Asp Val Thr Tyr Leu Cys Ile Ala Thr His Phe 245 250 Asp Thr Val Ile Gln Pro Pro Glu Thr Cys Phe Leu Glu Ala Arg Asn 260 265 Pro Glu Glu Leu Lys Arg Val Gln Asn Ile Trp Val Glu Asn Leu Asp 280 Pro Asn Ser Val Val Leu His Glu Ala Met Pro Tyr Asp Pro Arg Val 290 Arg Ala Leu Val Arg Ala Asp Leu Ser Lys Leu Val Glu Ile Ser Glu Thr Ala Glu Asn <210> 201 <211> 1146 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1123) <223> RXA01614 <400> 201 tgcaattcgc aaacatgagt agtatcgcgg aagtttcacc acgtgaacat ttcagtcgac 60 togogoacac cacaccaaca atogacctat ogttataogt atg aat cag atg cag Met Asn Gln Met Gln cag tgg aaa cca gac ttc ctg gga gag ggc tac caa aac ctc acc atc 163 Gln Trp Lys Pro Asp Phe Leu Gly Glu Gly Tyr Gln Asn Leu Thr Ile gag ete gge gae gae eeg gat aat gaa aea gat gtt gtg aea aeg gtt 211 Glu Leu Gly Asp Asp Pro Asp Asn Glu Thr Asp Val Val Thr Thr Val gtg cgc tac aac cca gac aat cac gcg gac gag tot ttt gct gcc cgc 259 Val Arg Tyr Asn Pro Asp Asn His Ala Asp Glu Ser Phe Ala Ala Arg 45 cca gcg ttg ctg tgg gtt cac ggc atg acg gac tac ttc ttc cac act 307 Pro Ala Leu Leu Trp Val His Gly Met Thr Asp Tyr Phe Phe His Thr 55 60 65

		wo	1/008	805												PCT/	TB00/00926
	gaa Glu 70	ttc Phe	gcg Ala	gag Glu	ttt Phe	ttc Phe 75	cac His	aat Asn	gcc Ala	ggt Gly	ttt Phe 80	gct Ala	gtg Val	tac Tyr	ggc Gly	att Ile 85	355
	gat Asp	ctt Leu	aga Arg	aaa Lys	tgt Cys 90	gga Gly	cgc Arg	tcc Ser	tac Tyr	cgt Arg 95	cca Pro	gga Gly	cag Gln	cag Gln	tgg Trp 100	cac His	403
	tac Tyr	acc Thr	tct Ser	gat Asp 105	ctt Leu	gcc Ala	cat His	tac Tyr	ttc Phe 110	cct Pro	gac Asp	tta Leu	aca Thr	gct Ala 115	gct Ala	gcc Ala	451
	gag Glu	gtc Val	atc Ile 120	tct Ser	tcc Ser	acc Thr	cac His	cct Pro 125	gag Glu	cta Leu	gtc Val	ccc Pro	gtc Val 130	gcc Ala	cat His	tcc Ser	499
	act Thr	ggt Gly 135	gga Gly	ctc Leu	atc Ile	gtt Val	cct Pro 140	ctg Leu	tgg Trp	atg Met	tcc Ser	cag Gln 145	atg Met	cgc Arg	aca Thr	agc Ser	547
•	aat Asn 150	cca Pro	gct Ala	gcc Ala	att Ile	gag Glu 155	aag Lys	att Ile	cca Pro	gcg Ala	ctg Leu 160	gtc Val	ctc Leu	aac Asn	agt Ser	ccg Pro 165	595
						tat Tyr											643
	atg Met	gtg Val	agg Arg	gtg Val 185	ttg Leu	ggc Gly	aaa Lys	cgc Arg	tcc Ser 190	ccc Pro	aca Thr	acc Thr	atc Ile	atc Ile 195	cca Pro	ggc Gly	691
						tac Tyr											739
						acc Thr											787
	agc Ser 230	atc Ile	gga Gly	tgg Trp	ctt Leu	cgg Arg 235	gca Ala	gtc Val	atg Met	gct Ala	ggc Gly 240	caa Gln	gca Ala	gaa Glu	atc Ile	cat His 245	835
	cac His	gac Asp	cac His	gtg Val	aat Asn 250	gtc Val	gga Gly	gtg Val	gac Asp	gtg Val 255	ctc Leu	acg Thr	ctg Leu	tgt Cys	tca Ser 260	aat Asn	883
	aag Lys	tcc Ser	tgg Trp	ttg Leu 265	aag Lys	tct Ser	gaa Glu	tac Tyr	aca Thr 270	gag Glu	gac Asp	acc Thr	aac Asn	act Thr 275	tca Ser	gac Asp	931
	gcg Ala	gtt Val	ttg Leu 280	gat Asp	gtg Val	aaa Lys	cac His	att Ile 285	caa Gln	aag Lys	tgg Trp	gct Ala	cct Pro 290	cat His	ttg Leu	agc Ser	979

tcg cca tcg tcc agg gtt gat gtt gag atc atc gac aac gct cgc cac

Ser Pro Ser Ser Arg Val Asp Val Glu Ile Ile Asp Asn Ala Arg His

gat att ttc ctc tca agg aaa ccc gcc aga gat cac gcc tct gaa gta

Asp Ile Phe Leu Ser Arg Lys Pro Ala Arg Asp His Ala Ser Glu Val 310 315 320 ctc aac aac tgg ctg caa tcg aag ctt tcc agc ctc aaa cca tct caa Leu Asn Asn Trp Leu Gln Ser Lys Leu Ser Ser Leu Lys Pro Ser Gln 330 taacaccgcg aattatagac tga 1146 <210> 202 <211> 341 <212> PRT <213> Corynebacterium glutamicum <400> 202 Met Asn Gln Met Gln Gln Trp Lys Pro Asp Phe Leu Gly Glu Gly Tyr Gln Asn Leu Thr Ile Glu Leu Gly Asp Asp Pro Asp Asn Glu Thr Asp Val Val Thr Thr Val Val Arg Tyr Asn Pro Asp Asn His Ala Asp Glu Ser Phe Ala Ala Arg Pro Ala Leu Leu Trp Val His Gly Met Thr Asp Tyr Phe Phe His Thr Glu Phe Ala Glu Phe Phe His Asn Ala Gly Phe Ala Val Tyr Gly Ile Asp Leu Arg Lys Cys Gly Arg Ser Tyr Arg Pro Gly Gln Gln Trp His Tyr Thr Ser Asp Leu Ala His Tyr Phe Pro Asp 100 105 Leu Thr Ala Ala Ala Glu Val Ile Ser Ser Thr His Pro Glu Leu Val 115 120 Pro Val Ala His Ser Thr Gly Gly Leu Ile Val Pro Leu Trp Met Ser Gln Met Arg Thr Ser Asn Pro Ala Ala Ile Glu Lys Ile Pro Ala Leu 150 155 Val Leu Asn Ser Pro Trp Leu Asp Met Met Tyr Pro Pro Leu Phe Ile Lys Leu Ile Thr Pro Met Val Arg Val Leu Gly Lys Arg Ser Pro Thr 185 Thr Ile Ile Pro Gly Gly Gly Leu Gly Ala Tyr Gly Lys Ser Ile His 195 200 Lys Asn Phe Tyr Gly Glu Trp Asp Phe Asp Thr Thr Ile Lys Pro Val · 215 Glu Gly His Lys Lys Ser Ile Gly Trp Leu Arg Ala Val Met Ala Gly 225 235

Gln Ala Glu Ile His His Asp His Val Asn Val Gly Val Asp Val Leu 245 250 Thr Leu Cys Ser Asn Lys Ser Trp Leu Lys Ser Glu Tyr Thr Glu Asp 265 Thr Asn Thr Ser Asp Ala Val Leu Asp Val Lys His Ile Gln Lys Trp Ala Pro His Leu Ser Ser Pro Ser Ser Arg Val Asp Val Glu Ile Ile Asp Asn Ala Arg His Asp Ile Phe Leu Ser Arg Lys Pro Ala Arg Asp 315 His Ala Ser Glu Val Leu Asn Asn Trp Leu Gln Ser Lys Leu Ser Ser 325 330 Leu Lys Pro Ser Gln 340 <210> 203 <211> 630 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(607) <223> RXA01983 <400> 203 atategetge catggeagee ttgetgggea aceteaagea caetgaceta qaaqaqetee 60 ccaccgatta ccaggggtgt cctcccatgt ccgctgcgtt atg gaa ggc tac gga Met Glu Gly Tyr Gly cct acc cag atc gaa aag ctc tta cct gca tac aca cag gtc aac aca 163 Pro Thr Gln Ile Glu Lys Leu Leu Pro Ala Tyr Thr Gln Val Asn Thr gcc ggg aat aat cca gcg acg acg cct gag caa gat ctc ctc ggc gga 211 Ala Gly Asn Asn Pro Ala Thr Thr Pro Glu Gln Asp Leu Leu Gly Gly 25 gct gca acc tcg ccg gaa aac tac gac cac cag ctg cag tac gca gtc 259 Ala Ala Thr Ser Pro Glu Asn Tyr Asp His Gln Leu Gln Tyr Ala Val 40 gac gcc agt ccg gtg cat cag aat gcg gca cag gca ccg ccc ttc ctg 307 Asp Ala Ser Pro Val His Gln Asn Ala Ala Gln Ala Pro Pro Phe Leu 55 60 atc atg cac ggc act ggt gac cgg atg gtc cct ccg gag caa tcg gct Ile Met His Gly Thr Gly Asp Arg Met Val Pro Pro Glu Gln Ser Ala 70 gcg ctg cac acc cat ctt gtg cag gct ggt cgg cag tcc acc ctg gta Ala Leu His Thr His Leu Val Gln Ala Gly Arg Gln Ser Thr Leu Val

90 100 95 ctc att gag ggc ttt ggc cac ggt ttc ctc aat ccc ggg gaa gtc gcg 451 Leu Ile Glu Gly Phe Gly His Gly Phe Leu Asn Pro Gly Glu Val Ala 105 110 gag ctg ggg cca aac gtt cga cta gac aat ggt cgg ctc gag cgg gag 499 Glu Leu Gly Pro Asn Val Arg Leu Asp Asn Gly Arg Leu Glu Arg Glu 120 125 cct cag aca aat ttc agc gcg cag cag agt ccg gga aac ccc ttt gaa 547 Pro Gln Thr Asn Phe Ser Ala Gln Gln Ser Pro Gly Asn Pro Phe Glu 140 145

ctg cac ctt cgc taagactcta ccttcaccca act
Leu His Leu Arg
630

160

595

cta cag gga ctt gcc gcc gac cat gag atg atc aag cgc ttt ttc acc

Leu Gln Gly Leu Ala Ala Asp His Glu Met Ile Lys Arg Phe Phe Thr

<210> 204

<211> 169

<212> PRT

<213> Corynebacterium glutamicum

<400> 204

Met Glu Gly Tyr Gly Pro Thr Gln Ile Glu Lys Leu Pro Ala Tyr

1 10 15

Thr Gln Val Asn Thr Ala Gly Asn Asn Pro Ala Thr Thr Pro Glu Gln
20 25 30

Asp Leu Leu Gly Gly Ala Ala Thr Ser Pro Glu Asn Tyr Asp His Gln
35 40 45

Leu Gln Tyr Ala Val Asp Ala Ser Pro Val His Gln Asn Ala Ala Gln
50 55 60

Ala Pro Pro Phe Leu Ile Met His Gly Thr Gly Asp Arg Met Val Pro 65 70 75 80

Pro Glu Gln Ser Ala Ala Leu His Thr His Leu Val Gln Ala Gly Arg 85 90 95

Gln Ser Thr Leu Val Leu Ile Glu Gly Phe Gly His Gly Phe Leu Asn 100 105 110

Pro Gly Glu Val Ala Glu Leu Gly Pro Asn Val Arg Leu Asp Asn Gly 115 120 125

Arg Leu Glu Arg Glu Pro Gln Thr Asn Phe Ser Ala Gln Gln Ser Pro 130 135 . 140

Gly Asn Pro Phe Glu Leu Gln Gly Leu Ala Ala Asp His Glu Met Ile 145 150 155 160

Lys Arg Phe Phe Thr Leu His Leu Arg 165

<21 <21	0> 2 1> 1 2> D 3> C	414 NA	ebac	teri	um g	luta	micu	m								
<22	1> C 2> (DS 101) XN02		414)												
	0> 2 tgtt		acaa	gaac	cc t	gcac	aacg	c ct	tcaa	agta	cgt	cgac	cac ·	gacc	aagcgc	60
att	attc	act	ctca	ccct	tc a	ggat	ttag	a ct	aaga	aacc				gca Ala		115
acc Thr	aaa Lys	cct Pro	gac Asp	ctc Leu 10	acc Thr	acc Thr	acg Thr	gct Ala	gga Gly 15	aag Lys	ctg Leu	tcc Ser	gat Asp	ctt Leu 20	cgc Arg	163
tcc Ser	cgt Arg	ctt Leu	gca Ala 25	gaa Glu	gct Ala	caa Gln	gct Ala	cca Pro 30	atg Met	ggc Gly	gaa Glu	gca Ala	act Thr 35	gta Val	gaa Glu	211
aaa Lys	gtg Val	cac His 40	gct Ala	gct Ala	ggc Gly	agg Arg	aag Lys 45	act Thr	gcc Ala	cgc Arg	gaa Glu	cgt Arg 50	atc Ile	gag Glu	tat Tyr	259
ttg Leu	ctc Leu 55	gat Asp	gag Glu	ggc Gly	tct Ser	ttc Phe 60	gta Val	gag Glu	atc Ile	gat Asp	gct Ala 65	ctt Leu	gct Ala	cgt Arg	cac His	307
cgt Arg 70	tcc Ser	aag Lys	aac Asn	ttc Phe	ggc Gly 75	ctg Leu	gat Asp	gcc Ala	aag Lys	cgt Arg 80	cca Pro	gtt Val	act Thr	gac Asp	ggt Gly 85	355
gtt Val	gtg Val	act Thr	ggt Gly	tac Tyr 90	ggc Gly	acc Thr	atc Ile	gat Asp	ggc Gly 95	cgt Arg	aag Lys	gtc Val	tgt Cys	gtg Val 100	ttc Phe	403
tcc Ser	cag Gln	gac Asp	ggc Gly 105	gct Ala	gta Val	ttc Phe	ggt Gly	ggc Gly 110	gct Ala	ttg Leu	ggt Gly	gaa Glu	gtt Val 115	tat Tyr	ggt Gly	451
gaa Glu	aag Lys	atc Ile 120	gtt Val	aag Lys	gtt Val	atg Met	gat Asp 125	ctt Leu	gcg Ala	atc Ile	aag Lys	acc Thr 130	ggt Gly	gtg Val	cct Pro	499
ttg Leu	atc Ile 135	gga Gly	atc Ile	aat Asn	gag Glu	ggt Gly 140	gct Ala	ggt Gly	gcg Ala	cgt Arg	atc Ile 145	cag Gln	gaa Glu	ggt Gly	gtt Val	547
gtgʻ Val 150	tct Ser	ctg Leu	ggt Gly	ctg Leu	tac Tyr 155	tca Ser	cag Gln	atc Ile	ttc Phe	tac Tyr 160	cgc Arg	aac Asn	acc Thr	cag Gln	gcg Ala 165	595
tct Ser	ggc Gly	gtt Val	atc Ile	cca Pro	cag Gln	atc Ile	tct Ser	ttg Leu	atc Ile	atg Met	ggt Gly	gcc Ala	tgc Cys	gct Ala	ggt Gly	643

170 175 180

	gtg Val									691
	tcc Ser 200									739
	gaa Glu									787
	acc Thr									835
	gat Asp									883
	gaa Glu		_	_	_	_	_			931
	aac Asn 280									979
	ccg Pro									1027
	gac Asp									1075
	tgt Cys									1123
	cag Gln									1171
	gct Ala 360									1219
	gag Glu									1267
	gac Asp									1315
	gca Ala									1363

ggc gga gcg tac tgc gtg atg ggt tcc aag gat atg ggc gct ggc ctg 1411 Gly Gly Ala Tyr Cys Val Met Gly Ser Lys Asp Met Gly Ala Gly Leu 425 430 435

gta Val

<210> 206

<211> 438

<212> PRT

<213> Corynebacterium glutamicum

<400> 206

Met Thr Ala Ala Gln Thr Lys Pro Asp Leu Thr Thr Thr Ala Gly Lys
1 5 10 15

Leu Ser Asp Leu Arg Ser Arg Leu Ala Glu Ala Gln Ala Pro Met Gly 20 25 30

Glu Ala Thr Val Glu Lys Val His Ala Ala Gly Arg Lys Thr Ala Arg 35 40 45

Glu Arg Ile Glu Tyr Leu Leu Asp Glu Gly Ser Phe Val Glu Ile Asp 50 55 60

Ala Leu Ala Arg His Arg Ser Lys Asn Phe Gly Leu Asp Ala Lys Arg 65 70 75 80

Pro Val Thr Asp Gly Val Val Thr Gly Tyr Gly Thr Ile Asp Gly Arg 85 90 95

Lys Val Cys Val Phe Ser Gln Asp Gly Ala Val Phe Gly Gly Ala Leu 100 105 110

Gly Glu Val Tyr Gly Glu Lys Ile Val Lys Val Met Asp Leu Ala Ile 115 120 125

Lys Thr Gly Val Pro Leu Ile Gly Ile Asn Glu Gly Ala Gly Ala Arg 130 135 140

Ile Gln Glu Gly Val Val Ser Leu Gly Leu Tyr Ser Gln Ile Phe Tyr145150150155

Arg Asn Thr Gln Ala Ser Gly Val Ile Pro Gln Ile Ser Leu Ile Met 165 170 175

Gly Ala Cys Ala Gly Gly His Val Tyr Ser Pro Ala Leu Thr Asp Phe 180 185 190

Ile Val Met Val Asp Gln Thr Ser Lys Met Phe Ile Thr Gly Pro Asp 195 200 205

Val Ile Lys Thr Val Thr Gly Glu Asp Val Thr Gln Glu Glu Leu Gly 210 215 220

Gly Ala His Thr His Met Ala Thr Ser Gly Thr Ser His Tyr Ser Ala 225 230 235 240 PCT/IB00/00926

WO 01/00805 Ser Asp Asp Ser Asp Ala Leu Asp Trp Val Arg Glu Leu Thr Ser Tyr Leu Pro Ser Asn Asn Arg Ala Glu Thr Pro Arg Gln Glu Ala Asp Ile 265 Met Ile Gly Ser Ile Gln Glu Asn Ile Asn Asp Val Asp Leu Glu Leu Asp Thr Ile Ile Pro Asp Ser Pro Asn Gln Pro Tyr Asp Met Lys Glu 295 Val Ile Ser Arg Ile Val Asp Asp Ala Glu Phe Phe Glu Ile Gln Glu 305 310 315 Asp Tyr Ala Glu Asn Ile Leu Cys Gly Phe Ala Arg Val Glu Val Arg Ser Val Gly Ile Val Ala Asn Gln Pro Thr Gln Phe Ala Gly Cys Leu 345 Asp Ile Lys Ala Ser Glu Lys Ala Ala Arg Phe Ile Arg Thr Cys Asp Ala Phe Asn Ile Pro Ile Leu Glu Phe Val Asp Val Pro Gly Phe Leu Pro Gly Thr Asn Gln Glu Phe Asp Gly Ile Ile Arg Arg Gly Ala Lys 390 Leu Leu Tyr Ala Tyr Ala Glu Ala Thr Val Gly Lys Ile Thr Val Ile 405 410 Thr Arg Lys Ser Tyr Gly Gly Ala Tyr Cys Val Met Gly Ser Lys Asp Met Gly Ala Gly Leu Val 435 <210> 207 <211> 688 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(688) <223> FRXA02320 <400> 207

gtatgttcac acaagaaccc tgcacaacgc cttcaaagta cgtcgaccac gaccaagcgc 60 attattcact ctcaccette aggatttaga ctaagaaace atg act gca gca cag Met Thr Ala Ala Gln 1 acc aaa cct gac ctc acc acc acg gct gga aag ctg tcc gat ctt cgc Thr Lys Pro Asp Leu Thr Thr Thr Ala Gly Lys Leu Ser Asp Leu Arg 10 15

tcc Ser	cgt Arg	ctt Leu	gca Ala 25	gaa Glu	gct Ala	caa Gln	gct Ala	cca Pro 30	atg Met	ggc Gly	gaa Glu	gca Ala	act Thr 35	gta Val	gaa Glu	211
aaa Lys	gtg Val	cac His 40	gct Ala	gct Ala	ggc Gly	agg Arg	aag Lys 45	act Thr	gcc Ala	cgc Arg	gaa Glu	cgt Arg 50	atc Ile	gag Glu	tat Tyr	259
ttg Leu	ctc Leu 55	gat Asp	gag Glu	ggc Gly	tct Ser	ttc Phe 60	gta Val	gag Glu	atc Ile	gat Asp	gct Ala 65	ctt Leu	gct Ala	cgt Arg	cac His	307
cgt Arg 70	tcc Ser	aag Lys	aac Asn	ttc Phe	ggc Gly 75	ctg Leu	gat Asp	gcc Ala	aag Lys	cgt Arg 80	cca Pro	gtt Val	act Thr	gac Asp	ggt Gly 85	355
gtt Val	gtg Val	act Thr	ggt Gly	tac Tyr 90	ggc Gly	acc Thr	atc Ile	gat Asp	ggc Gly 95	cgt Arg	aag Lys	gtc Val	tgt Cys	gtg Val 100	ttc Phe	403
tcc Ser	cag Gln	gac Asp	ggc Gly 105	gct Ala	gta Val	ttc Phe	ggt Gly	ggc Gly 110	gct Ala	ttg Leu	ggt Gly	gaa Glu	gtt Val 115	tat Tyr	ggt Gly	451
										atc Ile						499
										cgt Arg						547
gtg Val 150	tct Ser	ctg Leu	ggt Gly	ctg Leu	tac Tyr 155	tca Ser	cag Gln	atc Ile	ttc Phe	tac Tyr 160	cgc Arg	aac Asn	acc Thr	cag Gln	gcg Ala 165	595
tct Ser	ggc Gly	gtt Val	atc Ile	cca Pro 170	cag Gln	atc Ile	tct Ser	ttg Leu	atc Ile 175	atg Met	ggt Gly	gcc Ala	tgc Cys	gct Ala 180	ggt Gly	643
ggt Gly	cac' His	gtg Val	tac Tyr 185	tcc Ser	cct Pro	gct Ala	ctg Leu	act Thr 190	gac Asp	ttc Phe	atc Ile	gtc Val	atg Met 195	gtg Val		688

<210> 208

<211> 196

<212> PRT

<213> Corynebacterium glutamicum

<400> 208

Met Thr Ala Ala Gln Thr Lys Pro Asp Leu Thr Thr Thr Ala Gly Lys

1 5 10 15

Leu Ser Asp Leu Arg Ser Arg Leu Ala Glu Ala Gln Ala Pro Met Gly 20 * 25 30

Glu Ala Thr Val Glu Lys Val His Ala Ala Gly Arg Lys Thr Ala Arg
35 40 45

Glu Arg Ile Glu Tyr Leu Leu Asp Glu Gly Ser Phe Val Glu Ile Asp

50 55 60

Ala Leu Ala Arg His Arg Ser Lys Asn Phe Gly Leu Asp Ala Lys Arg 65 70 75 80

Pro Val Thr Asp Gly Val Val Thr Gly Tyr Gly Thr Ile Asp Gly Arg 85 90 95

Lys Val Cys Val Phe Ser Gln Asp Gly Ala Val Phe Gly Gly Ala Leu 100 105 110

Gly Glu Val Tyr Gly Glu Lys Ile Val Lys Val Met Asp Leu Ala Ile 115 120 125

Lys Thr Gly Val Pro Leu Ile Gly Ile Asn Glu Gly Ala Gly Ala Arg 130 135 140

Ile Gln Glu Gly Val Val Ser Leu Gly Leu Tyr Ser Gln Ile Phe Tyr 145 150 155 160

Arg Asn Thr Gln Ala Ser Gly Val Ile Pro Gln Ile Ser Leu'Ile Met 165 170 175

Gly Ala Cys Ala Gly Gly His Val Tyr Ser Pro Ala Leu Thr Asp Phe 180 185 190

Ile Val Met Val

<210> 209

<211> 519

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (1)..(519)

<223> FRXA02851

<400> 209

cct cgc cag aag gcc gac atc atg atc ggt tcc atc cag gaa aac atc

Pro Arg Gln Lys Ala Asp Ile Met Ile Gly Ser Ile Gln Glu Asn Ile

1 5 10 15

aac gat gtg gat ctg gaa ttg gac acc atc atc ccg gat tcc ccg aac 96
Asn Asp Val Asp Leu Glu Leu Asp Thr Ile Ile Pro Asp Ser Pro Asn
20 25 30

cag cct tat gac atg aag gaa gtt att tcc cgc atc gtn gac gac gcc 144
Gln Pro Tyr Asp Met Lys Glu Val Ile Ser Arg Ile Val Asp Asp Ala
35 40 45

gag ttc ttc gag atc cag gaa gac tac gca gag aac atc ctg tgt ggc 192 Glu Phe Phe Glu Ile Gln Glu Asp Tyr Ala Glu Asn Ile Leu Cys Gly 50 55 * 60

ttc gct cgc gtt gag gnc cgt tnt gtt ggc atc gtg gct aac cag cca 240 Phe Ala Arg Val Glu Xaa Arg Xaa Val Gly Ile Val Ala Asn Gln Pro 65 70 75 80

		1/000	US												FC 17.	LDUU/UUS
acc Thr	cag Gln	ttc Phe	gct Ala	ggc Gly 85	tgn Xaa	ttg Leu	gat Asp	att Ile	aag Lys 90	gca Ala	tct Ser	gag Glu	aag Lys	gct Ala 95	gcc Ala	288
cgt Arg	ttc Phe	atc Ile	cgc Arg 100	acc Thr	tgc Cys	gat Asp	gcc Ala	ttc Phe 105	aac Asn	atc Ile	cca Pro	atc Ile	ctt Leu 110	gag Glu	ttc Phe	336
gtg Val	gac Asp	gtt Val 115	cca Pro	ggc Gly	ttc Phe	ctg Leu	cct Pro 120	ggc Gly	acc Thr	aac Asn	cag Gln	gaa Glu 125	ttc Phe	gac Asp	ggc Gly	384
atc Ile	atc Ile 130	cgc Arg	cgc Arg	ggc Gly	gca Ala	aag Lys 135	ctg Leu	ctt Leu	tac Tyr	gct Ala	tac Tyr 140	gct Ala	gaa Glu	gca Ala	acc Thr	432
gtc Val 145	ggc Gly	aag Lys	atc Ile	acc Thr	gtc Val 150	atc Ile	acc Thr	cgc Arg	aag Lys	tcc Ser 155	tac Tyr	ggc Gly	gga Gly	gcg Ala	tac Tyr 160	480
tgc Cys	gtg Val	atg Met	ggt Gly	tcc Ser 165	aaġ Lys	gat Asp	atg Met	ggc Gly	gct Ala 170	ggc Gly	ctg Leu	gta Val				519
<211)> 21 .> 17	3														

<212> PRT

<213> Corynebacterium glutamicum

<400> 210

Pro Arg Gln Lys Ala Asp Ile Met Ile Gly Ser Ile Gln Glu Asn Ile 1 5 10 15

Asn Asp Val Asp Leu Glu Leu Asp Thr Ile Ile Pro Asp Ser Pro Asn 20 25 30

Gln Pro Tyr Asp Met Lys Glu Val Ile Ser Arg Ile Val Asp Asp Ala 35 40 45

Glu Phe Phe Glu Ile Gln Glu Asp Tyr Ala Glu Asn Ile Leu Cys Gly 50 55 60

Phe Ala Arg Val Glu Xaa Arg Xaa Val Gly Ile Val Ala Asn Gln Pro 65 70 75 80

Thr Gln Phe Ala Gly Xaa Leu Asp Ile Lys Ala Ser Glu Lys Ala Ala 85 90 95

Arg Phe Ile Arg Thr Cys Asp Ala Phe Asn Ile Pro Ile Leu Glu Phe 100 105 110

Val Asp Val Pro Gly Phe Leu Pro Gly Thr Asn Gln Glu Phe Asp Gly
115 120 125

Ile Ile Arg Arg Gly Ala Lys Leu Leu Tyr Ala Tyr Ala Glu Ala Thr 130 135 140

Val Gly Lys Ile Thr Val Ile Thr Arg Lys Ser Tyr Gly Gly Ala Tyr 145 150 155 160 Cys Val Met Gly Ser Lys Asp Met Gly Ala Gly Leu Val 165 170

<210> 211 <211> 1752 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1729) <223> RXN02321 <400> 211 tttaaaaact acccgcacgc agcacgaacc tgttcagtga tgtaaatcac cgcggaaata 60 ttgtggacgt tacccccgcc taccgctacg atttcaaaac atg acc att tcc tca Met Thr Ile Ser Ser 1 cct ttq att gac gtc gcc aac ctt cca gac atc aac acc act gcc ggc 163 Pro Leu Ile Asp Val Ala Asn Leu Pro Asp Ile Asn Thr Thr Ala Gly aag atc gcc gac ctt aag gct cgc cgc gcg gaa gcc cat ttc ccc atg 211 Lys Ile Ala Asp Leu Lys Ala Arg Arg Ala Glu Ala His Phe Pro Met 259 ggt gaa aag gca gta gag aag gtc cac gct gct gga cgc ctc act gcc Gly Glu Lys Ala Val Glu Lys Val His Ala Ala Gly Arg Leu Thr Ala 307 cgt gag cgc ttg gat tac tta ctc gat gag ggc tcc ttc atc gag acc Arg Glu Arg Leu Asp Tyr Leu Leu Asp Glu Gly Ser Phe Ile Glu Thr gat cag ctg gct cgc cac cgc acc acc gct ttc tgc ctg ggc gct aag 355 Asp Gln Leu Ala Arg His Arg Thr Thr Ala Phe Cys Leu Gly Ala Lys 80 egt eet gea ace gae ggt ate gtg ace gge tgg gge ace att gat gga 403 Arg Pro Ala Thr Asp Gly Ile Val Thr Gly Trp Gly Thr Ile Asp Gly 451 cgc gaa gtc tgc atc ttc tcg cag gac ggc acc gta ttc ggt ggc gcg Arg Glu Val Cys Ile Phe Ser Gln Asp Gly Thr Val Phe Gly Gly Ala 105 110 115 ctt ggt gag gtg tac ggc gaa aag atg atc aag atc atg gag ctg gca 499 Leu Gly Glu Val Tyr Gly Glu Lys Met Ile Lys Ile Met Glu Leu Ala 120 125 130 ate gae ace gge ege cea ttg ate ggt ett tae gaa gge get gge get 547 Ile Asp Thr Gly Arg Pro Leu Ile Gly Leu Tyr Glu Gly Ala Gly Ala 135 140 cgt att cag gac ggc gct gtc tcc ctg gac ttc att tcc cag acc ttc 595 Arg Ile Gln Asp Gly Ala Val Ser Leu Asp Phe Ile Ser Gln Thr Phe 150 155

rac Tyr	caa Gln	aac Asn	att Ile	cag Gln 170	gct Ala	tct Ser	ggc Gly	gtt Val	atc Ile 175	cca Pro	cag Gln	atc Ile	tcc Ser	gtc Val 180	atc Ile	643
atg Met	ggc Gly	gca Ala	tgt Cys 185	gca Ala	ggt Gly	ggc Gly	aac Asn	gct Ala 190	tac Tyr	ggc Gly	cca Pro	gct Ala	ctg Leu 195	acc Thr	gac Asp	691
ttc Phe	gtg Val	gtc Val 200	atg Met	gtg Val	gac Asp	aag Lys	acc Thr 205	tcc Ser	aag Lys	atg Met	ttc Phe	gtt Val 210	acc Thr	ggc Gly	cca Pro	739
gac Asp	gtg Val 215	atc Ile	aag Lys	acc Thr	gtc Val	acc Thr 220	ggc Gly	gag Glu	gaa Glu	atc Ile	acc Thr 225	cag Gln	gaa Glu	gag Glu	ctt Leu	787
ggc Gly 230	gga Gly	gca Ala	acc Thr	acc Thr	cac His 235	atg Met	gtg Val	acc Thr	gct Ala	ggt Gly 240	aac Asn	tcc Ser	cac His	tac Tyr	acc Thr 245	835
gct Ala	gcg Ala	acc Thr	gat Asp	gag Glu 250	gaa Glu	gca Ala	ctg Leu	gat Asp	tgg Trp 255	gta Val	cag Gln	gac Asp	ctg Leu	gtg Val 260	tcc Ser	883
ttc Phe	ctc Leu	cca Pro	tcc Ser 265	aac Asn	aat Asn	cgc Arg	tcc Ser	tac Tyr 270	gca Ala	ccg Pro	atg Met	gaa Glu	gac Asp 275	ttc Phe	gac Asp	931
gag Glu	gaa Glu	gaa Glu 280	ggc Gly	ggc	gtt Val	gaa Glu	gaa Glu 285	aac Asn	atc Ile	acc Thr	gct Ala	gac Asp 290	gat Asp	ctg Leu	aag Lys	979
ctc Leu	gac Asp 295	gag Glu	atc Ile	atc Ile	cca Pro	gat Asp 300	tcc Ser	gcg Ala	acc Thr	gtt Val	cct Pro 305	tac Tyr	gac Asp	gtc Val	cgc Arg	1027
gat Asp 310	gtc Val	atc Ile	gaa Glu	tgc Cys	ctc Leu 315	acc Thr	gac Asp	gat Asp	ggc	gaa Glu 320	tac Tyr	ctg Leu	gaa Glu	atc Ile	cag Gln 325	1075
	gac Asp															1123
cag Gln	tcc Ser	gtt Val	ggc Gly 345	ttt Phe	gtt Val	gcc Ala	aac Asn	cag Gln 350	cca Pro	acc Thr	cag Gln	ttc Phe	gct Ala 355	ggc Gly	tgc Cys	1171
	gac Asp															1219
gac Asp	gcg Ala 375	ttc Phe	aac Asn	atc Ile	cca Pro	atc Ile 380	gtc Val	atg Met	ctt Leu	gtc Val	gac Asp 385	gtc Val	ccc Pro	ggc Gly	ttc Phe	1267
ctc Leu 390	cca Pro	ggc Gly	gca Ala	ggc Gly	cag Gln 395	gag Glu	tac Tyr	ggt Gly	ggc Gly	att Ile 400	ctg Leu	cgt Arg	cgt Arg	ggc Gly	gca Ala 405	1315
aag	ctg	ctc	tac	gca	tac	ggc	gaa	gca	acc	gtt	сса	aag	atc	acc	gtc	1363

	Leu	Leu	Tyr	Ala 410	Tyr	Gly	Glu	Ala	Thr 415	Val	Pro	Lys	Ile	Thr 420	Val	
						ggc Gly										1411
						aac Asn										1459
						gca Ala 460										1507
						ggc Gly										1555
						gac Asp										1603
						gcc Ala										1651
						cgc Arg										1699
cct Pro	Ala	cgc Arg	aag Lys	cac His	ggc Gly	aac Asn	atg Met	cca Pro	ctg Leu	taaa	atcg	gog a	atco	cataa	ıa	1749
	535					540										
ggt	333					340										1752
<21 <21 <21	0> 21 1> 54 2> PF	13 RT	ebact	ceriu	um gl	utan	nicum	n ·								1752
<21 <21 <21 <21 <40	0> 21 1> 54 2> PR 3> Co	13 RT Dryne			-	utan										1752
<21 <21 <21 <21 <40	0> 21 1> 54 2> PR 3> Co	13 RT Dryne			-				Val 10	Ala	Asn	Leu	Pro	Asp 15	Ile	1752
<21 <21 <21 <21 <40 Met	0> 21 1> 54 2> PP 3> Co 0> 21 Thr	I3 RT Dryne I2 Ile	Ser	Ser 5	Pro	utan	Ile	Asp	10		•			15		1752
<21 <21 <21 <21 <40 Met 1	0> 21 1> 54 2> PF 3> Co 0> 21 Thr	13 RT Dryne 12 Ile Thr	Ser Ala 20	Ser 5 Gly	Pro Lys	.utan Leu	Ile Ala	Asp Asp 25	10 Leu	Lys	Ala	Arg	Arg 30	15 Ala	Glu	1752
<21 <21 <21 <40 Met 1 Asn	0> 21 1> 54 2> PF 3> Co 0> 21 Thr Thr	RT oryne 2 1le Thr Phe 35	Ser Ala 20 Pro	Ser 5 Gly Met	Pro Lys Gly	Leu Ile	Ile Ala Lys 40	Asp Asp 25 Ala	10 Leu Val	Lys Glu	Ala Lys	Arg Val 45	Arg 30 His	15 Ala Ala	Glu Ala	1752
<21 <21 <21 <21 <40 Met 1 Asn Ala	0> 21 1> 54 2> PF 3> Co 0> 21 Thr Thr His	RT Oryne 2 Ile Thr Phe 35	Ser Ala 20 Pro	Ser 5 Gly Met Ala	Pro Lys Gly Arg	Leu Ile Glu	Ile Ala Lys 40 Arg	Asp 25 Ala Leu	10 Leu Val Asp	Lys Glu Tyr	Ala Lys Leu 60	Arg Val 45 Leu	Arg 30 His Asp	15 Ala Ala Glu	Glu Ala Gly	1752

Gly Thr Ile Asp Gly Arg Glu Val Cys Ile Phe Ser Gln Asp Gly Thr Val Phe Gly Gly Ala Leu Gly Glu Val Tyr Gly Glu Lys Met Ile Lys Ile Met Glu Leu Ala Ile Asp Thr Gly Arg Pro Leu Ile Gly Leu Tyr Glu Gly Ala Gly Ala Arg Ile Gln Asp Gly Ala Val Ser Leu Asp Phe 155 Ile Ser Gln Thr Phe Tyr Gln Asn Ile Gln Ala Ser Gly Val Ile Pro 165 Gln Ile Ser Val Ile Met Gly Ala Cys Ala Gly Gly Asn Ala Tyr Gly Pro Ala Leu Thr Asp Phe Val Val Met Val Asp Lys Thr Ser Lys Met Phe Val Thr Gly Pro Asp Val Ile Lys Thr Val Thr Gly Glu Glu Ile Thr Gln Glu Glu Leu Gly Gly Ala Thr Thr His Met Val Thr Ala Gly Asn Ser His Tyr Thr Ala Ala Thr Asp Glu Glu Ala Leu Asp Trp Val 250 Gln Asp Leu Val Ser Phe Leu Pro Ser Asn Asn Arg Ser Tyr Ala Pro 260 265 Met Glu Asp Phe Asp Glu Glu Glu Gly Gly Val Glu Glu Asn Ile Thr Ala Asp Asp Leu Lys Leu Asp Glu Ile Ile Pro Asp Ser Ala Thr Val Pro Tyr Asp Val Arg Asp Val Ile Glu Cys Leu Thr Asp Asp Gly Glu Tyr Leu Glu Ile Gln Ala Asp Arg Ala Glu Asn Val Val Ile Ala Phe Gly Arg Ile Glu Gly Gln Ser Val Gly Phe Val Ala Asn Gln Pro Thr 340 345 Gln Phe Ala Gly Cys Leu Asp Ile Asp Ser Ser Glu Lys Ala Ala Arg 360 Phe Val Arg Thr Cys Asp Ala Phe Asn Ile Pro Ile Val Met Leu Val Asp Val Pro Gly Phe Leu Pro Gly Ala Gly Gln Glu Tyr Gly Gly Ile 390 395 Leu Arg Arg Gly Ala Lys Leu Leu Tyr Ala Tyr Gly Glu Ala Thr Val

Pro Lys Ile Thr Val Thr Met Arg Lys Ala Tyr Gly Gly Ala Tyr Cys Val Met Gly Ser Lys Gly Leu Gly Ser Asp Ile Asn Leu Ala Trp Pro 440 Thr Ala Gln Ile Ala Val Met Gly Ala Ala Gly Ala Val Gly Phe Ile Tyr Arg Lys Glu Leu Met Ala Ala Asp Ala Lys Gly Leu Asp Thr Val 470 475 Ala Leu Ala Lys Ser Phe Glu Arg Glu Tyr Glu Asp His Met Leu Asn Pro Tyr His Ala Ala Glu Arg Gly Leu Ile Asp Ala Val Ile Leu Pro Ser Glu Thr Arg Gly Gln Ile Ser Arg Asn Leu Arg Leu Leu Lys His 520 Lys Asn Val Thr Arg Pro Ala Arg Lys His Gly Asn Met Pro Leu 535 <210> 213 <211> 467 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (1)..(444) <223> FRXA02321 <400> 213 48 gag tac ggt ggc att ctg cgt cgt ggc gca aag ctg ctc tac gca tcg Glu Tyr Gly Gly Ile Leu Arg Arg Gly Ala Lys Leu Leu Tyr Ala Ser gnn gaa gca ccg gtt cca aag atc acc gtc acc atg cgt aag gct tac 96 Xaa Glu Ala Pro Val Pro Lys Ile Thr Val Thr Met Arg Lys Ala Tyr ggc gga gcg tac tgc gtg atg ggt tcc aag ggc ttg ggc tct gac atc 144 Gly Gly Ala Tyr Cys Val Met Gly Ser Lys Gly Leu Gly Ser Asp Ile aac ctt gca tgg cca acc gca cag atc gcc gtc atg ggc gct gct ggc 192 Asn Leu Ala Trp Pro Thr Ala Gln Ile Ala Val Met Gly Ala Ala Gly 240 gca gtt gga ttc atc tac cgc aag gag ctc atg gca gct gat gcc aag Ala Val Gly Phe Ile Tyr Arg Lys Glu Leu Met Ala Ala Asp Ala Lys ggc etc gat acc gta get etg get aag tec tte gag ege gag tat gaa 288 Gly Leu Asp Thr Val Ala Leu Ala Lys Ser Phe Glu Arg Glu Tyr Glu gac cac atg ctc aac ccg tac cac gct gca gaa cgt ggc ctg atc gac 336

Asp His Met Leu Asn Pro Tyr His Ala Ala Glu Arg Gly Leu Ile Asp 100 384 gcc gtg atc ctg cca agc gaa acc cgc gga cag att tcc cgc aac Ctt Ala Val Ile Leu Pro Ser Glu Thr Arg Gly Gln Ile Ser Arg Asn Leu 115 cgc ctg ctc aag cac aag aac gtc act cgc cct gct cgc aag cac ggc 432 Arg Leu Leu Lys His Lys Asn Val Thr Arg Pro Ala Arg Lys His Gly 130 135 aac atg cca ctg taaatcggcg aatccataaa ggt 467 Asn Met Pro Leu <210> 214 <211> 148 <212> PRT <213> Corynebacterium glutamicum <400> 214 Glu Tyr Gly Gly Ile Leu Arg Arg Gly Ala Lys Leu Leu Tyr Ala Ser Xaa Glu Ala Pro Val Pro Lys Ile Thr Val Thr Met Arg Lys Ala Tyr 20 Gly Gly Ala Tyr Cys Val Met Gly Ser Lys Gly Leu Gly Ser Asp Ile Asn Leu Ala Trp Pro Thr Ala Gln Ile Ala Val Met Gly Ala Ala Gly Ala Val Gly Phe Ile Tyr Arg Lys Glu Leu Met Ala Ala Asp Ala Lys Gly Leu Asp Thr Val Ala Leu Ala Lys Ser Phe Glu Arg Glu Tyr Glu Asp His Met Leu Asn Pro Tyr His Ala Ala Glu Arg Gly Leu Ile Asp 100 105 Ala Val Ile Leu Pro Ser Glu Thr Arg Gly Gln Ile Ser Arg Asn Leu 120 Arg Leu Leu Lys His Lys Asn Val Thr Arg Pro Ala Arg Lys His Gly Asn Met Pro Leu 145 <210> 215 <211> 514 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(514)

<223> FRXA02343

	0> 2: aaaa		accc	gcac	gc aq	gcac	gaac	c tgi	ttca	gtga	tgta	aaat	cac (cgcg	gaaata	60
ttgt	tgga	cgt 1	tacco	ccg	cc ta	accgo	ctac	g ati	ttca	aaac	_		att Ile			115
		att Ile														163
		gcc Ala				-	-	-		-	-				-	211
		aag Lys 40														259
		cgc Arg														307
		ctg Leu														355
		gca Ala												-		403
		gtc Val														451
		gag Glu 120				_	_	_		_		_		_	•	499
		acc Thr														514
<211 <212)> 21 .> 13 !> PF !> Co	88	ebact	eriu	ım gl	utan	nicum	n								
		_			-											
)> 21 Thr	.6 Ile	Ser	Ser 5	Pro	Leu	Ile	Asp	Val 10	Ala	Asn	Leu	Pro	Asp 15	Ile	
Asn	Thr	Thr	Ala 20	Gly	Lys	Ile	Ala	Asp 25	Leu	Lys	Ala	Arg	Arg 30	Ala	Glu	

45

Ala His Phe Pro Met Gly Glu Lys Ala Val Glu Lys Val His Ala Ala

40

35

Gly Arg Leu Thr Ala Arg Glu Arg Leu Asp Tyr Leu Leu Asp Glu Gly Ser Phe Ile Glu Thr Asp Gln Leu Ala Arg His Arg Thr Thr Ala Phe Cys Leu Gly Ala Lys Arg Pro Ala Thr Asp Gly Ile Val Thr Gly Trp 90 Gly Thr Ile Asp Gly Arg Glu Val Cys Ile Phe Ser Gln Asp Gly Thr Val Phe Gly Gly Ala Leu Gly Glu Val Tyr Gly Glu Lys Met Ile Lys 115 120 Ile Met Glu Leu Ala Ile Asp Thr Gly Arg 130 <210> 217 <211> 492 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (1)..(492) <223> FRXA02850 <400> 217 gaa gag ctt ggc gga gca acc acc cac atg gtg acc gct ggt aac tcc Glu Glu Leu Gly Gly Ala Thr Thr His Met Val Thr Ala Gly Asn Ser cac tac acc gct gcg acc gat gag gaa gca ctg gat tgg gta cag gac His Tyr Thr Ala Ala Thr Asp Glu Glu Ala Leu Asp Trp Val Gln Asp 20 ctg gtg tcc ttc ctc cca tcc aac aat cgc tcc tac gca ccg atg gaa 144 Leu Val Ser Phe Leu Pro Ser Asn Asn Arg Ser Tyr Ala Pro Met Glu 35 40 gac ttc gac gag gaa gaa ggc ggc gtt gaa gaa aac atc acc gct gac Asp Phe Asp Glu Glu Glu Gly Gly Val Glu Glu Asn Ile Thr Ala Asp 50 gat ctg aag ctc gac gag atc atc cca gat tcc gcg acc gtt cct tac 240 Asp Leu Lys Leu Asp Glu Ile Ile Pro Asp Ser Ala Thr Val Pro Tyr 65 75 gac gtc cgc gat gtc atn gaa tgc ctc acc gac gat ggc gaa tac ctg 288 Asp Val Arg Asp Val Xaa Glu Cys Leu Thr Asp Asp Gly Glu Tyr Leu 85 gaa atc cag gca gnc cgc gca gaa aac gtt gtt att gca ttc ggc cgc 336 Glu Ile Gln Ala Xaa Arg Ala Glu Asn Val Val Ile Ala Phe Gly Arg 105 atc gaa ggc cag tcc gtt ggc ttt gtt gcc aac cag cca acc cag ttc Ile Glu Gly Gln Ser Val Gly Phe Val Ala Asn Gln Pro Thr Gln Phe 120 125

get gge tge etg gae ate gae tee tet gag aag gea get ege tte gte 432 Ala Gly Cys Leu Asp Ile Asp Ser Ser Glu Lys Ala Ala Arg Phe Val 130 135 cgc acc tgc gac gcg ttc aac atc cca atc gtc atg ctt gtg gac gtc 480 Arg Thr Cys Asp Ala Phe Asn Ile Pro Ile Val Met Leu Val Asp Val 150 155 ccc ggc ttc ctc 492 Pro Gly Phe Leu <210> 218 <211> 164 <212> PRT <213> Corynebacterium glutamicum <400> 218 Glu Glu Leu Gly Gly Ala Thr Thr His Met Val Thr Ala Gly Asn Ser His Tyr Thr Ala Ala Thr Asp Glu Glu Ala Leu Asp Trp Val Gln Asp 20 25 Leu Val Ser Phe Leu Pro Ser Asn Asn Arg Ser Tyr Ala Pro Met Glu 40 Asp Phe Asp Glu Glu Glu Gly Val Glu Glu Asn Ile Thr Ala Asp Asp Leu Lys Leu Asp Glu Ile Ile Pro Asp Ser Ala Thr Val Pro Tyr Asp Val Arg Asp Val Xaa Glu Cys Leu Thr Asp Asp Gly Glu Tyr Leu Glu Ile Gln Ala Xaa Arg Ala Glu Asn Val Val Ile Ala Phe Gly Arg Ile Glu Gly Gln Ser Val Gly Phe Val Ala Asn Gln Pro Thr Gln Phe 115 120 Ala Gly Cys Leu Asp Ile Asp Ser Ser Glu Lys Ala Ala Arg Phe Val 135 Arg Thr Cys Asp Ala Phe Asn Ile Pro Ile Val Met Leu Val Asp Val Pro Gly Phe Leu <210> 219

<210> 219 <211> 1671 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS

<222> (101)..(1648) <223> RXA02583

<400> 219

cagttgtcga tgaaccagaa atcggcacag tcggagctca tttgagtcgc cgcattgatg 60

agatttctcg gaagaattag taacggagag ctgacggaag ttg agt aac acc act 115

Leu Ser Asn Thr Thr

1 5

act gca gag aag cta gcg gat ctg cgc gca cgc ctg gag att gcc aaa $$ 163 Thr Ala Glu Lys Leu Ala Asp Leu Arg Ala Arg Leu Glu Ile Ala Lys $$ 15 $$ 20

gac cca ggt agt gaa cgc gca cgt aaa aag cgc gac gag gaa ggc cga 211 Asp Pro Gly Ser Glu Arg Ala Arg Lys Lys Arg Asp Glu Glu Gly Arg

acc acc cct cgt cag cgt att gat gct ctg ctt gat gcc gga tcc ttt 259
Thr Thr Pro Arg Gln Arg Ile Asp Ala Leu Leu Asp Ala Gly Ser Phe
40 45 50

gtg gag atc ggc gca cta ggc cgt acc ccg gat gaa ccc gat gcg cct 307 Val Glu Ile Gly Ala Leu Gly Arg Thr Pro Asp Glu Pro Asp Ala Pro 55 60 65

tac tct gac ggt gtg gtg act ggt tat ggt cgc atc gat ggt cgc cca 355

Tyr Ser Asp Gly Val Val Thr Gly Tyr Gly Arg Ile Asp Gly Arg Pro
70 75 80 85

gtg gcc atc tac gcc cat gac aag acc gtt tac ggt ggt tcc gtg ggc 403 Val Ala Ile Tyr Ala His Asp Lys Thr Val Tyr Gly Gly Ser Val Gly 90 95

atg act ttc gga cgt aaa gtc agc gaa gtc atg gac atg gct atc cgc 451 Met Thr Phe Gly Arg Lys Val Ser Glu Val Met Asp Met Ala Ile Arg 105 110 115

att ggt tgc cca gtt atc ggt att cag gat tcc ggc gga gcc cgc att 499
Ile Gly Cys Pro Val Ile Gly Ile Gln Asp Ser Gly Gly Ala Arg Ile
120 125 130

cag gat gcg gtg acc tcc ttg gcg atg tac tca gag atc gcg cgt cgt 547 Gln Asp Ala Val Thr Ser Leu Ala Met Tyr Ser Glu Ile Ala Arg Arg 135 140 145

cag ctt ccg ctg tct ggc cgc agc cct cag att tcc atc atg ctg ggt 595 Gln Leu Pro Leu Ser Gly Arg Ser Pro Gln Ile Ser Ile Met Leu Gly 150 165

aaa tog gca ggt ggc gca gtg tat gca cot gtg acc act gac ttt gtt 643 Lys Ser Ala Gly Gly Ala Val Tyr Ala Pro Val Thr Thr Asp Phe Val 170 175 180

atc ggc gtt gat ggt gaa aca gaa atg tat gtc acc ggc cca gcc gtg 691

Ile Gly Val Asp Gly Glu Thr Glu Met Tyr Val Thr Gly Pro Ala Val

185 190 195

atc aag gaa gtc acc ggc gag cag atc act tcc gca gac ctc ggt ggc 739

Ile Lys Glu Val Thr Gly Glu Gln Ile Thr Ser Ala Asp Leu Gly Gly
200 205 210

ggt Gly	gcg Ala 215	cag Gln	cag Gln	atg Met	caa Gln	aac Asn 220	ggc Gly	aac Asn	att Ile	tcc Ser	tat Tyr 225	ttg Leu	gcg Ala	tcc Ser	tct Ser	787
gaa Glu 230	Glu	gag Glu	gcc Ala	ctg Leu	aat Asn 235	atg Met	gtc Val	aag Lys	gat Asp	ttg Leu 240	ctc Leu	gac Asp	ttc Phe	ctg Leu	cct Pro 245	835
								gtg Val								883
								aac Asn 270								931
								ctg Leu								979
gcc Ala	aac Asn 295	ctg Leu	ctg Leu	gaa Glu	atc Ile	caa Gln 300	gag Glu	gag Glu	tac Tyr	gcc Ala	ccc Pro 305	aac Asn	ctg Leu	atc Ile	act Thr	1027
								gca Ala								1075
								gac Asp								1123
								gcc Ala 350								1171
								cct Pro								1219
ggt Gly	ttg Leu 375	att Ile	cac His	cgt Arg	ggc Gly	gca Ala 380	aag Lys	cta Leu	gcc Ala	ttc Phe	gca Ala 385	gtg Val	gtg Val	gaa Glu	tcg Ser	1267
acc Thr 390	gtc Val	cct Pro	aag Lys	att Ile	tcc Ser 395	ttg Leu	atc Ile	gtg Val	cgc Arg	aag Lys 400	gcc Ala	tac Tyr	ggc Gly	gga Gly	gca Ala 405	1315
tat Tyr	gcc Ala	gtg Val	atg Met	ggt Gly 410	tcc Ser	aag Lys	aac Asn	ctc Leu	acc Thr 415	ggt Gly	gac Asp	ctc Leu	aac Asn	ttc Phe 420	gca Ala	1363
tgg Trp	cca Pro	acc Thr	gca Ala 425	cag Gln	atc Ile	gcc Ala	gtg Val	atg Met 430	ggc Gly	gca Ala	gcc Ala	gca Ala	gct Ala 435	gtc Val	gtg Val	1411
atg Met								gcc Ala								1459

tac Tyr	ato Met 455	: Lys	aaa Lys	ctg Leu	ttc Phe	atg Met 460	Asp	ttc Phe	tac Tyr	gat Asp	gag Glu 465	Asn	atg Met	acc Thr	agc Ser	1507
eca Pro 470	Tyr	gtg Val	gcc Ala	gcc Ala	gag Glu 475	cgt Arg	ggt Gly	tac Tyr	atc Ile	gac Asp 480	gcc Ala	atg Met	atc Ile	gaa Glu	cct Pro 485	1555
gca Ala	gag Glu	acc Thr	cgt Arg	ttg Leu 490	gtg Val	ctt Leu	cgc Arg	cga Arg	gca Ala 495	gtc Val	cgc Arg	cag Gln	ctg Leu	gaa Glu 500	acc Thr	1603
aag Lys	gct Ala	gtg Val	cga Arg 505	gac Asp	ctc Leu	gac Asp	aag Lys	aag Lys 510	cac His	acg Thr	atc	atg Met	ccg Pro 515	atg Met		1648
taa	cgtc	caa	agaa	ttat	cc a	ga										1671
<21 <21	0> 2 1> 5 2> P 3> C	16 RT	ebac:	teri	um gi	lutar	nicur	n								
	0> 2															
Leu 1	Ser	Asn	Thr	Thr 5	Thr	Ala	Glu	Lys	Leu 10	Ala	Asp	Leu	Arg	Ala 15	Arg	
Leu	Glu	Ile	Ala 20	Lys	Asp	Pro	Gly	Ser 25	Glu	Arg	Ala	Arg	Lys 30	Lys	Arg	
Asp	Glu	Glu 35	Gly	Arg	Thr	Thr	Pro 40	Arg	Gln	Arg	Ile	Asp 45	Ala	Leu	Leu	
Asp	Ala 50	Gly	Ser	Phe	Val	Glu 55	Ile	Gly	Ala	Leu	Gly 60	Arg	Thr	Pro	Asp	
Glu 65	Pro	Asp	Ala	Pro	Tyr 70	Ser	Asp	Gly	Val	Val 75	Thr	Gly	Tyr	Gly	Arg 80	
Ile	Asp	Gly	Arg	Pro 85	Val	Ala	Ile	Tyr	Ala 90	His	Asp	Lys	Thr	Val 95	Tyr	
Gly	Gly	Ser	Val 100	Gly	Met	Thr	Phe	Gly 105	Arg	Lys	Val	Ser	Glu 110	Val	Met	
Asp	Met	Ala 115	Ile	Arg	Ile	Gly	Cys 120	Pro	Val	Ile	Gly	Ile 125	Gln	Asp	Ser	
Gly	Gly 130	Ala	Arg	Ile	Gln	Asp 135	Ala	Val	Thr	Ser	Leu 140	Ala	Met	Tyr	Ser	
Glu 145	Ile	Ala	Arg	Arg	Gln 150	Leu	Pro	Leu	Ser	Gly 155	Arg	Ser	Pro	Gln	Ile 160	
Ser	Ile	Met	Leu	Gly 165	Lys	Ser	Ala	Gly	Gly 170	Aĺa	Val	Tyr	Ala	Pro 175	Val [°]	
Thr	Thr	Asp	Phe 180	Val	Ile	Gly	Val	Asp 185	Gly	Glu	Thr	Glu	Met 190	Tyr	Val	

Thr Gly Pro Ala Val Ile Lys Glu Val Thr Gly Glu Gln Ile Thr Ser 195 200 205

- Ala Asp Leu Gly Gly Gly Ala Gln Gln Met Gln Asn Gly Asn Ile Ser 210 215 220
- Tyr Leu Ala Ser Ser Glu Glu Glu Ala Leu Asn Met Val Lys Asp Leu 225 230 235 240
- Leu Asp Phe Leu Pro Leu Thr Cys Asn Asp Pro Ala Pro Val Phe Ala 245 250 255
- Ala Pro Thr Asp Glu Glu Ile Ala Tyr Asp Glu Ala Leu Asn Ser Phe 260 265 270
- Met Pro Asp Asp Thr Asn Gln Gly Tyr Asp Met His Asp Leu Leu Asp 275 280 285
- Lys Leu Phe Asp Asp Ala Asn Leu Leu Glu Ile Gln Glu Glu Tyr Ala 290 295 300
- Pro Asn Leu Ile Thr Thr Phe Ala Arg Val Asp Gly Lys Ala Val Gly 305 310 315 320
- Val Val Ala Asn Gln Pro Met Asp Lys Ala Gly Cys Ile Asp Ala Asp 325 330 335
- Ala Ala Asp Lys Gly Ala Arg Phe Ile Arg Ile Cys Asp Ala Tyr Asn 340 345 350
- Ile Pro Ile Ile Phe Val Val Asp Thr Pro Gly Tyr Leu Pro Gly Val 355 360 365
- Asp Gln Glu Lys Val Gly Leu Ile His Arg Gly Ala Lys Leu Ala Phe 370 380
- Ala Val Val Glu Ser Thr Val Pro Lys Ile Ser Leu Ile Val Arg Lys 385 390 395 400
- Ala Tyr Gly Gly Ala Tyr Ala Val Met Gly Ser Lys Asn Leu Thr Gly
 405 410 415
- Asp Leu Asn Phe Ala Trp Pro Thr Ala Gln Ile Ala Val Met Gly Ala 420 425 430
- Ala Ala Val Val Met Ile Gln Gly Lys Gln Leu Glu Ala Ala Pro 435 440 445
- Pro Glu Gln Arg Glu Tyr Met Lys Lys Leu Phe Met Asp Phe Tyr Asp 450 455 460
- Glu Asn Met Thr Ser Pro Tyr Val Ala Ala Glu Arg Gly Tyr Ile Asp 465 470 475 480
- Ala Met Ile Glu Pro Ala Glu Thr Arg Leu Val Leu Arg Arg Ala Val 485 490 * 495
- Arg Gln Leu Glu Thr Lys Ala Val Arg Asp Leu Asp Lys Lys His Thr 500 505 510

Ile Met Pro Met

<21 <21	0> 2 1> 1 2> D 3> C	635 NA	ebac	teri	um g	luta	micu	m								
<22	1> C	101)	(1 870	612)												
	0> 2 gacg		atgt	cgcc	gc c	gctg	ttga	t ac	cgca	gcgc	gac	ttgt	tca ·	caca	gatatt	60
caa	caat	tca	cttc	gcag	ag c	attt	aagg	a at	ttac	acac				cca Pro		115
acc Thr	atc Ile	tcg Ser	cac His	tgg Trp 10	att Ile	gac Asp	ggc Gly	gcg Ala	att Ile 15	tcc Ser	cca Pro	tcc Ser	act Thr	tcc Ser 20	ggc Gly	163
aag Lys	acc Thr	gct Ala	cct Pro 25	gtc Val	tac Tyr	aat Asn	cct Pro	gca Ala 30	act Thr	ggc Gly	cag Gln	gtc Val	acc Thr 35	gcc Ala	aat Asn	211
gtt Val	gcg Ala	ctg Leu 40	gct Ala	agc Ser	cag Gln	gaa Glu	gag Glu 45	atc Ile	gat Asp	gcc Ala	acc Thr	atc Ile 50	gct Ala	tct Ser	gcc Ala	259
acc Thr	aag Lys 55	gct Ala	gct Ala	aag Lys	acg Thr	tgg Trp 60	ggc Gly	aac Asn	ctg Leu	tct Ser	atc Ile 65	gct Ala	aag Lys	cgc Arg	caa Gln	307
gct Ala 70	gtg Val	ctt Leu	ttc Phe	aac Asn	ttc Phe 75	cgt Arg	gag Glu	ctg Leu	ctg Leu	aat Asn 80	gct Ala	cgc Arg	aag Lys	ggt Gly	gag Glu 85	355
ctg Leu	gcg Ala	gag Glu	atc Ile	atc Ile 90	act Thr	gca Ala	gag Glu	cac His	ggc Gly 95	aag Lys	gtc Val	ttg Leu	tcc Ser	gat Asp 100	gcc Ala	403
atg Met	ggt Gly	gaa Glu	atc Ile 105	ctg Leu	cgc Arg	ggc Gly	cag Gln	gaa Glu 110	gtc Val	gtg Val	gag Glu	ctt Leu	gct Ala 115	acc Thr	ggt Gly	451
ttc Phe	cca Pro	cac His 120	ctg Leu	ctt Leu	aaa Lys	ggt Gly	gcg Ala 125	ttc Phe	aac Asn	gag Glu	aac Asn	gtc Val 130	tcc Ser	acc Thr	ggc Gly	499
att Ile	gat Asp 135	gtg Val	tat Tyr	tcc Ser	ttg Leu	aag Lys 140	cag Gln	cca Pro	ctg Leu	ggt Gly	gtt Val 145	gtc Val	ggt Gly	atc Ile	atc Ile	547
agc Ser 150	ccg Pro	ttc Phe	aac Asn	ttc Phe	cct Pro 155	gcg Ala	atg Met	gtg Val	ccg Pro	atg Met 160	tgg Trp	ttt Phe	ttc Phe	cca Pro	atc Ile 165	595
qca	atc	qct	qca	aac	aac	σca	at.t.	att	tta	aad	dat	tca	gag	aan	aat	643

Ala	Ile	Ala	Ala	Gly 170	Asn	Ala	Val	Ile	Leu 175	Lys	Pro	Ser	Glu	Lys 180	Asp	
														ggt Gly		691
														gtt Val		739
														ggt Gly		787
														ggc Gly		835
														ctg Leu 260		883
														ggt Gly		931
														gct Ala		979
														atc Ile		1027
														ccg Pro		1075
-						-	-		-	-	_	-	_	tct Ser 340		1123
														Gly		1171
														cct Pro		1219
														gaa Glu		1267
														gag Glu		1315
														atc Ile		1363

415

420

acc aac gat ggt gga gcg gca cgc cgc ttc cag cat gag atc gaa gtg
Thr Asn Asp Gly Gly Ala Ala Arg Arg Phe Gln His Glu Ile Glu Val
425

ggc atg atc ggc atc aac gta cca atc cca gtg cct gtt gcg tac cac
Gly Met Ile Gly Ile Asn Val Pro Ile Pro Val Pro Val Ala Tyr His

tcc ttc ggt ggt tgg aag aac tcc ctc ttc ggt gac gcc aag gca tat 1507 Ser Phe Gly Gly Trp Lys Asn Ser Leu Phe Gly Asp Ala Lys Ala Tyr 455 460 465

445

ggc act caa ggt ttt gat ttc ttc acc agg gaa aag gcg atc acc agc $$ 1555 Gly Thr Gln Gly Phe Asp Phe Phe Thr Arg Glu Lys Ala Ile Thr Ser $$ 475 $$ 485

cgt tgg ctc gac cca gca acc cac ggt ggc att aac ctc ggt ttc cca 1603 Arg Trp Leu Asp Pro Ala Thr His Gly Gly Ile Asn Leu Gly Phe Pro 490 495 500

cag aac gat taattgaagg agagcacagg act 1635 Gln Asn Asp

<210> 222

<211> 504

<212> PRT

<213> Corynebacterium glutamicum

410

<400> 222

Met Ser Glu Pro Gln Thr Ile Ser His Trp Ile Asp Gly Ala Ile Ser 1 5 10 15

Pro Ser Thr Ser Gly Lys Thr Ala Pro Val Tyr Asn Pro Ala Thr Gly 20 25 30

Gln Val Thr Ala Asn Val Ala Leu Ala Ser Gln Glu Glu Ile Asp Ala 35 40 45

Thr Ile Ala Ser Ala Thr Lys Ala Ala Lys Thr Trp Gly Asn Leu Ser 50 55 60

Ile Ala Lys Arg Gln Ala Val Leu Phe Asn Phe Arg Glu Leu Leu Asn 65 70 75 80

Ala Arg Lys Gly Glu Leu Ala Glu Ile Ile Thr Ala Glu His Gly Lys
85
90
95

Val Leu Ser Asp Ala Met Gly Glu Ile Leu Arg Gly Gln Glu Val Val
100 105 110

Glu Leu Ala Thr Gly Phe Pro His Leu Leu Lys Gly Ala Phe Asn Glu 115 120 125

Asn Val Ser Thr Gly Ile Asp Val Tyr Ser Leu Lys Gln Pro Leu Gly 130 135 140

Val Val Gly Ile Ile Ser Pro Phe Asn Phe Pro Ala Met Val Pro Met

145 150 160 155 Trp Phe Phe Pro Ile Ala Ile Ala Ala Gly Asn Ala Val Ile Leu Lys 165 Pro Ser Glu Lys Asp Pro Ser Ala Ala Leu Trp Met Ala Gln Ile Trp 185 Lys Glu Ala Gly Leu Pro Asp Gly Val Phe Asn Val Leu Gln Gly Asp Lys Leu Ala Val Asp Gly Leu Leu Asn Ser Pro Asp Val Ser Ala Ile 215 Ser Phe Val Gly Ser Thr Pro Ile Ala Lys Tyr Ile Tyr Glu Thr Ser Ala Lys Asn Gly Lys Arg Val Gln Ala Leu Gly Gly Ala Lys Asn His 250 Met Leu Val Leu Pro Asp Ala Asp Leu Asp Leu Val Ala Asp Gln Ala 265 Ile Asn Ala Gly Tyr Gly Ala Ala Gly Glu Arg Cys Met Ala Val Ser Val Val Leu Ala Ile Glu Ser Val Ala Asp Glu Leu Ile Glu Lys Ile 295 Lys Glu Arg Ile Asp Thr Leu Arg Ile Gly Asn Gly Ala Gly Asp Glu 305 Gln Gly Glu Pro His Leu Gly Pro Leu Ile Thr Asp Val His Arg Asp Lys Val Ala Ser Tyr Val Asp Ile Ala Glu Ala Asp Gly Ala Lys Ile Ile Val Asp Gly Arg Asn Cys Ala Val Asp Gly His Glu Gly Phe Phe Phe Gly Pro Thr Leu Ile Asp Asp Ile Pro Leu Thr Phe Arg Ala 370 375 Tyr Thr Glu Glu Ile Phe Gly Pro Val Leu Ser Val Val Arg Val Ala Ser Phe Asp Glu Ala Ile Glu Leu Ile Asn Ser Gly Glu Phe Gly Asn Gly Thr Ala Ile Phe Thr Asn Asp Gly Gly Ala Ala Arg Arg Phe Gln His Glu Ile Glu Val Gly Met Ile Gly Ile Asn Val Pro Ile Pro Val 440 Pro Val Ala Tyr His Ser Phe Gly Gly Trp Lys Asn Ser Leu Phe Gly 450 Asp Ala Lys Ala Tyr Gly Thr Gln Gly Phe Asp Phe Phe Thr Arg Glu 470

Lys Ala Ile Thr Ser Arg Trp Leu Asp Pro Ala Thr His Gly Gly Ile

Asn Leu Gly Phe Pro Gln Asn Asp 500 <210> 223 <211> 1305 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1282) <223> RXA01260 <400> 223 ctaaacgtgg gctgcattcc ttccaaagtc tctgatcaaa aacgctgaag ttgcccatac 60 ctttacccat gagaagaaga ccttcggcat caatggcgaa gtg acc ttc aac tat Val Thr Phe Asn Tyr gag gat gct cac aag cgt tcc cgt ggc gtt tcc gac aag atc gtt gga 163 Glu Asp Ala His Lys Arg Ser Arg Gly Val Ser Asp Lys Ile Val Gly ggc gtt cat tac ttg atg aag aag aac aag atc atc gaa att cat ggt 211 Gly Val His Tyr Leu Met Lys Lys Asn Lys Ile Ile Glu Ile His Gly 30 ctt gga aac ttc aag gat gct aag act ctt gag gtc acc gac ggt aag Leu Gly Asn Phe Lys Asp Ala Lys Thr Leu Glu Val Thr Asp Gly Lys 40 gat gct ggc aag acc atc acc ttt gat gac tgc atc atc gca acc ggt 307 Asp Ala Gly Lys Thr Ile Thr Phe Asp Asp Cys Ile Ile Ala Thr Gly tcg gta gtc aac acc ctc cgt ggc gtt gac ttc tca gag aac gtt gtg Ser Val Val Asn Thr Leu Arg Gly Val Asp Phe Ser Glu Asn Val Val 70 75 tct ttt gaa gag cag att ctt aac cct gtt gcg cca aag aag atg gtc 403 Ser Phe Glu Glu Gln Ile Leu Asn Pro Val Ala Pro Lys Lys Met Val 90 100 att gtt ggt gca ggc gca att gga atg gaa ttc gcc tac gtt ctt ggt Ile Val Gly Ala Gly Ala Ile Gly Met Glu Phe Ala Tyr Val Leu Gly 105 aac tac ggt gta gat gta acc gtc atc gag ttc atg gat cgt gtg ctt Asn Tyr Gly Val Asp Val Thr Val Ile Glu Phe Met Asp Arg Val Leu 120 125 130 cca aat gaa gat gct gaa gtc tcc aag gtt att gca aag gcc tac aag 547 Pro Asn Glu Asp Ala Glu Val Ser Lys Val Ile Ala Lys Ala Tyr Lys 135 140

		ggc Gly														595
		ggt Gly														643
aag Lys	aca Thr	gag Glu	act Thr 185	ctt Leu	act Thr	gtt Val	gat Asp	cga Arg 190	gtc Val	atg Met	gtt Val	tcc Ser	gtt Val 195	ggt Gly	ttc Phe	691
		cgc Arg 200														739
		cgt Arg														787
		att Ile														835
		gca Ala	-	-	-			-	-	-				_		883
		act Thr														931
		aac Asn 280														979
		aag Lys														1027
		aac Asn														1075
		gtt Val														1123
		gca Ala														1171
		gat Asp 360														1219
		cta Leu														1267
cac	atg	atc	aac	ttc	taga	atco	ac c	tcgt	tggc	c ct	g					1305

His Met Ile Asn Phe 390

<210> 224

<211> 394

<212> PRT

<213> Corynebacterium glutamicum

<400> 224

Val Thr Phe Asn Tyr Glu Asp Ala His Lys Arg Ser Arg Gly Val Ser 1 5 10 15

Asp Lys Ile Val Gly Gly Val His Tyr Leu Met Lys Lys Asn Lys Ile
20 25 30

Ile Glu Ile His Gly Leu Gly Asn Phe Lys Asp Ala Lys Thr Leu Glu 35 40 45

Val Thr Asp Gly Lys Asp Ala Gly Lys Thr Ile Thr Phe Asp Asp Cys 50 55 60

Ile Ile Ala Thr Gly Ser Val Val Asn Thr Leu Arg Gly Val Asp Phe 65 70 75 80

Ser Glu Asn Val Val Ser Phe Glu Glu Gln Ile Leu Asn Pro Val Ala 85 90 95

Pro Lys Lys Met Val Ile Val Gly Ala Gly Ala Ile Gly Met Glu Phe 100 105 110

Ala Tyr Val Leu Gly Asn Tyr Gly Val Asp Val Thr Val Ile Glu Phe 115 120 125

Met Asp Arg Val Leu Pro Asn Glu Asp Ala Glu Val Ser Lys Val Ile 130 135 140

Ala Lys Ala Tyr Lys Lys Met Gly Val Lys Leu Leu Pro Gly His Ala 145 150 155 160

Thr Thr Ala Val Arg Asp Asn Gly Asp Phe Val Glu Val Asp Tyr Gln
165 170 175

Lys Lys Gly Ser Asp Lys Thr Glu Thr Leu Thr Val Asp.Arg Val Met 180 185 190

Val Ser Val Gly Phe Arg Pro Arg Val Glu Gly Phe Gly Leu Glu Asn 195 200 205

Thr Gly Val Lys Leu Thr Glu Arg Gly Ala Ile Glu Ile Asp Asp Tyr 210 215 220

Met Arg Thr Asn Val Asp Gly Ile Tyr Ala Ile Gly Asp Val Thr Ala 225 230 235 240

Lys Leu Gln Leu Ala His Val Ala Glu Ala Gln Gly Ile Val Ala Ala 245 250 255

Glu Thr Ile Ala Gly Ala Glu Thr Gln Thr Leu Gly Asp Tyr Met Met 260 265 270

Met Pro Arg Ala Thr Phe Cys Asn Pro Gln Val Ser Ser Phe Gly Tyr 280 Thr Glu Glu Gln Ala Lys Glu Lys Trp Pro Asp Arg Glu Ile Lys Val 295 Ala Ser Phe Pro Phe Ser Ala Asn Gly Lys Ala Val Gly Leu Ala Glu 310 315 Thr Asp Gly Phe Ala Lys Ile Val Ala Asp Ala Glu Phe Gly Glu Leu 325 330 Leu Gly Ala His Leu Val Gly Ala Asn Ala Ser Glu Leu Ile Asn Glu Leu Val Leu Ala Gln Asn Trp Asp Leu Thr Thr Glu Glu Ile Ser Arg 360 Ser Val His Ile His Pro Thr Leu Ser Glu Ala Val Lys Glu Ala Ala 375 His Gly Ile Ser Gly His Met Ile Asn Phe 390 <210> 225 <211> 294 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(271) <223> RXA01261 <400> 225 gtgggtgttt ttcattttct tccactctaa aattaagtat ggaaaaccaa ccgcacccgg 60 atgcacgaca atgacccact aaacacgtat ccttgaatgc gtg act gaa cat tat 115 . Val Thr Glu His Tyr . 1 gac gta gta gta ctc gga gcc ggc ccc ggt ggc tat gtc tcc gcc atc 163 Asp Val Val Leu Gly Ala Gly Pro Gly Gly Tyr Val Ser Ala Ile 10 cgt gca gcg cag ctt ggc aag aag gtt gct gta att gag aag cag tac 211 Arg Ala Ala Gln Leu Gly Lys Lys Val Ala Val Ile Glu Lys Gln Tyr 25 tgg ggt ggt gtt tgc cta aac gtg ggc tgc att cct tcc aaa gtc tct 259 Trp Gly Gly Val Cys Leu Asn Val Gly Cys Ile Pro Ser Lys Val Ser 40 45 gat caa aaa cgc tgaagttgcc cataccttta ccc 294 Asp Gln Lys Arg 55 <210> 226 <211> 57

<212> PRT <213> Corynebacterium glutamicum <400> 226 Val Thr Glu His Tyr Asp Val Val Leu Gly Ala Gly Pro Gly Gly Tyr Val Ser Ala Ile Arg Ala Ala Gln Leu Gly Lys Lys Val Ala Val Ile Glu Lys Gln Tyr Trp Gly Gly Val Cys Leu Asn Val Gly Cys Ile Pro Ser Lys Val Ser Asp Gln Lys Arg 50 <210> 227 <211> 555 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(532) <223> RXA01136 <400> 227 ccctcgcaac accgacggta gcctcttgga aatggcgcgc atcgtgcgtg agctttcccg 60 ctaggacctg tctactgcct tcactttgtg cgaacaccgc atg acc ttg gat tac Met Thr Leu Asp Tyr ttc aag gca tcc ggc act gac tat gct ttg gga ttg gct gca gag tcg 163 Phe Lys Ala Ser Gly Thr Asp Tyr Ala Leu Gly Leu Ala Ala Glu Ser 10 15 gaa ggg gca cga cgc act ggt atc acc ggc atg gcg agt gca ttc aag 211 Glu Gly Ala Arg Arg Thr Gly Ile Thr Gly Met Ala Ser Ala Phe Lys 25 gag ttt gct ggt tgt ggt gag atc gac ctt gaa gca acc agg gta gaa 259 Glu Phe Ala Gly Cys Gly Glu Ile Asp Leu Glu Ala Thr Arg Val Glu ggt ggc ctc aaa gtt agt gga aag ctt cgt tgg gct tcc aac ttg tgc 307 Gly Gly Leu Lys Val Ser Gly Lys Leu Arg Trp Ala Ser Asn Leu Cys gaa gat cca gtg att gtg cct gct gca aag acc gca gag ggc tta caa 355 Glu Asp Pro Val Ile Val Pro Ala Ala Lys Thr Ala Glu Gly Leu Gln cta ctg ttc gca ttg ggc gca gaa acc gaa ggt gtc acc ctc ggt tct 403 Leu Leu Phe Ala Leu Gly Ala Glu Thr Glu Gly Val Thr Leu Gly Ser tca ctt gct cta ctc ggt ttg aac gca act gct tgc gct tgg gtg agc 451 Ser Leu Ala Leu Leu Gly Leu Asn Ala Thr Ala Cys Ala Trp Val Ser 105 110 115

ttt gag gat gtc ttc att cct ggg gct cag att cta agc cac gat ttc Phe Glu Asp Val Phe Ile Pro Gly Ala Gln Ile Leu Ser His Asp Phe 125 130 ctt acc ttg tgg cat cgg tgc gcc caa cct tcg tgatcctacg gatctccgaa 552 Leu Thr Leu Trp His Arg Cys Ala Gln Pro Ser 135 140 tac 555 <210> 228 <211> 144 <212> PRT <213> Corynebacterium glutamicum <400> 228 Met Thr Leu Asp Tyr Phe Lys Ala Ser Gly Thr Asp Tyr Ala Leu Gly 10 Leu Ala Ala Glu Ser Glu Gly Ala Arg Arg Thr Gly Ile Thr Gly Met Ala Ser Ala Phe Lys Glu Phe Ala Gly Cys Gly Glu Ile Asp Leu Glu 35 Ala Thr Arg Val Glu Gly Gly Leu Lys Val Ser Gly Lys Leu Arg Trp Ala Ser Asn Leu Cys Glu Asp Pro Val Ile Val Pro Ala Ala Lys Thr 70 Ala Glu Gly Leu Gln Leu Leu Phe Ala Leu Gly Ala Glu Thr Glu Gly Val Thr Leu Gly Ser Ser Leu Ala Leu Leu Gly Leu Asn Ala Thr Ala 105 Cys Ala Trp Val Ser Phe Glu Asp Val Phe Ile Pro Gly Ala Gln Ile 115 120 Leu Ser His Asp Phe Leu Thr Leu Trp His Arg Cys Ala Gln Pro Ser <210> 229 <211> 1140 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(1117) <223> RXN00559 <400> 229 cccttcaatc cagtctttga cggccaatac ggcttgccgg gtttccagcg gatcaatcct 60

ca	tgaaq	gcat	cago	cctaç	gta d	gaad	cgtt	a aa	igtgt	ccat	ato Met	Sei	gat Asp	aat Asr	ccg Pro 5	115
Cat His	t gaç s Glu	g aat 1 Asi	cco Pro	cgt Arg 10	GIU	g aat 1 Asr	cca Pro	cac His	cgc Arg 15	, Ser	cca Pro	gaa Glu	gto Val	gtc Val	ctt Leu	163
cgt Arc	tto Phe	ato Met	gct Ala 25	Ala	cct Pro	act Thr	gac Asp	gtt Val 30	Leu	ı atg ı Met	gct Ala	ggt Gly	ago Ser 35	His	ggc Gly	211
gtt Val	ggc Gly	ggt Gly 40	, ста	cga Arg	gto Val	ctg Leu	gaa Glu 45	Trp	atc	gat Asp	aag Lys	gct Ala 50	Ala	tat Tyr	gct Ala	259
tgt Cys	gct Ala 55	acc Thr	cag Gln	tgg Trp	tct Ser	gga Gly 60	acc Thr	tac Tyr	tgt Cys	gtc Val	act Thr 65	gct Ala	tat Tyr	gtt Val	ggt Gly	307
cac His 70	TIE	cac His	ttc Phe	act Thr	cgc Arg 75	cct Pro	att Ile	ccc Pro	tct Ser	ggc Gly 80	cac His	atg Met	gtc Val	gag Glu	gtg Val 85	355
ALG	Ser	cgc Arg	ııe	90	Met	Thr	Gly	Arg	Ser 95	Ser	Met	His	Ile	Val 100	Asn	403
Giu	Val	ctt Leu	105	Ala	Asp	Pro	Arg	Asp 110	Gly	Asn	Tyr	Thr	Arg 115	Ala	Cys	451
nap	Cys	ttg Leu 120	vai	. iie	Pne	Val	Ala 125	Lys	Asp	Thr	Ala	Thr 130	Gly	Arg	Ala	499
****	135	gtt Val	PIO	ser	rne	140	Pro	Lys	Asn	Glu	Glu 145	Glu	Gln	Arg	Val	547
150	010	gct Ala	NIG	ASII	155	Arg	iie	GIÀ	Leu	160	Lys	Ala	Ile	Glu	Ala 165	595
	nec	gaa Glu	гЛ2	170	inr	Tyr	Asn	GIY	Pro 175	Ser	Glu	Ala	Pro	Arg 180	Leu	643
att Ile	acc Thr	cgc Arg	ttc Phe 185	ttg Leu	gct Ala	aag Lys	cca Pro	aca Thr 190	gat Asp	atc Ile	aac Asn	tgg Trp	ggt Gly 195	ggc Gly	aag Lys	691
gtc Val	1112	ggt Gly 200	ggc Gly	act Thr	gcc Ala	Met	gaa Glu 205	tgg Trp	atc Ile	gat Asp	gag Glu	gcg Ala 210	ggt Gly	gct Ala	gcg Ala	739
Cys	acc Thr 215	atg Met	gag Glu	tgg Trp	Ser	ggt Gly 220	aac Asn	cac His	acc Thr	Val	gcg Ala 225	gtt Val	tat Tyr	gct Ala	ggt Gly	787

Gly 230	Ile	cgc Arg	ttc Phe	tac Tyr	cag Gln 235	ccc Pro	att Ile	cag Gln	atc Ile	ggt Gly 240	gac Asp	ctc Leu	att Ile	gag Glu	gtg Val 245	835
gac Asp	gcc Ala	cgc Arg	atg Met	atg Met 250	cgt Arg	acc Thr	gat Asp	aag Lys	cgt Arg 255	tcc Ser	atg Met	cag Gln	atg Met	tcc Ser 260	atc Ile	883
		cgt Arg														931
		cac His 280														979
		cct Pro														1027
	Ala	gag Glu														1075
cca Pro	atg Met	ccg Pro	ctg Leu	ttc Phe 330	cag Gln	cgc Arg	agg Arg	gtt Val	cca Pro 335	ctg Leu	cag Gln	atc Ile	gac Asp			1117
tag	ttaga	acc d	gaaa	aago	e co	cc					•	•				1140
<21 <21	0> 2: 1> 3: 2> PE 3> Co	39	ebact	eriu	ım gl	utam	nicum	n								
<21 <21 <21 <40	1> 3: 2> PI 3> Co 0> 2:	39 RT oryne							Arg 10	Glu	Asn	Pro	His	Arg 15	Ser	
<21 <21 <21 <40 Met 1	1> 3: 2> PE 3> Co 0> 2: Ser	39 RT oryne 30	Asn	Pro 5	His	Glu	Asn	Pro	10					15		
<21 <21 <21 <40 Met 1 Pro	1> 3: 2> PE 3> Co 3> Co Ser Glu	39 RT oryne 30 Asp	Asn Val 20	Pro 5 Leu	His Arg	Glu Phe	Asn Met	Pro Ala 25	10 Ala	Pro	Thr	Asp	Val 30	15 Leu	Met	
<21 <21 <40 Met 1 Pro	1> 3: 2> PR 3> Co 0> 2: Ser Glu Gly	39 RT Oryne 30 Asp Val	Asn Val 20 His	Pro 5 Leu Gly	His Arg Val	Glu Phe Gly	Asn Met Gly 40	Pro Ala 25 Gly	10 Ala Arg	Pro Val	Thr Leu	Asp Glu 45	Val 30 Trp	15 Leu Ile	Met Asp	
<21 <21 <40 Met 1 Pro Ala	1> 3: 2> PF 3> Co 0> 2: Ser Glu Gly Ala 50	39 RT oryne 30 Asp Val Ser 35	Asn Val 20 His	Pro 5 Leu Gly Ala	His Arg Val Cys	Glu Phe Gly Ala 55	Asn Met Gly 40 Thr	Pro Ala 25 Gly Gln	10 Ala Arg Trp	Pro Val Ser	Thr Leu Gly 60	Asp Glu 45 Thr	Val 30 Trp	15 Leu Ile	Met Asp Val	
<21 <21 <40 Met 1 Pro Ala Lys Thr 65	1> 3: 2> PF 3> Co 0> 2: Ser Glu Gly Ala 50	39 RT Oryne 30 Asp Val Ser 35	Asn Val 20 His Tyr	Pro 5 Leu Gly Ala Gly	His Arg Val Cys His	Glu Phe Gly Ala 55	Asn Met Gly 40 Thr	Pro Ala 25 Gly Gln Phe	10 Ala Arg Trp	Pro Val Ser Arg 75	Thr Leu Gly 60 Pro	Asp Glu 45 Thr	Val 30 Trp Tyr	15 Leu Ile Cys Ser	Met Asp Val Gly 80	
<21 <21 <40 Met 1 Pro Ala Lys Thr 65 His	1> 3: 2> PF 3> Co 0> 2: Ser Glu Gly Ala 50 Ala Met	39 RT Dryne 30 Asp Val Ser 35 Ala Tyr	Asn Val 20 His Tyr Val	Pro 5 Leu Gly Ala Gly Val 85	His Arg Val Cys His 70 Arg	Glu Phe Gly Ala 55 Ile Ser	Asn Met Gly 40 Thr His	Pro Ala 25 Gly Gln Phe	10 Ala Arg Trp Thr	Pro Val Ser Arg 75	Thr Leu Gly 60 Pro	Asp Glu 45 Thr Ile	Val 30 Trp Tyr Pro	15 Leu Ile Cys Ser Ser 95	Met Asp Val Gly 80 Ser	

Ala Thr Gly Arg Ala Thr Pro Val Pro Ser Phe Thr Pro Lys Asn Glu 135 Glu Glu Gln Arg Val Leu Glu Ala Ala Asn Ser Arg Ile Gly Leu Arg 150 155 Lys Ala Ile Glu Ala Glu Met Glu Lys Gln Thr Tyr Asn Gly Pro Ser 170 Glu Ala Pro Arg Leu Ile Thr Arg Phe Leu Ala Lys Pro Thr Asp Ile 185 Asn Trp Gly Gly Lys Val His Gly Gly Thr Ala Met Glu Trp Ile Asp Glu Ala Gly Ala Ala Cys Thr Met Glu Trp Ser Gly Asn His Thr Val 210 215 Ala Val Tyr Ala Gly Gly Ile Arg Phe Tyr Gln Pro Ile Gln Ile Gly 230

Asp Leu Ile Glu Val Asp Ala Arg Met Met Arg Thr Asp Lys Arg Ser 255

Met Gln Met Ser Ile His Val Arg Ala Gly Asp Ala His Arg Gly Arg 265

Ala Glu Leu Glu Thr Ala Ile His Ala Thr Val Thr Tyr Leu Gly Ile 280

Asp Val Asp Gly Glu Pro Leu Pro Ala Pro Gln Phe Val Pro Arg Thr 295

Pro Glu Asp Ile Gln Leu Ala Glu His Ala Asn Ile Leu Arg Asp Leu 305 315

Arg Ala Asp Tyr Thr Pro Met Pro Leu Phe Gln Arg Arg Val Pro Leu 325 330

Gln Ile Asp

<400> 231

<210> 231 <211> 313 <212> DNA <213> Corynebacterium glutamicum <220> <221> CDS <222> (101)..(313) <223> FRXA00559

cccttcaatc cagtctttga cggccaatac ggcttgccgg gtttccagcg gatcaatcct 60

catgaagcat cagectagta egaacegtta aagtgteeat atg tet gat aat eeg 115 Met Ser Asp Asn Pro

cat gag aat ccc cgt gag aat cca cac cgc tcc cca gaa gtc gtc ctt 163

His	Glu	Asn	Pro	Arg 10	Glu	Asn	Pro	His	Arg 15	Ser	Pro	Glu	Val	Val 20	Leu	
					cct Pro											211
					gtc Val											259
					tct Ser											307
cac His 70																313
<212 <212)> 23 l> 71 ?> PF B> Co	RT	ebact	eriu	ım gl	utan	nicum	ı								
)> 23 Ser	_	Asn	Pro 5	His	Glu	Asn	Pro	Arg 10	Glu	Asn	Pro	His	Arg 15	Ser	,
Pro	Glu	Val	Val 20	Leu	Arg	Phe	Met	Ala 25	Ala	Pro	Thr	Asp	Val 30	Leu	Met	
Ala	Gly	Ser 35	His	Gly	Val	Gly	Gly 40	Gly	Arg	Val	Leu	Glu 45	Trp	Ile	Asp	
Lys	Ala 50	Ala	Tyr	Ala	Cys	Ala 55	Thr	His	Gly	Ser	Gly 60	Thr	Tyr	Cys	Val	
Thr 65	Ala	Tyr	Val	Gly	His 70	Ile									•	
<211 <212	> 23 > 80 > DN > Co	2 A	bact	eriu	ım gl	utam	iicum	1								
<222	> CD > (1		. (80 80	(2)												
<400 cggt			tcat	taaa	g to	caat	gcca	tgo	tcat	aac	acta	acag	ıtt a	ıaccç	ıtgcgg	60
tcaa	cttt	gc t	ccct	atco	t ta	aaaa	gccc	aca	gaaa				-	a'at Asn		115
cac His	att Ile	gtt Val	gcc Ala	cat His	cgc Arg	ggt Gly	gcg Ala	gaa Glu	gat Asp	ctg Leu	cac His	ctc Leu	gaa Glu	aac Asn	acc Thr	163

10 15 atg acc gct ttc cag.gct gcc gcg ccc gct gac gct ttt gag ctg gat Met Thr Ala Phe Gln Ala Ala Pro Ala Asp Ala Phe Glu Leu Asp atc cac gcc acc gct gac aat cag gtc gtc gtt atc cac gac cgc acc Ile His Ala Thr Ala Asp Asn Gln Val Val Val Ile His Asp Arg Thr 45 gca gcg cgt gtt gcc gcg cca gat tcc ctg cac cgc gac acc ccg gtt 307 Ala Ala Arg Val Ala Ala Pro Asp Ser Leu His Arg Asp Thr Pro Val gcg cgc tta agc gcc gcg caa atc aag gag ata acg ctt atc gac gga Ala Arg Leu Ser Ala Ala Gln Ile Lys Glu Ile Thr Leu Ile Asp Gly tee eee gta eea ace etg gag gaa gtt eta ete eag aeg etg eeg 403 Ser Pro Val Pro Thr Leu Glu Glu Val Leu Leu Gln Thr Ser Leu Pro atc caa gtg gaa atc aaa tct gcc ggt gca gtt cca gca gcc gca gca 451 Ile Gln Val Glu Ile Lys Ser Ala Gly Ala Val Pro Ala Ala Ala 110 tta ttg cag aaa tac cca gag cac ctg gag cgc ctg ctg ttc atc agt 499 Leu Leu Gln Lys Tyr Pro Glu His Leu Glu Arg Leu Leu Phe Ile Ser 120 ttc atc gat gca gca ctg gtg gaa atc gtg gat cga ctg cca gaa gct 547 Phe Ile Asp Ala Ala Leu Val Glu Ile Val Asp Arg Leu Pro Glu Ala 135 140 cgc gtg gga atc ttg cgc gat gcg tcc atg gat gat ctg cgc att ctt Arg Val Gly Ile Leu Arg Asp Ala Ser Met Asp Asp Leu Arg Ile Leu 150 155 gat tac atc ccg cta aaa aat gtg ggc gcg atc ttg ccc tcg tgg aaa Asp Tyr Ile Pro Leu Lys Asn Val Gly Ala Ile Leu Pro Ser Trp Lys 175 gca cta aac gtg gcg tca att gct gat cta cat acc aag gga atc aag Ala Leu Asn Val Ala Ser Ile Ala Asp Leu His Thr Lys Gly Ile Lys 190 gtt ggc tgc tgg aca att cgg gat gaa aat gcg ttt ggg atc gca caa 739 Val Gly Cys Trp Thr Ile Arg Asp Glu Asn Ala Phe Gly Ile Ala Gln

cgc cct ccc ctg ctg 802 Arg Pro Pro Leu Leu

caa gct ggc gtt gat tac ccc act gtt agc gat ccc tct cgt ttc tcg Gln Ala Gly Val Asp Tyr Pro Thr Val Ser Asp Pro Ser Arg Phe Ser

220

<210> 234 <211> 234 <212> PRT

<213> Corynebacterium glutamicum

<400> 234

Met Tyr Lys Asn Met His Ile Val Ala His Arg Gly Ala Glu Asp Leu 1 5 10 15

His Leu Glu Asn Thr Met Thr Ala Phe Gln Ala Ala Ala Pro Ala Asp 20 25 30

Ala Phe Glu Leu Asp Ile His Ala Thr Ala Asp Asn Gln Val Val 35 40 45

Ile His Asp Arg Thr Ala Ala Arg Val Ala Ala Pro Asp Ser Leu His 50 55 60

Arg Asp Thr Pro Val Ala Arg Leù Ser Ala Ala Gln Ile Lys Glu Ile 65 70 75 80

Thr Leu Ile Asp Gly Ser Pro Val Pro Thr Leu Glu Glu Val Leu Leu 85 90 95

Gln Thr Ser Leu Pro Ile Gln Val Glu Ile Lys Ser Ala Gly Ala Val 100 105 110

Pro Ala Ala Ala Leu Leu Gln Lys Tyr Pro Glu His Leu Glu Arg 115 120 125

Leu Leu Phe Ile Ser Phe Ile Asp Ala Ala Leu Val Glu Ile Val Asp 130 135 140

Arg Leu Pro Glu Ala Arg Val Gly Ile Leu Arg Asp Ala Ser Met Asp 145 150 155 160

Asp Leu Arg Ile Leu Asp Tyr Ile Pro Leu Lys Asn Val Gly Ala Ile 165 170 175

Leu Pro Ser Trp Lys Ala Leu Asn Val Ala Ser Ile Ala Asp Leu His 180 185 190

Thr Lys Gly Ile Lys Val Gly Cys Trp Thr Ile Arg Asp Glu Asn Ala 195 200 205

Phe Gly Ile Ala Gln Gln Ala Gly Val Asp Tyr Pro Thr Val Ser Asp 210 215 220

Pro Ser Arg Phe Ser Arg Pro Pro Leu Leu 225 230

<210> 235

<211> 882

<212> DNA

<213> Corynebacterium glutamicum

<220>

<221> CDS

<222> (101)..(859)

<223> RXA02677

<400> 235

ttagtgcagt gtatttattt ccgttcacgc tgcggggctg gtggtttgga gggatactag 60 agtcgatagc aggtatataa aggccaggag agatgggttc atg aaa gtc atc gcg Met Lys Val Ile Ala cac cga ggt tta tcg tct cgc ttt ccc gaa tta aca gag tct gcg ttt His Arg Gly Leu Ser Ser Arg Phe Pro Glu Leu Thr Glu Ser Ala Phe cgg gcg gct cta gag cta ccg att cat gga att gaa act gat gtc cgg Arg Ala Ala Leu Glu Leu Pro Ile His Gly Ile Glu Thr Asp Val Arg ctg act aaa tgt ggc gaa gtg gtt aac gtc cat gac ccc att gtg gat Leu Thr Lys Cys Gly Glu Val Val Asn Val His Asp Pro Ile Val Asp cgc gtg tcg aat ggt cgc ggt cgg gtg tcg cgt ttg gac ttg gaa tcc Arg Val Ser Asn Gly Arg Gly Arg Val Ser Arg Leu Asp Leu Glu Ser ttg ctg agc ttg aac ttt gga acc aaa gaa acc cca gaa aaa gtg ctt Leu Leu Ser Leu Asn Phe Gly Thr Lys Glu Thr Pro Glu Lys Val Leu 70 act tta aac aat cta tta gat att ttt gag gat tat cca gat aag cac 403 Thr Leu Asn Asn Leu Leu Asp Ile Phe Glu Asp Tyr Pro Asp Lys His ctt tat ata gaa acc aag cac cca atg cgc tac gcg gtc atg ctg gaa Leu Tyr Ile Glu Thr Lys His Pro Met Arg Tyr Ala Val Met Leu Glu 105 110 gaa gaa atc aca aaa atc tta aaa tat cgt ggg ctg acg gaa gac cca 499 Glu Glu Ile Thr Lys Ile Leu Lys Tyr Arg Gly Leu Thr Glu Asp Pro 120 cgc atc cac atc att tct ttt gca ctt ccc gcg atg tat cgc atg gct 547 Arg Ile His Ile Ile Ser Phe Ala Leu Pro Ala Met Tyr Arg Met Ala 135 ege ett get eea eag ett gat ege att eat etg ege agg teg tgg gag 595 Arg Leu Ala Pro Gln Leu Asp Arg Ile His Leu Arg Arg Ser Trp Glu 150 cgt tgg ggt aat ccg cgc gat gtg cgc tgc ggt gta ccc acc ggt ttg Arg Trp Gly Asn Pro Arg Asp Val Arg Cys Gly Val Pro Thr Gly Leu 170 ggg ttg tcg ctg gag cgg gcg aag atg gat cca agg atg att ggg gcg 691 Gly Leu Ser Leu Glu Arg Ala Lys Met Asp Pro Arg Met Ile Gly Ala 185 190 aaa ggg tta ccc acc tat ctt ttc acc gtc gat aag caa aaa gac atg 739 Lys Gly Leu Pro Thr Tyr Leu Phe Thr Val Asp Lys Gln Lys Asp Met 200 205 ctg tgg gcg cgc gaa cag ggc gtc gac atg ctc gcc acc aat tat ccg Leu Trp Ala Arg Glu Gln Gly Val Asp Met Leu Ala Thr Asn Tyr Pro 220